



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE :2577419
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: cmuthuvel@bheltry.co.in
Web:

429-002/A

	Enquiry No	Enquiry Date	Due Date for Quotation
	2001500245 - 47	02.05.2015	26.05.2015
Please quote Enquiry No, Date and due date in all correspondences. This is only a request for quotation and not an order			

Item	Description	Unit	Quantity	Delivery Quantity	Schedule Date
10	DIGITAL CAMERA NIKON DSLR D 3100 DIGITAL CAMERA NIKON DSLR D 3100	NO	1.000	1.00	26.06.15
20	HANDYCAM SONY HDR-PJ540E/B HANDYCAM SONY HDR-PJ540E/B 32 GB FLASH MEMORY HD CAMCORDER 30	NO	1.000	1.00	26.06.15
30	POCKET SIZE - CANON LEGRIA MINI X POCKET SIZED VIDEO CAMERA CANON LEGRIA MINI X	NO	1.000	1.00	26.06.15

General Note:

1. Tender should not be addressed to any individual's name but only to the following address:

Your Quotations should be sent to:

Tender Opening Cell/MM
Room No.26,
24 Building (Ground Floor),
Bharat Heavy Electricals Limited,
Tiruchirappalli - 620 014.

2. Tender will be processed as per our enclosed Terms and conditions (Annexure).

3. The validity of the offer should be 90 days. If the supplier does not accept validity of the offer 90 days from the date of technical bid opening, such offer will be rejected.


4. The enquiry number and due date which is supercribe on the outer cover of the techno-commercial bid should be same as per our enquiry number and due date, otherwise we will not considered such offer.

5. IMPORTANT NOTE:-The commercial confirmation format (as per clause no.32) should be submitted along with the technical bid, without fail.

Terms and conditions to be confirmed /accepted/mentioned in your technical bid and the format (which we have mentioned in our enquiry annexure clause no.32) should be the same, without any variation/deviation. In case of variation/deviation between the

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

N. SHANMUGASUNDARAM
Purchase Officer
MM / MFG / Purchase / PSS
BHEL, TRICHY - 620 014.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
2/2

PHONE :2577419
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: cmuthuvel@bheltry.co.in
Web:

2001500245 / 02.05.2015

technical bid and format, the details furnished in the format (clause no.32) only are considered for evaluation.

6. Any communication should be addressed to the following address:

The Manager,
Purchase Department/ PSS,
Materials Management/Raw Materials,
24 Building (4th Floor),
Bharat Heavy Electricals Limited,
Tiruchirappalli - 620 014.
Email:cmuthuvel@bheltry.co.in
Phone no.0431-2577419

6. Mail offer will not be considered.

7. Special provision for MSE clause are not included in this tender.


Enclosures:

"LD clause has to be confirmed without fail."

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

N. SHANMUGASUNDARAM
Purchase Officer
MM/MFC/Purchase/PSS
BHEL, TRICHY - 620 014.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,

0110988777

DSLR D3100

GO BACK



3D VIEW

COMPARE

Colors



INR [redacted] (with AF-S 18-55mm VR Kit Lens)

INR [redacted] (Body only)
(Maximum Retail Price)

Includes 8GB SD Card + D-SLR BAG
DX D-SLR Kit + Lens Combo Offer!!

Store Locator

Tools

- Print this page
- Register this product
- Get support

Share

Overview

An entry level digital-SLR camera with a new CMOS image sensor, image-processing engine and helpful Guide mode that makes capturing beautiful images easy.

Handwritten signature
N. SWAMINUGASUNDARAM
 Purchase Officer
 MM / MFG / Purchase / PSS
 BHEL, TRICHY - 620 014.

Tripod Socket	1/4 in. (ISO1222)
Dimensions	Approx. 124 x 96 x 74.5 mm
Weight (without battery, memory card or body cap)	Approx. 455g
Supplied Accessories (may differ by country or area)	Rechargeable Li-ion battery EN-EL14, Quick charger MH-24, Rubber Eyecup DK-20, Camera strap AN-DC3, Body cap BF-1B, Eyepiece cap DK-5, Accessory shoe cover BS-1, 2 Ferrite core, View NX 2 CD
Other Features	Expeed 2 Image Processing Engine, Graphical User Interface, Guide Mode, D-Movie (Full HD recording), Full-time servo AF (AF-F) movie recording

Kits

D3100 AF-S DX NIKKOR 18-55mm VR Kit



Great value kit. Enables you to shoot in low light without a flash, for more natural-looking images. Includes the D3100 camera and the AF-S DX NIKKOR 18-55mm VR lens that features Vibration Reduction to reduce the effects of camera shake.

Included Accessories



Body Cap BF-1B



Battery EN-EL14



Accessory Shoe Cap BS-1



ViewNX 2



Quick Charger MH-24



Eyepiece DK-5



Rubber Eyecup DK-20

Store Locator

Find your nearest Nikon dealer.

Find out more

NIKKOR LENS SIMULATOR

Explore Nikon Lens Simulator

Download Brochures

Get information about our range of products.

Find out more
N. SHANMUGASUNDARAM
 Purchase Officer
 MM / MFG / Purchase / PSS
 BHEL, TIRUCHY - 620 014.

Features Explained

Tech Specs

Type of Camera	Single-lens reflex digital camera
Effective Pixels	14.2 million
Image Sensor	Nikon DX format (23.1 x 15.4 mm) CMOS sensor
Image Size (Pixels)	4,608 x 3,072 [L] 3,456 x 2,340 [M] 2,304 x 1,536 [S]
Sensitivity	ISO 100 to 3200 in steps of 1 EV plus HI-1 (ISO 6400) and HI-2 (ISO 12800)
File Format	NEF (12 bit compressed RAW); JPEG (Baseline-compliant); MOV movie (H.264/MPEG-4 compression format with monaural sound)
Storage Media	SD memory card (SDHC and SDXC compliant)
Shooting Modes	1) Single frame shooting mode, 2) Continuous shooting mode: approx. 3fps, 3) Self-timer mode, 4) Quiet Shutter Release
White Balance	Auto (TTL white-balance with 420-pixel RGB sensor), Incandescent, Fluorescent, Direct sunlight, Flash, Cloudy, Shade, White balance preset
LCD Monitor	3.0", 230,000-dot, low-temperature polysilicon TFT LCD
Playback Function	1) Full-frame, 2) Movie Playback, 3) Thumbnail (4/9/72, calendar) playback, 4) playback zoom, 5) Faces detected during zoom, 6) Slide show 7) RGB histogram display, 8) Highlights, 9) Auto image rotation, 10) Image comment
Delete Function	Single image, Selected images, images taken on a selected date, All images (except protected images)
Interface	B 2.0 (High-speed), Video output, HDMI output (Type C mini-pin connector)
Picture Angle (in 35mm [135] format equivalent)	Approx. 1.5x lens focal length
Viewfinder	Eye-level penta-Dach mirror type; built-in diopter adjustment (-1.7 to +0.5m-1)
Focusing Screen	Type B BriteView Clear Matte Mark VII screen
Viewfinder Frame Coverage/Magnification (with 50mm lens at infinity; -1.0 m-1)	Approx. 95% / Approx. 0.8x
Autofocus	with AF-assist (range approx. 0.5-3m); 11 focus point; Detection range: -1 to +19 EV (ISO 100 at 20°C/68°F)
Focus Modes	1) Autofocus (AF): Single-servo AF (AF-S); Continuous servo AF (AF-C); Auto AF-S/AF-C selection (AF-A) predictive focus tracking activated automatically according to subject status 2) Manual focus (MF) can be selected
Exposure Metering System	1) 3D color matrix metering II (type G and D lenses), color matrix metering II (other CPU lenses), 2) Center-weighted (weight given to 8-mm circle in center of frame), 3) Spot metering (meters 3.5-mm circle centered on selected focus point)
Exposure Metering Range (at normal temperature [68°F/20°C], ISO 100 equivalent, f/1.4 lens)	1) 0 to 20 EV (3D-Color Matrix or Center-weighted metering), 2) 2 to 20 EV (Spot metering)
Exposure Control	1) Digital Vari-Program (Auto, Auto [Flash Off], Portrait, Landscape, Child, Sports, Close Up, Night Portrait), 2) Programmed Auto [P], 3) Shutter-Priority Auto [S], 4) Aperture Priority Auto [A], 5) Manual [M], 6) Guide mode
Auto Exposure Bracketing	No
Shutter	Electronically controlled vertical-travel focal plane shutter, 30 to 1/4000sec in steps of 1/3 EV plus bulb
Sync Contact	X-contact only; flash synchronization at up to 1/200 sec
Flash Control	1) TTL: i-TTL balanced fill-flash and standard i-TTL flash for digital SLR using 420-pixel RGB sensor are available with built-in flash and SB-900, SB-800, SB-600, or SB-400, 2) Auto aperture: Available with SB-900 or SB-800 and CPU lens, 3) Non-TTL auto: Supported flash units include SB-900, SB-800, SB-28, SB-27, and SB-22S, 4) Distance-priority manual: Available with SB-900 and SB-800
Flash Sync Modes	1) Front-curtain sync, 2) Red-eye reduction, 3) Slow sync with red-eye reduction, 4) Slow sync, 5) rear-curtain sync
Self-Timer	Electronically controlled timer with duration of 2 or 10s.
Remote Control	Via Remote Cord MC-DC2 (optional)
GPS	via GP-1 GPS Unit (optional)
Supported Languages	Total of 20 languages: Chinese (Simplified and Traditional), Czech, Danish, Dutch, English, Finnish, French, German, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish
Power Requirements	Rechargeable EN-EL14 Li-ion battery, EH-5a AC adapter, available separately, requires optional EP-5A power connector)
Battery Life (on a fully charged battery)	Approx. 550 shots

REVENUE ASSISTANT
Purchase Officer
MM / MFG / Purchase / PSS
SHEL, TRICHY - 320 014

JTM


32GB Flash Memory HD Camcorder

Model: HDR-PJ540E/B

Suggested Retail Price

MRP Rs XXXXXXXXXX

(MRP inclusive of all taxes. Quoted MRP is for 1 unit of the product.)



Where to Buy

Sony Authorised Dealers



Features

- Exmor R™ CMOS Sensor
- Balanced Optical SteadyShot™
- 25lm Built-in Projector with External Input
- G Lens with 26.8mm Wide Angle
- 60x Clear Image Zoom
- Embedded WiFi/NFC

OVERVIEW SPECIFICATIONS SUPPORT ACCESSORIES

SPECIFICATIONS

HD Video Codec	AVCHD format ver.2.0 compatible:MPEG4-AVC/H.264
STD Video Codec	MP4: MPEG-4 AVC/H.264
Video Mode	HD:1920x1080/60p(PS),24p(FX,FH),60i(FX,FH), 1440x1080/60i(HQ,LP); MP4: 1280x720 30p
Internal Media	Flash Memory 32GB
Media Storage Type	Internal Flash Memory; Memory Stick Micro (Mark 2); Micro SD/SDHC/SDXC Memory Card(Class 4 or Higher)
Image Sensor	1/5.8 type(3.1mm) back-illuminated Exmor R CMOS Sensor
Image Processor	BIONZ X image processor
Lens / Filter Diameter	G Lens/46mm
Optical / Digital Zoom	Optical Zoom: 30x, Digital Zoom: 350x, Clear Image Zoom: 60x
Audio Format	Dolby Digital 5.1ch, Dolby Digital 5.1Creator, Dolby Digital 2ch Stereo, Dolby Digital Stereo Creator ; MPEG-4 AAC-LC 2ch
Zoom Mic	Built-in zoom microphone
Maximum Still Image Resolution (Photo Mode)	9.2megapixels 16:9(4032x2272)
Image Stabilisation	Balanced Optical SteadyShot image stabilization w/ Active mode (Wide to Tele)
LCD Screen Size & Type	7.5cm(3.0 type) Clear Photo LCD display (460K) Wide(16:9)
x.v.Colour	Yes

N. SHANMUGASUNDARAM
Purchase Officer
MM / MFG / Purchase / PSS
SHELBY TRICHY - 620 014

Face Detection	Yes
Smile Shutter	Off/Dual Capture/Always On
Intelligent Auto	Portrait/Baby/Walk/Tripod/Backlight/Landscape/Spotlight/Twilight/Macro/Low light/Auto wind noise reduction
D-Range Optimiser	Yes
Backlight Compensation	Yes(Auto)
Direct Copy	Yes
BRAVIA Sync	Yes
HDMI Terminal	Yes (HDMI micro)
USB Terminal	Yes
Active Interface Shoe	Yes(Multi Interface Shoe)
Projector	25lumen output
Projector input	Yes (HDMI micro)
WiFi	Yes (Built-in)
NFC	Yes (NFC forum Type 3 Tag compatible)
Picture Effect	Yes
Motion Shot Video	Yes
Cinematone	Yes
Power Save	Yes
My Voice Canceling	Yes
Dual Video Recording	Yes
External Mic. Input	Stereo Minijack
Dimensions (W x H x D)	Approx.61.5mm x 66.5mm x 121.0mm(Approx.61.5mm x 66.5mm x 130.5mm(including supplied battery)
Mass (w/o Tape, Battery, etc.)	Approx.325g

SUPPLIED ACCESSORIES

AC adaptor	Yes
Rechargeable Battery Pack	Yes (NP-FV50)
HDMI Micro Cable	Yes

Where to Buy

Sony Authorised Dealers

[Back To Category Home](#)

[Back To Top](#)

*Prices are subject to change without prior notice

Corporate News Social Support & Services Other Sony Companies

[About Sony](#)

[News](#)
[Press Contacts](#)
[RSS](#)

[Youtube](#)
[Facebook](#)
[Twitter](#)

[Online Help](#)
[Track Repair Status](#)
[Premium Services](#)
[Where to buy](#)
[Product Registration](#)

XPERIA
Sony Smartphone

Sony Professional Solutions


PlayStation.







N. SHANKRUGO SUNDARAM
Purchase Officer
MKT / MFC / Purchase / P&S
BHEL, TRICHY - 620 014

Handwritten signature

LEGRIA Mini X

A pocket-sized video camera with advanced sound recording functions for photo journalists, bloggers and performers

LEGRIA

LEGRIA Mini X

INR ~~XXXXXX~~

Call us: 1800-180-3366

An addition to the Legria Mini series, the Legria Mini X comes with advanced microphone and superior PCM audio format recording. It promises to provide flawless sound quality along with excellent Video capabilities in a pocket-size and with adjustable built-in stand, the Legria Mini X, allows users to perform hands free shooting without the need of a tripod.

- Easy share / network capability
- Ultra Wide Angle Lens
- High quality audio recording

Full Specifications Compare

Product compared by others



Images are for illustration purpose only.

Large Stereo Microphone &

Linear PCM recording

format

The LEGRIA mini X comes with Large Stereo microphone, reducing noise to 1/6 the previous level. And with Linear PCM format, the LEGRIA mini X sound recording is of high quality and less affected by noise.

Long Battery Life and SD

memory cards

Equipped with a larger capacity battery, the LEGRIA mini X can record nearly twice as long as before. Records to highly compatible SD memory cards, so files can be imported immediately after shooting without an adapter.

Audio Scene Selection


With Audio Scene Select, users simply select the recording scene to apply optimal recording settings. Newly added Meeting, Festival, and Custom Setting modes bring the total to eight modes in all.

Specifications for LEGRIA Mini X

Recording Media Recording Hours	Card slot:		SD card slot			
	MP4		24Mbps	17Mbps	4Mbps	3Mbps (slow x 1/4 recording)
	Memory capacity	8GB	40mins.	1hr.	4hrs. 20mins.	5hrs. 40mins.

AWJ
S. SHANMUGASUNDARAM
 Purchase Officer
 MM / MFG / Purchase / PSS
 BHEL, TRICHY - 620 014

	16GB	1hr.	2hrs.	8hrs.	11hrs.
		25mins.	5mins.	40mins.	25mins.
	32GB	2hrs.	4hrs.	17hrs.	22hrs.
		55mins.	10mins.	20mins.	55mins.
	64GB	5hrs.	8hrs.	34hrs.	45hrs.
		55mins.	20mins.	45mins.	55mins.
	128GB	11hrs.	16hrs.	69hrs.	91hrs.
		55mins.	45mins.	30mins.	55mins.
	AVCHD				
	Memory capacity	24Mbps	17Mbps	4Mbps	3Mbps (slow x 1/4 recording)
	8GB	40mins.	1hr.	-	-
	16GB	1hr.	2hrs.	-	-
		25mins.	5mins.	-	-
	32GB	2hrs.	4hrs.	-	-
		55mins.	10mins.	-	-
	64GB	5hrs.	8hrs.	-	-
		55mins.	20mins.	-	-
	128GB	11hrs.	16hrs.	-	-
		55mins.	45mins.	-	-
Sensor	Type:	1/2.3" 12.8 megapixel backlit CMOS sensor			
	Effective pixels (wide / close-up):	Movie (wide): Approx. 8.99 megapixels (MP4), Approx. 8.29 megapixels (AVCHD) Movie (Close-up): approx 2.07 (AVCHD EIS OFF), Approx. 1.33 megapixels (AVCHD EIS ON), Approx. 2.07 megapixels (MP4 EIS ON/OFF) Still image: Approx. 12 megapixels (wide) / 2.76 megapixels (close-up)			
Lens	Optical zoom:	N.A. (single focus / ultra wide angle lens)			
	Diagonal angle of view (wide / close-up):	Movies: (wide) Approx. 160° / 150° (MP4 / AVCHD) Movies: (close-up) Approx. 64° / 51°/64° (AVCHD EIS OFF / AVCHD EIS ON / MP4 EIS ON/OFF) Still image: Approx. 170°(wide) / 78° (close up)			
	Focal length - 35mm equiv. (wide / close-up):	Movies: (wide) Approx. 16.8mm / 17.5mm (MP4/AVCHD) Movies: (close-up) Approx. 35mm / 43.7mm / 35mm (AVCHD EIS OFF / AVCHD EIS ON / MP4 EIS ON/OFF) Still image: Approx. 15.4mm (wide) / 32.1mm (close up)			
	Open f. no / aperture:	f/2.8 / yes (combined use mechanical shutter)			
	IS:	EIS (close-up mode only)			
	Focus:	Deep focus (Far focus) (0.4m ~ ∞)			
Movie Recording	Recording format:	MP4/ AVCHD			
	Recording size:	1920 x 1080 25p/i, 1280 x 720 25p, 640 x 360 25p (output during live streaming)			
	Bit rate:	MP4: 24 / 17 / 4 / 3 *Mbps * output during live streaming AVCHD: 24/17 Mbps			
	Mirror image recording:	Yes			
	Multi-directional inverted recording:	Yes (when Detect Orientation is ON)			
	Exif image rotation data recording:	Yes (90 / 270°)			
	Slow & fast motion:	1/4x, 1/2x, 2x, 4x Note: MP4 only. Standard playback is 25p			
	Shooting mode:	Smart Auto, P, In the car, Food and Fashion, Sports, Snow, Beach, Night, Macro, Presentation			
Still Image Recording	Still image recording:	SD/SDHC/SDXC card			
	Still image compression:	Exif Ver. 2.3 specifications satisfied Compression method: JPEG			
	Recording size:	Wide: Large: 4000 x 3000 (12M), Medium: 1920 x 1440 (2.76M), Small: 640 x 480 (VGA) Close-up: Medium: 1920 x 1440 (2.76M), Small: 640 x 480 (VGA)			
	Shooting mode:	Smart Auto, P, In the car, Food and Fashion, Sports, Snow, Beach, Night, Macro, Presentation			
	Shutter speed range:	25p mode: 1/25 -1/2000			
Interval REC	Yes (MP4 only)				
Video Snapshot	Yes				
Minimum Illumination	8lx				
LCD Monitor	Size:	2.7in., 230,000 dot electrostatic capacitance system			
	Vari-angle:	Yes (two-hinge type)			


N. SHANMUG SUNDARAM
 Purchase Officer
 MM / MFG / Purchase / P&S
 BHEL, TRICHY - 620 016

	Touch tracking:	Yes
	Touch focus:	No (Pan focus)
	Touch exposure:	Yes
Face Detection		Yes (Face detection not available during live streaming)
Cinema-Look Filters		Yes, during MP4 conversion
Touch Decoration		Yes
Audio	High quality microphone:	Yes (stereo microphone)
	Audio Scene Select:	Yes (standard / festival / meeting / music / speech / Forest & birds / noise suppression / custom setting)
Lens Cover		Yes (operated by using power switch)
Wi-Fi Specifications		
Ratings		IEEE 802.11 b/g/n
Wi-Fi Settings Methods		WPS (Wi-Fi Protected setup) (Push button system, PIN code system) Manual setting Search for access points
Connection Modes		Infrastructure Easy AP mode
Authentication Systems		Open or shared key WPA-PSK / WPA2-PSK
Encryption Systems		WEP-64 / WEP-128 / TKIP / AES
Wi-Fi Connection Service Camera Mode		Remote control + streaming via portable devices (iOS and android devices supported)
Wi-Fi Connection Service Playback Mode		Movie Uploader - Save and upload videos to YouTube or facebook via iOS device Playback via browser - Camcorder contents can be played or downloaded via internet browser Media Server - Camcorder videos can be viewed wirelessly via DLNA devices Web service - Function for transferring image/video to a Canon image Gateway server (not available in certain countries)
Input / Output Terminals		
Video Out		Mini HDMI
USB (Data transfer)		mini-B receptacle and Hi-Speed USB supported (optional)
Input Power Supply		3.6V DC (battery pack), 5.3V DC (DC IN)
Battery		NB-12L 1910mAh
Input / Output		HDMI terminal (Type C), USB (mini B)
Mic terminal		3.5mm stereo mini jack
Headphone terminal		3.5mm stereo mini jack
Dimensions (W x H x Dmm)		Approx. 82 x 30 x 109mm (3.2 x 1.2 x 4.3in.)
Weight (Without battery or MicroSD card)		Approx. 205g
Power Consumption		2.4W
Continuous Shooting Time		165min
Operating Temperature		Approx. 0 to 40°C, 85% (relative humidity) Approx. -5 to 45°C, 60% (relative humidity)

il
ss
are this page Products
ES: Rs

Compact cameras
Laser printers
Inkjet printers
Scanner
Consumables
Personal camcorders
(LEGRIA)
Compact photo printers
(SELPHY)
Professional camcorders
Projectors (XEED and LV)
Fax machines
Cinema EOS System
Where and How to Buy
Where to buy
Manage warranty
Register your Product
Your Canon + You
Your Canon + You
Canon Edge - Learn More.
Do More
EOS tips
Compact camera tips
Personal camcorder tips
PIXMA tips
Scanner tips
Consumer Beware
Support and Downloads
Support and downloads
Warranty Terms &
Conditions
Service Network
Camera Repair Status
Contact and Canon

N. SHANMUGASUNDARAM
Purchase Officer
MM / MFG / Purchase / PDS
DWEL, TRICHY - 620 014

BHARAT HEAVEY ELECTRICALS LIMITED
(A GOVT.OF INDIA UNDERTAKING)
HIGH PRESSURE BOILER PLANT
TIRUCHIRAPPALLI - 620 01

Annexure

TERMS AND CONDITIONS OF THE ENQUIRY (TWO PART BID)

1. The tender will be operated on two part bid basis i.e. (I). *Techno-Commercial Bid* & (II). *Price Bid*.
 2. **Techno-Commercial Bid:** Containing Technical details, specifications, commercial terms and conditions like percentage of P&F charges, Freight & Insurance, ED, Cess, Taxes (BHEL will not provide "C" form for Non-Production Items), delivery terms, delivery schedule, validity of offer, payment terms (except price details), acceptance for LD clause, etc. shall be put in a cover and superscribed as "Techno-Commercial Bid" for Enquiry No. XXXXXXXXXXXX Dt: XX.XX.XX Due Dt: XX.XX.XX.
 3. **Price Bid:** Containing the price details shall be put in a separate cover and superscribed as "Price Bid" for Enquiry No: XXXXXXXXXXXX Dt: XX.XX.XX Due Dt: XX.XX.XX .
- The enquiry number and due date which is superscribed on the outer cover of the techno-commercial bid and price bid should be same as our enquiry number and due date ,otherwise we will not considered such offers.**
4. You are requested to put the above two envelopes (Techno-Commercial Bid & Price Bid) inside a separate larger sealed envelope and this envelope shall be superscribed as "Techno-Commercial Bid and Price Bid " for Enquiry No: XXXXXXXXXXXX Dt: XX.XX.XX Due Dt: XX.XX.XX.
- Each tender should be sealed with tenderer's distinctive seal and super scribed with correct tender no., item of supply and due date of opening. Two or more quotation should not be sent in one cover but the quotation against each tender should be sent separately to avoid confusion. Tender should not be addressed to any individual's name but only to the following address:
Your Quotations should be sent to:

Tender Opening Cell/MM
Room No.26,
24 Building (Ground Floor),
Bharat Heavy Electricals Limited,
Tiruchirappalli - 620 014.

5. Please submit point wise compliance to our specifications, terms and conditions, as mentioned commercial Terms confirmation format (i.e taxes & duties, F.O.R, ED cess, P&F, Frieght & insurance, payment terms, LD clause etc.). Otherwise it will be presumed that you are accepting BHEL's terms and conditions.
6. Offer/s received after *due date* and time: 02:00 pm will not be considered under any circumstances.
7. **Validity of quoted rates shall be maintained at least for 90 days from the date of Tender opening for ordering, otherwise offer will not be considered against this enquiry. The quoted/Finalized rates shall be Firm till completion of the supplies.**
8. The rates are to be quoted on F.O.R. destination basis (Inclusive of Packing, Forwarding, and Freight and Transit Insurance charges to supplier account. The material should be delivered at BHEL Complex, Trichy by your carrier and at your own cost. *(Delivery condition like Ex-works / Ex-godown / Transportation of materials through transport carriers from your works upto the transport carrier's office at Tiruchy and taking delivery of goods by BHEL from such office of transport carriers, Transportation of materials on "TO PAY" basis etc is not acceptable to us), such type of offer will be rejected.*
9. Unloading at BHEL Site has to be done by the suppliers and BHEL will not be in a position to provide any handling / unloading facilities.
10. **Payment Terms (Indigenous)**
Stores:
Payment term is 100% direct payment after 45 days from the date of receipt and acceptance of materials.
Any deviation in the above payment term will attract loading as mentioned below. "Base rate of SBI (as applicable on the date of bid opening. Techno-commercial bid opening in case of two part bids) + 6% shall be considered for loading for the period of relaxation sought by bidders.
Payment through Bank is not preferred. In case of Payment through Bank is opted by Supplier, BHEL prefers documents submission through bank with copy of LR and door delivery of Goods to Site/Stores with Consignee copy attached. In this case Loading will be 5% on the offered value. Any other option through bank, other than the above, is not acceptable to BHEL and the offer is liable for rejection.
LC/Advance Payment will not be operated for indigenous vendors. Offers of indigenous vendors with payment terms as LC/Advance Payment are liable for rejection. Exceptional deviation to the above after adequate loading will require approval of competent authority as per the Policy guidelines.
11. **Liquidated Damages / Penalty:-**
Liquidated damages shall be 0.5% of the total order value per week or part thereof subject to a maximum of 10% of the total order value. **Any deviation from the above LD clause, loading will be applied to the extent to which it is not agreed by the bidder (at offered value). BHEL will consider the ranking after the loading is applied as referred above (SL no.10 &11) wherever deviations are observed.**
12. Tenders should be free from CORRECTION AND ERASURES. Corrections if any must be attested; all amounts shall be indicated both in words as well as in figures. Where there is difference between amount quoted in words and figures, amount quoted in words shall only be considered.
13. No revision of prices will be entertained after tenders are opened.

14. If any sales tax is payable as extra to the quoted price it should be specifically stated in quotations along with CST & VAT Number failing which the purchaser will not be liable for payment of sales tax. Our TIN 33243560005 dt.01.01.2007 & CST no 239383 DT, 11.06.1991

15. On the due date of tender opening, only the technical bids will be opened. Technical bids will be evaluated by us and clarifications-required, if any, will be called for from the bidders on technical and commercial points. The price bids of techno-commercially suitable bidders will be opened on a later date with prior intimation to respective bidders.

16. Ranking L-1, L-2 etc. shall be done for individual items for the techno-commercially acceptable offers on landed cost to BHEL, Trichy basis and BHEL reserves the right to place order for individual items with different vendors.

17. BHEL reserves the right to increase or decrease the tendered quantity and split the tender quantity.

18. In the event of more than one vendor becoming L1 for any of the item / items, the enquiry quantity for those item / items will be shared equally among all the L1 vendors. For such item / items splitting will be done among L1 vendors.

19. BHEL reserves the right to increase or decrease the tender quantity and split up the tender quantity among more than one vendor at the lowest acceptable price to BHEL and place order accordingly in any proportion at our own discretion.

20. Lowest price received against BHEL tenders need not be the technically acceptable one and in that case BHEL reserves the right not to consider the same. The purchaser shall be under no obligation to accept the lowest or any other tender and shall be entitled to accept or reject any tender in part or full without assigning any reason whatsoever.

21. BHEL reserves the right to negotiate or refloat the tender opened if L1 price is not the lowest acceptable price to them inter-alia other reasons.

22. PACKING AND MARKING: The supplier shall arrange for securely protecting and packing the stores to avoid loss or damages during transit.

23. RISK PURCHASE: Alternatively the purchaser at his option will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole of the goods or any part which the supplier has failed to deliver or dispatch within the time stipulated as aforesaid or if the same were not available, the best and the nearest available substitutes therefore. The supplier shall be liable for any loss, which the purchaser may sustain by reason of such risk purchases in addition to penalty at the rate mentioned in our LD clause.

24. PREFERENTIAL DELIVERY: It should be noted if a contract is placed on a higher tendered as a result of this invitation to tender in preference to the lowest acceptable offer in consideration of the earlier delivery, the seller will be liable to pay to the purchaser the difference between the contract rate and that of the lowest acceptable tender on the basis of final price F.O.R destination, including all elements of freights, Sales tax, duties and other incidents, incidental in case of failure to complete supplies in terms of such contract within the date of delivery specified in the tender and incorporated in the contract.

25. CENVAT CREDIT: If any Excise Duty is payable, the Chapter Head / Sub-head reference and the rate of the duty should be quoted. If the Tenderer is availing CENVAT credit for this input material, the effect of Performa credit should be passed on to the purchaser. Tenderer under "CENVAT" shall be preferred.

26. Any other conditions which might have been quoted by the seller and are in contravention to the terms prescribed in the order and which have not been specifically accepted in by purchaser will not be applicable to the contract.

27. "All corrigenda, addend a, amendments, time extensions clarifications, etc. to the tender will be hosted on BHEL website (www.bhel.com) only (apart from unit website-if any). Bidders should regularly visit website(s) to keep themselves updated.

28. Special provision for MSE clause are not included in this tender.

29. BHEL reserves the right to negotiate with L1 bidder.


30. IMPORTANT NOTE:-Terms and conditions to be confirmed /accepted/mentioned in your techno-commercial bid and price bid should be the same without any variation/deviation. In case of variation/deviation between the techno-commercial bid and price bid, the details furnished in techno-commercial bid only are considered for evaluation.

31. The new vendors for Trichy unit will be required to furnish the following documentary proof/information along with their offers:

- Certificate of Registration (copy of Certificate to be submitted).
- Banker's Information (copy of Bank Pass Book first Page to be submitted).
- MSME Vendor Certificate (if applicable).
- Address of your organization (Complete Postal Address with PINC ode)
- Contact Person/s, Phone No., Mobile No., FAX No., E-mail ID.
- Statutory documents —VAT/TIN/EXCISE REGISTRATION/SERVICE TAX REGISTRATION/CST REGN etc (copy to be furnished)
- NSIC/SSI Certificate (if applicable)
- ISO Certificate (if applicable)
- Experience certificate as proof of supply of similar item to any Govt.agencies/PSU/Organisations. (Copy of POs to be furnished).
- Audit Report / IT Return (if applicable).
- Agency Agreement with manufacturer (if applicable).
- Partnership Deed (if applicable)

If the new vendors for Trichy unit fail to submit the above documentary proof/information, their offers will not be considered for this enquiry.

N. SHANMUGASUNDARAM
Purchase Officer
MM / MFC / Purchases
BHEL, TRICHY - 620 014



32. COMMERCIAL TERMS CONFIRMATION REQUIRED FROM THE SUPPLIER (TO BE SUBMITTED IN COVER NO: 1). The techno-commercial terms both in the offer and our enclosed format (clause 32) should be same and if any deviation/s in between the offers and enclosed format (clause 32) is found, the commercial terms as per our enclosed format will only be considered.

SL. NO	Description	BHEL Requirements	Supplier Confirmation
1	VALIDITY	90 days from the date of tender opening	
2	PRICE QUOTED	FOR DESTINATION BHEL STORES TRICHY- 620014	
3	PACKING & FORWARDING (Whether inclusive or extra) Clearly mention the percentage or amount.	Supplier Option	INCLUDED / EXTRA (INCASE OF EXTRA MENTION THE PERCENTAGE _____)
4	EXCISE DUTY WITH CESS (Whether inclusive or extra) Clearly mention the percentage or amount.	Supplier Option	INCLUDED / EXTRA (INCASE OF EXTRA MENTION THE PERCENTAGE _____)
5	VAT / CST Clearly mention the percentage	Supplier Option	INCLUDED / EXTRA (INCASE OF EXTRA CLEARLY MENTION THE PERCENTAGE _____)
6	FREIGHT (Whether inclusive or extra) Clearly mention the percentage or amount.	Supplier Option	INCLUDED / EXTRA (INCASE OF EXTRA MENTION THE PERCENTAGE _____)
7	DELIVERY SCHEDULE	AS PER BHEL SCHEDULE	
8	PAYMENT TERMS	100% after 45 days from the date of receipt and acceptance of materials.	
9	LD CLAUSE	Liquidated damages shall be 0.5% of the total order value per week or part thereof subject to a maximum of 10% of the total order value	
10	CONTACT PERSON DETAILS	NAME: MOBILE NO.: EMAIL:	
11	FOR NEW VENDOR	Document mentioned in clause no.31 should be submitted along with the offer.	

BIDDERS SHALL SUBMIT THEIR PRICE IN THE FOLLOWING FORMAT ONLY. (TO SUBMITTED IN SEPARATE COVER NO: 2).

ENQUIRY SL NO.	BHEL SPECIFICATION	VENDOR'S SPECIFICATION	PRICE IN RS
10			
20			



M. SHANMUGASUNDARAM
Purchase Officer
MM / MFC / Purchase / P.S.
BHEL TRICHY - 620 014