



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
1/6

PHONE :2577419
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: cmuthuvel@bheltry.co.in
Web:

429-002/A


	Enquiry No	Enquiry Date	Due Date for Quotation
	2001500511 - 47	24.08.2015	15.09.2015
<p>Please quote Enquiry No, Date and due date in all correspondences. This is only a request for quotation and not an order. Bid should be submitted in two parts. 1.Techno-commercial bid (Part-I) and 2.Price bid(Part-II) in a separate sealed cover and both covers must be placed in a third cover and sealed. Our Enquiry No., Enq. date & Enq. Due date must be written on all three covers.</p>			

Item	Description	Unit	Quantity	Delivery Quantity	Schedule Date
10	<p>SELF CONTAINED BREATHING APPARATUS SPECIFICATION OF SCBA SET (DRAGER MAKE) Complete Set must include:</p> <ul style="list-style-type: none"> # Facepiece # First Stage Pressure Reducer # Lung Demand Valve (LDV) # Backframe and Harness Assembly # Monitoring Pneumatic Pressure Gauge <p>Facepiece Body</p> <ul style="list-style-type: none"> a. The facepiece shall utilize two independent sealing edges, providing three sealing rings. Should there be leakage in the outer sealing ring area, there are two additional sealing rings to maintain a seal. b. The facepiece shall adapt to all facial contours and provided excellent fit factors. The face mask must be available in 3 different sizes (S, M, L). c. The size of the face mask must be clearly identified on the mask body with the letters S, M, L. d. The facepiece body shall have a large chin support to locate and support the chin and provide an excellent seal e. The pulling force of the head harness shall not be directly applied to the sealing rings to minimize deformation of the seal and prevent leakage. f. The facepiece body shall have only two openings, lens and front port connector, to minimize the possibility of leakage. <p>Lens Frame</p> <ul style="list-style-type: none"> a. The lens frame material shall be a non conductive robust composite material for improved lens protection in the event of shock or vibration. b. The lens frame shall be held together by two screws and two nuts for quick and easy lens replacement. 	SET	6.000	6.00	24.09.15

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

N. SHANMUGASUNDARAM
Purchase Officer
MM / MFG / Purchase / PSS
BHEL, TRICHY - 620 034.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
2/6

PHONE :2577419
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: cmuthuvel@bheltry.co.in
Web:

2001500511 / 24.08.2015

23505

Head Harness

- a. The head harness shall be made from EPDM material
- b. The head harness shall be ribbed in area of buckle contact to prevent inadvertent slippage or loosening.
- c. The head harness straps shall be easily removable without the use of tools.
- d. Optional material hairnet shall be available with 5 point adjustment.
- e. The facepiece shall have a provision for using spectacles without breaking the integrity of the facepiece seal or directly attaching to the lens.
- f. The spectacle kit shall not mount directly on the lens.
- g. The facepiece shall employ a flame retardant neck strap that has an extra button tab to position the facepiece on the wearer's chest to reduce the potential for dirt ingress when not donned or in use.
- h. The facepiece shall have an individual serial number permanently marked on the mask.

3 First Stage Reducer


- a. The first stage reducer shall be connected directly to the backframe via simple secure screw connection for easy fitting and removal of the pressure reducer assembly from the backframe. The backframe shall give protection to the first stage reducer.
- b. The first stage reducer should be available with a standard DIN G 5/8 cylinder valve thread connection.
- c. The failure mode of the first stage reducer shall be such that the reducer fails safe and always delivers air to the user.
- d. Optional secondary supply connections with Auto switch over valve (ASV) shall be available for using SCBA as a supplied air respirator. A secondary supply hoses for rescue purposes and decontamination shall also be available. Combination of both rescue and decontamination hose shall be available
- e. The first stage reducer shall consist of a balanced piston assembly.
- f. The first stage reducer shall incorporate an integrated pressure relief valve to allow for any over pressurisation

The offers should reach us 30 minutes before the time of opening of tenders.

The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the opening. Late and delayed offers are liable to be rejected.

N. SHANMUGASUNDARAM
Purchase Officer
MM / MFG / Purchase / PSS
BHEL, TRICHY - 620 014.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED


A. MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
3/6
PHONE :2577419
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: cmuthuvel@bheltry.co.in
Web:

2001500511 / 24.08.2015

23505

of the medium pressure system.

4 Lung Demand Valve (LDV)

a. The SCBA shall utilize a mask mounted LDV. The regulator shall be capable of being reset to the donning mode while connected to the SCBA to allow the user to keep the mask in a ready position at all times.

b. The Lung Demand Valve (LDV) should be of the balanced type, offering second stage pressure reduction by means of a spring loaded piston to achieve a smooth and stable supply of air to the facemask. The use of small diameter internal bores should be avoided to reduce the risk of blockages from foreign material and dirt.

c. The LDV shall utilize a quick release coupling on the right or left shoulder that enables the LDV to be disconnected from the medium pressure hose. The quick disconnect shall not be capable of being accidentally disconnected. LDV without quick connection shall also be available.

d. The LDV should be first breath activated and switch-off should be via a button centrally located for easy location and minimum obscuring of vision from within the facemask visor.

e. The LDV should feature a wrap around protective rubber cover.

5 Space frame, Harness Assembly

a. The space frame shall be a 3 piece, anti-static composite construction with orthopedic design so as to evenly distribute the weight of the SCBA over the user's lumbar region, hips and shoulders.

b. The backframe must have a fixed height.

c. The backframe will allow air circulation between the cylinder and the wearers back.

d. A waist pad shall be used that can be easily replaced yet afford additional comfort at the wearers waist.


e. The shoulder and waist padding must be constructed from a high abrasion resistant, high puncture resistant, light weight, water resistant compression formed EVA. The shoulder and waist padding shall be chemical resistant and fire retardant to comply with EN137 type 2.

f. The harness webbing shall be constructed

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

N. SHANMUGASUNDARAM
Purchase Officer
MM / MFG / Purchase / FSS
BHEL, TRICHY - 620 014.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
4/6
PHONE :2577419
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: cmuthuvel@bheltry.co.in
Web:

2001500511 / 24.08.2015

23505

of a strong, hard wearing type material. The webbing must be inherently flame retardant so that cleaning processes will not remove the inherent flame retardant properties.

g. The shoulder pads shall be designed with an ergonomic body contoured comfort style to maintain shape when worn, providing comfort and freedom of movement, wide for optimal support.

Shoulder and waist belt harnessing shall be independently adjustable.

h. Shoulder and waist adjustment friction buckles shall be of Flame Retardant polyamide construction.

i. Each shoulder and waist harness padding must be easily detached from the backframe. This will allow for easy cleaning and disinfection of the harness if required without the use of tools.

j. A cam-lock mechanism shall be used to secure the cylinder strap in place to ensure simple and secure operation.

k. The cylinder strap shall accommodate a complete range of sizes of cylinders without the use of tools. The cylinder strap will be manufactured in a rubber material giving additional security to the cylinder position by means of friction.

l. The pneumatic system shall be easy to detach from the back plate and harness.

m. Hoses shall be routed in hose channels inside the backframe to eliminate snag potential. Hoses shall be attached to the harness via hose clips. These clips shall not allow easy removal of hose during operational use.

6 Monitoring

The breathing apparatus should available complete with either a pneumatic pressure gauge.

6.1 Pneumatic Gauge

a. Pneumatic pressure gauge shall be fully luminescent.

b. The low pressure whistle warning device shall be integrated into the pressure gauge hose close to the gauge.

c. The pneumatic gauge shall be encased by a protective rubber cover.


d. The pneumatic gauge shall be located over the left shoulder.

Other Features:

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

N. SHANMUGASUNDARAM
Purchase Officer
MM / MFG / Purchase / PSS
BHEL, TRICHY - 620 014.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE :2577419
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: cmuthuvel@bheltry.co.in
Web:

Page
6/6

2001500511 / 24.08.2015

23505

Vendors are requested to avoid submission of offers through e mail / fax. In case of any unavoidable situation, offers shall be sent through e mail to the following mail ID only
tender_cell@bheltry.co.in.

As tenders are being opened by Common Tender Opening Cell, offer covers should be sealed with tenderer's distinctive seal and super scribed with correct Tender No. item of supply and due date of opening.

The offers will be opened at 14.30 hrs on the due date of the tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

The bidder along with its associate/ collaborators/ sub-contractors/ sub-vendors/ consultants/ service providers shall strictly adhere to fraud prevention policy displayed on BHEL website <http://www.bhel.com> and shall immediately bring to the notice of BHEL management about any fraud or suspected fraud as soon as it comes to their notice.


Enclosures:

"LD clause has to be confirmed without fail."

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

N. SHANMUGASUNDARAM
Purchase Officer
MM / MFG / Purchase / PSS
BHEL, TRICHY - 620 014.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,

BHARAT HEAVEY ELECTRICALS LIMITED

(A GOVT.OF INDIA UNDERTAKING)

HIGH PRESSURE BOILER PLANT

TIRUCHIRAPPALLI-620 014

TERMS AND CONDITIONS OF THE ENQUIRY (TWO PART BID)

1. The tender will be operated on two part bid basis i.e. (I).*Techno-Commercial Bid* & (II).*Price Bid*. Sample should be submitted along with *Techno-Commercial Bid* where sample is insisted in the Enquiry, if sample is not received for the Enquiry where BHEL is insisted, that offer will be summarily rejected. If sample is insisted in the enquiry, then the sample should be super scribed with the enquiry sl. no for identification and evaluation. Samples without the identification will not be considered and offer will be rejected

2. **Techno-Commercial Bid:** Containing Technical details, specifications, commercial terms and conditions like percentage of P&F charges, Freight & Insurance, ED WITH CESS, Taxes (BHEL will not provide "C" form for Non-Production Items), delivery terms, delivery schedule, validity of offer, payment terms (except price details), acceptance for LD clause, etc. as per ANNEXURE-A(submitted in your company letter head) shall be put in a cover (1) and super scribed as "Techno-Commercial Bid" for Enquiry No:Dt:Due Dt.:

3. **Price Bid:**Containing the price details shall be put in a separate cover (2) and superscribed as "Price Bid "for Enquiry No:Dt:Due Dt.: as per ANNEXURE -B (submitted in your company letter head)

4. You are requested to put the above two envelopes (*Techno-Commercial Bid* & *Price Bid*) inside a separate larger sealed envelope and this envelope shall be superscribed as "Techno-Commercial Bid and Price Bid" for Enquiry No:Dt:Due Dt.:

Your Quotations should be sent to:

*Tender opening cell/ MM,
Room No.26,
24 Building (Ground Floor),
Bharat Heavy Electricals Limited,
Tiruchirappalli - 620 014.*

5.Tender should not be addressed to any individual's name but only by designation.

6.Tenders should be free from CORRECTION AND ERASURES. Corrections if any must be attested; all amounts shall be indicated both in words as well as in figures. Where there is difference between amount quoted in words and figures, amount quoted in words shall only be considered.

7. Please submit point wise compliance to our specifications, terms and conditions. **Otherwise it will be presumed that you are accepting BHEL's terms and conditions.**

8. Offer/s received after *due date* and time: 02:00 pm will not be considered under any circumstances.

9.Validity of quoted rates should be maintained for 90 days from the date of Tender opening for ordering (Technical Bid). The quoted/Finalized rates shall be Firm till completion of the supplies.

10. The rates are to be quoted on F.O.R. destination basis (Inclusive of Packing, Forwarding, and Freight and Transit Insurance charges to supplier account). ***All the items should be supplied at our stores, BHEL / TRICHY-14at your own cost.Offers with any other delivery conditions will be rejected.***

IMPORTANT NOTE: (I)*Delivery condition like Ex-works / Ex-godown / Transportation of materials through transport carriers from your works up to the transport carrier's office at Tiruchy and taking delivery of goods by BHEL from such office of transport carriers is not acceptable to us)*

11.Unloading at BHEL Site has to be done by the suppliers and BHEL will not be in a position to provide any handling/unloading facilities.

12.Payment Terms (Indigenous)

Payment term is 100% direct payment after 45 days from the date of receipt and acceptance of materials.

Any deviation in the above payment term will attract loading as mentioned below.

"Base rate of SBI (as applicable on the date of bid opening. Techno-commercial bid opening in case of two part bids) + 6% shall be considered for loading for the period of relaxation sought by bidders.

NOTE: 100% payment against dispatch document through bank / 90% payment against through document through bank + 10% payment after acceptance of materials / Cheque payment / payment against proforma invoice / advance payment / current cheque or post-dated cheque along with purchase order will not be accepted and those offers will not be considered.

13. Liquidated Damages / Penalty:-

Liquidated damages shall be 0.5% of the total order value per week or part thereof subject to a maximum of 10% of the total order value.

Any deviation from the above LD clause, loading will be applied to the extent to which it is not agreed by the bidder (at offered value).

14. If Guarantee / Warranty period is applicable as per tender specification, No deviation permitted and deviated offers are liable for rejection.

15. IMPORTANT NOTE: BHEL WILL CONSIDER THE RANKING AFTER THE LOADING IS APPLIED AS REFERRED ABOVE WHEREVER DEVIATIONS ARE OBSERVED.

16. No revision of prices will be entertained at any circumstances after tenders are opened.

17. If any sales tax is payable as extra to the quoted price it should be specifically stated in quotations along with CST & VAT Number failing which the purchaser will not be liable for payment of sales tax. Our TIN 33243560005 dt.01.01.2007 & CST no 239383 DT, 11.06.1991

18. On the due date of tender opening, only the technical bids will be opened. Technical bids will be evaluated by us and clarifications required, if any, will be called for from the bidders on technical and commercial points. The price bids of techno-commercially suitable bidders will be opened at a later date with prior intimation to respective suitable bidders.

19. Ranking L-1, L-2 etc. shall be done generally on each individual items for the techno-commercially acceptable offers on landed cost to BHEL, Trichy basis and BHEL reserves the right to place order for individual items with different vendors. At special circumstance ranking shall be done on compatible basis which will be indicated through Enquiry special instruction General Notes.

20. BHEL reserves the right to increase or decrease the tender quantity and split up the tender quantity among more than one vendor at the lowest acceptable price to BHEL and place order accordingly in any proportion at our own discretion.

21. Lowest price received against BHEL tenders need not be the technically acceptable one and in that case BHEL reserves the right not to consider the same. The purchaser shall be under no obligation to accept the lowest or any other tender and shall be entitled to accept or reject any tender in part or full without assigning any reason whatsoever.

22. BHEL reserves the right to negotiate or refloat the tender opened, if L1 price is not the lowest acceptable price to BHEL due to inter-alia other reasons.

23. PACKING AND MARKING: The supplier shall arrange for securely protecting and packing the stores to avoid loss or damages during transit.

24. RISK PURCHASE: Alternatively the purchaser at his option will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole of the goods or any part which the previous supplier has failed to deliver or dispatch within the time stipulated as aforesaid or if the same were not available, the best and the nearest available substitutes therefore. The new supplier shall be liable for any loss, which the purchaser may sustain by reason of such risk purchases in addition to penalty at the rate mentioned in our LD clause.

25. The Tender Due date falling on public holiday due to any circumstances, the tender will be opened on next working day.

26. **PREFERENTIAL DELIVERY:**(Applicable in the case of BHEL's Enquiry specifies Preferential Delivery in the Special Instructions) It should be noted if a contract is placed on a higher tendered as a result of this invitation to tender in preference to the lowest acceptable offer in consideration of the earlier delivery, the seller will be liable to pay to the purchaser the difference between the contract rate and that of the lowest acceptable tender on the basis of final price F.O.R destination, including all elements of freights, Sales tax, duties and other incidents, incidental in case of failure to complete supplies in terms of such contract within the date of delivery specified in the tender and incorporated in the contract, such difference amount in addition to penalty at the rate mentioned in our LD clause.

27. **CENVAT CREDIT:** If any Excise Duty is payable, the Chapter Head / Sub -head reference and the rate of the duty should be quoted. If the Tenderer is availing CENVAT credit for this input material, the effect of Performa credit should be passed on to the purchaser. Tenderer under "CENVAT" shall be preferred.

28. Any other conditions which might have been quoted by the seller and are in contravention to the terms prescribed in the order and which have not been specifically accepted by purchaser in written will not be applicable to the contract.

29. VENDORS CURRENTLY NOT REGISTER WITH BHEL TRICHY & WISH TO PARTICIPATE TO IN THIS ENQUIRY SHOULD FURNISH THE FOLLOWING DOCUMENTARY PROOF / INFORMATION ALONG WITH OFFER, OTHERWISE YOUR OFFER WILL NOT BE CONSIDERED FOR EVALUATION.

- a) Copy of Registration certificate
- b) Banker's Information with copy of Bank Pass Book first Page.
- c) Complete postal address with Pin Code.
- d) Contact Person /s , Phone No, Mobile No, FAX No, Email ID etc.
- e) Copy of statutory documents – VAT / TIN / EXCISE REGISTRATION / SERVICE TAX REGISTRATION / CST REGISTRATION etc
- f) ISO certificate (if applicable)
- g) Copy Purchase Order & Experience certification as proof of supply of similar item to any Govt. Agencies / PSU / Organizations.
- h) Balance Sheet for last three financial years along with audit report is to be submitted.
- i) Partnership Deed if applicable.

30. For verification of data submitted towards evaluation of bidder's capability, BHEL may decide to visit the bidder(s) works. Any fact found deviating from submitted data shall make the bidder liable to be disqualified.

31. In the event of more than one vendor becoming L1 for any of the item / items, the enquiry quantity for those item / items will be shared equally among all the L1 vendors.

32. The correspondence between the bidder and BHEL through email is considered as valid document Legally though not signed. It is treated as valid confirmations made on behalf of the respective company and comes under the legal ambit of the business transaction and hence binding on both the parties.

33. Any corrigendum related to the enquiry will be hosted in the BHEL website only, Bidders should visit the website(s) to keep themselves updated.

34. The Enquiry Number and Due Date which is super scribed on the outer cover of "Techno-Commercial Bid and Price Bid" should be same as per our enquiry number and due date, otherwise BHEL will not be considered that offer for opening and further process.

35. Delivery goods/ items should be securely and suitably packed to avoid transit damages.

ANNEXURE -A

ENQ SL NO	BHEL SPECIFICATIONS	YOUR SPECIFICATION	WHETHER QUOTED/ NOT QUOTED
10			

KINDLY SPECIFY ALL ENQ SL NOS AS PER BHEL ENQUIRY. (SUBMITTED IN COVER NO: 1)

COMMERCIAL TERMS CONFIRMATION REQUIRED FROM THE SUPPLIERS (SUBMITTED IN COVER NO: 1)

SL NO	DESCRIPTION	BHEL REQUIREMENTS	SUPPLIER CONFIRMATION
1	VALIDITY	90 Days from Date of tender opening	Should be accepted by Vendor
2	DELIVERY REQUIREMENTS	FOR-DESTINATION BHEL STORES TRICHY -620014	Should be accepted by Vendor
3	PACKING & FORWARDING (Whether inclusive or extra) Clearly mention the percentage or amount.	SUPPLIER OPTION	INCLUDED / EXTRA INCASE OF EXTRA MENTION THE PERCENTAGE _____ OR AMONT _____
4	EXCISE DUTY WITH CESS (Whether inclusive (or) extra) Clearly mention the percentage (or) amount	SUPPLIER OPTION	INCLUDED / EXTRA INCASE OF EXTRA MENTION THE PERCENTAGE _____
5	VAT / CST Clearly mention the percentage.	SUPPLIER OPTION	INCLUDED / EXTRA INCASE OF EXTRA MENTION THE PERCENTAGE _____
6	FREIGHT (Whether inclusive or extra) Clearly mention the percentage or amount.	SUPPLIER OPTION	INCLUDED / EXTRA INCASE OF EXTRA MENTION THE PERCENTAGE _____ OR AMONT _____
7	SERVICE TAX IF ANY FOR FREIGHT ELEMENT ONLY	SUPPLIER TO QUOTE	NOT APPLICABLE/INCLUDED / EXTRA INCASE OF EXTRA MENTION THE PERCENTAGE _____
8	Service Tax if any for Erection and commissioning	SUPPLIER TO QUOTE	NOT APPLICABLE/INCLUDED / EXTRA INCASE OF EXTRA MENTION THE PERCENTAGE _____
9	DEIVERY SCHEDULE	AS PER TENDER SCHEDULE	
10	PAYMENT TERMS	As per Clause 12 of Terms and Conditions of the Enquiry (Two Part Bid)	
11	LD CLAUSE	As per Clause 13 of Terms and Conditions of the Enquiry (Two Part Bid)	
12	CONTACT PERSON DETAILS	NAME: MOBILE NO: EMAIL :	
13	GUARANTEE / WARRANTY	REQUIRED/ NOTREQUIRED	
14	TEST CERTIFICATE	REQUIRED / NOT REQUIRED	

Vendors Seal & Signature

N. SHANMUGASUNDARAM
Purchase Officer
MM / MFG / Purchase / PSS
BHEL, TRICHY - 620 014.



ANNEXURE -B

PRICE BID FORMAT OF ALL QUOTED ITEMS, IF ANY ITEM YOUR ARE NOT QUOTED SIMPLY YOU SHOULD MENTION AS "NOT QUOTED" AGAINST THAT ENQ SL NO. (SUBMITTED IN SEPARATE COVER NO: 2)

ENQ SL NO	BHEL SPECIFICATIONS	YOUR SPECIFICATION	SUPPLIER SHOULD BE QUOTOED PRICE ONLY IN RS (ALL OTHER TERMS ARE ALREADY QUOTED IN ANNEXURE -A)
10			

Vendors Seal & Signature



N. SHANMUGASUNDARAM
Purchase Officer
MM / MFG / Purchase / PSS
BHEL, TRICHY - 620 014.