



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
1/5

PHONE :2577629
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:


429-002/A

Enquiry No	Enquiry Date	Due Date for Quotation
2661400176 - 75	15.03.2014	09.04.2014

Please quote Enquiry No, Date and due date in all correspondences.
This is only a request for quotation and not an order

Item	Description	Unit	Quantity	Delivery Quantity	Schedule Date
10	<p>TRUE RMS ENERGY METER LCD TYPE Specification for LCD Multi function True RMS meters:- Measuring Parameters and Accuracy:- i.Voltage (Ph to Ph, Ph to N) (Individual / Average) :: Accuracy : +/-0.5% of Full Scale. ii.Current (I1,I2, I3)(Individual / Average) :: Accuracy : +/-0.5% of Full Scale. iii.Frequency :: Accuracy : +/-0.5% of Full Scale. iv. Power Factor (Individual / Average) :: Accuracy : +/-0.1% of Full Scale. v.Active, Reactive and Apparent Power (Individual / Average):: Accuracy : IEC 62053 Class 1 vi.% THD Display for Current and Voltage Harmonics vii.Active, Reactive and Apparent Energy (Individual / Average)::Accuracy : IEC 62053 Class 1. Resolution: -- i. For Energy reading 6 Digits Auto Resolution ii. Other Parameters : 4 Digits Auto Resolution. iii. Input Type:- iv. Phase: 3 phase and 4 Wire System v. Input Voltage:- vi. 40 to 519 V AC Ph to Ph at 50 Hz vii. 25 to 300V AC Ph to Neutral at 50 Hz viii.Input Current:- 1Amps or 5Amps Programmable Based on CT Selection., CT Primary and Secondary shall be Field Programmable, CT Secondary Shall be 1A/5A Setting and Primary shall be upto 10,000 Amps. Control Supply Voltage: -- i. 90 to 270V AC / DC ii. Display:- Size : 96 x 96 mm, 3 or more Rows x 4 Digits, 6 or more Digit Display for Energy, Direct Reading without multiplication factor. iii. LCD Display with Backlit, Energy Saver option for backlit auto</p>	NO	12.000	12.00	09.06.14

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
2/5

PHONE :2577629
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2661400176 / 15.03.2014


- Switching off .
- iv. Operating Temperature:-
0 to 50° C.
- v. Communication Facility:-
Meters shall have inbuilt provision for RS 485 Communication with Modbus protocol. Meters shall also support Minimum 2 Digital Inputs (Preferable DC 24V) and 2 Digital Outputs (Preferable Potential free NO contacts) and Same shall be controlled from Remote monitoring System.
- vi. CT / PT Burden:
CT / PT Burden shall be less then 0.2VA
- vii. Calibration Certificate:-
Calibration certificate shall be Submitted along with traceability on international standard.
- viii.Sampling Rate:-
Minimum 32 Samples per Cycle.
Make: Enercon / L& T / konzerv /MECO only acceptable.

2.0 NO 2.000 2.00 09.06.14

HAND HELD DIGITAL MULTIMETER WITH TEST LEADS, BATTERY AND OPERATING MANUAL.
DISPLAY:LCD, BATTERY:9V.
THE METER SHOULD BE SUITABLE TO MAESURE FOLLOWINGS: DC VOLTAGE, AC VOLTAGE,RESISTANCE,DC CURRENT,AC CURRENT,CAPACITANCE,TEMPERATURE AND FREQUENCY TEST, AND ALSO HAVING THE PROVISION OF POLARITY INDICATION, LOW BATTERY INDICATION AND OVER RANGE INDICATION.
DC VOLAGE:
RANGE: 200MV TO 1000V,
RESOLUTION:100MICRO VOLT-1 VOLT,
INPUT IMPEDANCE: 10 MEG OHMS ON ALL RANGES. ACCURACY: +/- 0.5% TO 0.8% OF RDG WITH +/-1 DIGITS.
AC VOLTAGE:
RANGE: 200MV TO 750V, RESOLUTION:100 MICRO VOLT-1 VOLT, INPUT IMPEDANCE:10 MEG OHMS ON ALL RANGES, ACCURACY: +/- 0.8% TO 1.2% OF RDG WITH +/- 3 DIGITS.
RESISTANCE:
RANGE:200 OHMS TO 200MEG OHMS,
RESOLUTION:0.1 OHM-100 KILO OHMS,
MAXIMUM OPEN CIRCUIT VOLTAGE:2.8 VOLTS, OVER LOAD PROTECTION:250V RMS,
ACCURACY: +/-0.8% TO 1% OF RDG WITH +/- 2 DIGITS.
DC CURRENT:
RANGE:2 MA TO 10 AMPS, RESOLUTION:1 MICRO AMPS-10 MA. ACCURACY: +/-0.8%

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
3/5

PHONE :2577629
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2661400176 / 15.03.2014


TO 2% OF RDG WITH +/- 1 DIGIT, OVER
LOAD PROTECTION:0.2A/250V FUSE.(10A
RANGE UNFUSED);MAX.INPUT:MA 200MA;A
10A CONTINUOUS,20A 15 SEC.MAX.
AC CURRENT:
RANGE:2 MA TO 10 AMPS, RESOLUTION:1
MICRO AMPS-10 MA, ACCURACY:+/-1.2%
TO 3% OF READING WITH +/- 3 DIGITS,
OVER LOAD PROTECTION:0.2A/250V FUSE,
MAX.INPUT:MA 200MA;A 10A
CONTINUOUS,20A 15 SEC.MAX
FREQUENCY RANGE: 40HZ TO 400HZ,
INDICATION:AVERAGE(RMS OF SINE WAVE).
CAPACITANCE:
RANGE:2000PF TO 20MICRO FARAD,
RESOLUTION:1PF-10NF, ACCURACY:+/-2.5%
OF
READING, +/- 5 DIGITS.
TEMPERATURE:
RANGE:-50DEG.CENTIGRADE TO 400
DEG.CENTIGRADE, RESOLUTION:1
DEG.CENTIGRADE, ACCURACY:+/-0.75% TO
1.5% OF RDG; +/- 3 DEG.CENTIGRADE
FREQUENCY TEST:
RANGE:20KHZ;RESOLUTION:10HZ,
ACCURACY:+/-1%OF RDG +/- 1 DIGIT, OVER
LOAD
PROTECTION:AC 250V RMS,
SENSITIVITY:200MV RMS AND INPUT NO
MORE 10V RMS.
MAKE:- FLUKE/ MOTWANE/ METRAVI/
YOGOGAWA/RISHAB MAKES

30 NO 1.000 1.00 09.06.14

Hand Driven Generator type, 4 Terminal, Double
Range Portable Analog
Earth Tester in Antimagnetic metal body with
carrying case, user manual
and test kit to measure directly resistance of
earth in Ohms and to
evaluate Earthing soil by measurement of
specific soil resistace (i.e
Ground Resistivity) in Ohms per centimeter-cube
conforming to
IS:9223/1989.
Range : 0-1-100 Ohms
Accuracy : +/- 5%
H.V.Test : 2 KV AC (RMS) for 1 Min
I.R.Test : More than 25 Meg.Ohms at 500 V
DC
Accuracy: Centrifugal clutch (to offer rated
output at 160 RPM or more)
range selector, fold back Rotary arm with
reverse rotation protection
anti parallelax Mirror scale, Metallic flap over
Glass window of the
scale, collapsible metallic handle.
Size: 110 x 120 x 190mm
Test kit: each Kit for 4 terminal type, consisting

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
4/5
PHONE :2577629
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2661400176 / 15.03.2014


of
4 Nos MS spikes, 4 Nos rolls of flexible wire
(15 Mtrs: approx) per roll
wound on spool, 1 No Hammer, 1 No Plier, 1
No Screw Driver and one
no.canvas bag.
Make: CIE, Shanti or equivalent

40 NO 16.000 16.00 09.06.14

True RMS Hand-held digital multi-meter
Specification:
1. Display : 4 digit, 4000
counts
2. Polarity : Automatic
3. Sensing : Average Sensing
Calibrated for RMS
4. Operating Temp : 0°C to 50°C
5. Over load protection : 20A/600V Fast blow
type
6. DC Voltage range : 400 mV to 1000 V
Accuracy : 0.6%
7. AC voltage range : 400mV (50Hz to 60
Hz) to 1000v (45Hz to 5KHz
and 5KHz to 20Hz)
8. Max resolution : 0.1mV in the
400mV - range
Accuracy : 1%
9. DC & AC current
AC current : 1µA to 10A
Accuracy : 0.6%
DC current : 1µA to 10A
Accuracy : 0.2%
10. Resistance : 0 ohm to 40 M ohm
with "Relative" value
measurement function.
Max resolution : 0.1ohm in 400 ohm
range
Capacitance Measurement : 1.0µF to 4000µF
Frequency Measurement : 0.5Hz TO 10MHZ
Diode Test and Continuity
Diode Test Indicator : Display voltage drop
0.8Ma nominal test
current at 0.6V, 3.0V Full & call
Continuity Indication : Continuous audible
tone for test resistance
below 20 ohm
Weight of equipment (including batteries): Less
than 600g
Makes:
Fluke/Yokogawa/Motwane/Rishabh/Agilent
Technologies or its
equivalent make as per the above specifications.
The meter should be suitable to measure the
following parameters: DC
voltage, AC voltage, resistance, dc current, ac
current, capacitance,
temperature and frequency test
The meter should have additional features of
auto-hold, polarity

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE :2577629
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

Page
5/5

2661400176 / 15.03.2014

indication, low battery indication and over range indication.

The supplier shall furnish the following standard accessories along with each multi-meter:

Pair of leads, user manual, set of batteries used in the machine, fuses used (if any), Carrying case.

General Note:

1. POINT-BY-POINT CONFIRMATION TO BHEL'S SPECIFICATIONS, COMMERCIAL TERMS & CONDITIONS ARE TO BE PROVIDED BY THE VENDORS IN "ANNEXURE A&B
2. FILL UP ANNEXURE A. PLEASE ENSURE THAT ALL TERMS & CONDITIONS SHOULD BE INDICATED IN THE UN-PRICED BID TO BE ATTACHED WITH THE TECHNO-COMMERCIAL BID POSITIVELY.
3. VALIDITY OF THE OFFER SHOULD NOT BE LESS THAN 120 DAYS.
4. THE ORDER WILL BE PLACED ON INDIVIDUAL ITEM L1 BASIS, NOT ON THE WHOLE PACKAGE L1 BASIS.
5. FOR ABOVE SL NOS. 20 & 30, INDIVIDUAL ITEM REQUIREMENT IS EQUAL OR LESS THAN TWO, THE QUANTITY CAN NOT BE SPLIT.
6. THE BIDDER SHALL MEET PRE-QUALIFICATION CRITERIA

LIST OF ATTACHMENTS:


1. ANNEXURE-II TERMS AND CONDITIONS OF THE ENQUIRY. (TWO PART-BID)
2. ANNEXURE-V- CA certificate format to be furnished as per MSMED act 2006, if applicable (For MSE vendors)
3. ANNEXURE-A CHECK LIST FOR COMMERCIAL TERMS CONFIRMATION-TO BE FILLED BY THE SUPPLIER.
4. ANNEXURE-B MODEL PRICE BID FORMAT.
5. ANNEXURE-VI CHECK LIST TO BE SUBMITTED ALONG WITH OFFER
6. PRE-QUALIFICATION CRITERIA

Enclosures:

"LD clause has to be confirmed without fail."
"Payment to vendors will be made only thro E-Payment mode"

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,

HIGH PRESSURE BOILER PLANT

TIRUCHIRAPPALLI-620 014

TERMS AND CONDITIONS OF THE ENQUIRY (TWO PART BID)

1. The tender will be operated on two part bid basis i.e. (I). *Techno-Commercial Bid* & (II). *Price Bid*.
 2. **Techno-Commercial Bid:** Containing Technical details, specifications, commercial terms and conditions like percentage of P&F charges, Freight & Insurance, ED WITH CESS, Taxes (BHEL will not provide "C" form for Non-Production Items), delivery terms, delivery schedule, validity of offer, payment terms (except price details), acceptance for LD clause, RP clause etc. as per ANNEXURE-A (submitted in your company letter head) shall be put in a cover (1) and super scribed as "Techno-Commercial Bid" for Enquiry No:Dt:Due Dt.:
 3. **Price Bid:** Containing the price details shall be put in a separate cover (2) and superscribed as "Price Bid" for Enquiry No:Dt:Due Dt.: as per ANNEXURE-B (submitted in your company letter head)
 4. You are requested to put the above two envelopes (Techno-Commercial Bid & Price Bid) inside a separate larger sealed envelope and this envelope shall be super scribed as "Techno-Commercial Bid and Price Bid" for Enquiry No:Dt:Due Dt.:
- Your Quotations should be sent to:**
The Manager,
Purchase Department / CP&SP
Section-ELECTRICAL SPARES /266/75
Materials Management / Raw Materials,
24 Building (4th Floor),
Bharat Heavy Electricals Limited,
Tiruchirappalli - 620 014.
5. Tender should not be addressed to any individual's name but only by designation.
 6. Tenders should be free from CORRECTION AND ERASURES. Corrections if any must be attested; all amounts shall be indicated both in words as well as in figures. Where there is difference between amount quoted in words and figures, amount quoted in words shall only be considered.
 7. Please submit point wise compliance to our specifications, terms and conditions. **Otherwise it will be presumed that you are accepting BHEL's terms and conditions.**
 8. Offer/s received after *due date* and time: **02:00 pm** will not be considered under any circumstances.
 9. **Validity of quoted rates should be maintained for 120 days from the date of Tender opening for ordering (Technical Bid). The quoted/Finalized rates shall be Firm till completion of the supplies.**
 10. The rates are to be quoted on F.O.R. despatching station basis (Inclusive of Packing, Forwarding) and separately Freight & Transit Insurance charges which are payable to supplier. ***All the items should be supplied at our stores, BHEL / TRICHY-14 at your own cost. Offers with any other delivery conditions is not acceptable.***

IMPORTANT NOTE: (I) Delivery condition like Ex-works / Ex-godown / Transportation of materials through transport carriers from your works up to the transport carrier's office at Tiruchy and taking delivery of goods by BHEL from such office of transport carriers is not acceptable to us)

11. Payment Terms (Indigenous)

Payment term is 100% direct payment after 45 days from the date of receipt and acceptance of materials.

Any deviation in the above payment term will attract loading as mentioned below.

"Base rate of SBI (as applicable on the date of bid opening. Techno-commercial bid opening in case of two part bids) + 6% shall be considered for loading for the period of relaxation sought by bidders.

Payment through Bank is not preferred. In case of Payment through Bank is opted by Supplier, BHEL prefers documents submission through bank with copy of LR and door delivery of Goods to Site/Stores with Consignee copy attached. In this case Loading will be 3% on the offered value.

Offers of indigenous Suppliers with payment terms as LC/Advance Payment are liable for rejection.

Payment term for supply portion(For import supplies)

BHEL Payment term is 100% payment on CAD basis after 45 days from the date of receipt of documents, specified in PO, at BHEL bank. Respective bank charges to respective account.

Any deviation in the above payment term will attract loading as mentioned below.

“Base rate of SBI (as applicable on the date of bid opening. Techno-commercial bid opening in case of two part bids) + 6% shall be considered for loading for the period of relaxation sought by bidders.

- In the case of Usance LCs the loading will be considered @ 1.5% on the offered Value.
- For LC at sight the loading will be considered @ 3.5% on the offered Value.
- Normally CAD at sight and Confirmed LCs are liable for rejection.

Payment terms for Indian agent:

Indian Agency Commission ,if any, shall be clearly specified in the offer and the same will be paid in Indian Rupees against acceptance of the materials

12. Liquidated Damages / Penalty:-

Liquidated damages shall be 0.5% of the total order value per week or part thereof subject to a maximum of 10% of the total order value.

For staggered delivery schedule, LD shall be 0.5% of the undelivered portion per week of the delay or part there of subject to a maximum of 10% of the total order value.

Any deviation from the above LD clause, loading will be applied to the extent to which it is not agreed by the bidder (at offered value).

13. If Guarantee / Warranty period is applicable as per tender specification, No deviation permitted and deviated offers are liable for rejection.

14. IMPORTANT NOTE: BHEL WILL CONSIDER THE RANKING AFTER THE LOADING IS APPLIED AS REFERRED ABOVE WHEREVER DEVIATIONS ARE OBSERVED.

15. No revision of prices will be entertained at any circumstances after tenders are opened.

16. If any sales tax is payable as extra to the quoted price it should be specifically stated in quotations along with CST & VAT Number failing which the purchaser will not be liable for payment of sales tax. Our TIN **33243560005 dt.01.01.2007** & CST no **239383 DT, 11.06.1991**

17. On the due date of tender opening, only the technical bids will be opened. Technical bids will be evaluated by us and clarifications required, if any, will be called for from the bidders on technical and commercial points. The price bids of techno-commercially suitable bidders will be opened at a later date with prior intimation to respective suitable bidders.

18. Ranking L-1, L-2 etc. shall be done generally on each individual items for the techno-commercially acceptable offers on landed cost to BHEL, Trichy basis and BHEL reserves the right to place order for individual items with different vendors. At special circumstance ranking shall be done on compatible basis which will be indicated through Enquiry special instruction General Notes.

19. BHEL reserves the right to increase or decrease the tender quantity and split up the tender quantity among more than one vendor at the lowest acceptable price to BHEL and place order accordingly in any proportion at our own discretion.

20. Lowest price received against BHEL tenders need not be the technically acceptable one and in that case BHEL reserves the right not to consider the same. The purchaser shall be under no obligation to accept the lowest or any other tender and shall be entitled to accept or reject any tender in part or full without assigning any reason whatsoever.

21. BHEL reserves the right to negotiate or refloat the tender opened, if L1 price is not the lowest acceptable price to BHEL due to inter-alia other reasons.

22. PACKING AND MARKING: The supplier shall arrange for securely protecting and packing the stores to avoid loss or damages during transit.

23. RISK PURCHASE: Alternatively the purchaser at his option will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole of the goods or any part which the previous supplier has failed to deliver or dispatch within the time stipulated as aforesaid or if the same were not available, the best and the nearest available substitutes therefore. The new supplier shall be liable for any loss, which the purchaser may sustain by reason of such risk purchases in addition to penalty at the rate mentioned in our LD clause.

24. PREFERENTIAL DELIVERY:(Applicable in the case of BHEL's Enquiry specifies Preferential Delivery in the Special Instructions) It should be noted if a contract is placed on a higher tendered as a result of this invitation to tender in preference to the lowest acceptable offer in consideration of the earlier delivery, the seller will be liable to pay to the purchaser the difference between the contract rate and that of the lowest acceptable tender on the basis of final price F.O.R destination, including all elements of freights, Sales tax, duties and other incidents, incidental in case of failure to complete supplies in terms of such contract within the date of delivery specified in the tender and incorporated in the contract, such difference amount in addition to penalty at the rate mentioned in our LD clause.

25. CENVAT CREDIT: If any Excise Duty is payable, the Chapter Head / Sub -head reference and the rate of the duty should be quoted. If the Tenderer is availing CENVAT credit for this input material, the effect of Performa credit should be passed on to the purchaser. Tenderer under "CENVAT" shall be preferred.

26. Any other conditions which might have been quoted by the seller and are in contravention to the terms prescribed in the order and which have not been specifically accepted by purchaser in written will not be applicable to the contract.

27. IF ANY NEW VENDORS (MANUFACTURER ONLY) WILLING TO PARTICIPATE TO THIS ENQUIRY SHOULD FURNISH THE FOLLOWING DOCUMENTRY PROOF / INFORMATION ALONG WITH OFFER, OTHERWISE YOUR OFFER WILL NOT BE CONSIDERED FOR EVALUATION.

- a) Certificate of Registration (copy of Certificate to be submitted).
- b) Banker's Information (copy of Bank Pass Book first Page to be submitted).
- c) MSME Vendor Certificate (if applicable).
- d) Address of your organization (Complete Postal Address with PIN code).
- e) Contact Person/s, Phone No., Mobile No., FAX No., E-mail ID.
- f) Statutory documents – VAT/TIN/EXCISE REGISTRATION/SERVICE TAX REGISTRATION/CST REGN etc. (copy to be furnished)
- g) NSIC/SSI Certificate (if applicable)
- h) ISO Certificate (if applicable)
- i) Experience certificate as proof of supply of similar item to any Govt. agencies/PSU/ Organisation. (copy of POs to be furnished)
- j) Balance Sheet for last three financial years along with Audit Report / IT Return (if applicable)
- k) Agency Agreement with manufacturer (if applicable).
- l) Partnership Deed (if applicable)

28. The bidder may also be a Micro and Small Enterprises (MSE) vendor registered as per MSE act. As per the public procurement policy notified by the Central government,

- a. 20% of the tendered quantity is earmarked for MSE suppliers in this tender.
- b. Out of the 20% tendered quantity reserved for MSE suppliers, 4% shall be earmarked for procurement from MSE owned by SC / ST entrepreneurs.
- c. In case MSE vendor participating in the tender quotes within the price band of L1 + 15%, they will be allowed to supply the portion of the requirement subject to acceptance of L1 price by MSE vendor. In case of more than one such MSE, the supply shall be shared proportionately.
- d. MSE suppliers can avail the intended benefits only if they submit along with offer, attested copies of either EM II certificate having deemed validity (Two years from the date of issue of acknowledgement in EM II) or valid NSIC certificate or EM II certificate along with CA certificate (Format enclosed Annexure - V) applicable for the year, certifying quantum of investment in plant and machinery within the permissible limit as per the act for relevant status (Micro or small) where the deemed validity of EM II is over. Date to be reckoned for determining the deemed validity will be the last date of technical bid submission. Offer/s received without these documents will lead to consideration of their offer at par with other bidders and MSE status of such suppliers shall be shifted to Non MSE supplier. Documents submitted after technical bid opening will not be considered in the tender.

29. For verification of data submitted towards evaluation of bidder's capability, BHEL may decide to visit the bidder(s) works. Any fact found deviating from submitted data shall make the bidder liable to be disqualified.

30. In the event of more than one vendor becoming L1 for any of the item / items, the enquiry quantity for those item / items will be shared equally among all the L1 vendors.

31. The correspondence between the bidder and BHEL through email is considered as valid document Legally though not signed. It is treated as valid confirmations made on behalf of the respective company and comes under the legal ambit of the business transaction and hence binding on both the parties.
32. Equipment will be inspected and proved at vendor's works prior to dispatch, if applicable as per tender condition. However final inspection and acceptance of equipment will be after installation at BHEL, Trichy.
33. Erection / commissioning charges , if applicable as per tender condition will be clearly mentioned in the offer or else confirmation that Erection / commissioning shall be done at free of cost is available in the offer.
34. Price shall be quoted item wise.
35. Any warranty replacement during warranty period shall be supplied free of charge on FOR BHEL, Trichy basis
36. The vendor shall provide necessary drawings, Test Certificates and Operating Maintenance Manuals etc., as called for in the Technical Specification, in the required number of copies at no extra cost.
37. Part Shipment or Transshipment is not permissible.(For import supplies)
38. In case of any short shipment in the main equipment / spares, where separate rates are not available in the contract, the customs duty levied on such supplies, shall be borne by the supplier / Indian agent.(**For import supplies**)
39. **Indicate Nearest airport & sea port** .(For import supplies)
40. **Indicate** Country of Origin (For import supplies)
41. Vendors Meeting Our Pre-Qualification Criteria & Technical Specification Will Be Essential For Consideration Of Offer.
42. For The Vendor Willing To Participate In Tender Opening, The Representative Should Have Valid Company ID Proof & Authorization Letter From The Concerned Firm Who Has Submitted The Offer.
43. After Technical Scrutinisation Of The Offers, Price Bid Of Only Technically Qualified Vendors Will Be Opened With Prior Intimation.
44. If The Due Date Of Tender Opening Happens To Be A Holiday, Those Tenders Will Be Opened On Next Working Days.
45. For any clarification you can contact to srchandran@bheltry.co.in, pgavictor@bheltry.co.in, rravic@bheltry.co.in
46. This Tender Is Hosted Both In Bhel Website And In NIC, PSU Portal And Any Corrigendum May Pl Be Viewed in **BHEL's website <http://www.bhel.com>** (Tender Notification page) Govt. Tender website **<http://tenders.gov.in>** (Public sector units > Bharat Heavy Electricals Limited Page)
47. Point-By-Point Confirmation To Bhel's Specifications, Commercial Terms & Conditions Are To Be Provided By The Vendors In "Annexure A&B Fill Up Annexure A. Please Ensure That All Terms & Conditions Should Be Indicated in The Un-Priced Bid To Be Attached With The Techno-Commercial Bid Positively.
48. The Offer Should Reach Us On Or Before Due Date By 14:00 Hrs. Late Offers Will Not Be Considered.

Certificate by Chartered Accountant on letter head

This is to Certify that M/S
(hereinafter referred to as 'company') having its registered office at
..... is registered under MSMED Act 2006, (Entrepreneur
Memorandum No (Part-II) dtd:.....,
Category: (Micro/Small)). (Copy enclosed).

Further verified from the Books of Accounts that the investment of the company as on
date..... as per MSMED Act 2006 is as follows:

1. **For Manufacturing Enterprises:** Investment in plant and machinery (i.e. original cost
excluding land and building and the items specified by the Ministry of Small Scale Industries vide its
notification No.S.O.1722(E) dated October 5, 2006 :
Rs.....Lacs
2. **For Service Enterprises:** Investment in equipment (original cost excluding land and building and
furniture, fittings and other items not directly related to the service rendered or as may be notified under the MSMED
Act, 2006:
Rs.....Lacs

The above investment of Rs.....Lacs is within permissible limit of
Rs.....Lacs forMicro / Small (~~Strike off which is not applicable~~)
Category under MSMED Act 2006.

Date:

(Signature)

Name -

Membership number -

Seal of Chartered Accountant

ANNEXURE -A

ENQ SL NO	BHEL SPECIFICATIONS	YOUR SPECIFICATION	unit	Quantity	Consignment weight against each item separately	whether quoted/ not quoted
10						

KINDLY SPECIFY ALL ENQ SL NOS AS PER BHEL ENQUIRY. (SUBMITTED IN COVER NO: 1)

COMMERCIAL TERMS CONFIRMATION REQUIRED FROM THE SUPPLIERS (SUBMITTED IN COVER NO: 1)

SL NO	DESCRIPTION	BHEL REQUIREMENTS	SUPPLIER CONFIRMATION
1	VALIDITY	120 Days from Date of tender opening	
2	PRICE QUOTED	FOR / DESPATCHING STATION INCLUSIVE OF PACKING & FORWARDING CHARGES.	
3	EXCISE DUTY WITH CESS (Whether inclusive (or) extra) Clearly mention the percentage	SUPPLIER TO QUOTE	
4	VAT % Clearly mention the percentage	SUPPLIER TO QUOTE	
5	CST % against form 'C' Clearly mention the percentage	SUPPLIER TO QUOTE	
6	FREIGHT & INSURANCE CHARGES FOR DELIVERY AT BHEL / TRICHY STORES	SUPPLIER TO QUOTE IN % ONLY	
7	DELIVERY SCHEDULE FROM THE DATE OF PURCHASE ORDER / LETTER OF INTENT	SUPPLIER TO QUOTE IN N O. OF WEEKS / MONTHS	
8	PAYMENT TERMS	As per Clause 11 of Terms and Conditions of the Enquiry (Two Part Bid)	
9	LIQUIDATED DAMAGES CLAUSE	As per Clause 12 of Terms and Conditions of the Enquiry (Two Part Bid)	
10	RISK PURCHASE CLAUSE	As per Clause 23 of Terms and Conditions of the Enquiry (Two Part Bid)	
11	GUARANTEE / WARRANTY	AS PER TENDER CONDITION	
12	ERECTION / COMMISSIONING	AS PER TENDER CONDITION	
13.	Origin of dispatch	SUPPLIER TO QUOTE	
14.	Nearest airport & sea port (For import supplies)	SUPPLIER TO QUOTE	
15.	Country of Origin (For import supplies)	SUPPLIER TO QUOTE	
16	CONTACT PERSON DETAILS	NAME:	
		MOBILE NO:	
		LAND LINE NO:	
		EMAIL :	
		FAX:	

NOTE: a). -It is confirmed that all the terms and conditions stipulated in the Enquiry have been fully understood by us and all clarifications & details have been obtained.

b). Your specific acceptance to our Payment terms, LD & Risk Purchase Clause are essential for consideration of your offer.

c). No row shall be left blank. Please indicate NA, in case the item is "not applicable"

Full postal Address:

Signature & Office Seal of the vendor

ANNEXURE –B

ENQ SL NO	BHEL SPECIFICATIONS	YOUR SPECIFICATION	unit	quantity	Rate in Rs.	Value in Rs.
10						

PRICE BID FORMAT OF ALL QUOTED ITEMS, IF ANY ITEM YOUR ARE NOT QUOTED SIMPLY YOU SHOULD

MENTION AS “NOT QUOTED” AGAINST THAT ENQ SL NO. (SUBMITTED IN SEPARATE COVER NO: 2

Annexure-VI

CHECK LIST TO BE SUBMITTED ALONG WITH OFFER

SL NO	Documents submitted	Vendor's Confirmation Yes/No
01.	Offer Submitted in 2 part bid system	
02.	Annexure-A	
03.	Annexure-B	
04.	In case of new vendor whether documents attached as per Annexure-II SL.no.27	
05.	For MSME vendors whether documents submitted as per Annexure-II SL.no.28	
06.	Annexure- Pre-Qualification Criteria Submitted	
07.	Documents/technical catalogues /DRAWINGS, (wherever as applicable) submitted as per tender condition	
08.	point to point confirmation provided as per tender condition	

PRE-QUALIFICATION CRITERIA

The BIDDER has to compulsorily meet all the following requirements and supporting documents should be furnished with out which the offer will not be considered for technical evaluation.

S.No	Description	Vendor to specify details
1	Only those vendors, who have Supplied Similar items to at least three companies in the past two years are eligible. Supporting documents with PO copy to be submitted with the offer for the same.	
2	The offer should carry 12 months warranty for the items.	
3	BHEL will verify the information provided by vendor. In case the information provided by vendor is found to be false / incorrect, the offer shall be rejected.	