



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)


PHONE :2577331
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

Page
1/7

Enquiry No	Enquiry Date	Due Date for Quotation
2661500055 - 55	16.02.2015	12.03.2015
Please quote Enquiry No, Date and due date in all correspondences. This is only a request for quotation and not an order		

Item	Description	Unit	Quantity	Delivery Quantity	Schedule Date
10	<p>Pre-Qualification criteria for items 10 to 290: The Bidder/Vendor has to compulsorily meet the following requirements to get qualified for consideration of technical offer. If the Bidder(s)/vendor(s) does not qualify as per pre-qualification criteria, technical offer of such bidder(s)/vendor(s) will not be considered further.</p> <p>1. Only FENNER/ PIX/ SKF/ GATES/ DUNLOP/ GOOD YEAR/ MEGADYNE/ CONTINENTAL/ OPTIBELT makes are acceptable. The bidder(s)/vendor(s) should be an OEM or authorized dealer of these makes. In case of dealers, valid dealership certificate should be submitted along with the offer, failing which the offer will not be considered.</p> <p>2. Any deviation in the technical specification may lead to rejection of the offer.</p> <p>Technical Specification for Item 10: Single sided timing belt with spirally woven embedded fibreglass, high bend and oil resistant chloroprene compound top surface, trapezoidal teeth covered with wear and tear resistant fabric coating and following technical dimension: 1. Belt cross section L type, 2. Tooth angle 40 deg., 3. Overall belt thickness 3.6 mm, 4. Tooth pitch 9.525 mm, 5. Tooth height 1.91 mm, 6. Tooth width 4.65 mm, 7. Tooth fillet radius 0.51 mm, 8. Belt width 19.1 mm, 9. Belt length 1295.4 mm, 10. Total no. of teeth 136 or equivalent to OPTIBELT make timing belt model no. ZR 510 L,SKF Timing belt PHG 510-L-075</p> <p>DIVALUE:</p>	NO	2.000	2.00	20.03.15
20	140078805000	NO	4.000	4.00	20.03.15

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
2/7


PHONE :2577331
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2661500055 / 16.02.2015

Item No.	Quantity	Unit	Rate	Amount	Delivery Date
30	NO	2.000	2.00	20.03.15	
Power grip GT belts - 8MGT-880-50 Gates or equivalent 140078805000D1VALUE:					
Technical Specification for Item 30: Synchronus power transmission belt with special curvilinear tooth profile made up of carbon fiber, embedded carbon tensile cord, polyurethane construction with Nylon tooth facing, 1. Teeth Pitch 14 mm, 2. No. of teeth 115, 3. Width 37 mm, 4. Length 1610 mm. 5. operating temperature -54°C to +85°C or equivalent to Gates make model no.14M-GTC-1610-37-POLYCHAIN GT CARBON D1VALUE:					
40	NO	1.000	1.00	20.03.15	
Technical Specification for Item 40: Synchronus power transmission with special curvilinear tooth profile made up of carbon fiber, embedded carbon tensile cord, polyurethane construction with Nylon tooth facing having following technical dimension: 1. Teeth Pitch 14 mm, 2. No. of teeth 115, 3. Width 20 mm, 4. Length 1610 mm, 5. operating temperature-54°C to +85°C or equivalent to Gates make model no. 14M-GTC-1610-20-POLYCHAIN GT CARBON D1VALUE:					
50	NO	2.000	2.00	20.03.15	
Technical Specification for Item 50: Timing belt with special curvilinear tooth form, Tough nylon facing on teeth, embedded tensile member, Durable elastomeric backing, 1. Teeth Pitch 8 mm, 2. no. of teeth 80, 3. Width 50 mm, 4. Length 640 mm, 5. tooth height 3.4 mm, 6. Overall belt thickness 6 mm, or equivalent to Gates make belt model no. HTD 640-8M-50 D1VALUE:					
60	NO	1.000	1.00	20.03.15	
Technical Specification for Item 60: Synchronus power transmission belt with special curvilinear tooth form, Tough nylon facing on teeth, embedded tensile member, Durable					

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE :2577331
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2661500055 / 16.02.2015

elastomeric backing having following technical dimension:

1. Pitch 8 mm,
 2. No. of teeth 140,
 3. Width 30 mm,
 4. Length 1120 mm,
 5. Tooth height 3.4 mm,
 6. Overall belt thickness 6 mm,
- or equivalent to Gates make belt model no. HTD 1120-8M-30

D1VALUE :

70	NO	1.000	1.00	21.03.15
----	----	-------	------	----------

Technical Specification for Item 70:
Synchronus power transmission with special curvilinear tooth profile made up of carbon fiber, embedded carbon tensile cord, polyurethane construction with Nylon tooth facing having following technical dimension:

1. Teeth Pitch 8 mm,
 2. No. of teeth 112,
 3. Width 62 mm,
 4. Length 896 mm,
 5. tooth height 3.4 mm,
 6. Overall belt thickness 6 mm
- or equivalent to Gates make model no. PolyChain GT 8M-896-62

D1VALUE :

80	NO	4.000	4.00	21.03.15
----	----	-------	------	----------

Technical Specification for Item 80:
TIMING BELT having Trapezoidal tooth form, Fibreglass tensile cords, Tough nylon facing on teeth

1. Belt cross section L type,
2. Tooth angle 40 deg.,
3. Overall belt thickness 3.6 mm,
4. Tooth pitch 9.525 mm,
5. Tooth height 1.91 mm,
6. Tooth width 4.65 mm,
7. Tooth fillet radius 0.51 mm,
8. Belt width 12.7 mm,
9. Belt length 723.9 mm,
10. Total no. of teeth 76

or equivalent to Gates make timing belt model no. Powergrip 285L050

D1VALUE :


90	NO	4.000	4.00	21.03.15
----	----	-------	------	----------

Technical Specification for Item 90
TIMING BELT having Trapezoidal tooth form, Fibreglass tensile cords, Tough nylon facing on teeth

1. Belt cross section XL type,
2. Tooth angle 50 deg.,
3. Overall belt thickness 2.3 mm,
4. Tooth pitch 1/5 inch(5.080 mm),
5. Tooth height 1.27 mm,
6. Tooth width 3/8 inch (9.525 mm),

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
4/7


PHONE :2577331
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2661500055 / 16.02.2015

	7. Tooth fillet radius 0.38 mm, 8. Belt width 3/8 inch (9.525 mm), 9. Belt length 17 inch (431.8 mm), 10. Total no. of teeth 85, or equivalent to Gates make timing belt model no. Powergrip 170XL037 D\VALUE :				
100	NO	4.000	4.00	21.03.15	
	Technical Specifacation for Item 100 TIMING BELT having Trapezoidal tooth form, Fibreglass tensile cords, Tough nylon facing on teeth 1. Belt cross section L type, 2. Tooth angle 40 deg., 3. Overall belt thickness 3.6 mm, 4. Tooth pitch 9.525 mm, 5. Tooth height 1.91 mm, 6. Tooth width 4.65 mm, 7. Tooth fillet radius 0.51 mm, 8. Belt width 12.7 mm, 9. Belt length 685.8 mm, 10. Total no. of teeth 72, or equivalent to Gates make timing belt model no. Powergrip 270L050 D\VALUE :				
110	NO	4.000	4.00	21.03.15	
	Technical Specification for Item 110 TIMING BELT having Trapezoidal tooth form, Fibreglass tensile cords, Tough nylon facing on teeth 1. Belt cross section L type, 2. Tooth angle 40 deg., 3. Overall belt thickness 3.6 mm, 4. Tooth pitch 9.525 mm, 5. Tooth height 1.91 mm, 6. Tooth width 4.65 mm, 7. Tooth fillet radius 0.51 mm, 8. Belt width 12.7 mm, 9. Belt length 571.5 mm, 10. Total no. of teeth 60, or equivalent to gates make timing belt model no. powergrip 225L050 D\VALUE :				
120	140076180000 Single sided timing belt with spirally woven embedded fibreglass, high bend and oil resistant chloroprene compound top surface, teeth covered with wear and tear resistant fabric coating tooth 1.Belt cross section H 2.Tooth angle 40 deg., 3. Overall belt thickness 4.3 mm, 4. Tooth pitch 12 mm, 5. Tooth height 2.29 mm, 6. Tooth width 6.12 mm, 7. Tooth fillet radius 1.02 mm, 8. belt width 50 mm,	NO	4.000	4.00	21.03.15

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
5/7

PHONE :2577331
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2661500055 / 16.02.2015

	9. belt length 990.6 mm, 10. total no. of teeth 78 or equivalent to SKF make timing belt model no. PHG 390-H-200 140076180000D1VALUE:				
130	Technical Specification for Item 130: Poly V groove type power transmission belt. Body made of Polyurethane: thermoset polyurethane with a 85 ± 5 ShA hardness with high-strength low-stretch polyester cords tensile member with plain back side. 1. Belt cross section type: PL, 2. Rib height 4.75 mm, 3. Rib pitch 4.7 mm, 4. Belt thickness 6.6 mm, 5. Rib angle 40 deg, 6. No. of ribs across width 16, 7. Belt width 75mm, 8. Belt length 2515 mm or equivalent to megadyne make belt model no. PV 990L/2515PL D1VALUE:	NO	3.000	3.00	21.03.15
140	140076380000 Power grip GT belts Gates part no.-14MGT-2590-90 or equivalent 140076380000D1VALUE:	NO	5.000	5.00	21.03.15
150	Technical Specification for Item 150: V belt, with embedded tension member, Section SPA, Length 2300 mm, width 12.7 mm, height 10.0 mm. D1VALUE:	NO	4.000	4.00	21.03.15
160	Technical Specification for Item 160: V belt, with embedded tension member, Section B, Length1080 mm, width 17.0 mm, height 11.0 mm. D1VALUE:	NO	8.000	8.00	21.03.15
170	140076590000 V BELT SPA 1900 140076590000D1VALUE:	NO	5.000	5.00	21.03.15
180	Technical Specification for Item 180: V belt, with embedded tension member, Section SPA, Length 1900 mm, width 12.7 mm, height 10.0 mm. D1VALUE:	NO	6.000	6.00	21.03.15
190	Technical Specification for Item 190: V belt, with embedded tension member, Section B, Length 3850 mm, width 17.0 mm, height 11.0 mm.	NO	9.000	9.00	21.03.15

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
6/7

PHONE :2577331
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2661500055 / 16.02.2015

DIVALUE :				
200	NO	6.000	6.00	21.03.15
Technical Specification for Item 200: V belt, with embedded tension member, Section SPB, Length 4500 mm, width 16.3 mm, height 13 mm.				
DIVALUE :				
210	NO	3.000	3.00	21.03.15
Technical Specification for Item 210: V belt, with embedded tension member, Section C, Length 2220 mm, width 22.0 mm, height 14.0 mm.				
DIVALUE :				
220	NO	5.000	5.00	21.03.15
Technical Specification for Item 220 V belt, with embedded tension member, Section SPA, Length 2580 mm, width 12.7 mm, height 10.0 mm.				
DIVALUE :				
230	NO	8.000	8.00	21.03.15
1400724300000 V BELT SPA - 2430 PB 1400724300000DIVALUE :				
240	NO	12.000	12.00	21.03.15
Technical Specification for Item 240: V belt, with embedded tension member, Section SPB, Length 3800 mm, width 16.3 mm, height 13 mm,				
DIVALUE :				
250	NO	6.000	6.00	21.03.15
140070630000 V BELT A-66 140070630000DIVALUE :				
260	NO	2.000	2.00	21.03.15
Technical Specification for Item 260: Endless flat belt, top and bottom layer made up of highly wear resistance elastomer G, thermoplastic tension member with polyester fa bric in wrap and weft, designed for nominal pull of 54 N/mm of belt width having following technical dimension 1. Width 80 mm, 2. Length 3300 mm, 3. Thickness 5mm or equivalent to GATES Make Model No. GT54,				
DIVALUE :				
270	NO	4.000	4.00	21.03.15
Technical Specification for Item 270: TIMING BELT made of polyurathane material with embedded steel tension member, 1. Tooth profile AT20, 2. Belt width 50 mm, 3. Length 1200 mm				

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening. Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
7/7

PHONE :2577331
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2661500055 / 16.02.2015

4. No. of teeth 60.
 5. Tooth height 5 mm,
 6. Overall belt thickness 9 mm,
 7. Teeth pitch 20 mm,
- or equivalent to continental make belt model
no. CONTI® SYNCHROFLEX
Timing Belt 50 AT20 / 1200

DIVALUE:

280	140072540000 V BELT B-46	NO	50.000	50.00	21.03.15
	140072540000DIVALUE:				
290	140070020000 V BELT B-42	NO	50.000	50.00	21.03.15
	140070020000DIVALUE:				

General Note:

GENERAL NOTE:PLEASE SUBMIT YOUR OFFER IN "TWO PART BID SYSTEM" AS PER THE ANNEXURES ENCLOSED.


ENCLOSURES:ANNEXURE II,III,IV,V,VI,VII.

Enclosures:

"LD clause has to be confirmed without fail."

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,

CAPITAL PURCHASE
COMMERCIAL TERMS AND CONDITIONS

1.0 QUOTATIONS

The Bidders shall submit the offer in **TWO INNER ENVELOPES** as indicated below which shall be sealed in one outer envelope.

Envelope I This sealed envelope should contain all the copies of technical bid together with un-priced commercial bid & annexure III. This envelope should be clearly marked **'Part I - Technical and commercial bid'**,

Indicating Enquiry No., Due Date and Address & Reference of the Bidder.

Envelope II This sealed envelope should contain **price as per Annexure-IV format**. This envelope should be clearly marked **"Part II - Price bid"**, indicating **Enquiry No., Due Date and Address & Reference of the Bidder**.

Both the envelopes (Part I & II) shall be put in one cover (**Envelope III**), duly sealed, superscribing as Part I and Part II of Enquiry No., due date of opening and the address and reference of the Bidder

The above offer should reach this office on or before the due date by 14.00 hours (IST). Late offers will not be considered.

Tender should not be addressed to any individual's name but only by designation to

**SENIOR MANAGER /PURCHASE/ CP & SP/ MM / MFG
BHARAT HEAVY ELECTRICALS LIMITED
HIGH PRESSURE BOILER PLANT
TIRUCHIRAPALLI - 620 014
TAMIL NADU**

Tenders should be free from **CORRECTION AND ERASURES**, Corrections if any, must be attested. All Amounts shall be indicated both in words as well as in figures. Where there is difference between amount quoted in words and figures, amount quoted in words shall prevail.

Offers should be in **ENGLISH** and accompanied by detailed technical literature, catalogue and detailed dimensional drawings in **ENGLISH** or otherwise, the offers will not be considered.

2.0 OPENING OF TENDERS

The Part I - Technical & commercial bid alone would be opened on the Tender opening date.

The Part II - Price bid of technically suitable Bidders alone would be opened. The Technically Suitable Bidders would be informed about the tender opening date through e-mail.

Clarifications if any required by BHEL for Technical evaluation **would be** sought from Bidders before opening of Part II - price bid

For any queries clarifications the bidders may contact us through our FAX NO. +91 431 2520719 or through e-mail <mmcpmfg1@bheltry.co.in >&< chells@bheltry.co.in>

MM: CP & SP
Annexure For Techno Commercial Bid

Check List - to be filled and submitted along with Technical Bid

BHEL Commercial Terms and Conditions for Indigenous Supplies	Vendor's Confirmation / Comments
Technical confirmation to BHEL's Specification as called for in BHEL Format shall be furnished. If needed additional sheets shall be used.	
Prices shall be quoted item wise only as per the model format enclosed	
Prices shall be quoted on " FIRM PRICE " basis only The prices should be only on F.O.R / Despatching station basis with Packing & Forwarding charges if any. Applicable % of ED & Sales Tax, Freight & Insurance, Installation & Commissioning Charges should be clearly Indicated	
Validity of offer shall be for a minimum period of 120 days from the date of Tender opening	
Delivery period from the date of Letter of Intent / Purchase order shall be clearly mentioned in the offer	
Liquidated damages @ '0.5% per week subject to a maximum of 10% of the order value shall be applicable for delay in deliveries For Details Refer Annexure- v	
Following Risk Purchase clause shall be applicable The purchaser at his option will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole of the goods or any part which the supplier has failed to deliver or dispatch within the time stipulated or if the same were not available, the best and the nearest available substitute therefore The supplier shall be liable for any loss which the Purchaser may sustain by reason of such risk purchases	
Payment term for supply portion: Payment term is 100% direct payment after 45 days from the date of receipt and acceptance of materials For details Refer Annexure- v	
Erection / commissioning: (if applicable only) Erection / commissioning charges if any has been mentioned in the offer or else confirmation that Erection /commissioning shall be done at free of cost is available in the offer,	
The equipment shall be guaranteed for a period of 12 months from the date of commissioning	
Final inspection and acceptance of equipment will be after installation at BHEL, Trichy	
The vendor shall provide necessary drawings, Test Certificates and Operating Maintenance Manuals etc., as called for in the Technical Specification, in the required number of copies at no extra cost	
Any warranty replacement during warranty period shall be supplied free of charge on FOR BHEL, Trichy basis.	
Offers should be submitted only in sealed cover super-scribing clearly the Enquiry reference and due date.	
% of Excise Duty with cess	
% of TAX (CST/VAT)-(INGST with FORM-17 or CST with C-FORM)	
Packing & Forwarding Charges (if any in % only)	
Percentage of Freight& transit insurance charges, if any Freight charges from Dispatching station to BHEL , Tirumayam • Supplier should quote for F.O.R-BHEL , Tirumayam Stores.	
As per Commercial terms and conditions, acceptance for participation in Reverse auction (RA).Yes/No to be indicated	
Name of the person for participating reverse auction	
Land Line Number	
Fax Number	
Mobile Number	
E-mail ID	

NOTE:-

- a) It is confirmed that all the terms and conditions stipulated in the Enquiry have been fully understood by us and all clarifications & details have been obtained.
- b) Your offer should be indicating applicable If any P&F Charges, % of ED, Sales Tax -CST or VAT, Service Tax), Freight, Insurance and Installation and Commissioning Charges etc., as per our Price Format
- c) Your specific acceptance to our Payment terms, LD & Risk Purchase Clause are essential for consideration of your offer. Other wise your offer is liable for rejection.
- d) No row shall be left blank. Please indicate NA, in case the item is "not applicable"

Payment Term (Indigenous)	
If materials are receivable at Stores/Trichy <u>without</u> PBG	Payment term is 100% direct payment after 45 days from the date of receipt and acceptance of materials.
If materials are receivable at Stores/Trichy <u>with</u> PBG	Payment term is 100% direct payment after 45 days from the date of receipt and acceptance of materials and against 10% PBG valid for the warranty period.
Any deviation in the above payment term will attract loading as mentioned below. “Base rate of SBI (as applicable on the date of bid opening. Techno-commercial bid opening in case of two part bids) + 6% shall be considered for loading for the period of relaxation sought by bidders.	

Payment through Bank is not preferred. In case of Payment through Bank is opted by Supplier, BHEL prefers documents submission through bank with copy of LR and door delivery of Goods to Site/Stores with Consignee copy attached. In this case Loading will be 3% on the offered value.
Offers of indigenous Suppliers with payment terms as LC/Advance Payment are liable for rejection.

Liquidated Damages / Penalty -
Liquidated damages shall be 0.5% of the total order value per week or part thereof subject to a maximum of 10% of the total order value.
For staggered delivery schedule, LD shall be 0.5% of the undelivered portion per week of the delay or part thereof subject to a maximum of 10% of the total order value.
Any deviation from the above LD clause, loading will be applied to the extent to which it is not agreed by the bidder (at offered value).

Guarantee / Warranty Period – (if applicable)
Normally No deviation permitted and the deviated offers are liable for rejection.

Ranking-
BHEL will consider the ranking after the loading is applied as referred above wherever deviations are observed.

Performance Bank Guarantee – (if applicable)
Normally No deviation permitted and the deviated offers are liable for rejection.

NOTE:-

1. If the due date of tender opening happens to be a holiday, the tenders will be opened on the next working day.
2. BHEL reserves the right to go for a reverse auction (RA) instead of opening the submitted sealed bid which will be decided after technical evaluation. Information and general terms and conditions covering RA are given in commercial terms and conditions.
3. Corrigendum if any, with respect to this tender will be hosted only in the website <http://www.bhel.com> or <http://tenders.gov.in>. You are requested to visit the website regularly for updates.

Special Provisions for Micro and Small Enterprises (MSE)

1. 20% of the tendered quantity is earmarked for MSE suppliers in this tender.
2. Out of the 20% tendered quantity reserved for MSE suppliers, 4% shall be earmarked for procurement from MSE owned by SC/ST entrepreneurs.
3. In case MSE vendor participating in the tender quotes within the price band of L1+15%, they will be allowed to supply the portion of the requirement subject to acceptance of L1 price by MSE vendor. In case of more than one such MSE, the supply shall be shared proportionately.
4. "MSE suppliers can avail the intended benefits only if they submit along with the offer, attested copies of either EM II certificate having deemed validity (five years from the date of issue of acknowledgement in EM-II) or valid NSIC certificate or EM II certificate along with attested copy of a CA certificate (Format enclosed at Annexure -VII where deemed validity of EM II certificate of five Years has expired) applicable for the relevant financial year (latest audited). Date to be reckoned for determining the deemed validity will be the date of bid opening (Part 1 in case of two part bid). Non submission of such documents will lead to consideration of their bid at par with other bidders. No benefit shall be applicable for this enquiry if any deficiency in the above required documents are not submitted before price bid opening. If the tender is to be submitted through e-procurement portal, then the above required documents are to be uploaded on the portal. Documents should be notarized or attested by a Gazetted officer."

Certificate by Chartered Accountant on letter head

This is to Certify that M/S
(hereinafter referred to as 'company') having its registered office at
..... is registered under MSMED Act 2006, (Entrepreneur
Memorandum No (Part-II) dtd:.....,
Category: (Micro/Small)). (Copy enclosed).

Further verified from the Books of Accounts that the investment of the company as on
date..... as per MSMED Act 2006 is as follows:

1. **For Manufacturing Enterprises:** Investment in plant and machinery (i.e. original cost
excluding land and building and the items specified by the Ministry of Small Scale Industries vide its
notification No.S.O.1722(E) dated October 5, 2006 :
Rs.....Lacs
2. **For Service Enterprises:** Investment in equipment (original cost excluding land and building and
furniture, fittings and other items not directly related to the service rendered or as may be notified under the MSMED
Act, 2006:
Rs.....Lacs

The above investment of Rs.....Lacs is within permissible limit of
Rs.....Lacs forMicro / Small (Strike off which is not applicable)
Category under MSMED Act 2006.

Date:

(Signature)

Name -

Membership number -

Seal of Chartered Accountant