



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)

HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
1/7

PHONE :2577331
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

429-002/A


	Enquiry No 2661500299 - 46	Enquiry Date 07.08.2015	Due Date for Quotation 31.08.2015
<p>Please quote Enquiry No, Date and due date in all correspondences. This is only a request for quotation and not an order. Bid should be submitted in two parts. 1.Techno-commercial bid (Part-I) and 2.Price bid(Part-II) in a separate sealed cover and both covers must be placed in a third cover and sealed. Our Enquiry No., Enq. date & Enq. Due date must be written on all three covers.</p>			

Item	Description	Unit	Quantity	Delivery Quantity	Schedule Date
10	532010040000	NO	10.000	10.00	30.11.15
	<p>9 MM ALLOY STEEL GRADE 80 / GRADE T(8) 2 LEGGED CHAIN SLING WITH OBLONG SHAPE MASTER RING OF 20 MM DIA 75MM INSIDE WIDTH AND 135MM INSIDE LENGTH AT THE TOP AND EYE HOOKS WITH SAFETY LATCH AT THE BOTTOM. JOINING LINK SIZE- 12MM DIA x 30MM INNER WIDTH x 50MM INNER LENGTH INTERMEDIATE LINK SIZE- 16MM DIA x 40MM INNER WIDTH x 70MM INNER LENGTH EFFECTIVE LENGTH---1.0 METRE, SWL- 3.5 TONS AT 90 DEGREES COMMON NOTE FOR ALL ITEMS (10 TO 240) VENDOR SHOULD GIVE POINT-WISE REPLY TO THE FOLLOWING POINTS 1. TO JOIN CHAIN WITH MAIN RING, OBLONG SHAPE JOINING LINK AND INTERMEDIATE LINK SHALL BE USED. 2. TO JOIN CHAIN WITH HOOK OBLONG SHAPE JOINING LINK SHALL BE USED. 3. CHAIN CONFORMING TO :IS-6215/1982 4. EYE HOOK CONFORMING TO : IS-3822/2002 5. CHAIN SLING CONFORMING TO:IS-2760/1980 6. Pre-dispatch inspection shall be done by BHEL representative at supplier works for proof load (200% of SWL) testing of all the slings(100% of the slings). For the above testing supplier has to make all necessary arrangements. 7. For All Items Test Certificates by Competent person as per FACTORIES ACT, 1948 shall be submitted along with supply. Copy of authorising letter of Competent person should be submitted with test certificate. 8. . Breaking load test of One number of the following items should be offered during the pre-dispatch inspection by BHEL representative. The breaking load and the total ultimate elongation shall be noted down</p>				

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

V. CHELLIAH
Sr Manager / Purchase
MM / RM / CP & SP
BHEL, TRICHY - 620 014.


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
2/7
PHONE :2577331
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2661500299 / 07.08.2015

23505

- i) 1 no of Main ring used in each item of chain sling
- ii) 1 no of Intermediate link used in each item of chain sling
- iii) 1 no of Joining link used in each item of chain sling
- iv) 1 no of eye hook used in each item of chain sling
- v) 1 metre length of short link chain used in each item of chain sling

9. The identification number, Safe Working Load, chain size and the chain length shall be clearly punched on the main ring of all chain slings.

10. The performance of the chain slings should be guaranteed for a minimum period of twelve months from the date of acceptance at BHEL, Trichy. Suitable guarantee certificates to be provided along with supply.

VENDOR QUALIFYING CRITERIA:
VENDOR SHOULD GIVE POINT-WISE REPLY TO ALL THE FOLLOWING POINTS

The BIDDER / VENDOR has to compulsorily meet all the following requirements to get qualified for consideration of the technical offer for the SUPPLY OF CHAIN SLINGS. If the vendor does not qualify as per the VENDOR QUALIFICATION CRITERIA, the technical offer of such BIDDER(s)/VENDOR(s) offer will not be evaluated.

(1) The BIDDER(s) / VENDOR(s) shall be a Manufacturer of Short link chain or an Authorised dealer of short link chain manufacturer. In case of dealers, valid authorisation certificate should be submitted along with the offer.

(2) The BIDDER(S) / VENDOR(S) shall be certified for Quality Management system under ISO 9001:2008. The Bidder(s) / vendor(s) should necessarily attach a copy of their valid ISO 9001:2008 certificate.


(3) The BIDDER(s) / VENDOR(s) shall have a minimum five years of Continuous Experience in supplying chain slings. The BIDDER / VENDOR should necessarily attach Certificate of Incorporation/ Deed of partnership/Certification of registration/ previous purchase orders or any other documents supporting the above experience.

(4) Along with Technical offer, the Vendor

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

V. CHELLIAH
Sr Manager / Purchase
M/M / RM / CP & SP
BHEL, TRICHY - 620 014.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE :2577331
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2661500299 / 07.08.2015

23505

should submit previous purchase orders details of the similar items supplied within last two years as on date of tender opening. The vendor should submit minimum one number of performance certificate from a customer in the customer's letter head for similar items supplied within last two years as on date of tender opening. Similar items means chain slings of same size as per IS-2760/1980.

(5) The supplier has to submit the original Manufacturer's test certificate for the items at the time of supply of the materials.

(6) Any Deviations in technical specification may lead to rejection of the offer.

(7) Company profile details have to be submitted along with the offer.

(8) BHEL reserves the right to visit the vendor's works for verifying the manufacturing facilities and any other credential furnished by the vendor. In case the information furnished with the offers found to be false /incorrect, the offer shall be rejected.

20	532010420000	NO	20.000	20.00	30.11.15
----	--------------	----	--------	-------	----------

9 MM ALLOY STEEL GRADE 80 / GRADE T(8)
3 LEGGED CHAIN SLING WITH OBLONG
SHAPE MASTER RING OF 25 MM DIA 75MM
INSIDE WIDTH AND 135MM INSIDE LENGTH
AT THE TOP AND EYE HOOKS WITH SAFETY
LATCH AT THE BOTTOM.
JOINING LINK SIZE- 12MM DIA x 30MM INNER
WIDTH x 50MM INNER LENGTH
INTERMEDIATE LINK SIZE- 16MM DIA x 40MM
INNER WIDTH x 70MM INNER LENGTH
EFFECTIVE LENGTH--1.0 METRE, SWL- 5.25
TONS AT 90 DEGREES

30	532010100000	NO	14.000	14.00	30.11.15
----	--------------	----	--------	-------	----------


9 MM ALLOY STEEL GRADE 80 / GRADE T(8)
2 LEGGED CHAIN SLING WITH OBLONG
SHAPE MASTER RING OF 20 MM DIA 75MM
INSIDE WIDTH AND 135MM INSIDE LENGTH
AT THE TOP AND EYE HOOKS WITH SAFETY
LATCH AT THE BOTTOM.
JOINING LINK SIZE- 12MM DIA x 30MM INNER
WIDTH x 50MM INNER LENGTH
INTERMEDIATE LINK SIZE- 16MM DIA x 40MM
INNER WIDTH x 70MM INNER LENGTH
EFFECTIVE LENGTH - 2.0 METRES, SWL- 3.5
TONS AT 90 DEGREES

40	532010140000	NO	18.000	18.00	30.11.15
----	--------------	----	--------	-------	----------

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

V. CHELLIAH
Sr Manager / Purchase
MM / RM / CP & SP
BHEL, TRICHY - 620 014.


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
4/7
PHONE :2577331
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2661500299 / 07.08.2015

23505

9 MM ALLOY STEEL GRADE 80 / GRADE T(8)
2 LEGGED CHAIN SLING WITH 'O'
RING OF 32 MM DIA X 160MM ID AT THE
TOP AND EYE HOOKS WITH SAFETY LATCH
AT THE BOTTOM.
JOINING LINK SIZE- 12MM DIA x 30MM INNER
WIDTH x 50MM INNER LENGTH
INTERMEDIATE LINK SIZE- 16MM DIA x 40MM
INNER WIDTH x 70MM INNER LENGTH
EFFECTIVE LENGTH---3.0 METRES, SWL- 3.5
TONS AT 90 DEGREES

50 532010170000 NO 10.000 10.00 30.11.15

9 MM ALLOY STEEL GRADE 80 / GRADE T(8)
2 LEGGED CHAIN SLING WITH 'O'
RING OF 32 MM DIA X 160MM ID AT THE
TOP AND EYE HOOKS WITH SAFETY LATCH
AT THE BOTTOM.
JOINING LINK SIZE- 12MM DIA x 30MM INNER
WIDTH x 50MM INNER LENGTH
INTERMEDIATE LINK SIZE- 16MM DIA x 40MM
INNER WIDTH x 70MM INNER LENGTH
EFFECTIVE LENGTH---4.0 METRES, SWL- 3.5
TONS AT 90 DEGREES

60 530140120000 NO 30.000 30.00 30.11.15

9 MM ALLOY STEEL GRADE 80 / GRADE T(8)
2 LEGGED CHAIN SLING WITH 'O'
RING OF 32 MM DIA X 160MM ID AT THE
TOP AND EYE HOOKS WITH SAFETY LATCH
AT THE BOTTOM.
JOINING LINK SIZE- 12MM DIA x 30MM INNER
WIDTH x 50MM INNER LENGTH
INTERMEDIATE LINK SIZE- 16MM DIA x 40MM
INNER WIDTH x 70MM INNER LENGTH
EFFECTIVE LENGTH---5.0 METRES, SWL- 3.5
TONS AT 90 DEGREES

70 532010000200 NO 10.000 10.00 30.11.15

9 MM ALLOY STEEL GRADE 80 / GRADE T(8)
FOUR LEGGED CHAIN SLING WITH 'O'
RING 40 MM DIA X 160 MM I/D AT THE TOP
AND EYE HOOK WITH SAFETY LATCH AT
THE BOTTOM.
JOINING LINK SIZE- 12MM DIA x 30MM INNER
WIDTH x 50MM INNER LENGTH
INTERMEDIATE LINK SIZE- 16MM DIA x 40MM
INNER WIDTH x 70MM INNER LENGTH
EFFECTIVE LENGTH: 5.0 METRES, SWL: 5.25
TONS AT 90 DEGREES


80 532010180000 NO 40.000 40.00 30.11.15

9 MM ALLOY STEEL GRADE 80 / GRADE T(8)
FOUR LEGGED CHAIN SLING WITH 'O'
RING 40 MM DIA X 160 MM I/D AT THE TOP
AND EYE HOOK WITH SAFETY LATCH AT

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

V. CHELLIAH
Sr Manager / Purchase
MM / PM / CP & SP
BHEL, TRICHY - 620 014.


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
5/7

PHONE :2577331
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2661500299 / 07.08.2015


23505

	THE BOTTOM. JOINING LINK SIZE- 12MM DIA x 30MM INNER WIDTH x 50MM INNER LENGTH INTERMEDIATE LINK SIZE- 16MM DIA x 40MM INNER WIDTH x 70MM INNER LENGTH EFFECTIVE LENGTH: 4.0 METRES, SWL: 5.25 TONS AT 90 DEGREES				
90	530140130000	NO	10.000	10.00	30.11.15
	9 MM ALLOY STEEL GRADE 80 / GRADE T(8)TWO LEGGED CHAIN SLING WITH 'O' RING 32 MM DIA X 160 MM I/D AT THE TOP AND EYE HOOK WITH SAFETY LATCH AT THE BOTTOM. JOINING LINK SIZE- 12MM DIA x 30MM INNER WIDTH x 50MM INNER LENGTH INTERMEDIATE LINK SIZE- 16MM DIA x 40MM INNER WIDTH x 70MM INNER LENGTH EFFECTIVE LENGTH: 7.0 METRES, SWL: 3.5 TONS AT 90 DEGREES				
100	532010230000	NO	10.000	10.00	30.11.15
	12 MM ALLOY STEEL GRADE 80 / GRADE T(8) 2 LEGGED CHAIN SLING WITH OBLONG SHAPE MASTER RING 28 MM DIA 90MM INSIDE WIDTH AND 160MM INSIDE LENGTH AT THE TOP AND EYE HOOKS WITH SAFETY LATCH AT THE BOTTOM. JOINING LINK SIZE- 16MM DIA x 40MM INNER WIDTH x 70MM INNER LENGTH INTERMEDIATE LINK SIZE- 20MM DIA x 45MM INNER WIDTH x 80MM INNER LENGTH EFFECTIVE LENGTH--1.0 METRE, SWL- 6.4 TONS AT 90 DEGREES				
110	532010430000	NO	10.000	10.00	30.11.15
	12 MM ALLOY STEEL GRADE 80 / GRADE T(8) 3 LEGGED CHAIN SLING WITH OBLONG SHAPE MASTER RING 22 MM DIA 75MM IW AND 135 IL AT THE TOP AND EYE HOOKS AT THE BOTTOM.TO JOIN CHAIN WITH MAIN RING, OBLONG SHAPE JOINING LINK AND INTERMEDIATE LINK SHALL BE USED. TO JOIN CHAIN WITH HOOK OBLONG SHAPE JOINING LINK SHALL BE USED. EFFECTIVE LENGTH---1.0 METRE CHAIN TO :IS-6215/1982 EYE HOOK TO : IS-3822/2002 CHAIN SLING TO:IS-2760/1980				
120	530140160000	NO	30.000	30.00	30.11.15
	16 MM ALLOY STEEL GRADE 80 / GRADE T(8)TWO LEGGED CHAIN SLING WITH 'O' RING 45 MM DIA X 225 MM I/D AT THE TOP AND EYE HOOK WITH SAFETY LATCH AT THE BOTTOM. JOINING LINK SIZE- 20MM DIA x 45MM INNER				

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

V. CHELLIAH
Sr Manager / Purchase
MM / RM / CP & SP
BHEL, TRICHY - 620 014.


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
6/7
PHONE :2577331
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2661500299 / 07.08.2015

23505

WIDTH x 80MM INNER LENGTH
INTERMEDIATE LINK SIZE- 25MM DIA x 55MM
INNER WIDTH x 100MM INNER
LENGTH. EFFECTIVE LENGTH: 5.0 METRES,
SWL: 11.2 TONS AT 90 DEGREES

130 530140170000 NO 5.000 5.00 30.11.15

16 MM ALLOY STEEL GRADE 80 / GRADE
T(8)TWO LEGGED CHAIN SLING WITH 'O'
RING 45 MM DIA X 225 MM I/D AT THE TOP
AND EYE HOOK WITH SAFETY LATCH AT
THE BOTTOM.
JOINING LINK SIZE- 20MM DIA x 45MM INNER
WIDTH x 80MM INNER LENGTH
INTERMEDIATE LINK SIZE- 25MM DIA x 55MM
INNER WIDTH x 100MM INNER
LENGTH. EFFECTIVE LENGTH: 7.0 METRES,
SWL: 11.2 TONS AT 90 DEGREES

140 532010210000 NO 7.000 7.00 30.11.15

9 MM ALLOY STEEL GRADE 80 / GRADE T(8)
2 LEGGED CHAIN SLING WITH 'O'
RING OF 32 MM DIA X 160MM ID AT THE
TOP AND EYE HOOKS WITH SAFETY LATCH
AT THE BOTTOM.
JOINING LINK SIZE- 12MM DIA x 30MM INNER
WIDTH x 50MM INNER LENGTH
INTERMEDIATE LINK SIZE- 16MM DIA x 40MM
INNER WIDTH x 70MM INNER LENGTH
EFFECTIVE LENGTH---6.0 METRES, SWL- 3.5
TONS AT 90 DEGREES

150 530140000500 NO 1.000 1.00 30.11.15

12 MM ALLOY STEEL GRADE 80 / GRADE
T(8)TWO LEGGED CHAIN SLING WITH 'O'
RING 36 MM DIA X 180 MM I/D AT THE
TOP AND EYE HOOK AT THE BOTTOM,
THE EYE HOOKS SHALL BE FITTED WITH
HOOK LATCH.
JOINING LINK SIZE- 16MM DIAx 40MM INNER
WIDTH x 70MM INNER LENGTH
INTERMEDIATE LINK SIZE- 22MM DIA x 50MM
INNER WIDTH x 90MM INNER LENGTH
EFFECTIVE LENGTH: 8.0 METRES, SWL: 6.4
TONS AT 90 DEGREES


160 530140000600 NO 1.000 1.00 30.11.15

12 MM ALLOY STEEL GRADE 80 / GRADE
T(8)TWO LEGGED CHAIN SLING WITH 'O'
RING 36 MM DIA X 180 MM I/D AT THE
TOP AND EYE HOOK AT THE BOTTOM,
THE EYE HOOKS SHALL BE FITTED WITH
HOOK LATCH.
JOINING LINK SIZE- 16MM DIAx 40MM INNER
WIDTH x 70MM INNER LENGTH
INTERMEDIATE LINK SIZE- 22MM DIA x 50MM
INNER WIDTH x 90MM INNER LENGTH

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

V. CHELLIAH
Sr Manager / Purchase
MM / RM / CP & SP
BHEL, TRICHY - 620 014.


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
7/7
PHONE :2577331
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2661500299 / 07.08.2015

23505

EFFECTIVE LENGTH: 9.0 METRES, SWL: 6.4
TONS AT 90 DEGREES

General Note:

GENERAL NOTE:PLEASE SUBMIT YOUR OFFER IN "TWO PART BID SYSTEM" AS PER THE ANNEXURES ENCLOSED.

ENCLOSURES:ANNEXURE II,III,IV,V,VI,VII.

All the tenders may be addressed to the following address:

**The Tender Opening Cell / MM
Room No: 26, Building 24, Ground Floor
Bharat Heavy Electricals Limited
TIRUCHIRAPALLI 620014**

In case personal delivery of the offer, it shall be dropped into the respective box kept in Room No: 26, after duly entering the data in the system.

Offers will be accepted only up to 14.00 Hrs on the due date. Therefore, vendors shall ensure to submit the offers well before this time. All due date extension requirements should be addressed to the respective Purchase mail IDs. All the due date extension requests from vendors will be considered only up to 48 hours before the due date and time.

Vendors are requested to avoid submission of offers through e mail / fax. In case of any unavoidable situation, offers shall be sent through e mail to the following mail ID only tender_cell@bheltry.co.in.

As tenders are being opened by Common Tender Opening Cell, offer covers should be sealed with tenderer's distinctive seal and super scribed with correct Tender No. item of supply and due date of opening.

The offers will be opened at 14.30 hrs on the due date of the tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.


Enclosures:

"LD clause has to be confirmed without fail."

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

V. CHELLIAH
Sr Manager / Purchase
MM / RM / CP & SP
BHEL, TRICHY - 620 014.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,

CAPITAL PURCHASE
COMMERCIAL TERMS AND CONDITIONS

1.0 QUOTATIONS

The Bidders shall submit the offer in **TWO INNER ENVELOPES** as indicated below which shall be sealed in one outer envelope.

Envelope I This sealed envelope should contain all the copies of technical bid together with un-priced commercial bid & annexure III. This envelope should be clearly marked "**Part I - Technical and commercial bid**",

Indicating Enquiry No., Due Date and Address & Reference of the Bidder.

Envelope II This sealed envelope should contain **price as per Annexure-IV format**. This envelope should be clearly marked "**Part II - Price bid**", indicating **Enquiry No., Due Date and Address & Reference of the Bidder**.

Both the envelopes (Part I & II) shall be put in one cover (**Envelope III**), duly sealed, superscribing as Part I and Part II of Enquiry No., due date of opening and the address and reference of the Bidder

The above offer should reach this office on or before the due date by 14.00 hours (IST). Late offers will not be considered.

Tender should not be addressed to any individual's name

The Tender Opening Cell/MM
Room No-26 , Building – 24 , Ground Floor
Bharat Heavy Electrical Limited
Tiruchirapalli- 620014 .

Tenders should be free from **CORRECTION AND ERASURES**, Corrections if any, must be attested. All Amounts shall be indicated both in words as well as in figures. Where there is difference between amount quoted in words and figures, amount quoted in words shall prevail.

Offers should be in **ENGLISH** and accompanied by detailed technical literature, catalogue and detailed dimensional drawings in **ENGLISH** or otherwise, the offers will not be considered.

2.0 OPENING OF TENDERS

The Part I - Technical & commercial bid alone would be opened on the Tender opening date.

The Part II - Price bid of technically suitable Bidders alone would be opened. The Technically Suitable Bidders would be informed about the tender opening date through e-mail.

Clarifications if any required by BHEL for Technical evaluation **would be** sought from Bidders before opening of Part II - price bid

For any queries clarifications the bidders may contact us through our FAX NO. +91 431 2520719 or through e-mail <arunachal@bheltry.co.in >&< chells@bheltry.co.in>

MM: CP & SP
Annexure For Techno Commercial Bid

Check List - to be filled and submitted along with Technical Bid

BHEL Commercial Terms and Conditions for Indigenous Supplies	Vendor's Confirmation / Comments
Technical confirmation to BHEL's Specification as called for in BHEL Format shall be furnished. If needed additional sheets shall be used.	
Prices shall be quoted item wise only as per the model format enclosed	
Prices shall be quoted on " FIRM PRICE " basis only The prices should be only on F.O.R / Despatching station basis with Packing & Forwarding charges if any. Applicable % of ED & Sales Tax, Freight & Insurance, Installation & Commissioning Charges should be clearly Indicated	
Validity of offer shall be for a minimum period of 120 days from the date of Tender opening	
Delivery period from the date of Letter of Intent / Purchase order shall be clearly mentioned in the offer	
Liquidated damages @ '0.5% per week subject to a maximum of 10% of the order value shall be applicable for delay in deliveries For Details Refer Annexure- v	
Following Risk Purchase clause shall be applicable The purchaser at his option will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole of the goods or any part which the supplier has failed to deliver or dispatch within the time stipulated or if the same were not available, the best and the nearest available substitute therefore The supplier shall be liable for any loss which the Purchaser may sustain by reason of such risk purchases	
Payment term for supply portion: Payment term is 100% direct payment after 45 days from the date of receipt and acceptance of materials For details Refer Annexure- v	
Erection / commissioning: (if applicable only) Erection / commissioning charges if any has been mentioned in the offer or else confirmation that Erection /commissioning shall be done at free of cost is available in the offer,	
The equipment shall be guaranteed for a period of 12 months from the date of commissioning	
Final inspection and acceptance of equipment will be after installation at BHEL, Trichy	
The vendor shall provide necessary drawings, Test Certificates and Operating Maintenance Manuals etc., as called for in the Technical Specification, in the required number of copies at no extra cost	
Any warranty replacement during warranty period shall be supplied free of charge on FOR BHEL, Trichy basis.	
Offers should be submitted only in sealed cover super-scribing clearly the Enquiry reference and due date.	
% of Excise Duty with cess	
% of TAX (CST/VAT) (INGST with FORM-17 or CST with C-FORM)	
Packing & Forwarding Charges (if any in % only)	
Percentage of Freight & transit insurance charges, if any Freight charges from Dispatching station to BHEL, Tiruchirappalli • Supplier should quote for F.O.R-BHEL Trichy Stores.	
As per Commercial terms and conditions, acceptance for participation in Reverse auction (RA). Yes/No to be indicated	
Name of the person for participating reverse auction	
Land Line Number	
Fax Number	
Mobile Number	
E-mail ID	

NOTE:-

- a) It is confirmed that all the terms and conditions stipulated in the Enquiry have been fully understood by us and all clarifications & details have been obtained.
- b) Your offer should be indicating applicable if any P&F Charges, % of ED, Sales Tax -CST or VAT, Service Tax), Freight, Insurance and Installation and Commissioning Charges etc., as per our Price Format
- c) Your specific acceptance to our Payment terms, LD & Risk Purchase Clause are essential for consideration of your offer. Other wise your offer is liable for rejection.
- d) No row shall be left blank. Please indicate NA, in case the item is "not applicable"

Annexure For Price Bid

**Bharat Heavy Electricals Limited TIRUCHIRAPPALLI CAPITAL PURCHASE
MODEL PRICE BID FORMAT FOR INDIAN BIDDERS**

Annexure-IV

Enquiry No. & Date:

Bidder's Offer No. & Date:

SI No	Description of item	Unit	Quantity	Rate in Rs.	Value in Rs.
	TOTAL VALUE IN RS.				
	Packing & Forwarding charges in % if any				
	Freight & Insurance Charges In % if freight charges are not mentioned it will be considered as FOR-BHEL TRICHY.				
	Excise Duty (indicate in %)				
	A) TNGST — VAT (%)				
	B) CST with C-FORM — (%)				
	C) CST without C-Form — (%)				
	Approximate Net weight of the total consignment				
	Approximate Gross weight of the total consignment				
	Approximate Dimensions of the Consignment				
	The price indicated shall be inclusive of all accessories, spares etc. as given in the scope of supply. Individual item-wise break-up price shall be attached as an annexure to this price bid format.				

Signature & Seal of Vendor

NOTE:

1. The price bid should be submitted only as per the above format. No row shall be left blank. Please indicate NA, in case the item is "not applicable".
2. Prices shall be quoted item-wise only as per the above format.
3. If Price quoted is Inclusive of ED, the included ED Value and Base Value shall be indicated item-wise.

Payment Term (Indigenous)	
If materials are receivable at Stores/Trichy without PBG	Payment term is 100% direct payment after 45 days from the date of receipt and acceptance of materials.
If materials are receivable at Stores/Trichy with PBG	Payment term is 100% direct payment after 45 days from the date of receipt and acceptance of materials and against 10% PBG valid for the warranty period.
Any deviation in the above payment term will attract loading as mentioned below. “Base rate of SBI (as applicable on the date of bid opening. Techno-commercial bid opening in case of two part bids) + 6% shall be considered for loading for the period of relaxation sought by bidders.	

Offers of indigenous Suppliers with any other Payment terms will be rejected.

Liquidated Damages / Penalty -

The delivery of the goods specified in the purchase order should be made within the time prescribed. LD for delay in 'Supply' and/or 'E&C' will be applicable to the delays attributed to vendor. LD will be considered separately for 'Delivery' and 'E&C'. Where the seller supplies or dispatches the goods, beyond the delivery period Liquidated damages shall be applicable 0.5% of the total order value per week or part thereof subject to a maximum of 10% of the total order value.

Material Despatched after Due date: Once the delivery due date is crossed, bills have to be clubbed till final despatch and forwarded for processing of payment as a single bunch. LD percentage will be calculated from Delivery due date to final despatch date.

The rate of LD for delayed E&C shall be @ 0.5% per week of delay of total PO value (Supply + E&C) in E&C subject to a maximum of 10% of total PO value (Supply + E&C).

For staggered delivery schedule, LD shall be 0.5% of the undelivered portion per week of the delay or part thereof subject to a maximum of 10% of the total order value.

Any deviation from the above LD clause, loading will be applied to the extent to which it is not agreed by the bidder (at offered value).

For the purpose of Imposing LD, the FOB delivery (B/L date) shall be considered.

Guarantee / Warranty Period – (if applicable)

Normally No deviation permitted and the deviated offers are liable for rejection.

Ranking-

BHEL will consider the ranking after the loading is applied as referred above wherever deviations are observed.

Performance Bank Guarantee – (if applicable)

Normally No deviation permitted and the deviated offers are liable for rejection.

NOTE:-

1. If the due date of tender opening happens to be a holiday, the tenders will be opened on the next working day.
2. BHEL reserves the right to go for a reverse auction (RA) instead of opening the submitted sealed bid which will be decided after technical evaluation. Information and general terms and conditions covering RA are given in commercial terms and conditions.
3. Corrigendum if any, with respect to this tender will be hosted only in the website <http://www.bhel.com> or <http://tenders.gov.in>. You are requested to visit the website regularly for updates.

Special Provisions for Micro and Small Enterprises (MSE)

1. 20% of the tendered quantity is earmarked for MSE suppliers in this tender.
2. Out of the 20% tendered quantity reserved for MSE suppliers, 4% shall be earmarked for procurement from MSE owned by SC/ST entrepreneurs.
3. In case MSE vendor participating in the tender quotes within the price band of L1+15%, they will be allowed to supply the portion of the requirement subject to acceptance of L1 price by MSE vendor. In case of more than one such MSE, the supply shall be shared proportionately.
4. "MSE suppliers can avail the intended benefits only if they submit along with the offer, attested copies of either EM II certificate having deemed validity (five years from the date of issue of acknowledgement in EM-II) or valid NSIC certificate or EM II certificate along with attested copy of a CA certificate (Format enclosed at Annexure -VII where deemed validity of EM II certificate of five Years has expired) applicable for the relevant financial year (latest audited). Date to be reckoned for determining the deemed validity will be the date of bid opening (Part 1 in case of two part bid). Non submission of such documents will lead to consideration of their bid at par with other bidders. No benefit shall be applicable for this enquiry if any deficiency in the above required documents are not submitted before price bid opening. If the tender is to be submitted through e-procurement portal, then the above required documents are to be uploaded on the portal. Documents should be notarized or attested by a Gazetted officer."

Certificate by Chartered Accountant on letter head

This is to Certify that M/S
(hereinafter referred to as 'company') having its registered office at
..... is registered under MSMED Act 2006, (Entrepreneur
Memorandum No (Part-II) dtd:.....,
Category: (Micro/Small)). (Copy enclosed).

Further verified from the Books of Accounts that the investment of the company as on
date..... as per MSMED Act 2006 is as follows:

1. **For Manufacturing Enterprises: Investment in plant and machinery** (i.e. original cost
excluding land and building and the items specified by the Ministry of Small Scale Industries vide its
notification No.S.O.1722(E) dated October 5, 2006 :
Rs.....Lacs
2. **For Service Enterprises: Investment in equipment** (original cost excluding land and building and
furniture, fittings and other items not directly related to the service rendered or as may be notified under the MSMED
Act, 2006:
Rs.....Lacs

The above investment of Rs.....Lacs is within permissible limit of
Rs.....Lacs forMicro / Small (Strike off which is not applicable)
Category under MSMED Act 2006.

Date:

(Signature)

Name -

Membership number -

Seal of Chartered Accountant