



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
1/2
PHONE :2577645
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

429-002/A

| | | | |
|---|------------|--------------|------------------------|
| Vendor Code : 23505 | Enquiry No | Enquiry Date | Due Date for Quotation |
| Vendor Name : Open Tender Dummy Code Australia | 2681400038 | 16.12.2014 | 14.01.2015 |
| Please quote Enquiry No, Date and due date in all correspondences. This is only a request for quotation and not an order. <u>Bid should be submitted in Two Parts. 1. Techno-commercial Bid (Part-I) and 2. Price Bid (Part-II) in a separate sealed cover and both the covers must be placed in a Third Cover and Sealed. Our Enquiry No., Enq. date & Enq. Due date must be written on all Three covers.</u> | | | |

| Item | Description | Unit | Quantity | Delivery Quantity | Schedule Date |
|------|---|------|----------|-------------------|---------------|
| 10 | Supply and commissioning of remotely operated electrical actuated isolation valves in the main LPG pipelines as per the Qualifying C riteria in PART-A and Specification and Scope of work as per PART-B. | NO | 1.000 | 1.00 | 16.03.15 |

General Note:

1. Please submit your detailed offer in two part bid system i.e Part-I. Technical bid+ Checklist (Annexure-A) + unpriced bid with indicating taxes & duties (Annexure-B) in a sealed cover super scribing on the cover as "TECHNICAL & COMMERCIAL BID / PART-II"
Part-II. Priced offer in another separate sealed cover super scribing on the cover as Part-II

Both the covers shall be duly super-scribed with tender reference and due date of opening. These covers shall be put in a single cover duly super-scribed with tender reference and due date of opening and addressed to us.

2. Point-to-point confirmation to BHEL's specification and commercial terms & conditions shall be provided Annexure-A. All the Annexures should be filled and submitted along with the technical bid (no row shall be left blank), else your offer is liable for rejection.

3. Offers with validity of less than 120 days and non-acceptance of LD , RP clause, PBG & Payment terms, will lead to rejection of submitted offer.

4. If the due date of tender opening happens to be a holiday, the tenders will be opened on the next working day.

5. All clarifications may be sought at least ten days prior to tender due date, from the undersigned with due written request.

6. BHEL reserves the right to go for a reverse auction (RA) instead of opening the submitted sealed bid, which will be decided after technical evaluation. Information and general terms and conditions covering RA are

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,
Purchase Dept / MFG
BHEL, TRICHY - 620 014



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE :2577645
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

Page
2/2

2681400038 / 16.12.2014

23505

given in commercial terms and conditions (Annexure-A/Point no.16)

7. Corrigendum if any, with respect to this tender will be hosted only in the website <http://www.bhel.com> or <http://tenders.gov.in>. You are requested to visit the website regularly for updates.

8. Vendors are requested to avoid the following points while submitting the Bid Documents:

- Loose or spiral bound bid documents are not encouraged.
- In case of any corrections/overwriting in the tender documents, the same shall be duly attested by the bid submitter.

9. Vendors representative having proper ID proof and authorization letter shall attend the tender opening.

List of Attachments:

- Qualifying Criteria Part-A, 1 page
- Technical Specification Part-B, 6 pages
- Commercial Terms and Conditions - Annexure-A
- Price Format-Annexure-B
- CA Certificate for MSE Vendors-Annexure-III

Enclosures:

"LD clause has to be confirmed without fail."

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,

PURCHASE / MFG
Purchase / MFG
BHEL, TRICHY - 620 014

| PART-A | | |
|--|---|---------------------------|
| DESIGN,SUPPLY AND COMMISSIONING OF REMOTE OPERATED ELECTRICAL ACTUATED | | |
| QUALIFICATION CRITERIA | | |
| Sl. No. | Description | Vendor to specify details |
| 1 | Only those vendors, who have experience and carried out the following activities are eligible to participate in the tender: | |
| 1.1 | Only those vendors, who have Supplied and commissioned remote operated electrical actuated isolation valves for at least to one company in the past five years for which required purchase order copies are to be submitted along with the offer. | |
| 1.2 | The vendor should submit performance certificate from minimum one customer for the satisfactory performance of the remote operated electrical actuated isolation valves that is supplied for Purchase orders submitted for the above Sl.No.1.1 in the customers letter head. | |
| 2 | The vendor should submit following details which are necessary for qualifying their offer. | |
| 2.1 | Name and postal address of the customer / company where similar equipment commissioned. | |
| 2.2 | Name and designation of the contact person of the customer. | |
| 2.3 | Phone, FAX No. and email address of the contact person of the customer. | |
| 3 | BHEL reserves the right to verify the information provided by vendor. In case the information provided by vendor is found to be false / incorrect, the offer shall be rejected. | |

PART-B

DESIGN,SUPPLY AND COMMISSIONING OF REMOTE OPERATED ELECTRICAL ACTUATED EMERGENCY SHUT OFF VALVES IN LPG PIPELINES

SCOPE OF WORK

| Sl.No. | DESCRIPTION | BHEL SPECIFICATION | VENDOR'S OFFER | DEVIATIONS IF ANY |
|---------------|---|---|-----------------------|--------------------------|
| 1 | INTRODUCTION | | | |
| 1.1 | Location of project | Bharat Heavy Electricals Ltd,Trichy(dist),Tamil Nadu | | |
| 1.2 | General | <p>BHEL is having LPG fired furnaces, LPG and Producer Gas fired furnaces for which LPG is being supplied through pipelines.These furnaces are being used for heating and heat treatment applications on round the clock basis.</p> <p><u>The number of furnaces in various buildings is as given below;</u></p> <p>a)Press Shop- 2 furnaces(150T furnace, 46T furnace) b)Thermopress Shop-2 furnaces(40T furnace,0.5T furnace) c)Building No.1/Drum Shop -4 furnaces(100T furnace,10T furnace,50T furnace,300T furnace) d)Building No.1/Pipe Shop- 1 furnace(50T Double Bogie Furnace) e)Building No.50-7 furnaces(CDF-1(Continous Discharge Furnace), CDF-2,Squeezing furnace-1,Squeezing furnace-2,Swaging furnace, 20T furnace,CDF-3) <u>Total number furnaces is 16.</u></p> | | |
| 1.3 | Main LPG Pipeline sizes to various furnaces | <p>a)Press shop(150T,46T),Thermopress shop(40T,0.5T) -6 inch size b)Bldg.No.1/Drum Shop(100T,50T,10T,300T) - 5 inch size c)Bldg.No.1/Pipe Shop(50T) -2 inch size d)Bldg.No.50/(CDF1,CDF2,Squeezing furnace1,2,Swaging furnace)- 4 inch size e)Bldg.No.50/20T furnace -3 inch size f)Bldg.No.50/CDF-3 -2 inch size</p> <p><u>Total number of main LPG distribution pipelines-6 numbers</u></p> | | |
| 1.4 | Control Valves in the Main LPG Pipelines to various furnaces and pre-heating points | Presently, the control valves in the main LPG distribution pipelines are manual operated ball valves. | | |

PART-B

DESIGN,SUPPLY AND COMMISSIONING OF REMOTE OPERATED ELECTRICAL ACTUATED EMERGENCY SHUT OFF VALVES IN LPG PIPELINES

SCOPE OF WORK

| Sl.No. | DESCRIPTION | BHEL SPECIFICATION | VENDOR'S OFFER | DEVIATIONS IF ANY |
|---------------|--------------------------------------|---|-----------------------|--------------------------|
| 2 | DESCRIPTION OF THE SYSTEM | | | |
| 2.1 | Breif Description of the system | All the 6 main LPG distribution pipelines said in Sl.No.1.3 should be installed with electrical actuated ball valves(emergency shut off valves) and these valves should be controlled through emergency push button for opening and closing of the main emergency shut off valve from individual furnaces and also from a local control panel that is to be installed near the emergency shut off valve. For monitoring the status of electrical actuated ball valves/emergency shut off valves (open or close) corresponding to the furnaces, indicator lamps shall be installed in the individual furnaces and in the local control panel installed near the emergency shut off valve. | | |
| 2.2. | Emergency Shut off Ball Valve | | | |
| 2.2.1 | Working medium | LPG | | |
| 2.2.2 | Type of Valve | Either open or close | | |
| 2.2.3 | Material of Construction: | | | |
| 2.2.3.1 | Body | WCB | | |
| 2.2.3.2 | Ball | SS 316 | | |
| 2.2.3.3 | Stem | AISI 410 | | |
| 2.2.3.4 | Seat & Seal | PTFE | | |
| 2.2.4 | Type of construction | Two piece or three piece | | |
| 2.2.5 | Manufacturing standard | Vendor to specify the standard suitable for LPG application | | |
| 2.2.6 | Working Pressure | 0 to 4 Kg/cm ² | | |
| 2.2.6.1 | Design Pressure | Vendor to specify the design pressure | | |
| 2.2.7 | Working temperature | 20 to 55 deg.C | | |
| 2.2.8 | Class | 300 class | | |
| 2.2.9 | End Connection | Flanged end with raised face as per ANSI B 16.5 , class 300 | | |
| 2.2.10 | Leakage Class | Class VI | | |

PART-B

DESIGN,SUPPLY AND COMMISSIONING OF REMOTE OPERATED ELECTRICAL ACTUATED EMERGENCY SHUT OFF VALVES IN LPG PIPELINES

SCOPE OF WORK

| Sl.No. | DESCRIPTION | BHEL SPECIFICATION | VENDOR'S OFFER | DEVIATIONS IF ANY |
|--------|---|--|----------------|-------------------|
| 2.2.11 | Fire safe valves | The valves to be of Fire safe design confirming to API 607- 4th edition or BS 6755 part II. | | |
| 2.2.12 | Counter Flanges | Counter flanges of class 300 for the valves are to be provided | | |
| 2.2.13 | Type of port | Full port | | |
| 2.3 | Flame proof type Electrical Actuator | | | |
| 2.3.1 | Characteristic | On-Off Type | | |
| 2.3.2 | Travel | 90 degree | | |
| 2.3.3 | Indicator | The position of the valve should be indicated on the valve | | |
| 2.3.4 | Phase | Single phase | | |
| 2.3.5 | Supply | 230V,50Hz(+/-10%) | | |
| 2.3.6 | Type of actuator | Flame proof type | | |
| 2.3.7 | Body material | Aluminium die cast for housing and cover | | |
| 2.3.8 | Working temperature | 20 to 80 deg.C | | |
| 2.3.9 | Motor insulation | Class F | | |
| 2.3.10 | Protection class | IP 67 | | |
| 2.3.11 | Limit Switches | To be provided | | |
| 2.3.12 | Torque Switch | To be provided | | |
| 2.3.13 | Approvals | Design(TUV)/ISO 9001:2008/CE/IEC | | |
| 2.3.13 | Manual over ride option | Manual over ride option is to be provided | | |
| 2.4 | Fail to Open System | If a fault occurs with the system unit or power to the system unit is lost, the emergency shut off valves should be in open position only. The valves should be able to close only on manual operation of the push buttons or by manual operation of the emergency shut off valves which are provided with manual over ride option. | | |
| 2.5 | Indicator Lamps with emergency push button for individual furnaces | 1 number for each furnace. Total of 16 numbers are to be provided | | |

PART-B

DESIGN,SUPPLY AND COMMISSIONING OF REMOTE OPERATED ELECTRICAL ACTUATED EMERGENCY SHUT OFF VALVES IN LPG PIPELINES

SCOPE OF WORK

| Sl.No. | DESCRIPTION | BHEL SPECIFICATION | VENDOR'S OFFER | DEVIATIONS IF ANY |
|---------------|--|---|-----------------------|--------------------------|
| 2.6 | Indicator Lamps with emergency push button near the emergency shut off valves | 1 number near each emergency shut off valve. Total of 6 numbers are to be provided | | |
| 2.7 | LED s(Indication lamps) | The status of main emergency shut off valves should be indicated by a combination of two LED's(to indicate open and close position). | | |
| 2.8 | Control and Supply Cabling | Armoured control cables (maximum 24 V supply)between the individual furnaces to the emergency shut off valves/panel installed near the emergency shut off valves are be properly routed through cable tray/PVC conduit which are to be laid by the vendor at a height of approx. 6 to 8 metres from ground level. Also armoured cables between the emergency shut off valves to the panel installed near the emergency shut off valves at ground level are to properly routed through cable tray/PVC conduit . The cable tray/PVC conduit are to be properly clipped by the vendor. The supplied armored cables shall be of Fire retardant low smoke(FRLS) type complying to standard IS : 694/1990. | | |
| 2.9 | Provision for future communication with remote SCADA system | The panel installed near the 6 emergency shut off valves shall have in-built facility for future communication with remote SCADA system for indicating the On-Off status of the 6 number of emergency shut off valves.The same is to be tested and proven during commissioning. | | |
| 3 | SCOPE OF VENDOR | | | |
| 3.1 | | Supply of Electrical actuated emergency shut off valves with counter flanges | | |
| 3.1.1 | | 6 inch size - One number | | |
| 3.1.2 | | 5 inch size - One number | | |
| 3.1.3 | | 4 inch size - One number | | |
| 3.1.4 | | 3 inch size - One number | | |

PART-B

DESIGN,SUPPLY AND COMMISSIONING OF REMOTE OPERATED ELECTRICAL ACTUATED EMERGENCY SHUT OFF VALVES IN LPG PIPELINES

SCOPE OF WORK

| Sl.No. | DESCRIPTION | BHEL SPECIFICATION | VENDOR'S OFFER | DEVIATIONS IF ANY |
|---------------|--------------------|---|-----------------------|--------------------------|
| 3.1.5 | | 2 inch size - Two numbers | | |
| 3.2 | | Supply of indication lamps with emergency push button for individual furnaces- 16 numbers | | |
| 3.3 | | Supply of indication lamps with emergency push button near the emergency shut off valve- 6 numbers | | |
| 3.4 | | Supply and laying of necessary armoured control cables(maximum 24 V supply) between all the furnaces to the corresponding emergency shut off valves/ control panel installed near the emergency shut off valves through cable trays/PVC Conduits(The supply and fixing of cable trays/PVC Conduits is in the scope of the vendor)- Total length is 3800 metres. | | |
| 3.5 | | Supply and laying of necessary armoured cabling between emergency shut off valve and control panel installed near the emergency shut off valve through cable trays/PVC Conduits(The supply and fixing of cable trays/PVC Conduits is in the scope of the vendor)- Total length is 200 metres. | | |
| 3.6 | | Any other panels boards/materials/components required for completion of the system is to be supplied by the vendor and the same has to be specified in the offer. | | |
| 3.7 | | Installation, Commissioning of the system is in the scope of the vendor for which the required tools are to be arranged by the vendor. <u>Note:</u> Only the installation of the emergency shut off valves will be done by BHEL. | | |
| 3.8 | | 230 V supply will be given by BHEL.Suitable rated transformer if required is to be provided by the vendor | | |
| 3.9 | | Fittings and fastners etc required for the installation and commissioning is in the scope of vendor | | |
| 3.10 | | Three Numbers of manual consisting of wiring diagrams etc. in hard bound and one soft copy in CD Form for the entire system is to be submitted to BHEL after commissioning of the system. | | |
| 3.11 | | Any softwares if installed in the system is to be submitted to BHEL after commissioning of the system. | | |

PART-B

DESIGN,SUPPLY AND COMMISSIONING OF REMOTE OPERATED ELECTRICAL ACTUATED EMERGENCY SHUT OFF VALVES IN LPG PIPELINES

SCOPE OF WORK

| Sl.No. | DESCRIPTION | BHEL SPECIFICATION | VENDOR'S OFFER | DEVIATIONS IF ANY |
|---------------|--------------------------------|--|-----------------------|--------------------------|
| 3.12 | | Required test certificates,manufacturing certificates and other applicable certificates for the system are to be submitted during final supply | | |
| 4 | SCOPE OF BHEL | | | |
| 4.1 | | Electric power supply(230V) will be provided by BHEL. | | |
| 4.2 | | Installation of the 6 numbers of the emergency shut off valves will be done by BHEL | | |
| 4.3 | | Welding machine with holders,Gas cutting set with hoses ,welding electrodes,cutting gases will be given by BHEL. | | |
| 5 | Pre despatch inspection | Inspection will be done by BHEL Engineer at supplier's work before despatch. | | |
| 6 | Warantee | Warantee for the entire system shall be given for a period of 12 months from the date of commissioning or 18 months from supply whichever is earlier. | | |
| 7 | Delivery Period | Delivery period for supply of materials is to be Four months from the date of purchase order. | | |
| 8 | Payment terms | 80 % of payment for supply portion will be made after receipt and acceptance of materials and payment for balance 20% of supply portion along with payment for installation and commissioning will be made after successful installation and commissioning of entire system. | | |
| 9 | General point | Vendor shall visit BHEL-Trichy if required to assess the site requirement before submission of the offer. | | |

BHARAT HEAVY ELECTRICALS LIMITED TIRUCHIRAPALLI
CAPITAL PURCHASE

Annexure-A

ACCEPTANCE OF COMMERCIAL TERMS AND CONDITIONS BY THE VENDORS.

(This should be essentially filled in and sent along with the techno-commercial offer without fail. If this check list is not filled and submitted along with techno-commercial offer (Part I) or if the vendor does not confirm acceptance to the terms and conditions proposed herein, BHEL reserves the right to reject such offers)

CHECK-LIST FOR VENDORS

| SI No | DESCRIPTION |
|-------|--|
| 1. | <p>The Bidders shall submit their offer in TWO INNER ENVELOPES as indicated below which shall be sealed in one outer envelope.</p> <ul style="list-style-type: none">❖ Envelope I: This sealed envelope should contain all the copies of technical bid together with un-priced commercial bid. This envelope should be clearly marked "Part I - Technical and commercial bid", indicating Enquiry No., Due Date and Address & Reference of the Bidder.❖ Envelope II: This sealed envelope should contain price details. This envelope should be clearly marked "Part II - Price bid", indicating Enquiry No., Due Date and Address & Reference of the Bidder. This part should contain the schedule of price particulars and must be co-related to the technical details provided in Part I. <p>All the two envelopes (Part I&II) shall be put in one cover, duly sealed, super scribing as "Part I and Part II of Enquiry No., due date of opening" and the address and reference of the Bidder. The offer received without the above guidelines, will not be considered for opening.</p> <p>The above offer should reach this office on or before the due date by 14.00 Hrs (IST). Late offers will not be considered. Tender should not be addressed to any Individual's name but only by designation to:</p> <p style="text-align: center;">DGM / CAPITAL PURCHASE / MFG 24 BUILDING, 4TH FLOOR BHARAT HEAVY ELECTRICALS LIMITED HIGH PRESSURE BOILER PLANT TIRUCHIRAPALLI - 620 014 TAMIL NADU, INDIA</p> <p>Tenders should be free from CORRECTIONS AND ERASURES. Corrections if any, must be attested. All amounts shall be indicated both in words as well as in figures. In case of any difference between amount quoted in words and figures, amount quoted in words shall prevail.</p> <p>Offers should be in ENGLISH and accompanied by detailed technical literature, catalogue and detailed dimensional drawings in ENGLISH or otherwise, the offers will not be considered.</p> |
| 2. | <p><u>OPENING OF TENDERS</u></p> <p>The Part I- Technical & commercial bid would be opened on the Tender opening date.</p> <p>Part-II, Price bid of technically suitable Bidders alone would be opened after complete evaluation of Part-I. Hence the Bidders are required to submit their best competitive price in the price bid in a sealed cover (Part-II). In case of necessity BHEL reserves the right to go for a reverse auction (RA) instead of opening the submitted sealed bid, which will be decided after technical evaluation. Information and general terms and conditions covering RA are given in this Annexure- I (Point no.16).</p> <p>Date and time of Price Bid (Part-II) opening / RA conducting date shall be intimated to the technically and commercially acceptable bidders only. Clarifications if any required by BHEL for Technical evaluation would be sought from bidders before opening of Part II - Price Bid/ RA</p> |
| 3. | <p><u>TAXES AND DUTIES :</u></p> <p>All Taxes and Duties payable as extra to the quoted price should be specifically stated in offers along with CST & TIN No / Tariff No. etc., failing which the purchaser will not be liable for payment of such Taxes and Duties. Our TIN No. 33243560005, TNGST No. 3560005, CST. No. 239383 Dt. 11-06-1991 & BHEL ECC No. AAACB4146PXM012, Service Tax Reg No (STC)- AAACB4146PST006. Assessment circle Tiruverambur.</p> <p>Cenvat credit & VAT credit (for Indian Bidders only): If any Excise Duty is payable, the chapter head / sub-head reference and the rate of the duty should be quoted. If the tenderer is availing CENVAT credit for his input materials, the effect of proforma credit should be passed on to the purchaser</p> <p>Income Tax applicable Any service charges payable towards supervision of E&C, training, performance prove-out etc., will be released after deduction of Income Tax as per Indian Income Tax Act / as per the Govt. of India rules and TDS certificate will be issued by BHEL for such deductions. Applicable service tax on E&C charges will be payable extra. The liability of depositing the same to the Govt. will be of the supplier</p> |

| No row shall be left blank. Please indicate NA, in case the item is “not applicable” | | Vendor's confirmation |
|---|--|------------------------------|
| | Validity: Validity of the offer should be 120 days from the date of tender opening. | |
| 4. | <p>Release of Purchase Order:</p> <ul style="list-style-type: none"> ➤ Purchase Orders (separate for supply and I&C portion if applicable) will be released on the successful vendor (L1 vendor) ➤ Order shall be placed on single vendor on cumulative L1 basis. ➤ This tender is composite in nature and cannot be split-up to more than one vendor. Hence the entire work will be awarded to only lowest bidder of the tender. Work cannot be split-up and given to MSE vendor if they are L2 or above ranking in the tender. | |
| 5. | <p>Payment terms for Supply Portion 80% Payment after receipt and acceptance of material and balance 20% within 45-90 days after receipt, acceptance and commissioning of supply material against submission of 10%PBG for order value.</p> <p>Installation & Commissioning Portion (if applicable only): 100% of the Erection / commissioning charges (in case contract involves erection /commissioning) shall be paid only on completion of such erection / commissioning at BHEL</p> <p style="color: red;">Any deviation in the above payment term will attract loading as mentioned below. “Base rate of SBI (as applicable on the date of bid opening. Techno-commercial bid opening in case of two part bids) + 6% shall be considered for loading for the period of relaxation sought by bidders.</p> | |
| 6. | <p>Performance Bank Guarantee (PBG): The Bidder, in the event of an order, should furnish a Bank Guarantee from an Indian Bank approved by BHEL, at no extra cost in a format prescribed by BHEL, along with the order, for an amount equivalent to 10% (Ten percent) of the value of the contract. The PBG shall be valid for a period of 18 months from the date of dispatch or 12 months from the date of receipt / acceptance / commissioning of the equipment at BHEL, Tiruchi whichever is more, with a claim period of two months.</p> <p>The Performance Bank Guarantee shall be obtained from any one of the following banks which is a member bank in our consortium of banks.</p> <p>LIST OF CONSORTIUM BANKS 1.DEUTSCHE BANK 2.HDFC BANK 3.ANZ GRINDLAYS BANK 4.CITI BANK 5.STANDARD CHARTERED BANK 6.BANK OF AMERICA 7.ABN AMRO BANK 8.IDBI LTD 9.ICICI BANK LTD 10.THE HONGKONG AND SHANGHAI BANKING .CORPORATION LTD.</p> <p>LIST OF NATIONALISED BANKS 1.ALLAHABAD BANK 2.ANDHRA BANK 3.BANK OF INDIA 4.BANK OF BARODA 5.BANK OF MAHARASTRA 6.BHARATH OVERSEAS BANK 7.CANARA BANK 8.CENTRAL BANK OF INDIA 9.CORPORATION BANK 10.DENA BANK 11.INDIAN BANK 12.INDIAN OVERSEAS BANK 13.OREINTAL BANK OF COMMERCE 14.PUNJAB NATIONAL BANK 15.PUNJAB & SIND BANK 16.STATE BANK OF INDIA 17.STATE BANK OF TRAVANCORE 18.STATE BANK OF MYSORE 19.STATE BANK OF BIKANER & JAIPUR 20.STATE BANK OF HYDERABAD 21.STATE BANK OF PATIALA 22.STATE BANK OF MAHARASTRA 23.STATE BANK OF SOURASTRA(SBI-13.09.08) 24.SYNDICATE BANK 25.UCO BANK 26.UNION BANK OF INDIA 27.UNITED BANK OF INDIA 28.VIJAYA BANK</p> <p><u>If PBG is issued by a Foreign counter part of the BHEL consortium Indian Bank, in case of claim against the PBG , it will be lodged in any one of the Indian counters of the Foreign Bank which issued the PBG.</u></p> | |
| 7. | <p>Liquidated damages (LD): The delivery of the goods specified in the purchase order should be made within the time prescribed. LD for delay in ‘Supply’ and/or ‘I&C’ will be applicable to the delays attributed to vendor. LD will be considered separately for ‘Delivery’ and ‘I &C’. Where the seller supplies or dispatches the goods, beyond the delivery period Liquidated damages shall be applicable 0.5% of the total order value per week or part thereof subject to a maximum of 10% of the total order value.</p> <p>The rate of LD for delayed E&C shall be @ 0.5% per week of delay of total PO value (Supply + I &C) in I &C subject to a maximum of 10% of total PO value (Supply + I&C).</p> <p>For staggered delivery schedule, LD shall be 0.5% of the undelivered portion per week of the delay or part thereof subject to a maximum of 10% of the total order value.</p> <p>Any deviation from the above LD clause, loading will be applied to the extent to which it is not agreed by the bidder (at offered value).</p> | |
| 8. | <p>Risk Purchase: Alternatively the purchaser at his option will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole of the goods or any part which the supplier has failed to deliver or dispatch within the time stipulated as aforesaid or if the same were not available from the best and the nearest available substitute. The supplier shall be liable for any loss which the Purchaser may sustain by reason of such risk purchases.</p> | |
| 9. | <p>Delivery terms and evaluation process: Indian Bidders should submit their offer on FOR BHEL, Tiruchy basis. Packing & Forwarding and Freight & Insurance charges from works to BHEL, Tiruchy to be indicated separately if extra from basic rate. Applicable % of ED & Sales Tax , Commissioning Charges should be clearly indicated.</p> <p style="background-color: yellow;">Evaluation of offers shall be on the basis of delivered cost (Net cash outflow to BHEL)</p> | |

| | | |
|-----|--|--|
| 10. | <p>Guarantee: Vendors shall provide a guarantee for a period of 12 months from the date of commissioning of the equipment or 18 months from date of supply, whichever is earlier. The date of B/L or AWB shall be taken as the date of supply. Also, a PBG has to be given which shall cover the guarantee period (with additional 2 months as claim period). Normally No deviation permitted and the deviated offers are liable for rejection.</p> | |
| 11. | <p>Short shipment / Warranty replacement: In case of any short shipment in the main equipment / spares, Customs Duty levied on such supplies, shall be borne by the supplier. Any warranty replacement during the warranty period shall be on FOR, BHEL, Tiruchirappalli, basis.</p> | |
| 12. | <p>Inspection & Testing: All goods shall be subject to inspection by BHEL or its authorized representatives at supplier's works or at BHEL stores or at any other place in India indicated by BHEL as the case may be. The supplier will not charge for the facilities provided for inspection of goods. In case of machine tools, the machine would be inspected and proved at supplier's works prior to dispatch however, final inspection and acceptance of the machine will be carried after installation of the machine at BHEL, Tiruchirappalli.</p> | |
| 13. | <p>Test certificates / Operating and Maintenance manuals: The Bidders shall clearly mention in their offer, that Test Certificates and Operating Maintenance Manuals, etc., as called for in the Technical Specification, in the required number of copies will be provided at no extra cost.</p> | |
| 14. | <p>Payment through Bank is not preferred. In case of Payment through Bank is opted by Supplier, BHEL prefers documents submission through bank with copy of LR and door delivery of Goods to Site/Stores with Consignee copy attached. In this case Loading will be 3% on the offered value. Offers of indigenous Suppliers with payment terms as LC/Advance Payment are liable for rejection.</p> | |
| 15. | <p>BHEL will consider the ranking after the loading is applied as referred above wherever deviations are observed.</p> | |
| 16. | <p>Reverse Auction (RA): BHEL reserves the right to conduct on-line internet Reverse Auction ie. ONLINE BIDDING (THROUGH A SERVICE PROVIDER) for finalizing the Tender. This decision will be communicated to the technically qualified vendors after technical evaluation. Details / General terms / guidelines for conduct of RA are shown below Vendors are requested to confirm their acceptance for BHEL proceeding with RA route for finalization of the enquiry.</p> <ol style="list-style-type: none"> For the proposed reverse auction, technically and commercially acceptable bidders only shall be eligible to participate. BHEL will engage the services of a service provider who will provide all necessary training and assistance before commencement of on line bidding on internet. BHEL will inform the vendor in writing in case of reverse auction, the details of Service Provider to enable them to contact & get trained. Business rules like event date, time, start price, bid decrement, extensions etc. also will be communicated through service provider for compliance. Vendors have to fax the Compliance form in the prescribed format (provided by Service provider) before start of Reverse auction. Without this, the vendor will not be eligible to participate in the event. BHEL will provide the calculation sheet (e.g., EXCEL sheet) which will help to arrive at "Total Cost to BHEL" like Packing & forwarding charges, Taxes and Duties, Freight charges, Insurance, Service Tax for Services and loading factors (for non-compliance to BHEL standard Commercial terms & conditions) for each of the vendor to enable them to fill-in the price and keep it ready for keying in during the Auction Reverse auction will be conducted on scheduled date & time. At the end of Reverse Auction event, the lowest bidder value will be known on the network. The lowest bidder has to Fax/e-mail the duly signed Filled-in prescribed format as provided on case-to-case basis to BHEL through Service provider within 24 hours of Auction without fail. Any variation between the on-line bid value and the signed document will be considered as sabotaging the tender process and will invite disqualification of vendor to conduct business with BHEL as per prevailing procedure. In case BHEL decides not to go for Reverse Auction procedure for this tender enquiry, the Price Bids and price impacts, if any, already submitted and available with BHEL shall be opened as per BHEL's standard practice. BHEL reserves the right to negotiate if need be, with the "L1" vendor of the Reverse Auction <u>BHEL reserves the right not to consider offers from vendors not complying with the RA process for finalization of the enquiry.</u> If the Bidder or any of his representatives are found to be involved in Price manipulation/ cartel formation of any kind, directly or indirectly by communicating with other bidders, action as per extant BHEL guidelines, shall be initiated by BHEL and the results of the RA scrapped/ aborted. <p>In case BHEL decides to go for reverse auction, the H1 bidder(s) (whose quote is highest in online sealed bid) may not be allowed to participate in further RA process.</p> | |
| 17. | <p><u>Special Provisions for Micro and Small Enterprises (MSE)</u></p> <p>MSE suppliers can avail the intended benefits only if they submit along with offer, attested copies of either EM II (Entrepreneur Memorandum Part II) certificate having deemed validity (five years from the date of issue of acknowledgement in EM II) or valid NSIC certificate or EM II certificate along with attested copy of a CA certificate (Format enclosed as per Annexure - III) applicable for the relevant financial year (latest audited), certifying quantum of investment in plant and machinery within the permissible limit as per the act for relevant status (Micro or small) where the deemed validity of EM II is over. Date to be reckoned for determining the deemed validity will be the last date of technical bid submission. Offer/s received without these documents will lead to consideration of their offer at par with other bidders and MSE status of such suppliers shall be shifted to Non MSE supplier.</p> | |

| | | |
|---|--|-----------------|
| 18. | <ul style="list-style-type: none"> ➤ Point to point confirmation for the Technical Specification enclosed to be provided. If there are any deviations, the same should be clearly specified. Offers received without confirmation to our specifications will be liable for rejection. If needed additional sheets shall be used. ➤ Equipment offered shall be "New". Re-built / Re-conditioned / Used equipment's will not be accepted. Incomplete offers will not be considered for further processing Fixed price: ➤ BHEL reserves its right to reject a tender due to unsatisfactory past performance in the execution of a contract at any of BHEL projects / units. ➤ BHEL shall be at liberty to reject or accept any tender, part or in full, at their own discretion and any such action is not liable for any question or claim against BHEL. ➤ All Equipment's / Services including concerned personnel for carrying out the erection and commissioning of the equipment shall be arranged by the vendor. If any Services are availed from BHEL, it is only on chargeable basis unless otherwise specified. ➤ The vendor shall provide necessary drawings, Test Certificates and Operating Maintenance Manuals etc., as called for in the Technical Specification, in the required number of copies at no extra cost ➤ The Supplier shall arrange for securely protecting and packing the stores to avoid loss or damages during transit. | |
| 19. | Company Details & Contact | |
| | Full Address of the company for future correspondence. (Copy of address proof & PAN card shall be attached along with Part-I) | |
| | Company Email ID: | Phone No.: |
| | Fax No | PAN No |
| | CST /TIN No | Service Tax No. |
| | Name of the contact person: | Mobile No.: |
| | e-mail ID | |
| 20. | TO BE CONFIRMED BY VENDOR | |
| | Country of origin: | |
| | Station of dispatch/Port of Shipment | |
| | Delivery Terms (For destination or Ex-works) | |
| 21. | Packing & Forwarding Charges, if any (in % or Lumpsum) ie. extra from basic rate | |
| | % of Excise Duty with cess | |
| | % of TAX (CST/VAT) (TNGST with FORM-17 or CST with C-FORM) | |
| | (If applicable only) | |
| | Installation & commissioning charge is inclusive (or) exclusive on basic rate | |
| | Service tax applicable extra or not | |
| | Freight & Transit Insurance charges (if any, in Lumpsum (or) percentage) from Dispatching station to BHEL Tiruchirappalli, (Note:If the delivery terms is Ex Works the materials has to be sent through BHEL approved carrier only, in this case the Freight & Insurance will be borne by BHEL) | |
| 22. | Delivery from the date of Letter of Intent / Purchase Order. (This should be inclusive of Order acceptance, drawing approval and time period required for receiving goods at BHEL Trichy.etc., | |
| 23. | Weight & Cubage of package: Approximate Net weight of the total consignment: Approximate Gross weight of the total consignment: Approximate volume of the total consignment: | |
| For any queries / clarifications the bidders may contact us through our FAX NO. +91 431 2520719 or through e-mail <pgavictor@bheltry.co.in> | | |

NOTE

- a) Your specific acceptance to our Payment terms, LD, Risk Purchase Clause & Submission of PBG for 10% of the order value are essential for consideration of your offer. Otherwise your offer is liable for rejection.
- b) No row shall be left blank. Please indicate NA, in case the item is "not applicable"

Declaration:-

I/We have gone through and understood the 'General guidelines & instructions to bidders for submitting offer' enclosed as a part of the Tender and confirm that our offer has been made in line with the same.

Name:

Signature with date:

(AFFIX OFFICIAL SEAL HERE)

Designation:

(PLEASE AFFIX YOUR SIGNATURE WITH SEAL ON EACH PAGE)

MODEL PRICE BID FORMAT FOR INDIAN BIDDERS

Enquiry No. & Date:

Bidder's Offer No. & Date:

| Sl No | Description of item | Unit (SET /No) | QTY | Rate /Qty in Rs. (excluding of all taxes) | VAT/CST in % (TNGST with FORM-17 or CST with C-FORM) | ED in % | Service Tax in % | Total Value in Rs. (inclusive of all taxes) |
|-------|--|----------------|-----|---|--|---------|------------------|---|
| | Supply portion | | | | | | | |
| | Service portion- if exclusive from basic price (available in scope only) | | | | | | | |
| | Packing & Forwarding charges (if any) in percentage (or) Lumpsum | | | | | | | |
| | FOR Dispatching station value in Rs. | | | | | | | |
| | Percentage of Freight & transit insurance charges, if any (Lumpsum or %) Freight & Insurance charges from Dispatching station to BHEL, Tiruchirappalli (Note:If the delivery terms is Ex Works the materials has to be sent through BHEL approved carrier only, in this case the freight & Insurane will be borne by BHEL) | | | | | | | |
| | Approximate Net weight of the total consignment | | | | | | | |
| | Approximate Gross weight of the total consignment | | | | | | | |
| | Approximate Dimensions of the Consignment | | | | | | | |

Signature & Seal of Vendor

The price bid should be submitted only as per the above format. No row shall be left blank. Please indicate NA, in case the item is "not applicable"

Certificate by Chartered Accountant on letter head

This is to Certify that M/S
(hereinafter referred to as 'company') having its registered office at
is registered under MSMED Act 2006, (Entrepreneur
Memorandum No (Part-II) dtd:.....,
Category: (Micro/Small)). (Copy enclosed).

Further verified from the Books of Accounts that the investment of the company as on
date..... as per MSMED Act 2006 is as follows:

1. **For Manufacturing Enterprises:** Investment in plant and machinery (i.e. original cost
excluding land and building and the items specified by the Ministry of Small Scale Industries vide its
notification No.S.O.1722(E) dated October 5, 2006 :
Rs.....Lacs
2. **For Service Enterprises:** Investment in equipment (original cost excluding land and building and
furniture, fittings and other items not directly related to the service rendered or as may be notified under the MSMED
Act, 2006:
Rs.....Lacs

The above investment of Rs.....Lacs is within permissible limit of
Rs.....Lacs forMicro / Small (~~Strike off which is not applicable~~)
Category under MSMED Act 2006.

Date:

(Signature)

Name -

Membership number -

Seal of Chartered Accountant