



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE :2577025
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: dcm@bheltry.co.in
Web:

429-002/A

	Enquiry No 2691600024	Enquiry Date 28.01.2016	Due Date for Quotation 20.02.2016
<p>Please quote Enquiry No, Date and due date in all correspondences. This is only a request for quotation and not an order. Bid should be submitted in two parts. 1.Techno-commercial bid (Part-I) and 2.Price bid(Part-II) in a separate sealed cover and both covers must be placed in a third cover and sealed. Our Enquiry No., Enq. date & Enq. Due date must be written on all three covers.</p>			

Item	Description	Unit	Quantity	Delivery Quantity	Schedule Date
10	<p>Autoclave Section I SPECIFICATIONS OF HIGH TEMPERATURE AND HIGH PRESSURE AUTOCLAVE High temperature and high pressure autoclave is a pressure vessel where a chemical cleaning solvent will be filled and heated for a set temperature and pressure along with a couple of metal rings. It is done to evaluate the corrosivity of the chemical cleaning solvent mixture. (Sl. No.). Details: (1). Essential parts of the instrument: The following are the essential items of the high temperature and high pressure autoclave (Ref. attached schematic diagram) a. Solvent container or Pressure Vessel b. Heating Element c. Temperature Sensor and Pressure Sensor d. Process control panel & safety e. Structure & Power Requirement a. Solvent container or Pressure Vessel: a.1. The solvent container is the vessel where the set temperature and pressure will be developed. Hence the material selection and wall thickness for the fabrication of the solvent container should be made after considering the required pressure resistance, thermal fatigue resistance of the material.The fabrication material shall be selected SS 316. a.2. Since the solvent container is filled with chemical cleaning solvents the selected material should have corrosion resistance at high temperature, high pressure conditions. The solvents that are filled in the solvent container are normally in the concentration range of 5- 10 % organic acids like EDTA, Citric Acid etc. a.3. The sample container should have a draining valve at the bottom of the container to drain the chemical cleaning</p>	NO	1.000	1.00	21.06.16

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED


ARUN PRASANNA N
 MANAGER, PURCHASE
 Senior Engineer
 Purchase (CP & SP) / FM / RM
 BHEL, TIRUCHY - 620 014.



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
2/6

PHONE :2577025
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: dcm@bheltry.co.in
Web:

2691600024 / 28.01.2016

23505

solvents at the end of the experiments. The said draining valve shall also be such that capable of withstanding the pressure developed during normal experimental steps.

a.4. The solvent container design and construction shall conform to the requirements of the ASME Boiler and Pressure Vessel Code and state codes as a minimum for the intended temperature and pressure anticipated.

a.5. The solvent container closure must be sufficiently leak-tight to prevent the loss of test solutions or gaseous constituents

b. Heating Element

b.1. The heating element is used to heat the solvent container and in turn heating the chemical cleaning solvents to required temperature.

b.2. The heating element should have control mechanism such that any said temperature can be maintained constantly (iso thermal) for a period of time by switching on and switching off the heaters using an automated switching system.

c. Temperature Sensor and Pressure Sensor

c.1. Separate thermo couples should be provided for monitoring the coil temperature as well as the solvent temperature.

c.2. Pressure sensor/ gauge has to be provided to monitor the pressure developed in the solvent container. The pressure gauge scale should be provided with smaller range between 0 bar to 20 bar (max).

d. Process control panel & safety

d.1. It should be a temperature controlled system based on the solvent temperature where the set temperature is given and it should be maintained for a given time.

d.2. The solvent temperature should be the limiting factor in controlling the heating of the vessel. To achieve this separate thermo couples shall be given for solvent container and the heating coil as specified in c.1.


d.3. The pressure vessel shall be equipped with the means to indicate the temperature and pressure of the solution within the solvent container. Monitoring the parameters remotely at least 3- 4 meters from the instrument.

d.4. At least one no. of pressure relief device (relief valve) shall be provided to relieve at or below the maximum

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED

ARUN PRASATH. N
Senior Engineer
Purchase (CP & SP) / MM / RM
BHEL, TIRUCHY - 620 014.


28/01/16
MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
3/6

PHONE :2577025
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: dcm@bheltry.co.in
Web:

2691600024 / 28.01.2016

23505

allowable operating pressure
or the design pressure of the solvent container.
Normal operating
pressure should be sufficiently below the
maximum allowable operating
pressure to prevent unneeded operation of the
pressure relief device.

d.5. The solvent container shall be equipped
with necessary
arrangements to cut off heating process if the
set point temperature is
exceeded.

e. Structure & Power Requirement

e.1. The pressure vessel shall be bench top
type with necessary
supporting Structures.

e.2. The heating coil should be working under 3
Phase 415 V, 50 Hz.

(2). Maximum Solvent Temperature: 180 deg C.

(3). Maximum Pressure: 10.3 bar or 150 psia.

(4). Maximum solution Volume: 1.0 to 2.0 litre.

Section II QUALIFICATION CRITERIA

The BIDDER/VENDOR shall compulsorily meet
the following requirements to

get qualified for Submitting an offer for
supplying the equipment,
PRESSURE VESSEL.

1. The VENDOR shall have a minimum of
THREE years of continuous
experience in the field of Design, manufacture
and supply of PRESSURE
VESSEL.

2. Only those Vendors, who have supplied, and
commissioned in India at
least ONE such pressure vessel exactly the
same model or similar model
proposed in the technical offer in the past three
years (on the date of
opening of Tender) for the specified
application and such equipment is
presently working satisfactorily after
commissioning (on the date of
opening of Tender), should quote.

2.1.0. The vendor should submit a detailed list
of customers (at least
one) for whom the pressure vessel is supplied
with the following

informations for qualification of their offer.

2.1.1. Name and postal address of the
customer / company where similar
equipment is used.

2.1.2. Name and designation of the contact
person of the customer.

2.1.3. Phone, FAX no. and email address of the
contact person of the
customer.

2.1.4. Month and Year of commissioning.

2.1.5. Performance Certificate (as given in
SECTION VI) at least from
one of the customers regarding satisfactory

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening. Late and delayed offers are liable to be rejected.

ARUN PRASATH. N
Senior Engineer
Purchase (CP & SP) / MM / RM
BHEL, TIRUCHY - 620 014.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
4/6

PHONE :2577025
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: dcm@bheltry.co.in
Web:

2691600024 / 28.01.2016

23505

performance of the equipment
supplied to them. It should contain information
regarding
model / year of commissioning and performance
of the equipment.

2.1.6. The bidder should have necessary
certifications like BIS, CE
marking etc. for manufacturing the high
pressure vessels.

3.0. BHEL reserves the right to verify the
information provided by
vendor. In case the information provided by
vendor is found to be false/
incorrect, the offer shall be rejected.

SECTION III

1. The BIDDER / VENDOR shall submit the offer
in TWO

PARTS-Techno-Commercial bid (PART A) and
Price Bid (PART B).

2. The Techno-Commercial bid (PART A) shall
be supported by Product
Catalogues (original, not
Photocopy) and description.

3. The Offer shall contain a comparative
statement/ table of Technical
Specifications given by BHEL in Section -I and
the Offer Details sub
mitted by the Bidder, against each clause. A
mere 'CONFIRMED' or
'COMPLIES' or 'YES' technical comparative
statement [without any
supporting technical write-ups, photos and
datasheets] may lead to
disqualification of the Technical Offer.

4. The BIDDER / VENDOR shall assure a
continuous support for the supply
of SPARES and SERVICE for TEN years, from
the date of commissioning of
equipment at BHEL Works.

5. The Techno-Commercial Offer shall contain
the Scope of Supply and the
Un-Priced Part of the Price-Bid, for confirmation
of the inclusion of
all the accessories, spares, consumables, etc.
with the main and basic
equipment, to meet the technical specification
requirements.

6. BIDDER has to indicate the Country of Origin
for the supply of
equipment.

7. In case of preliminary qualification of the
offer, on technical
grounds, the BIDDER may be called for a
detailed technical discussion on
the original technical offer at BHEL Works, with
a sufficient notice
period.

SECTION IV


PERFORMANCE CERTIFICATE

1. Name of the Supplier & OEM:

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening. Late and delayed offers are liable to be rejected.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED

ARUN PRASATH. N
Senior Engineer
Purchase (CP & SP) / MM / RM
BHEL, TIRUCHY - 620 014.


28/01/16
MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE :2577025
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: dcm@bheltry.co.in
Web:

2691600024 / 28.01.2016

23505

2. Make & Model of the Equipment:
 3. Month & Year of Commissioning:
 4. Application:
 5. Performance of the equipment: (Strike off whichever is not applicable) Satisfactory / Good / Average / Not satisfactory
 6. Service after Sales: (Strike off whichever is not applicable) Satisfactory / Good / Average / Not satisfactory
- Date:
Signature & Seal of the Authority
Issuing the Performance certificate.

General Note:

Important note:

YOU SHOULD CONFIRM LD CLAUSE, VALIDITY , PAYMENT TERMS AND DELIVERY PERIOD AS PER BHEL COMMERCIAL TERMS AND CONDITIONS. OTHERWISE YOUR OFFER WILL BE REJECTED.

ANNEXURE - 'A':- COMMERCIAL TERMS AND CONDITIONS MUST BE FILLED AND SUBMIT ALONG WITH TECHNO COMMERCIAL BID.

All the tenders may be addressed to the following address:

**The Tender Opening Cell / MM
Room No: 26, Building 24, Ground Floor
Bharat Heavy Electricals Limited
TIRUCHIRAPALLI 620014**

In case personal delivery of the offer, it shall be dropped into the respective box kept in Room No: 26, after duly entering the data in the system.

Offers will be accepted only up to 14.00 Hrs on the due date. Therefore, vendors shall ensure to submit the offers well before this time. All due date extension requirements should be addressed to the respective Purchase mail IDs. All the due date extension requests from vendors will be considered only up to 48 hours before the due date and time.

Vendors are requested to avoid submission of offers through e mail / fax. In case of any unavoidable situation, offers shall be sent through e mail to the following mail ID only tender_cell@bheltry.co.in.


As tenders are being opened by Common Tender Opening Cell, offer covers should be sealed with tenderer's distinctive seal and super scribed with correct Tender No. item of supply and due date of opening.

The offers will be opened at 14.30 hrs on the due date of the tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED

ARUN PRASAD
Senior Engineer
Purchase (CP & SP) / MM / K...
BHEL, TIRUCHY - 620 014.


28/01/2016
MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE :2577025
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: dcm@bheltry.co.in
Web:

2691600024 / 28.01.2016

23505

The bidder along with its associate/ collaborators/ sub-contractors/ sub-vendors/ consultants/ service providers shall strictly adhere to BHEL fraud prevention policy displayed on BHEL website <http://www.bhel.com> and shall immediately bring to the notice of BHEL management about any fraud or suspected fraud as soon as it comes to their notice.


Enclosures:

"LD clause has to be confirmed without fail."

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED

ARUN PRASATH. N
Senior Engineer
Purchase (CP & SP) / MM / RM
BHEL, TIRUCHY - 620 014.


MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,

BHARAT HEAVY ELECTRICALS LIMITED TIRUCHIRAPALLI
CAPITAL PURCHASE

Annexure-A

PART - I

ACCEPTANCE OF COMMERCIAL TERMS AND CONDITIONS BY THE VENDORS.

(This should be essentially filled in and sent along with the techno-commercial offer without fail. If this check list is not filled and submitted along with techno-commercial offer (Part I) or if the vendor does not confirm acceptance to the terms and conditions proposed herein, BHEL reserves the right to reject such offers)

CHECK-LIST FOR INDIGENOUS VENDORS

DESCRIPTION
<p>The Bidders shall submit their offer in TWO INNER ENVELOPES as indicated below which shall be sealed in one outer envelope.</p> <ul style="list-style-type: none">❖ Envelope I: This sealed envelope should contain all the copies of technical bid together with un-priced commercial bid. This envelope should be clearly marked "Part I - Technical and commercial bid", indicating Enquiry No., Due Date and Address & Reference of the Bidder.❖ Envelope II: This sealed envelope should contain price details. This envelope should be clearly marked "Part II - Price bid", indicating Enquiry No., Due Date and Address & Reference of the Bidder. This part should contain the schedule of price particulars and must be co-related to the technical details provided in Part I. <p>All the two envelopes (Part I&II) shall be put in one cover, duly sealed, super scribing as "Part I and Part II of Enquiry No., due date of opening" and the address and reference of the Bidder. The offer received without the above guidelines, will not be considered for opening.</p> <p>The above offer should reach this office on or before the due date by 14.00 Hrs (IST). Late offers will not be considered.</p> <p>Tender should not be addressed to any Individual's name but only by designation to:</p> <ol style="list-style-type: none">1) Please submit your offer on F.O.R - BHEL, TRICHY (Tamilnadu) basis and in two part (part-i: techno-commercial bid and part-ii: price bid) in a separate covers and both covers to be placed in an envelope which is super scribed with enquiry no, enquiry date and due date of tender opening.2) If the offer is submitted in single part and the same will be liable for rejection.3) All the Tenders may be addressed to the following address to The Tender Opening Cell/MM Room No-26, Building – 24, Ground Floor Bharat Heavy Electrical Limited Tiruchirappalli- 620014., TAMILNADU, INDIA4) In case personal delivery of the offer, it shall be dropped into the respective box after duly entering the data in the system kept in room no. 26.5) Offers will be accepted received till 14.00 hrs on the due date. Therefore Vendors shall ensure to submit the offers before this time.6) Vendors are requested to avoid submission of offers thro email / fax. In case of any unavoidable situation, offers shall be sent thro email to the following mail ID only "tender_cell@bheltry.co.in" <p>Tenders should be free from CORRECTIONS AND ERASURES. Corrections if any, must be attested. All amounts shall be indicated both in words as well as in figures. In case of any difference between amount quoted in words and figures, amount quoted in words shall prevail.</p> <p>Offers should be in ENGLISH and accompanied by detailed technical literature, catalogue and detailed dimensional drawings in ENGLISH or otherwise, the offers will not be considered.</p>
<p><u>OPENING OF TENDERS</u></p> <p>The Part I- Technical & commercial bid would be opened on the Tender opening date.</p> <p>Part-II, Price bid of technically suitable Bidders alone would be opened after complete evaluation of Part-I. Hence the Bidders are required to submit their best competitive price in the price bid in a sealed cover (Part-II).</p> <p>Date and time of Price Bid (Part-II) opening date shall be intimated to the technically and commercially acceptable bidders only. Clarifications if any required by BHEL for Technical evaluation would be sought from bidders before opening of Part II - Price Bid</p>

TAXES AND DUTIES :
 All Taxes and Duties payable as extra to the quoted price should be specifically stated in offers along with CST & TIN No / Tariff No. etc., failing which the purchaser will not be liable for payment of such Taxes and Duties. Our TIN No. 33243560005, TNGST No. 3560005, CST. No. 239383 Dt. 11-06-1991 & BHEL ECC No. AAACB4146PXM012, Service Tax Reg No (STC)- AAACB4146PST006. Assessment circle Tiruverambur.

Cenvat credit & VAT credit (for Indian Bidders only): If any Excise Duty is payable, the chapter head / sub-head reference and the rate of the duty should be quoted. If the tenderer is availing **CENVAT** credit for his input materials, the effect of Proforma credit should be passed on to the purchaser

Income Tax applicable
 Any service charges payable towards supervision of E&C, training, performance prove-out etc., will be released after deduction of Income Tax as per Indian Income Tax Act / as per the Govt. of India rules and TDS certificate will be issued by BHEL for such deductions. Applicable service tax on E&C charges will be payable extra. The liability of depositing the same to the Govt. will be of the supplier

SL. NO.	<u>BHEL COMMERCIAL TERMS AND CONDITIONS FOR INDIGENOUS SUPPLIES</u>	Vendor's Confirmation / Comments
1	<u>Bid should be submitted in Two Parts.</u> 1. Techno-commercial Bid (Part-I) and 2. Price Bid (Part-II) in a separate sealed cover and both the covers must be placed in a Third Cover and Sealed. Our Enquiry No., Enq. Date & Enq. Due date must be written on all Three covers	
2	<u>ARBITRATION:</u> All disputes or differences whatsoever which may arise at any time during execution of the Contract shall be mutually settled by BHEL and Contractor as per provision of the Contract. However, in the event such disputes cannot be settled mutually, such disputes shall be settled as per the Arbitration and reconciliation Act, 1996 of the Govt. of India and it's subsequent amendments. In case of disputes with the Central PSUs, the same shall be settled at Tiruchirappalli as per the Guidelines of the Govt. of India. However, during the period such disputes are settled either by mutual discussions between the parties or by legal means, Contractor shall continue to do the work as per terms & conditions of Contract.	
3	If offer is received from both OEM/Manufacturer and authorized dealers or Agent, then OEM/Manufacturer offer will only be considered and dealers or Agent offer will be ignored.	
4	Technical confirmation to BHEL's Specification shall be furnished. If needed additional sheets shall be used.	
5	Prices shall be quoted item wise only.	
6	Delivery INCO TERMS- Price quoted -FOR BHEL TRICHY (TN), STORES or ex-WORKS Basis or, FOR WORKS (DESPATCHING STATION) In case of EX works / FOR WORKS basis, indicate the Despatching station. Prices shall be quoted on "FIRM PRICE" basis only.	
7	Validity of offer shall be for a minimum period of 120 days from the date of Tender opening	
8	Delivery period from the date of Letter of Intent / Purchase order	

9	<p>Liquidated damages shall be 0.5% of the total order value per week or part thereof subject to a maximum of 10% of the total order value.</p> <p>For staggered delivery schedule, LD shall be 0.5% of the undelivered portion per week of the delay or part thereof subject to a maximum of 10% of the total order value.</p> <p>Any deviation from the above LD clause, loading will be applied to the extent to which it is not agreed by the bidder (at offered value).</p>	
10	<p><u>Payment term for supply portion:</u></p> <p>Payment term is 100% direct payment after 45 days from the date of receipt and acceptance of materials. Note: Only Direct Payment after goods receipt & acceptance will be accepted .Above payment term acceptance is essential for consideration of your offer</p> <p>Any deviation in the above payment term will attract loading as mentioned below. “Base rate of SBI (as applicable on the date of bid opening. Techno-commercial bid opening in case of two part bids) + 6% shall be considered for loading for the period of relaxation sought by bidders.</p> <p>Payment through Bank is not preferred. In case of Payment through Bank is opted by Supplier, BHEL prefers documents submission through bank with copy of LR and door delivery of Goods to Stores with Consignee copy attached. In this case Loading will be 3% on the offered value. Offers of indigenous Suppliers with payment terms as <u>LC/Advance Payment are liable for rejection.</u></p> <p><u>Important Note:</u> BHEL will consider the ranking after the loading is applied as referred vide Sl. No. 9 &10 above wherever deviations are observed.</p>	
11	<p><u>Following Risk Purchase clause shall be applicable:</u></p> <p>The purchaser at his option will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole of the goods or any part which the supplier has failed to deliver or dispatch within the time stipulated or if the same were not available, the best and the nearest available substitute therefore. The supplier shall be liable for any loss which the Purchaser may sustain by reason of such risk purchases.</p>	
12	<p><u>Erection / commissioning: (if applicable only)</u></p> <p>Erection / commissioning charges if any has been mentioned in the offer or else confirmation that Erection / commissioning shall be done at free of cost is available in the offer.</p>	
13	<p>The equipment shall be guaranteed as per tender condition from the date of receipt & acceptance /(commissioning date ,if applicable as per tender condition). Normally No deviation permitted and the <u>deviated offers are liable for rejection.</u></p>	
14	<p>Equipment will be inspected at vendor’s works prior to dispatch if applicable. However final inspection and acceptance of equipment will be after installation at BHEL, Trichy and Tamilnadu.</p>	
15	<p>The vendor shall provide necessary drawings, Test Certificates and Operating Maintenance Manuals etc., as called for in the Technical Specification, in the required number of copies at no extra cost.</p>	

16	Any warranty replacement during warranty period shall be supplied free of charge on FOR BHEL, Trichy, Tamilnadu basis.	
17	<p>The bidder may also be a Micro and Small Enterprises (MSE) vendor registered as per MSE act. As per the public procurement policy notified by the Central government,</p> <p>20% of the tendered quantity is earmarked for MSE suppliers in this tender. Out of the 20% tendered quantity reserved for MSE suppliers, 4% shall be earmarked for procurement from MSE owned by SC / ST entrepreneurs. In case MSE vendor participating in the tender quotes within the price band of L1 + 15%, they will be allowed to supply the portion of the requirement subject to acceptance of L1 price by MSE vendor. In case of more than one such MSE, the supply shall be shared proportionately.</p> <p>"MSE suppliers can avail the intended benefits only if they submit along with the offer, attested copies of either EM II certificate having deemed validity (five years from the date of issue of acknowledgement in EM, II) or valid NSIC certificate or EM II certificate along with attested copy of a CA certificate (Format enclosed at Annexure -V where deemed validity of EM II certificate of five years has expired) applicable for the relevant financial year (latest audited). Date to be reckoned for determining the deemed validity will be the date of bid opening (Part 1 in case of two part bid). Non submission of such documents will lead to consideration of their bid at par with other bidders. No benefit shall be applicable for this enquiry if any deficiency in the above required documents are not submitted before price bid opening. Documents should be notarized or attested by a Gazetted officer for consideration of MSE certificate. "</p> <p>Such Micro/Small Enterprises registered vendors must state the sub-category to which they belong and submit documentary proof for the same. The sub-categories: (a) Enterprises owned by Scheduled Castes. (b) Enterprises owned by Scheduled Tribes. (c) Enterprises owned by other than above two categories</p> <p>The enterprises under (a) & (b) means the proprietor in case of single owned firm and all partners in case of partnership firm and all directors in case of partnership firm and all directors in case of private/public limited must belong to SC/ST category</p>	

OTHER DETAILS REQUIRED

18	% of Excise Duty with cess	
19	% of TAX (VAT) (TNGST with FORM-17)	
20	% of TAX (VAT) without form	
21	% of TAX (CST) (CST with C-FORM)	
22	% of TAX (CST) without form	
23	Packing & Forwarding Charges (in % only)	
24	<p>Freight& transit insurance charges, if any((in % only) Freight charges from Dispatching station to BHEL TRICHY (TN) (Note: If the delivery terms is Ex Works the materials has to be sent through BHEL approved carrier only ,in this case the freight will be borne by BHEL)</p>	
25	Approximate Net weight of the total consignment	
26	Approximate Gross weight of the total consignment	
27	Approximate Dimensions of the Consignment	
28	Name of the contact person	
29	Land Line Number	
30	Fax Number	
31	Mobile Number	
32	E-mail ID	
33	PAN No.	
34	CST No.	TIN No.

- a) It is confirmed that all the terms and conditions stipulated in the Enquiry have been fully understood by us and all clarifications & details have been obtained.
- b) Applicable % of ED, Sales Tax -CST or VAT, Service Tax), Freight, Insurance and Installation and Commissioning Charges etc., are indicated in offer.

Full postal Address:

Signature & Office Seal of the vendor

Note:-

Your specific acceptances to our Payment terms, LD & Risk Purchase (RP) Clause are essential for consideration of your offer. Otherwise your offer is liable for rejection.

No row shall be left blank. Please indicate NA, in case the item is "not applicable"

PART - II

MODEL PRICE BID FORMAT FOR INDIAN BIDDERS

Enquiry No. & Date:

Bidder's Offer No. & Date:

Sl No	Description of item	Unit (SET /No)	QTY	Rate /Qty in Rs. (excluding of all taxes)	VAT/CST in % (TNGST with FORM-17 or CST with C-FORM)	ED in %	Service Tax in %	Total Value in Rs. (inclusive of all taxes)
	Packing & Forwarding charges (if any) in percentage (or) Lumpsum							
	FOR Dispatching station value in Rs.							
	Percentage of Freight & transit insurance charges, if any (Lumpsum or %) Freight & Insurance charges from Dispatching station to BHEL, TRICHY (TN) (Note:If the delivery terms is Ex Works the materials has to be sent through BHEL approved carrier only, in this case the freight & Insurane will be borne by BHEL)							
	Approximate Net weight of the total consignment							
	Approximate Gross weight of the total consignment							
	Approximate Dimensions of the Consignment							

Signature & Seal of Vendor

The price bid should be submitted only as per the above format. No row shall be left blank. Please indicate NA, in case the item is "not applicable"