

DESIGN,SUPPLY ERECTION, COMMISSIONING, TRIAL RUN, HANDING OVER TO CUSTOMER ETC. OF PANORAMIC VIEW PASSENGER ELEVATOR SYSTEM PACKAGE IN TG BUILDING FOR 1X500 MW UKAI TPS , GUJARAT .

SCH-1- TOTAL PRICE		
SL NO	DESCRIPTION	AMOUNT (Rs)
1.0	TOTAL PRICE AS PER SCH-3 (SUPPLY PART)	
2.0	TOTAL PRICE AS PER SCH-2 (E & C PART)	
3.0	TOTAL PRICE (SCH-3 & SCH-2 TOGETHER)-	
NOTE		
1.0	Bidder's quoted grand total price at SL NO 3.0 above shall be taken into account for evaluation and awarding and hence, shall be complete in all respect for the full scope defined in specification and in accordance with all terms & conditions of tender.	

		Annex-2
ERECTION, COMMISSIONING, TRIAL RUN, HANDING OVER TO CUSTOMER ETC. OF PASSENGER ELEVATOR SYSTEM PACKAGE IN TG BUILDING FOR 1X500 MW UKAI TPS , GUJARAT .		
SL NO	DESCRIPTION OF EQUIPMENT/ ITEM	TOTAL PRICE
2.2.1	Total lumpsum price for service part for receipt, unloading, storage & handling at site, erection, scaffolding ,commissioning, trial run,design & construction/rectification of minor structural & civil works at site, handing over to customer etc.	
2.2.1.1	1(one) nos 884 kg capacity GEARLESS Elevator (Panoramic)(glass door and one side half glass panel) with speed 1 m/s, 2 (two) nos of landings including ground, 17 m (last landing elevation) complete as per technical specification for total travel of Elevator System for TG Building at 1x500	
TOTAL		

DESIGN, ENGINEERING, MANUFACTURING, SUPPLY / DELIVERY OF PANORAMICE VIEW PASSENGER ELEVATORS SYSTEM PACKAGE IN TG BUILDING FOR 1X500 MW UKAI TPS AT GUJARAT .

SUPPLY PRICE

SL NO	DESCRIPTION OF EQUIPMENT/ ITEM	BASIC PRICE	ED(If any as per tender provision)	CST(If any as per tender provision)	VAT(If any as per tender provision)	FREIGHT	TOTAL PRICE
(3)							
3.1	Total lumpsum price for supply part for design, engineering, manufacturing, inspection & testing, painting, supply/ delivery duly packed at project site including freight, etc including supply of consumables, for the total scope defined in the technical specification and terms & conditions of tender						
3.1.1	1(one) no., 884 kg capacity GEARLESS Elevator (Panoramic view, glass door and one side half glass panel) with speed 1 m/s, 2 (two) nos of landings including ground, 17 m (last landing elevation) total travel of Elevator System for TG Building for 1X 500 MW at Ukai TPS, Gujarat						
3.1.2	Total lumpsum price for maintenance tools and tackles						
TOTAL							

RATE SCHEDULE

DESIGN, ENGINEERING, MANUFACTURING, SUPPLY / DELIVERY OF PASSENGER ELEVATORS SYSTEM PACKAGE IN TG BUILDING FOR 1X500 MW UKAI TPS AT GUJARAT .

Itemwise break up of Maintenance Tools and Tackles price

LIST OF MAINTENANCE TOOLS AND TACKLES FOR ELEVATOR

SL NO	Description	UNIT	Nos	BASIC PRICE	ED	CST	VAT	FREIGHT	TOTAL PRICE
1	TOOL BOX (with Pouch)	NO	1						
2	SPANNER (ONE END OPEN & ONE END RING)	SET	2						
3	BOX SPANNER	NO	1						
4	HAMMER	NO	1						
5	ALLEN KEY	SET	1						
6	SCREW DRIVER SET (Multipurpose)	SET	1						
7	CUTTING PLIER	NO	1						
8	WIRE STRIPPER	NO	1						
9	GRIP PLIER	NO	1						
10	NOSE PLIER	NO	1						
11	ADJUSTABLE SPANNER	NO	1						
12	HOOK SPANNER	NO	1						
13	BOX SPANNER WITH HANDLE	NO	1						
14	GREASE GUN	NO	1						
15	OIL CAN	NO	1						
16	MEASUREMENT TAPE	NO	1						
17	PAINT BRUSH (NYLON)	SET	1						
18	EMERGENCY KEY	NO	1						
19	LINE TESTER	NO	1						
20	MULTIMETER	NO	1						
21	SOLDERING IRON	NO	1						
22	TORCH LIGHT	NO	1						
23	TORCH LIGHT	NO	1						
24	KNIFE CUTTER	NO	1						
25	CEILING TOOL	NO	1						
26	SPECIAL SCREW DRIVER FOR NEW PUSH BOX	NO	1						
27	STEEL RULE (SS 1/2 and 1 Feet)	NO	1						

NOTE

Unless stated otherwise, a set means item or sub items required for each type/ size, range of the assembly/sub assembly, required for complete replacement in single equipment/system as the case may be. It is further intended that the assembly sub assembly which have different orientation (like Lefthand or Righthand, top or bottom), different direction of rotation or mirror image positioning or any other reasons which result in maintaining two different sets of the spares to be used for the subject assembly/sub assembly, these shall be considered as different types of assembly/sub assembly.