

BHARAT HEAVY ELECTRICALS LTD
 (A GOVERNMENT OF INDIA UNDERTAKING)
 SEAMLESS STEEL TUBE PLANT
 TIRUCHIRAPPALLI - 620 014
 TAMIL NADU

TIN : 33243560005

CST No. : 239383
 Dated : 11.06.1991

PURCHASE ENQUIRY

VENDOR CODE

ENOURY NUMBER

ENQUIRY DATE

ENQUIRY DUE DATE

No. OF ITEMS

9 250937 E

14-11-15

07-12-15

28

Office Copy

Kindly arrange to submit your **Competitive Offer** for the following item(s)
 If you are not in a position to submit your Offer, Kindly arrange to send **Regret Letter.**

THIS IS ONLY A REQUEST FOR OFFER AND NOT AN ORDER

Sl. No	Material Code and Description	Unit	Requirement	
			Quantity	Del' ry
	<p>BHEL Material Code :</p> <p>P.C.E :36 ORTON CONE RUL ta :1560 Deg C APPARANT POROSITY :22-25% C C S :OVER 350kgs/cmsq SERVICE TEMP :1600 C</p> <p>BHEL Material Code : SP5360061278</p>			
6	<p>ANCHOR BRICK DRG NO :4-7-1101-01-06311/00 MATERIAL : 55%-60% Al2O3 SPECIFICATION :</p> <p>AL2O3 :55-60 % Fe2 O3 :1% MAX P.C.E : 35 ORTON CONE R.U.L ta :1560 deg C APPARENT POROSITY :22-25% CCS :OVER 350Kg/cm.Sq SERVICE TEMP :1600 deg C</p> <p>BHEL Material Code : SP5360061170</p>	NUMBER	150.000	21/03/16
7	<p>OUTER WALL SUPPORTING BRICK-1 DRG NO :4-7-1101-01-06301/00 MATERIAL : 55%-60% Al2O3</p> <p>SPECIFICATION :</p> <p>AL2O3 :55-60 % Fe2 O3 :1% MAX P.C.E : 35 ORTON CONE R.U.L ta :1560 deg C APPARENT POROSITY :22-25% CCS :OVER 350Kg/cm.Sq SERVICE TEMP :1600 deg C</p>	NUMBER	1400.000	21/03/16

IMPORTANT NOTE :

For and on behalf of
BHARAT HEAVY ELECTRICALS LTD

Sreejaya
PURCHASE EXECUTIVE

BHARAT HEAVY ELECTRICALS LTD
 (A GOVERNMENT OF INDIA UNDERTAKING)
 SEAMLESS STEEL TUBE PLANT
 TIRUCHIRAPPALLI - 620 014
 TAMIL NADU

TIN : 33243560005

CST No. : 239383
 Dated : 11.06.1991

PURCHASE ENQUIRY

VENDOR CODE

ENOURY NUMBER

ENQUIRY DATE

ENQUIRY DUE DATE

No. OF ITEMS

9 250937 E

14-11-15

07-12-15

28


Office Copy

Kindly arrange to submit your **Competitive Offer** for the following item(s)
 If you are not in a position to submit your Offer, Kindly arrange to send **Regret Letter**.

THIS IS ONLY A REQUEST FOR OFFER AND NOT AN ORDER

Sl. No	Material Code and Description	Unit	Requirement	
			Quantity	Delivery
8	<p>BHEL Material Code : SP5360061189</p> <p>-----</p> <p>OUTER WALL SUPPORTING BRICK-II DRG NO :4-7-1101-01-06302/00 MATERIAL : 55%-60% Al2O3 SPECIFICATION AL2O3 :55-60 % P.C.E : 35 ORTON CONE R.U.L ta :1560 deg CAPPARENT POROSITY :22-25% CCS :OVER 350Kg/cm.Sq SERVICE TEMP :1600 deg C</p>	NUMBER	350.000	21/03/16
9	<p>BHEL Material Code : SP5360061197</p> <p>-----</p> <p>OUTER WALL SUPPORTING BRICK-III DRG NO :4-7-1101-01-06303/00 MATERIAL : 55%-60% Al2O3 SPECIFICATION : AL2O3 :55-60 % Fe2 O3 :1% MAX P.C.E : 35 ORTON CONE R.U.L ta :1560 deg C APPARENT POROSITY :22-25% C C S :OVER 350Kg/cm.Sq SERVICE TEMP :1600 deg C</p>	NUMBER	125.000	21/03/16
10	<p>BHEL Material Code : SP5360061200</p> <p>-----</p> <p>OUTER WALL SUPPORTING BRICK-IV DRG NO :4-7-1101-01-06304/00 MATERIAL : 55%-60% Al2O3 SPECIFICATION : AL2O3 :55-60 % Fe2 O3 :1% MAX P.C.E : 35 ORTON CONE R.U.L ta :1560 deg C APPARENT POROSITY :22-25%</p>	NUMBER	150.000	21/03/16

IMPORTANT NOTE :

For and on behalf of
BHARAT HEAVY ELECTRICALS LTD

PURCHASE EXECUTIVE

BHARAT HEAVY ELECTRICALS LTD
 (A GOVERNMENT OF INDIA UNDERTAKING)
 SEAMLESS STEEL TUBE PLANT
 TIRUCHIRAPPALLI - 620 014
 TAMIL NADU

TIN : 33243560005

CST No. : 239383
 Dated : 11.06.1991

PURCHASE ENQUIRY

VENDOR CODE

ENOURY NUMBER

ENQUIRY DATE

ENQUIRY DUE DATE

No. OF ITEMS

9 250937 E

14-11-15

07-12-15

28


Office Copy

Kindly arrange to submit your **Competitive Offer** for the following item(s)
 If you are not in a position to submit your Offer, Kindly arrange to send **Regret Letter.**

THIS IS ONLY A REQUEST FOR OFFER AND NOT AN ORDER

Sl. No	Material Code and Description	Unit	Requirement	
			Quantity	Delivery
	<p>BHEL Material Code : CCS :OVER 350Kg/cm.Sq SERVICE TEMP :1600 deg C BHEL Material Code : SP5360061227</p>			
11	<p>OUTER WALL BASE BRICK-I DRG NO :4-7-1101-01-06306/00 MATERIAL : 55%-60% Al2O3 SPECIFICATION : AL2O3 :55-60 % Fe2 O3 :1% MAX P.C.E : 35 ORTON CONE R.U.L ta :1560 deg C APPARENT POROSITY :22-25% CCS :OVER 350Kg/cm.Sq SERVICE TEMP :1600 deg C BHEL Material Code : SP5360061235</p>	NUMBER	125.000	21/03/16
12	<p>OUTER WALL BASE BRICK-II DRG NO :4-7-1101-01-06307/00 MATERIAL : 55%-60% Al2O3 SPECIFICATION : AL2O3 :55-60 % Fe2 O3 :1% MAX P.C.E : 35 ORTON CONE R.U.L ta :1560 deg C APPARENT POROSITY :22-25% CCS :OVER 350Kg/cm.Sq SERVICE TEMP :1600 deg C BHEL Material Code : SP5360061243</p>	NUMBER	230.000	21/03/16
13	<p>OUTER WALL ANCHOR BRICK-I DRG NO :4-7-1101-01-06308/00 MATERIAL : 55%-60% Al2O3 SPECIFICATION :</p>	NUMBER	50.000	21/03/16

IMPORTANT NOTE :

For and on behalf of
BHARAT HEAVY ELECTRICALS LTD

PURCHASE EXECUTIVE

BHARAT HEAVY ELECTRICALS LTD
 (A GOVERNMENT OF INDIA UNDERTAKING)
 SEAMLESS STEEL TUBE PLANT
 TIRUCHIRAPPALLI - 620 014
 TAMIL NADU

TIN : 33243560005

CST No. : 239383
 Dated : 11.06.1991

PURCHASE ENQUIRY

VENDOR CODE

ENOURY NUMBER

ENQUIRY DATE

ENQUIRY DUE DATE

No. OF ITEMS

9 250937 E

14-11-15

07-12-15

28

Office Copy

Kindly arrange to submit your **Competitive Offer** for the following item(s)
 If you are not in a position to submit your Offer, Kindly arrange to send **Regret Letter**.

THIS IS ONLY A REQUEST FOR OFFER AND NOT AN ORDER

Sl. No	Material Code and Description	Unit	Requirement	
			Quantity	Delivery
	<p>BHEL Material Code :</p> <p>AL2O3 :55-60 % Fe2 O3 :1% MAX P.C.E : 35 ORTON CONE R.U.L ta :1560 deg C APPARENT POROSITY :22-25% CCS :OVER 350Kg/cm.Sq SERVICE TEMP :1600 deg C</p> <p>BHEL Material Code : SP5360061251</p>			
14	<p>OUTER WALL ANCHOR BRICK-II DRG NO :4-7-1101-01-06309/00 MATERIAL : 55%-60% Al2O3 SPECIFICATION :</p> <p>AL2O3 :55-60 % Fe2 O3 :1% MAX P.C.E : 35 ORTON CONE R.U.L ta :1560 deg C APPARENT POROSITY :22-25% CCS :OVER 350Kg/cm.Sq SERVICE TEMP :1600 deg C</p> <p>BHEL Material Code : SP5360061260</p>	NUMBER	75.000	21/03/16
15	<p>OUTER WALL ANCHOR BRICK-III DRG NO : 4-7-1101-01-06310/00 MATERIAL : 55%-60% Al2O3 SPECIFICATION :</p> <p>AL2O3 : 55-60 % Fe2 O3 : 1% MAX P.C.E : 35 ORTON CONE R.U.L ta : 1560 deg C APPARENT POROSITY : 22-25% CCS : OVER 350Kg/cm.Sq SERVICE TEMP : 1600 deg C</p>	NUMBER	40.000	21/03/16

IMPORTANT NOTE :

For and on behalf of
BHARAT HEAVY ELECTRICALS LTD

[Signature]
PURCHASE EXECUTIVE

BHARAT HEAVY ELECTRICALS LTD
 (A GOVERNMENT OF INDIA UNDERTAKING)
 SEAMLESS STEEL TUBE PLANT
 TIRUCHIRAPPALLI - 620 014
 TAMIL NADU

TIN : 33243560005

CST No. : 239383
 Dated : 11.06.1991

PURCHASE ENQUIRY

VENDOR CODE

ENOURY NUMBER

ENQUIRY DATE

ENQUIRY DUE DATE

No. OF ITEMS

9 250937 E

14-11-15

07-12-15

28

Office Copy

Kindly arrange to submit your **Competitive Offer** for the following item(s)
 If you are not in a position to submit your Offer, Kindly arrange to send **Regret Letter.**

THIS IS ONLY A REQUEST FOR OFFER AND NOT AN ORDER

Sl. No	Material Code and Description	Unit	Requirement	
			Quantity	Delivery
16	<p>BHEL Material Code : SP5360080221</p> <p>HEARTH TOP OUTER SLAB BLOCK DRG NO :4-7-1101-01-06278/00 MATERIAL :80% AL2O3 Specification: AL2 O3 %MIN : 80 +or- 1.5 PCE SK MIN : 36 RUL ta deg C MIN : 1630 PLC %MAX : +/- 0.5 @ 1600 deg C For 1 hour AP %MAX : 16 for M/C, 19 for HM CCS Kgs/ cm sq MIN :800 FOR M/C, 500 FOR HM BD qm/cc MIN :2.8 FOR M/C, 2.7 FOR HM SPALLING CYCLES -MIN :+ 30 air quenching at 1600 C For 1 hr Size tolerance whichever is greater: +or -1% or +/- 2mm</p>	NUMBER	380.000	21/03/16
17	<p>BHEL Material Code : SP5360061618</p> <p>STD END ARCH SIZE :230X113X75/50mm MATERIAL :55%-60% Al2 O3 SPECIFICATION: AL2O3 :55-60% Fe2 O3 :1%(MAX) P.C.E :36 ORTON CONE R.U.L.ta :1560 deg.C APPARENT POROSITY :22-25% CCS :OVER 350KGS/CM.SQ SERVICE TEMP :1600 DEGREE C.</p>	NUMBER	100.000	21/03/16
18	<p>BHEL Material Code : SP5360061049</p> <p>SKEW BACK - RH FOR CHARGING & DISCHARGING DOORS DRG NO :4-7-1101-01-06284/00 MATERIAL: 55-60% AL2O3 SPECIFICATION:</p>	NUMBER	8.000	21/03/16

IMPORTANT NOTE :

For and on behalf of
BHARAT HEAVY ELECTRICALS LTD

[Signature]
 PURCHASE EXECUTIVE

BHARAT HEAVY ELECTRICALS LTD
 (A GOVERNMENT OF INDIA UNDERTAKING)
 SEAMLESS STEEL TUBE PLANT
 TIRUCHIRAPPALLI - 620 014
 TAMIL NADU

TIN : 33243560005

CST No. : 239383
 Dated : 11.06.1991

PURCHASE ENQUIRY

VENDOR CODE

ENOURY NUMBER

ENQUIRY DATE

ENQUIRY DUE DATE

No. OF ITEMS

9 250937 E

14-11-15

07-12-15

28

Office Copy

Kindly arrange to submit your **Competitive Offer** for the following item(s)
 If you are not in a position to submit your Offer, Kindly arrange to send **Regret Letter**.

THIS IS ONLY A REQUEST FOR OFFER AND NOT AN ORDER

Sl. No	Material Code and Description	Unit	Requirement	
			Quantity	Delivery
	<p>BHEL Material Code :</p> <p>AL203 :55-60% Fe2 03 :1%(MAX) P.C.E :36 ORTON CONE RUL ta :1560 degree C APPARANT POROSITY :22-25% C C S :OVER 350kgs/cmsq SERVICE TEMP :1600 deg C</p> <p>BHEL Material Code : SP5360061057</p>			
19	<p>SKEW BACK - LH FOR CHARGING & DISCHARGING DOORS DRG NO :4-7-1101-01-06285/00 MATERIAL: 55-60% AL203 SPECIFICATION: AL203 :55-60% Fe2 03 :1%(MAX) P.C.E :36 ORTON CONE RUL ta :1560 degree C APPARANT POROSITY :22-25% C C S :OVER 350KGS/CM.SQ SERVICE TEMP :1600 DEGREE C.</p> <p>BHEL Material Code : SP5360061081</p>	NUMBER	2.000	21/03/16
20	<p>SILL BLOCK FOR CHARGING & DISCHARGING DOORS DRG NO :4-7-1101-01-06288/00 MATERIAL :55 TO 60% AL203</p> <p>SPECIFICATION: AL203 :55-60% Fe203 :1%(MAX) P.C.E :360 RTON CONE RUL ta :1560deg C APPARANT POROSITY :22-25% C.CS :OVER 350kgs/cmsq</p>	NUMBER	56.000	21/03/16

IMPORTANT NOTE :

[Handwritten signature]

For and on behalf of
BHARAT HEAVY ELECTRICALS LTD

[Handwritten signature]
PURCHASE EXECUTIVE

BHARAT HEAVY ELECTRICALS LTD
 (A GOVERNMENT OF INDIA UNDERTAKING)
 SEAMLESS STEEL TUBE PLANT
 TIRUCHIRAPPALLI - 620 014
 TAMIL NADU

TIN : 33243560005

CST No. : 239383
 Dated : 11.06.1991

PURCHASE ENQUIRY

VENDOR CODE	ENOURY NUMBER	ENQUIRY DATE	ENQUIRY DUE DATE	No. OF ITEMS
	9 250937 E	14-11-15	07-12-15	28

Office Copy

Kindly arrange to submit your **Competitive Offer** for the following item(s)
 If you are not in a position to submit your Offer, Kindly arrange to send **Regret Letter**.

THIS IS ONLY A REQUEST FOR OFFER AND NOT AN ORDER

Sl. No	Material Code and Description	Unit	Requirement	
			Quantity	Delivery
	<p>BHEL Material Code : SERVICE TEMP :1600degC</p> <p>BHEL Material Code : SP5360080248 -----</p>			
21	<p>HEARTH MIDDLE OUTER CIRCLE BLOCK DRG NO :4-7-1101-01-06280/00 MATERIAL :80% AL2O3 Specification: AL2 O3 %MIN : 80 +or- 1.5 PCE SK MIN : 36 RUL ta deg C MIN : 1630 PLC %MAX :+or-0.5 @ 1600 deg C For 1 hour AP %MAX :16 for M/C 19 for HM CCS Kgs/ cm sq MIN :800 FOR M/C 500 FOR HM BD qm/cc MIN :2.8 FOR M/C 2.7 FOR HM SPALLING CYCLES-MIN :+ 30 air quenching at 1600 deg C For 1 hour Size tolerance whichever is greater: + or -1% or +/- 2mm</p> <p>BHEL Material Code : SP5360080264 -----</p>	NUMBER	125.000	21/03/16
22	<p>HEARTH BOTTOM OUTER CIRCLE BLOCK DRG NO :4-7-1101-01-06282/00 MATERIAL :80% AL2O3 Specification: AL2 O3 %MIN :80+or-1.5 PCE SK MIN : 36 RUL ta deg C MIN : 1630 PLC %MAX :+/-0.5 @ 1600 deg C For 1 hour AP %MAX : 16 for M/C, 19 for HM</p>	NUMBER	300.000	21/03/16

IMPORTANT NOTE :

For and on behalf of
BHARAT HEAVY ELECTRICALS LTD

[Signature]
PURCHASE EXECUTIVE

BHARAT HEAVY ELECTRICALS LTD
 (A GOVERNMENT OF INDIA UNDERTAKING)
 SEAMLESS STEEL TUBE PLANT
 TIRUCHIRAPPALLI - 620 014
 TAMIL NADU

TIN : 33243560005

CST No. : 239383
 Dated : 11.06.1991

PURCHASE ENQUIRY

VENDOR CODE

ENOURY NUMBER

ENQUIRY DATE

ENQUIRY DUE DATE

No. OF ITEMS

9 250937 E

14-11-15

07-12-15

28

Office Copy

Kindly arrange to submit your **Competitive Offer** for the following item(s)
 If you are not in a position to submit your Offer, Kindly arrange to send **Regret Letter**.

THIS IS ONLY A REQUEST FOR OFFER AND NOT AN ORDER

Sl. No	Material Code and Description	Unit	Requirement	
			Quantity	Delivery
	<p>BHEL Material Code :</p> <p>CCS Kgs/cm sq MIN :800 FOR M/C, 500 FOR HM BD qm/cc MIN :2.8 FOR M/C, 2.7 FOR HM SPALLING CYCLES -MIN :+30 air quenching at 1600 C For 1 hr Size tolerance whichever is greater: + or -1% or +/- 2mm</p> <p>BHEL Material Code : SP5360061359</p> <p>-----</p>			
23	<p>SKEW BACK - LH DRG NO :4-7-1101-01-04457/00 MATERIAL : 55%-60% Al2O3 SPECIFICATION : AL2O3 :55-60 % Fe2 O3 :1% MAX P.C.E : 35 ORTON CONE R.U.L ta :1560 deg C APPARENT POROSITY :22-25% CCS :OVER 350Kg/cm.Sq SERVICE TEMP :1600 deg C</p>	NUMBER	30.000	21/03/16
	<p>BHEL Material Code : SP5360061065</p> <p>-----</p>			
24	<p>END ARCH FOR CHARGING & DISCHARGING DOORS DRG NO :4-7-1101-01-06286/00 MATERIAL :55-60% AL2O3 SPECIFICATION: AL2O3 :55-60% Fe2 O3 :1%(MAX) P.C.E :36 ORTON CONE R.U.L.ta :1560 degree C APPARENT POROSITY :22-25% C C S :OVER 350KGS/CM.SQ SERVICE TEMP :1600 DEGREE C</p>	NUMBER	20.000	21/03/16

IMPORTANT NOTE :

For and on behalf of
BHARAT HEAVY ELECTRICALS LTD

[Signature]
PURCHASE EXECUTIVE

BHARAT HEAVY ELECTRICALS LTD
 (A GOVERNMENT OF INDIA UNDERTAKING)
 SEAMLESS STEEL TUBE PLANT
 TIRUCHIRAPPALLI - 620 014
 TAMIL NADU

TIN : 33243560005

CST No. : 239383
 Dated : 11.06.1991

PURCHASE ENQUIRY

VENDOR CODE	ENOURY NUMBER	ENQUIRY DATE	ENQUIRY DUE DATE	No. OF ITEMS
	9 250937 E	14-11-15	07-12-15	28

Office Copy

Kindly arrange to submit your **Competitive Offer** for the following item(s)
 If you are not in a position to submit your Offer, Kindly arrange to send **Regret Letter.**

THIS IS ONLY A REQUEST FOR OFFER AND NOT AN ORDER

Sl. No	Material Code and Description	Unit	Requirement	
			Quantity	Delivery
25	<p>BHEL Material Code : SP5360061073</p> <p>-----</p> <p>END ARCH FOR CHARGING & DISCHARGING DOORS DRG NO : 4-7-1101-01-06287/00 MATERIAL: 55-60% AL2O3 SPECIFICATION: AL2O3 :55-60% Fe2O3 :1%(MAX) P.C.E :36 ORTON CONE R.U.L.ta :1560 degree C APPARENT POROSITY :22-25% C C S :OVER 350KGS/CM.SQ SERVICE TEMP :1600 DEGREE C</p>	NUMBER	20.000	21/03/16
26	<p>BHEL Material Code : SP5360061219</p> <p>-----</p> <p>INNER WALL SUPPORTING BRICK DRG NO :4-7-1101-01-06305/00 MATERIAL : 55%-60% Al2O3 SPECIFICATION : AL2O3 :55-60 % Fe2 O3 :1% MAX P.C.E : 35 ORTON CONE R.U.L ta :1560 deg C APPARENT POROSITY :22-25% C C S :OVER 350Kg/cm.Sq SERVICE TEMP :1600 deg C</p>	NUMBER	100.000	21/03/16
27	<p>BHEL Material Code : SP5360061286</p> <p>-----</p> <p>INNER WALL SHAPE BRICK-I DRG NO :4-7-1101-01-06312/00 MATERIAL : 55%-60% Al2O3 SPECIFICATION : AL2O3 :55-60 % Fe2 O3 :1% MAX</p>	NUMBER	50.000	21/03/16

IMPORTANT NOTE :

For and on behalf of
BHARAT HEAVY ELECTRICALS LTD

Freezy
PURCHASE EXECUTIVE

BHARAT HEAVY ELECTRICALS LTD
 (A GOVERNMENT OF INDIA UNDERTAKING)
 SEAMLESS STEEL TUBE PLANT
 TIRUCHIRAPPALLI - 620 014
 TAMIL NADU

TIN : 33243560005

CST No. : 239383
 Dated : 11.06.1991

PURCHASE ENQUIRY

VENDOR CODE

ENOURY NUMBER

ENQUIRY DATE

ENQUIRY DUE DATE

No. OF ITEMS

9 250937 E

14-11-15

07-12-15

28


Office Copy

Kindly arrange to submit your **Competitive Offer** for the following item(s)
 If you are not in a position to submit your Offer, Kindly arrange to send **Regret Letter**.

THIS IS ONLY A REQUEST FOR OFFER AND NOT AN ORDER

Sl. No	Material Code and Description	Unit	Requirement	
			Quantity	Delivery
	<p>BHEL Material Code : P.C.E : 35 ORTON CONE R.U.L ta :1560 deg C APPARENT POROSITY :22-25% CCS :OVER 350Kg/cm.Sq SERVICE TEMP :1600 deg C BHEL Material Code : SP5360061294</p>			
28	<p>INNER WALL SHAPE BRICK-II DRG NO :4-7-1101-01-06313/00 MATERIAL : 55%-60% Al2O3 SPECIFICATION : AL2O3 :55-60 % Fe2 O3 :1% MAX P.C.E : 35 ORTON CONE R.U.L ta :1560 deg C APPARENT POROSITY :22-25% CCS :OVER 350Kg/cm.Sq SERVICE TEMP :1600 deg C</p>	NUMBER	100.000	21/03/16
<p>=====</p> <p>Foot Note :</p> <p>1. This Tender is floated on TWO-BID basis. 2. Following details are enclosed. a. Annexure-A - Important Note to Tenderers & Annexure-D Note to MSE Vendors enclosed. Send your MSE Certificate accordingly. Tenderers are requested to submit their Offers in TWO-BID basis, viz., I. Part I .. Technical and Un-Priced Commercial Bid II. Part II .. Price Bid b. Annexure-B - Technical Conditions c. Annexure-C - Commercial Conditions 3. Tenderers are required to fill in above Annexure-B and C and enclose them along with their UN-PRICED BID. 4.a. Delivery date furnished in the Enquiry is only indicative. 4.b. For Delivery Schedule - Pl. refer Clause No. C.4 of Annexure- C. 5. Price Bid of Vendors,who accept the Clause No. B.1 & B.2 of Annexure-B & C.1 to C.4 of Annexure- C. shall only be considered for further processing. Fill the Annexure-B & C and enclose it with Technical and Un-Priced commercial Bid. For Payment term - Refer Annexure - C Point No. C- 5. Any deviation in the above payment term will attract loading as</p>				

IMPORTANT NOTE :

For and on behalf of
BHARAT HEAVY ELECTRICALS LTD

PURCHASE EXECUTIVE

BHARAT HEAVY ELECTRICALS LTD
(A GOVERNMENT OF INDIA UNDERTAKING)
SEAMLESS STEEL TUBE PLANT
TIRUCHIRAPPALLI - 620 014
TAMIL NADU

TIN : 33243560005

CST No. : 239383
Dated : 11.06.1991

PURCHASE ENQUIRY

VENDOR CODE

ENOURY NUMBER

ENQUIRY DATE

ENQUIRY DUE DATE

No. OF ITEMS

9 250937 E

14-11-15

07-12-15

28


Office Copy

Kindly arrange to submit your **Competitive Offer** for the following item(s)
If you are not in a position to submit your Offer, Kindly arrange to send **Regret Letter**.

THIS IS ONLY A REQUEST FOR OFFER AND NOT AN ORDER

Sl. No	Material Code and Description	Unit	Requirement	
			Quantity	Delivery
	mentioned below. For payment term deviation - "Base rate of SBI (as applicable on the date of bid opening. Techno-commercial bid opening in case of two part bids) + 6% shall be considered for loading for the period of relaxation sought by bidders. Payment through Bank is not preferred. In case of Payment through Bank is opted by Supplier, BHEL prefers documents submission through bank with copy of LR and door delivery of Goods to Stores with Consignee copy attached. In this case Loading will be 3% on the offered value. Offers of indigenous Suppliers with payment terms as LC/Advance Payment are liable for rejection. 6. Any deviation/equivalent for the given specification in the Indent is to be clearly indicated during submission of offer.			

IMPORTANT NOTE :

For and on behalf of
BHARAT HEAVY ELECTRICALS LTD

PURCHASE EXECUTIVE