

## ANNEXURE-1

REF: ENQUIRY No. 201905841

| SR NO | MATERIAL CODE | ITEM NAME                      | ITEM DESCRIPTION/SPECIFICATION  | UNIT OF MEASUREMENT | QUANTITY |
|-------|---------------|--------------------------------|---|---------------------|----------|
| 1     | RU7410201975  | LED TUBE 220 V, 18/20 W        | LED TUBE 220 V, 18/20W IS CODE-16101:2012   | NO                  | 25       |
| 2     | RU7410201967  | LED TUBELIGHT 220 V, 18/20W    | LED TUBELIGHT COMPLETE FITTING 220 V, 18/20W, IS CODE-16101:2012  | NO                  | 25       |
| 3     | RU7410201991  | LED BULB 9 W WHITE COLOR       | LED BULB 9 W WARM WHITE COLOR, IS CODE-16101:2012   | NO                  | 30       |
| 4     | RU7433697063  | CASING CAPING 1" - 25MM        | CASING CAPING 1" - 25MM 6 FT. LENGTH(1 SET=100 PIECES)IS CODE-12818:2010  | ST                  | 10       |
| 5     | RU7433621016  | SINGLE POLE MCB PVC BOX        | MODULAR PVC BOX 1 WAY SUITABLEFOR SINGLE POLE MCB   | NO                  | 100      |
| 6     | RU7410172215  | HAMMER DRILL BIT NO.:- 12      | HAMMER DRILL BIT NO.:- 12 (12 MM DIA X 305MM LENGTH), TIP SHOULD BE HARD ANODIZED, IS:8166:1988                                   | NO                  | 5        |
| 7     | RU7410172126  | HAMMER DRILL BIT NO.:-8        | HAMMER DRILL BIT NO.:-8(8 MM DIA X 203MM LENGTH),WITH HARDENED TIP SUITABLEFOR HAMMER DRILL MACHINE, IS:8166:1988                 | NO                  | 10       |
| 8     | RU7410172150  | HAMMER DRILL BIT(NO.6.5)       | HAMMER DRILL BIT NO-6(6.5 MM DIA X 165MM LENGTH), WITH HARDENED TIP, IS:8166:1988   | NO                  | 10       |
| 9     | RU7410172142  | DRILL BIT(NO.4)                | DRILL BIT NO.:- 4(4 MM DIA X 102MM LENGTH), WITH HARDENED TIP, IS:8166:1988   | NO                  | 5        |
| 10    | RU7410172118  | DRILL BIT NO.:-6               | DRILL BIT NO.:-6(6 MM DIA X 152MM LENGTH),WITH HARDENED TIP, IS:8166:1988   | NO                  | 5        |
| 11    | RU7410172100  | DRILL BIT NO.:-3               | DRILL BIT NO.:-3.2(3.2MM DIA X 81.28MM LENGTH),WITH HARDENED TIP, IS:8166:1988  | NO                  | 5        |
| 12    | RU7410172096  | DRILL BIT NO.:-1.5             | DRILL BIT NO.:-1.5 (1.5MM DIA X 38MM LENGTH), IS:8166:1988  | NO                  | 5        |
| 13    | RU7413107058  | MODULAR FAN REGULATOR          | ELECTRONIC FAN REGULATOR STEP TYPE(5 STEP) COLOR:WHITE, IS:11037:1984   | NO                  | 50       |
| 14    | RU7433621024  | FOUR POLE MCB PVC BOX          | MODULAR PVC BOX 4 WAY SUITABLEFOR FOUR POLE MCB   | NO                  | 75       |
| 15    | RU7433318011  | 15/20 A COMBINED SWITCH SOCKET | 15/20 A COMBINED SWITCH SOCKET,COMBINATION SECTION BOX WITH SAFETY SHUTTER & TWO FIXING HOLES, IS CODE-1293:2019                  | NO                  | 100      |
| 16    | RU7410172169  | SCREW DRIVER SET               | SCREW DRIVER SET SIZE- 6.0X0.8,3.5X0.5,STAR HEAD 0(PHILIPS 0)SQURE POKER, STAR HEAD 1(PHILIPS 1) EXTENSION ROAD, IS CODE-844:1979 | NO                  | 5        |
| 17    | RU7413107066  | PVC EXHAUST FAN                | PVC EXHAUST FAN,250MM SWEEP DIA,220V,50HZ, IS:2312:1967   | NO                  | 20       |
| 18    | RU7410173190  | DRIVER FOR 120W LED HIGHWAY    | DRIVER FOR 120W LED HIGHWAY LIGHT.INPUT(160-260V AC),OUTPUT(75-200V DC), IS CODE-16104:2012                                       | NO                  | 10       |
| 19    | RU7410173149  | DRIVER FOR 60 W LED            | DRIVER FOR 60 W LED FLOOD LIGHT.INPUT(160-260V AC),OUTPUT(40-100V DC), IS CODE-16104:2012   | NO                  | 15       |

|    |              |                                |   |    |     |
|----|--------------|--------------------------------|---|----|-----|
| 20 | RU7410225084 | DRIVER FOR CENTER LIT FLAT     | DRIVER FOR CENTER LIT FLAT PANEL LED COOLDAY LIGHT OF 36 WATT(MAX.) FOR BHEL MAT.CODE - RU7410225076, IS CODE-16104:2012  | NO | 10  |
| 21 | RU7433310029 | MODULAR SOCKET                 | 2 IN 1 SOCKET 6AMP 220-240 V (COLOR:WHITE), IS:1293:2019  | NO | 25  |
| 22 | RU7433621032 | EIGHT POLE MCB GI BOX          | MODULAR GALVANIZED IRON MCB BOX WITH COVER 10 WAY SUITABLE FOR 10 NO.SINGLE POLE MCB,   | NO | 10  |
| 23 | RU7433697039 | PLASTIC CONDUIT CLIP WITH NAIL | PLASTIC CONDUIT CLIP WITH NAIL(PACK OF 100 PCS.), IS CODE-3419:1988   | NO | 10  |
| 24 | RU7413107082 | MODULAR FAN RAGULATOR          | 2 DIN PUSH FIT TYPE MODULAR ELECTRONIC FAN RAGULATOR, STEP TYPE(5 STEP)COLOR:WHITE, IS CODE-11037:1984  | NO | 10  |
| 25 | RU7410203030 | MODULAR SWITCH 6A - 220-240V   | SWITCH 6AMP - 220-240V1 WAY COLOR:WHITE,IS CODE 3854:1997   | NO | 100 |
| 26 | RU7410203137 | MODULAR SWITCH 15A             | 1 DIN PRESS FIT TYPE MODULAR SWITCH 15A,220V 1 WAY COLOR:WHITE, IS CODE 3854:1997   | NO | 10  |
| 27 | RU7410172177 | PIN GITTI(100 NOS)             | PIN GITTI(100 NOS=1SET)   | ST | 50  |
| 28 | RU7433697020 | PLASTIC CONDUIT CLIP WITH NAIL | PLASTIC CONDUIT CLIP WITH NAIL(PACK OF 100 PCS.), IS CODE-3419:1988   | NO | 5   |
| 29 | RU8100201307 | ELECTRICAL TESTER              | PVC INSULATED ANALOG ELECTRIC VOLTAGE TESTER WITH INDICATOR, IS CODE-844:1979   | NO | 6   |
| 30 | RU7410241012 | LT GLOVES                      | RUBBER GLOVES FOR WORKING ON LOW TENSION LINES I.E., 440V.CONFIRMING TO IS 4770:1991 TYPE-1.  | PR | 6   |
| 31 | RU2241714038 | HAND GLOVES 11KV               | INSULATING RUBBER HAND GLOVES FOR 11 KV WORKING VOLTAGE CONFIRMING TO IS:4770:1991  | NO | 6   |
| 32 | RU6149902145 | 14 PC COMBINATION SLIMLINE     | 14 PC COMBINATION SLIMLINE SPANNERS SETS 14 PC SLIMLINE COMBI 10-32MM SPANNER SET - METRIC 14 PC SLIMLINE COMBI3/8- 1 1/4 WRENCH SET - IMPERIAL, IS CODE- 6131:1980 | NO | 2   |
| 33 | RU6145300469 | ADJUSTABLE WRENCH 250MM/10"    | ADJUSTABLE WRENCH 250MM/10" (STMT874338), IS CODE-6149:1984   | NO | 6   |
| 34 | AA6313510119 | INSULATED ALLEN KEY SET        | ALLEN KEY SET OF FOLLOWING KEY NUMBERS 1.5MM,2MM,2.5MM,3MM,4MM,5MM ,6MM,8MM,10MM, IS:4595:1969  | NO | 6   |
| 35 | RU6149902170 | INSULATED CUTTING PLIER        | INSULATED CUTTING PLIER, IS CODE-3650:1981  | NO | 6   |
| 36 | RU6149902153 | OPEN END SPANNER SET           | OPEN END SPANNER SET 6X7 TO 30X32 (70-380E), IS CODE-2028:2004  | NO | 6   |
| 37 | RU6149902161 | RING SPANNER SET 6X7 TO 30X32  | RING SPANNER SET 6X7 TO 30X32 (70-395E), 2029:1998  | NO | 6   |

|    |              |                      |  |    |    |
|----|--------------|----------------------|--|----|----|
| 38 | RU7419804478 | MULTIMETER           | MULTIMETER,SUITABLE FOR MEASURING PARAMETERS LIKE AC/DC CURRENT,AC/DC VOLTAGE, RESISTANCE VALUE, IS CODE-9281:1981 | NO | 4  |
| 39 | RU7413107090 | 1 DIN PUSH FIT TYPE  | 1 DIN PUSH FIT TYPE MODULAR ELECTRONIC FAN REGULATOR STEP TYPE (5 STEP) COLOR: WHITE SI 11037:1984                 | NO | 25 |
| 40 | RU7413107104 | 1 DIN PRESS FIT TYPE | 1 DIN PRESS FIT TYPE MODULAR ELECTRONIC FAN REGULATOR STEP TYPE (5 STEP) COLOR: WHITE IS: 11037:1984               | NO | 50 |
| 41 | RU7413107112 | 2 DIN PRESS FIT TYPE | 2 DIN PRESS FIT TYPE MODULAR ELECTRONIC FAN REGULATOR STEP TYPE (5 STEP) COLOR: WHITE IS: 11037:1984               | NO | 25 |
| 42 | RU7410203145 | 2 DIN PRESS FIT TYPE | 2 DIN PRESS FIT TYPE MODULAR SOCKET 6A- 220-240V 1 WAY COLOR:WHITE IS:1293:2019                                    | NO | 25 |
| 43 | RU7410203161 | 2 DIN PUSH FIT TYPE  | 2 DIN PUSH FIT TYPE MODULAR SOCKET 6A- 220-240V 1 WAY COLOR:WHITE, IS:1293:2019                                    | NO | 50 |
| 44 | RU7410203170 | 2 DIN PRESS FIT TYPE | 2 DIN PRESS FIT TYPE MODULAR SOCKET 15A, 220V 1 WAY COLOR:WHITE, IS:1293:2019                                      | NO | 10 |
| 45 | RU7410203196 | 2 DIN PUSH FIT TYPE  | 2 DIN PUSH FIT TYPE MODULAR SOCKET 15A, 220V 1 WAY COLOR:WHITE, IS:1293:2019                                       | NO | 10 |
| 46 | RU7410203218 | 1 DIN PUSH FIT TYPE  | 1 DIN PUSH FIT TYPE MODULAR SWITCH 6A, 220-240V 1 WAY COLOR:WHITE, IS:3854:1997, SIZE(L W H):24X25X48(MM), +/-1%   | NO | 50 |
| 47 | RU7410203242 | 1 DIN PUSH FIT TYPE  | 1 DIN PUSH FIT TYPE MODULAR SWITCH 15A, 220V 1 WAY COLOR:WHITE, IS:3854:1997                                       | NO | 25 |