



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE :2577645
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

429-002/A

Vendor Code : 13440	Enquiry No	Enquiry Date	Due Date for Quotation
Vendor Name : BLUE STAR LIMITED, 46/104,GARUDA BUILDINGS 46, CATHEDRAL ROAD, CHENNAI India PIN- 600086	2691400028 - 41	19.03.2014	12.04.2014
Please quote Enquiry No, Date and due date in all correspondences. This is only a request for quotation and not an order. <u>Bid should be submitted in Two Parts. 1. Techno-commercial Bid (Part-I) and 2. Price Bid (Part-II) in a separate sealed cover and both the covers must be placed in a Third Cover and Sealed. Our Enquiry No, Enq. date & Enq. Due date must be written on all Three covers.</u>			

Item	Description	Unit	Quantity	Delivery Quantity	Schedule Date
10	<p>PART A QUALIFYING CRITERIA FOR THE SUPPLY OF INDUSTRIAL X RAY EQUIPMENT S. No.,PARTICULARS,,VENDOR's RESPONSE 1.0.,Number of Years of Experience of the BIDDER/ VENDOR in the field of design, manufacture and supply of 'INDUSTRIAL X RAY EQUIPMENTS',, 2.0.,YEAR of LAUNCH of the Model quoted against this ENQUIRY ,, 3.0.,Is there any other model launched after the quoted Model? Otherwise, indicate the likely year in which the next model is likely to be launched ,, 4.0.,Number of INDUSTRIAL X RAY EQUIPMENTS supplied, installed and commissioned till date, in the QUOTED MODEL " 5.0.,Number of INDUSTRIAL X RAY EQUIPMENTS supplied, installed and commissioned till date for the following category of CUSTOMERS (within INDIA): a),,Government Organisations b),,Private Sector Companies ,,[Large Scale Industries] ,, 6.0.,Number of INDUSTRIAL X RAY EQUIPMENTS supplied, installed & commissioned till date in the following Category (around the GLOBE) : a),,Universities b),,R&D Labs c),,Reputed Heavy Engineering Works / Manufacturing Firms ,, 7.0.,Details of Design Set-Up and Technology Back-Up assured for the PRINCIPAL Equipment Maker ,, "" 8.0.,Details on International Standards followed in Design of the System " 9.0.,Comprehensive Details on Performance Testing - of the Equipment quoted, to be ensured in presence of BHEL Executives, prior to dispatch</p>	NO	1.000	1.00	30.05.14

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
2/8

PHONE :2577645
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2691400028 / 19.03.2014

13440

from Supplier's Works,,
10.0.,Details of Quality System followed (Kindly
furnish the salient

aspects of the QA system followed),,

11.0.,Details on SERVICE-after-SALES Set-Up in
India including the

addresses of Agents/Service Centres in India
and Asia,,

12.0.,Any Additional Data to supplement the
manufacturing capability of

the BIDDER,,

SECTION - II

The BIDDER / VENDOR has to compulsorily
meet the following requirements

to get qualified for submitting an offer for the
Optical Vacuum

Spectrometer.

S. No.,,REQUIREMENTS,,VENDOR's

COMMENTS

13.0.,The BIDDER / VENDOR shall have a
minimum of TWO Years of

Continuous Experience in the Design,

Manufacture of INDUSTRIAL X RAY

EQUIPMENTS. Indicate the actual experience. ,,

14.0.,The BIDDER / VENDOR shall have

supplied at least one number of

INDUSTRIAL X RAY EQUIPMENTS within the

last five years. Indicate the

number of equipment (of QUOTED MODEL) sold

in India & Other

Countries.,,

15.0.,Reference List of Customers and

Performance Certificate from

CUSTOMERS (minimum ONE Customers) with

full contact details of CONTACT

PERSON.,,

SECTION - III

The BIDDER / VENDOR has to comply with the
following, for accepting the

Technical Offer for scrutiny by the Purchaser :

S.No.,,REQUIREMENTS,,VENDOR's

COMPLIANCE

16.0.,The BIDDER / VENDOR shall submit the
offer in TWO PARTS -

Technical [with PART A & PART B] &

Commercial and Price Bid.

The Technical Offer shall be in line with the

BHEL Technical

Specifications and the Guidelines or Annexure

mentioned, wherever

applicable. ,, ,,

17.0.,The Offer shall contain a comparative

statement of Technical

Specifications given by BHEL and the Offer

Details submitted by the

Bidder, against each clause. A just

'CONFIRMED' or 'COMPLIES' or 'YES'

or 'NO-DEVIATION' or similar words in the

technical comparative

statement may lead to disqualification of the

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
3/8

PHONE :2577645
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2691400028 / 19.03.2014

13440

Technical Offer.,,
18.0.,The BIDDER / VENDOR shall assure a continuous support for SPARES and SERVICE for FIVE Years, from the date of commissioning of the equipment at BHEL Works. ,,
19.0.,The Technical Offer shall be supported by Product Catalogue and Data Sheets in ORIGINAL and complete technical details of 'Bought-Out-Items' with copies of Product Catalogue and Selection Criteria.,,
20.,The Commercial Offer (given with the Technical Offer) shall contain the Scope of Supply and the Un-Priced Part of the Price-Bid, for confirmation of Scope of Supply.,,
21.0.,The reference List of Customers shall be accompanied with the details (Phone Number / E-Mail ID) of the CONTACT PERSON for cross reference by BHEL ,,
S. No. PARTICULARS BHEL SPECIFICATIONS
1.0 Area of Application Radiographic testing of Plates, pipes and tubes for detection of defects and to meet the 2 % quality level(IQI sensitivity 2-2T) as per ASME section V.
2.0 Job Details Butt Welds of Seamless Steel Tubes of Diameter 25.4 mm to 89 mm and Double wall Thickness ranging from 8mm to 30 mm. Pipes of diameter ranging from 90 mm to 400 mm with thickness ranging from 8 mm to 40 mm. Plates ranging from 4 mm to 35 mm thickness
3.0 Principle of Operation 320 kV constant potential X-Ray equipment is the Radiation source. It Generates continuous X-rays by bombardment of high speed electrons on high atomic number Target (Tungsten) and it will have 100% duty cycle.
4.0 Design Base
Constant potential Bi polar metal ceramic X ray tube with capacity 320 Kv/10mA (by varying potential difference across the electrodes (15 kV to 320 kV) with varying tube current 0 to 10 mA
High frequency: 40 kHz out put for stability, low ripple and better sensitivity.
5.0 Equipment Configuration The minimum desired features are enlisted below
5.1 Operating Parameters Tube voltage: Minimum 15 Kv to 320 Kv (Variable insteps of 0.2 kV).

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
4/8

PHONE :2577645
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2691400028 / 19.03.2014

13440

Tube Current Minimum 0.5 mA to 10mA
(Variable in steps of 0.1mA).
5.2 Focal Spot Dual focal spot preferable (with large focus 1.8 mm and mini focus 0.8mm) as per IEC 336
5.3 Tube current To be specified by supplier for large focus and mini focus at 320kV.
5.4 Exposure Time Digital display: 1 Second, in steps up to 60minutes
5.5 Pre warning 1 to 30 seconds
5.6 Programmed operation For storing 100 data sets, with read out message for error (With passwords), supplier to specify
5.7 Inherent filter Preferably Beryllium filters. Supplier to specify
5.8 High voltage connections Two plugs socket with locking lever and safety features, to be specified by the bidder.
5.9 High Voltage cables High Voltage cables to have Anode and Cathode connections with 10 meters in length, both ends Rubber cone covered plugs.
5.10 Dose out put with inherent filter Supplier to specify
5.11 Dose-Rate in Sv/min (R/ min) at 1 M with and without filter - Supplier to specify
5.12 Leakage level radiation (at full load) Shall not exceed 1R / 1Hour /1metre from focal spot.
5.13 Control Unit Digital Control Unit containing Power Module, Control Module [with clear text in English], Control Cabinet [with table top], Standard Operating Programs, Inter- Connecting Cables [with length of approximately 20 meters], Control Unit Lock & Key, etc.
5. 14 Cooling Unit a. Heat Exchanger Type Cooling Unit with suitable rating and efficient coolant pump, to meet the peak-load operational requirements.
b. The unit shall have the in-built warning system for unit failure, low level of coolant, lack of flow, leakage, etc. and connected with the tripping mechanism of the main equipment.
c.BIDDER to furnish complete details on the Cooling System with Accessories provided and to list down Essential Spares like Cooling Fans, pair of Coolant Circulation ,Hoses with end connectors, etc.
5.15 Flash Lamp A Warning Flash Lamp with fail-proof safety circuit shall be supplied with 20-meter long cable.

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
5/8

PHONE :2577645
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2691400028 / 19.03.2014

13440

6.0 Weight Approximately 35 Kg (Supplier to specify.)
7.0 Safety interlocks Built in safety interlocks to switch off the system in case of emergency and safety with door interlocks.
7.1 Input Electric Power Supply a. BHEL will provide Electric Input Power Supply at ONE POINT only, With 230 ? 10 % V, 50 Hz, Single Phase AC through a 3 wire system [Phase, Neutral & Protective Earthing].
O R
With 415 ? 10 % V, 50 Hz, Three Phase AC through a 3 wire system [No Neutral Conductor, 4th wire for Protective Earthing].
b. BIDDER to take supply from this SINGLE Point to all the sub-systems of the equipment through proper step-up or step-down transformers.
7.2 Ambient Condition a.The uncontrolled ambient room conditions are :
1)Temp:18 to 40? C 2)Relative Humidity : 45 to 85 %
b.BIDDER to specify the atmospheric conditions, as the working environment for the OFFERED Equipment to deliver precise results and serve for a prescribed life of the Equipment.
7.3 Accessories BIDDER to list down (with UNIT RATE) the various ACCESSORIES to be procured with the EQUIPMENT to enhance the Operating Efficiency and Features of the OFFERED EQUIPMENT, over and above those mentioned in the SPECIFICATIONS.
7.4 Safety and Quality Standards a. Supplier to ensure Safety and Quality of X-Ray System, which shall conform to International Standards.
b. Conformance certificate to be given along with the equipment
Supplier, along with the offer shall submit the type approval certificate for the quote model of X-Ray system.
8.0 Scope of supply Total Number of X-Ray systems-1Numbers.
Following (Sl.No 1 to 18)shall be supplied compulsorily with the system
:
1. X ray head as per BHEL specifications-
2. High voltage Generators
3. High Voltage Cables: 1 pair.
4. Power connection cables :
5. Digital Control unit
6. Cooling system
7. Warning flash lamp
8. HT Silicon paste:1 kg (in 100 grams

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
6/8

PHONE :2577645
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2691400028 / 19.03.2014

13440

pack)

9. Service tool kit

10. Necessary Standard/Certificate

traceable to

National/International Standard.

11. Optional/Compulsory Accessories

12.. Spares & Consumables

13. Lead shutters (X & Y movement)

mounted on the X-Ray

port, operable from the control room

14. Inspection at Supplier's Works &

Training

15. Installation, Commissioning &

Performance Prove-Out and

Training on Operation, Trouble Shooting &

Maintenance

16. Testing & Calibration Certificates

17. Operating & Maintenance Manuals [3

Sets]

18. Radiation Safety equipment

a) Radiation Zone monitor (Wall mountable) with
range 0 to 100 mR/hr -1

No.s

b) Radiation survey meter , 0 to 5 R - 1 No

c) Personnel Dosimeter with range 0 to 500mR
- 4 Nos

9.0 Consumables for Main Equipment &

Accessories BIDDER has to

list down the CONSUMABLES to be used in the
Operation of the Equipment

and QUOTE with UNIT RATE for all the listed
consumables, to be procured

with the equipment.

10.0 Spares for Main Equipment & Accessories

a.BIDDER has to list

down the SPARES under Mechanical, Electrical
& Electronic Category

for the Main Equipment & Accessories.

b. BIDDER has to compulsorily quote for the
following Commissioning

Spares with the TECHNICAL OFFER:

1) High Voltage Cables for 320kV - 1 Pair

2) All types of PCBs for X-Ray Control
System-1Set

3) Critical Spares for X-Ray Head and HT
Transformer-1Set

4) All Signal Cables - 1 No. each

5) All Fuses # 2 Sets.

11.0 Performance

Prove-

Out at BHEL The Supplier has to conduct
demonstration of the

following in accordance with ASME Boiler and
Pressure vessel code

section V.

12.0 Inspection & Acceptance

The X-Ray and accessories shall be offered for
Inspection to BHEL

Engineers at vendor's works. The system shall
be demonstrated for its

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
7/8

PHONE :2577645
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2691400028 / 19.03.2014

13440

Performance Prove-Out using the samples of Steel tubular butt weld joints with single wall thickness ranging from 4 to 12 mm and using a Double Wall Double Image Technique, to meet the quality requirements of ASME Section V.

13.0 Installation and commissioning The X-Ray system and accessories (consisting of the items described as per section #I and Section-II) is to be installed & commissioned at BHEL Works, FREE OF COST, by the SUPPLIER.

13.1 Documentation in ENGLISH Language 3 Copies (In English) of the Operation & Maintenance Manuals containing Electric Schematics, Circuit Diagrams, PCB Drawings, Trouble Shooting Charts, Mechanical Sub-Assemblies, Rating of Bought-Out Items, etc. shall be supplied, at the time of inspection by BHEL Engineers. In addition, one SOFT COPY in CD to be supplied.

14.0 Performance Guarantee The X-Ray system and accessories (consisting of the items described as per section #I and Section-II, including Bought-Out Items) are to be guaranteed for its performance for a minimum period of two years from the date of performance acceptance at BHEL Works.

15.0 Service and Spares Support Requirements Vendor shall ensure after the guarantee period, through trained service personnel in India for next 5 years as and when need arises. Spares to be made available within 1 week.

16.0 Training on Operation & Maintenance Complete Training for BHEL Engineers is to be given on Operation & Maintenance of the OFFERED system.

17.0 Annual Maintenance Contract - AMC The BIDDER has to QUOTE for AMC with detailed scope of work.

X RAY EQUIPMENT

General Note:

PL. SUBMIT YOUR OFFER ON F.O.R - BHEL, TRICHY (TAMILNADU) BASIS AND IN TWO PART (TECHNO-COMMERCIAL BID AND PRICE BID) IN A SEPARATE COVER.

IF THE OFFER IS SUBMITTED IN SIGNLE PART AND THE SAME WILL BE LIABLE FOR REJECTION.

ANNEXURE-III ENCLOSED HERewith MUST BE FILLED, SIGNED AND SUBMITTED

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,

BHARAT HEAVY ELECTRICALS LIMITED



(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
8/8
PHONE :2577645
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail: srchandran@bheltry.co.in
Web:

2691400028 / 19.03.2014

13440

ALONG WITH YOUR OFFER.

THIS TENDER IS HOSTED IN BHEL WEBSITE VIDE NIT REF. _____ DT. _____
AND ANY CORRIGENDUM MAY PL BE VIEWED IN THE BHEL WEBSITE (HTTP://
WWW.BHEL.COM)

ENCLOSURE: ANNEXURE - III

we may GO FOR REVERSE AUCTION (ON LINE BIDDING) FOR THIS TENDER IF
REQUIRED

Enclosures:

"LD clause has to be confirmed without fail."
"Payment to vendors will be made only thro E-Payment mode"

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,

COMMERCIAL TERMS& CONDITIONS

ANNEXURE-III (m)

Bharat Heavy Electricals Limited, Tiruchirapalli – 620 014, Tamilnadu, India

MM: CP & SP

(Check List - to be filled and submitted along with Techno-Commercial Bid)

Sl. No.	BHEL Commercial Terms and Conditions for Import/Foreign Supplies	Vendor's Confirmation / Comments
1	Bid should be submitted in Two Parts . 1. Techno-commercial Bid (Part-I) and 2. Price Bid (Part-II) in a separate sealed cover and both the covers must be placed in a Third Cover and Sealed. Our Enquiry No., Enq. Date & Enq. Due date must be written on all Three covers	
2	Technical confirmation to BHEL's Specification shall be furnished. If needed additional sheets shall be used.	
3	Prices shall be quoted item wise only.	
4	The final destination of material is to be delivered to BHEL - STORES, Tiruchirapalli, Tamilnadu, India Prices shall be quoted on " FIRM PRICE " basis only.	
5	Validity of offer shall be for a minimum period of 120 days from the date of Tender opening	
6	Delivery period from the date of Letter of Intent / Purchase order	
7	Liquidated damages shall be 0.5% of the total order value per week or part thereof subject to a maximum of 10% of the total order value. For staggered delivery schedule, LD shall be 0.5% of the undelivered portion per week of the delay or part thereof subject to a maximum of 10% of the total order value. Any deviation from the above LD clause, loading will be applied to the extent to which it is not agreed by the bidder (at offered value).	
8	Payment term for supply portion: BHEL Payment term is 100% payment on CAD basis after 45 days from the date of receipt of documents, specified in PO, at BHEL bank. Respective bank charges to respective account. Any deviation in the above payment term will attract loading as mentioned below. "Base rate of SBI (as applicable on the date of bid opening. Techno-commercial bid opening in case of two part bids) + 6% shall be considered for loading for the period of relaxation sought by bidders. <ul style="list-style-type: none"> • In the case of Usance LCs the loading will be considered @ 1.5% on the offered Value. • For LC at sight the loading will be considered @ 3.5% on the offered Value. • Normally CAD at sight and Confirmed LCs are liable for rejection. Important Note: BHEL will consider the ranking after the loading is applied as referred vide Sl. No. 7& 8 above wherever deviations are observed.	
9	Payment terms for Indian agent: Indian Agency Commission, if any, shall be clearly specified as Inclusive / Extra in the offer and the same will be paid in Indian Rupees against acceptance of the materials.	
10	Part Shipment or Transshipment is not permissible	
11	In case of any short shipment in the main equipment / spares, where separate rates are not available in the contract, the customs duty levied on such supplies, shall be borne by the supplier / Indian agent.	
12	Following Risk Purchase clause shall be applicable: The purchaser at his option will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole of the goods or any part which the supplier has failed to deliver or dispatch within the time stipulated or if the same were not available, the best and the nearest available substitute therefore. The supplier shall be liable for any loss which the Purchaser may sustain by reason of such risk purchases.	
13	Erection / commissioning: (if applicable only) Erection / commissioning charges if any has been mentioned in the offer or else confirmation that Erection / commissioning shall be done at free of cost is available in the offer.	

COMMERCIAL TERMS& CONDITIONS

ANNEXURE-III (m)

14	The equipment shall be guaranteed as per tender condition from the date of receipt & acceptance./ (commissioning (commissioning date ,if applicable as per tender condition) Normally No deviation permitted and the <u>deviated offers are liable for rejection.</u>	
15	Equipment will be inspected and proved at vendor’s works prior to dispatch, if applicable as per tender condition. However final inspection and acceptance of equipment will be after installation at BHEL, Tiruchirapalli, Tamilnadu, India	
16	The vendor shall provide necessary drawings, Test Certificates and Operating Maintenance Manuals etc., as called for in the Technical Specification, in the required number of copies at no extra cost.	
17	Any warranty replacement during warranty period shall be supplied free of charge on FOR BHEL, Tiruchirapalli, Tamilnadu, India basis.	
18	Performance Bank Guarantee, if applicable as per tender condition. Normally No deviation permitted and the <u>deviated offers are liable for rejection.</u>	
OTHER DETAILS REQUIRED		
19	Indicate Nearest airport & sea port	
20	Country of Origin	
21	Packing & Forwarding Charges, if any (in % only)	
22	Freight& transit insurance charges ,if any (in % only) from Dispatching station to BHEL, Tiruchirapalli (Note: If the delivery terms is Ex Works the materials has to be sent through BHEL approved carrier only ,in this case the freight will be borne by BHEL)	
23	Approximate Net weight of the total consignment	
24	Approximate Gross weight of the total consignment	
25	Approximate Dimensions of the Consignment	
26	Name of the contact person	
27	Land Line Number	
28	Fax Number	
29	Mobile Number	
30	E-mail ID	

- a) It is confirmed that all the terms and conditions stipulated in the Enquiry have been fully understood by us and all clarifications & details have been obtained.
- b) Applicable % of ED, Sales Tax -CST or VAT, Service Tax), Freight, Insurance and Installation and Commissioning Charges etc., are indicated in offer.

Full postal Address:

Signature & Office Seal of the vendor

Note:-

Your specific acceptances to our Payment terms, LD & Risk Purchase (RP) Clause are essential for consideration of your offer. Otherwise your offer is liable for rejection.
No row shall be left blank. Please indicate NA, in case the item is “not applicable

COMMERCIAL TERMS& CONDITIONS

ANNEXURE-III(m)

Bharat Heavy Electricals Limited, Tiruchirapalli – 620 014, Tamilnadu

MM: CP & SP

(Check List - to be filled and submitted along with Techno-Commercial Bid)

Sl. No.	BHEL Commercial Terms and Conditions for Indigenous Supplies	Vendor's Confirmation / Comments
1	Bid should be submitted in Two Parts . 1. Techno-commercial Bid (Part-I) and 2. Price Bid (Part-II) in a separate sealed cover and both the covers must be placed in a Third Cover and Sealed. Our Enquiry No., Enq. Date & Enq. Due date must be written on all Three covers	
2	Technical confirmation to BHEL's Specification shall be furnished. If needed additional sheets shall be used.	
3	Prices shall be quoted item wise only.	
4	Delivery INCO TERMS- Price quoted -FOR BHEL TRICHY, STORES or ex- WORKS Basis or, FOR WORKS (DESPATCHING STATION) In case of EX works / FOR WORKS basis, indicate the Despatching station. Prices shall be quoted on "FIRM PRICE" basis only.	
5	Validity of offer shall be for a minimum period of 120 days from the date of Tender opening	
6	Delivery period from the date of Letter of Intent / Purchase order	
7	Liquidated damages shall be 0.5% of the total order value per week or part thereof subject to a maximum of 10% of the total order value. For staggered delivery schedule, LD shall be 0.5% of the undelivered portion per week of the delay or part thereof subject to a maximum of 10% of the total order value. Any deviation from the above LD clause, loading will be applied to the extent to which it is not agreed by the bidder (at offered value).	
8	Payment term for supply portion: Payment term is 100% direct payment after 45 days from the date of receipt and acceptance of materials. Note: Only Direct Payment after goods receipt & acceptance will be accepted .Above payment term acceptance is essential for consideration of your offer Any deviation in the above payment term will attract loading as mentioned below. "Base rate of SBI (as applicable on the date of bid opening. Techno-commercial bid opening in case of two part bids) + 6% shall be considered for loading for the period of relaxation sought by bidders. Payment through Bank is not preferred. In case of Payment through Bank is opted by Supplier, BHEL prefers documents submission through bank with copy of LR and door delivery of Goods to Stores with Consignee copy attached. In this case Loading will be 3% on the offered value. Offers of indigenous Suppliers with payment terms as <u>LC/Advance Payment are liable for rejection.</u> Important Note: BHEL will consider the ranking after the loading is applied as referred vide Sl. No. 7& 8 above wherever deviations are observed.	
9	Following Risk Purchase clause shall be applicable: The purchaser at his option will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole of the goods or any part which the supplier has failed to deliver or dispatch within the time stipulated or if the same were not available, the best and the nearest available substitute therefore. The supplier shall be liable for any loss which the Purchaser may sustain by reason of such risk purchases.	
10	Erection / commissioning: (if applicable only) Erection / commissioning charges if any has been mentioned in the offer or else confirmation that Erection / commissioning shall be done at free of cost is available in the offer.	
11	The equipment shall be guaranteed as per tender condition from the date of receipt & acceptance./(commissioning (commissioning date ,if applicable as per tender condition) Normally No deviation permitted and the <u>deviated offers are liable for rejection.</u>	

COMMERCIAL TERMS& CONDITIONS

ANNEXURE-III(m)

12	Equipment will be inspected at vendor’s works prior to dispatch if applicable. However final inspection and acceptance of equipment will be after installation at BHEL, Trichy, Tamilnadu.	
13	The vendor shall provide necessary drawings, Test Certificates and Operating Maintenance Manuals etc., as called for in the Technical Specification, in the required number of copies at no extra cost.	
14	Any warranty replacement during warranty period shall be supplied free of charge on FOR BHEL, Trichy, Tamilnadu basis.	
15	Performance Bank Guarantee, if applicable as per tender condition. Normally No deviation permitted and the <u>deviated offers are liable for rejection.</u>	
OTHER DETAILS REQUIRED		
16	% of Excise Duty with cess	
17	% of TAX (VAT) (TNGST with FORM-17)	
18	% of TAX (VAT) without form	
19	% of TAX (CST) (CST with C-FORM)	
20	% of TAX (CST) without form	
21	Packing & Forwarding Charges (in % only)	
22	Freight& transit insurance charges, if any(in % only) Freight charges from Dispatching station to BHEL, Tiruchirapalli (Note: If the delivery terms is Ex Works the materials has to be sent through BHEL approved carrier only ,in this case the freight will be borne by BHEL)	
23	Approximate Net weight of the total consignment	
24	Approximate Gross weight of the total consignment	
25	Approximate Dimensions of the Consignment	
26	Name of the contact person	
27	Land Line Number	
28	Fax Number	
29	Mobile Number	
30	E-mail ID	
31	PAN No.	
32	CST No.	TIN No.

- a) It is confirmed that all the terms and conditions stipulated in the Enquiry have been fully understood by us and all clarifications & details have been obtained.
- b) Applicable % of ED, Sales Tax -CST or VAT, Service Tax), Freight, Insurance and Installation and Commissioning Charges etc., are indicated in offer.

Full postal Address:

Signature & Office Seal of the vendor

Note:-

Your specific acceptances to our Payment terms, LD & Risk Purchase (RP) Clause are essential for consideration of your offer. Otherwise your offer is liable for rejection.
No row shall be left blank. Please indicate NA, in case the item is “not applicable