



BHARAT HEAVY ELECTRICALS LIMITED

CORPORATE RESEARCH & DEVELOPMENT DIVISION

VIKASNAGAR, HYDERABAD - 500 093, INDIA

ENQUIRY

PHONES: 23774494 (EXCHANGE)

DIRECT: 23882104/23882204/

23778474/23776772

FAX : 91 40 23770698

RD:DP:MPX:F-04

To - Enquiry No: Enq Date: Due Date: Delivery By:
410790461 19-DEC-07 22-JAN-08 31-MAY-08

Pin -

Email :

Attn. .

PLEASE SUBMIT YOUR QUOTATION IN SEALED COVER SUPERSCRIBED WITH ENQUIRY NO, ENQUIRY DATE AND DUE DATE SUBJECT TO OUR TERMS AND CONDITIONS ENCLOSED, FOR THE FOLLOWING MATERIALS SO AS TO REACH US ON OR BEFORE THE DUE DATE BY 12 NOON. THE TENDERS WILL BE OPENED AT 2 PM ON THE SAME DAY

PLEASE GIVE REFERENCE OF ENQ NUMBER , ENQ .DATE AND DUE DATE IN ALL YOUR CORRESPONDENCE FOR PROMPT ACTION. IN CASE IF YOU ARE NOT MAKING THE OFFER PLEASE POST A REGRET LETTER AND RETURN THE DOCUMENTS.

SL NO	DESCRIPTION / SPECIFICATION	UNIT	QTY
1	6 CHANNEL MODULE TO ACQUIRE VIBRATION AND ACOUSTIC SIGNALS TO UPGRADE THE EXISTING 5 CHANNEL MODULE OF PULSE SYSTEM FROM BRUEL AND KJAER THE FOLLOWING CONDITIONS NEED BE SATISFIED. A. THE HARDWARE NEED TO MEET THE SPECIFICATIONS OF THE EXISTING HARDWARE AS GIVEN IN THE ANNEXURE-I B) ALL HARDWARE MODULES SHOULD BE FIXED IN THE AVAILABLE SLOT TO MAKE IT INTO SINGLE UNIT 11 CHANNEL PORTABLE SYSTEM. C) SUPPLIER SHOULD INTEGRATE THE EXISTING HARDWARE WITH NEW ADD ON MODULE AS A PART OF INSTALLATION AND COMMISSIONING	NO	1
2	FFT & CPB SOFTWARE FOR 7 CHANNELS WITH AMC	NO	1
3	ORDER ANALYSIS SOFTWARE FOR 11 CHANNELS WITH AMC	NO	1
4	PORTABLE HARDWARE CONTROL AND DATA STORAGE UNIT WITH OPERATING SYSTEM SOFTWARE AND AMC FOR THE ABOVE SYSTEM. SOFTWARE MENTIONED IN THE ITEMS 2&3 TO MEET SPECIFICATIONS AS PER ANNEXURE-I TO BE CONMPATIBLE WITH EXISTING HARDWARE/SOFTWARE SUPPLIER TO PROVIDE THE SPECIFICATIONS OF ITEM 4 AND TO ENSURE THE INTEGRATION OF HARDWARE / SOFTWARE WITH THIS UNIT	NO	1

Note: Please submit your offer in two parts as per the enclosed annexure "aa" in separate sealed covers as detailed below:

1) First cover shall contain the following:



BHARAT HEAVY ELECTRICALS LIMITED

CORPORATE RESEARCH & DEVELOPMENT DIVISION

VIKASNAGAR, HYDERABAD - 500 093, INDIA

ENQUIRY

PHONES: 23774494 (EXCHANGE)

DIRECT: 23882104/23882204/

23778474/23776772

FAX : 91 40 23770698

RD:DP:MPX:F-04

A) Technical commercial bid along with compliance statement, mentioning applicable duties, taxes etc., and delivery time clearly, (terms, conditions and compliance form enclosed)

B) A copy of the price bid without the prices (unpriced price bid)

2) Second cover containing price bid

3) If the price bid is found to be different from the unpriced price bid in any way, your offer will be rejected

4) Guarantee Certificate : Required

5) Erection & Commissioning : Required

Important: Taxes & duties quoted by you will be taken for cost evaluation and order placement and no change will be entertained later except in the case of changes made by the government. Changes in taxes and duties because of the changes in turnover etc also will be to the supplier's account. In case no tax/duty is included, a self declaration for the exemption may be attached along with the offer.

AS WE ARE ENGAGED IN R&D ACTIVITY "C" FORM
WILL NOT BE ISSUED

Yours faithfully
for

BHARAT HEAVY ELECTRICALS LTD

PLEASE FILL UP THE ENCLOSED VENDOR
REGISTRATION FORM AND SEND IT ALONG WITH
YOUR QUOTATION. OTHERWISE YOUR QUOTATION
WILL NOT BE CONSIDERED. (IGNORE THIS IF YOU
HAVE ALREADY SUBMITTED THIS FORM)

KAKKAR PK
Sr Manager

Email: pkkakkar@bhelrnd.co.in

NOTE: The supplier must have carried out similar job of pulse hardware and software upgradation, if so to provide necessary references along with the offer. This is a precondition for selection.

Existing Analyser specifications

1. Description: Existing Analyser- 5/1-ch. Input/Output Controller Module with Generator

Portable Data Acquisition Unit, scalable upto 17 Input Channels

Houses one input/output module and one controller module

Battery operated or DC powered (10 – 32 V)

Synchronous sampling with other front-ends of same make

The controller module handles communication with the PC while the input/output module handles measurement input and provides a sample clock.

2. Main Function: Input channels for multi-channel acoustic and vibration measurements

3. Features:

- a) Support IEEE 1451.4 capable transducers with TEDS
- b) Automatic DC offset compensation
- c) Overload indicator indicates incorrect conditioning and cable breaks on connected transducers
- d) Overload detection including out-of-band frequencies
- e) The input channels on a module can be set up independently; It can set up the high-pass filters and input gain separately and attach different types of transducers to different channels.
- f) The microphone polarization voltage can be switched on for all channels.
- g) The output channels on these modules can be used as signal generators with a frequency range from 0 to 25.6 kHz and can supply all the signals necessary for performing system analysis.
- h) The modules are designed around a powerful digital signal processor and a 24-bit D/A converter, and have exceptional flexibility, stability and accuracy.
- i) The signal is provided by a BNC connector and can be referred to ground or floating. It is possible to add a DC offset, but any unwanted DC offset is automatically removed.
- j) Overload detection: The hardware checks Input modules using two methods to detect transducer cable breaks or whether the wrong conditioning has been chosen. For microphones, their supply current is monitored. For DeltaTron® accelerometers (or microphones using DeltaTron® preamplifiers), the supply voltage is monitored. If conditioning errors such as a broken cable are detected, an error event is indicated as an overload on the specific channel.
- k) It supports IEEE 1451.4 Transducers with standardized Transducer Electronic Data Sheets (TEDS). This feature allows automatic front-end and analyzer setup, based on information stored in the transducer. This information includes, for example, sensitivity, serial number, manufacturer and calibration date.
- l) Communication interface between a PULSE Front-end and a PC running PULSE software, via LAN (Local Area Network); Sets up and transmits data from input

Annexure-1

modules, provides sampling clock and synchronization of front-ends ; Connection of remote control for sound intensity measurements via RS-232 interface; Data transfer according to standard TCP/IP protocol

4. Specifications of Input Channels,

- a) Frequency Range DC to 25.6 kHz
- b) A/D Conversion 24-bit 2×24 -bit
- c) Data Transfer 24-bit/16-bit selectable
- d) Input Voltage Range 8 ranges: 7.071mV_{peak} to 7.07 V_{peak} in 10 dB steps ,
- e) Input Signal Ground Coupling Floating or single-ended (grounded to chassis)
- f) Input Impedance Direct, Microphone: $1M\Omega \parallel < 200$ pF
- g) CCLD: > 100 k $\Omega \parallel < 200$ pF
- h) Absolute Maximum Input ± 35 V_{peak} without damage
- i) Absolute Amplitude Precision, 1 kHz, 1 V input ± 0.05 dB, typical ± 0.01 dB
- j) Attenuator Linearity @ 1 kHz ± 0.05 dB, typ. ± 0.005 dB
- k) Overall Frequency Response re 1 kHz, lower limit f_L to upper limit f_U DC to max. 25.6 kHz: ± 0.1 dB
- l) Absolute Max. Common Mode Voltage ± 5 V_{peak} without damage ± 3 V_{peak} without clipping
- m) Analog Special Functions Analog Self-test: Functional Check Overload Detection- Signal overload, Common mode voltage overload, DC servo out of range
- n) Output Connector -1 \times BNC
- o) Output Coupling -DC Signal Ground Coupling Floating or grounded to chassis
- p) DA Conversion -24-bit
- q) DC Offset ≤ 1 mV @ 25C° and ≤ 10 mV @ full temperature range ($\square 60$ dB re max. output)
- r) Output Voltage Range 1 μ V_{peak} $\square 7$ V_{peak}
- s) Output Impedance 50 Ω
- t) Frequency Range 0Hz $\square 25.6$ kHz
- u) Frequency Response re 1 kHz ± 0.1 dB, 1mHz to 25.6kHz
- v) Frequency Accuracy 0.0025%
- w) Harmonic and Spurious -Distortion Products 0 - 25.6 kHz < 80 dB re full range output or 1 μ V, whichever is greater
- x) Waveform- Software determined arbitrary waveforms up to 2Msamples
Waveforms are determined by software and include:
 - Sine – fixed or swept (burst or continuous)
 - Dual sine – fixed, swept or combination
 - Random (burst or continuous)
 - Pseudo-random
 - Periodic Random
 - User-defined waveform (import from WAV file)

5. **Battery Status Indicators**-The front panel has two battery status indicators (LEDs), one for each battery. They indicate the remaining capacity/charging status of the respective battery. Batteries can be exchanged one at a time during operation without affecting measurements, if the indicator for the other battery is not indicating low level.

6. Signal Conditioning:

- a) Supply for Microphone Preamplifiers ± 14.0 V, 10 mA per channel (max. 20 mA if only 1 to 3 channels used)
- b) Supply for Microphone Polarization 200 V ± 1 V, or 0 V
- c) Supply for DeltaTron/ICP®/CCLD 4mA from 24 V source
- d) Tacho Supply (on BNT connectors) 6.5 V, max. 100mA
- e) Cross talk - Between any two channels of a module or between any two channels in different modules
- f) Frequency Range 0 -25.6 kHz Guaranteed 100dB typical 140 dB
- g) Sound Intensity Phase Match (only for using intensity filter)- Complies with IEC1043 standard Class 1 and ANSI S1.12 – 1995 Class 1 using Brüel& Kjær Sound Intensity Probes (0.017° @ 50 Hz)

New requirements

1. No Channels: 6 channel input module –Frequency range -0Hz to 25.6 kHz with LEMO and BNT/BNC connectors on the input channels

2. FEATURES

- a. Support IEEE 1451.4 capable transducers with TEDS
- b. Automatic DC offset compensation
- c. Overload indicator indicates incorrect conditioning and cable breaks on connected transducers
- d. Overload detection including out-of-band frequencies

3. Independent Channels

- a. The input channels on a module to be set up independently; should be able to set up the high-pass filters and input gain separately and attach different types of transducers to different channels.
- b. The microphone polarization voltage to be switched on for all channels. (Note: Where polarization voltage is available, it is the same on all microphone channels in a module).
- c. Should support IEEE 1451.4 capable transducers with standardised Transducer Electronic Data Sheets (TEDS). This feature allows automatic front-end and analyzer setup, based on information stored in the transducer. This information includes, for example, sensitivity, serial number, manufacturer and calibration date.
- d. Transducer Conditioning Check : The modules should be able to detect transducer cable breaks or whether the wrong conditioning has been chosen. For microphones, their supply current is monitored. For DeltaTron® accelerometers (or microphones using DeltaTron® preamplifiers), the supply voltage is monitored. If conditioning errors such as a broken cable are detected, an error event is indicated as an overload on the specific channel.
- e. AD converters 24-bit DC to 25.6 kHz

4. The 6 channel module should be able to use the existing blank module space so that the 11 channel hardware will be one unit after upgradation **so as to maintain easy portability to site and other locations..**

Upgradation of Vibration and Acoustic application software for PULSE hardware

1. Requirement:

- a) FFT & CPB software for 7 channels of hardware
- b) Order Analysis software for 11 channels

2. Functionality:

a) FFT software:

- To perform up to 6400-line FFT measurements, and overlap analysis of the data. FFT analyzers to measure time records, autospectra for single signals, and the cross-spectra of selected pairs of signals. In enhanced mode, the autospectrum is the magnitude of the averaged time signal.
- To Select the number of *Lines* to use for calculating the FFT spectrum for a time record the options should be in the steps of 50, 100, 200, 400, 800, 1600, 3200 or 6400 lines.
- The analysis modes should be Baseband & Zoom
- The averaging *Mode to be exponential, linear and peak*
- The overlap measurements should be Selectable from 0, 25, 50, 66.67, 75% or Max. with a warning for specified overlap failure
- The FFT analyzer should be controlled through a trigger button for starting, recording and updating the measurement.
- Should have facility to slice the auto spectra or cross spectra which can be stored in a multi buffer
- FFT signal should have acoustic weighing like None, A, B, C, D Network; Time domain integration/differentiation pre weighting.
- Time weighting windows like uniform, Hanning, Kaiser-Bessel, flat top, transient and exponential.

a) CPB software:

- The CPB analyzer to provide real-time digital filter based 1/1-, 1/3-, 1/12- and 1/24-octave analysis. To create a number of variants of the CPB analyzer and use them simultaneously.
- The CPB functionalities to calculate Autospectrum; Cross-spectrum (available for signal groups with 2 or more signals and/or between 2 signal groups); Mean pressure spectrum (available for signal groups with 2 or more signals); Velocity (available for signal groups with 2 or more signals); Intensity (available for signal groups with 2 or more signals); Complex intensity (available for signal groups with 2 or more signals)
- Trigger option to start, record and update the analyzer under various conditions with a facility to store the record in a multi buffer.
- Acoustic weighting of A, B, C, D and None options.
- Averaging modes linear, exponential and exp confidence

Annexure-1

- Real-time 1/n-octave digital filtered autospectra and cross-spectra to be measured with the following calculations of mean pressure, velocity, intensity, complex intensity.

a) Order Analysis software:

- Order analysis to be done using tracking and run-up/down test without tracking.
- Order analysis should average in time and frequency domains
- Able to measure from 1 to 10000 orders
- Should have feature to change the hysteresis level based on tacho signal strength
- Tacho trigger facility should be present as a percentage of input signal
- Speed trigger facility should be present
- Speed interval trigger in both directions for both run up and run down should be present
- Auto tracker facility should It consists of a real-time analyzer that allows estimation of tachometer information from versatile sources like acoustic or vibration signals without using tacho



BHARAT HEAVY ELECTRICALS LIMITED

CORPORATE R&D DIVISION, VIKAS NAGAR, HYDERABAD – 500 093, AP, India

Ph: 0091-40 – 23778474, FAX: 0091-40 – 23770698

General Terms and Conditions of Enquiry & Contract for the Purchase of Goods/ Services

1. The quotation and any order resulting from this enquiry shall be governed by these General Terms and Conditions of enquiry and contract for the supply of goods and the supplier quoting against this enquiry shall, unless specifically stipulates any different terms or conditions, be deemed to have read and agreed to the same.
2. Sealed quotations in double cover with tenderer's distinctive seal, superscribing enquiry number, date and due date are to be submitted so as to reach on or before due date & time, addressed to **Additional General Manager(MM), Bharat Heavy Electricals Limited, Corporate Research & Development Division, Vikasnagar, Hyderabad, Andhra Pradesh, India – PIN-500 093, India.**

In the case of **Two-part bid**, each inner cover shall clearly be labeled as a) **Technical & Commercial Bid** containing technical data/ drawings/ catalogues/ quality plans along with commercial terms and conditions & copy of the price bid with the price columns left blank (unpriced price bid), b) **Price bid** containing prices quotes. Installation and/or Commissioning charges shall be spelt out in absolutely lucid terms, taking into account total charges, rather than quoting vaguely, such as charges per man-day or charges per engineer per day etc. **If the price bid was found later to be different from the unpriced price bid in any way, the offer will be rejected summarily.**

3. **Tender/ Technical bid Opening:** Unless specified otherwise, tenders/ technical bids will be opened on appointed date and time as mentioned in the enquiry or as communicated changed date/time, if any, in the presence of such of those tenderers who may be present.
4. **Delayed/ Late Tender:** Tenders, which have been posted by registered post through the postal department in time before opening date but received after tender opening, shall be treated as regular tenders. Other tenders received after tender opening time shall be treated as late tenders and normally they may be rejected.
5. The Quotation should be free from overwriting and erasures. Corrections and additions, if any, must be attested. Supplier should indicate in the quotation dimensions (Size), weight, rate etc., in the metric system unless the enquiry calls for different unit.
6. **Validity of Quotation:** All quotations shall be kept open for acceptance for a period of ninety days from the date of opening of Tenders/ Technical bid and this shall be deemed to be an express condition of all quotations. The rate shall be quoted in both figures and in words.
7. In the case of Two-part bid, the vendor should furnish technical clarifications, if any, within stipulated time mentioned, failing which, it will be construed that the vendor is not interested in the tender and BHEL shall not consider the offer for further evaluation.
8. **Revision of Pricebid:** In the event of any bidder, after finalizing the technical specifications and scope of supply, opting to revise and submit their latest price bid, then BHEL reserves the right to open their original / previous price bid also while evaluating revised bid.
9. **Pricebid Opening:** Unless specified otherwise in the enquiry, the Price bids of technically qualified vendors shall be opened with prior intimation in the presence of such of those tenderers who may be present.
10. **Conformity to Specifications:** The material should be of the best quality and shall be conforming to our specification given in our enquiry. Unless otherwise agreed upon by BHEL, no payment shall be due by BHEL in respect of any sample. Offers without details of specifications/ applicable catalogues will not be considered and are liable to be rejected.
11. **Terms of Delivery:** All suppliers shall quote the lowest prices on ex-works and FOB/FCA basis. Foreign suppliers will also indicate their Indian agent's name and address with percentage of agency commission out of the quoted price, if any. Name and Address of the supplier's Bankers address should also be given. Indian suppliers for the indigenously manufactured/ imported stock shall quote on Ex-works /Free-on-Rail/Road /FOR-destination basis, indicating packing & forwarding charges, if any, separately.
12. **Taxes and Duties:** Unless specified otherwise in the enquiry, BHEL do not provide "C" or "D" Form as it is engaged in R&D. All Indian suppliers shall clearly mention Sales Tax/ VAT, Excise Duty, and Service Tax etc, if any, payable in addition to the quoted price and indicate applicable rates/ percentage, item-wise. It will be paid

only if Registration Number under State(TIN)/ Central Sales Tax or Service Tax is specifically mentioned in the Bill/Invoice. Vendors without a Sales Tax/VAT registration and applicable Service Tax registration will not be considered.

13. **Insurance:** Insurance will be arranged by BHEL in case of Ex-Works as well as FOB basis supplies.
14. **Terms of Payment:** Full payment will be made within 30 days after receipt, inspection and acceptance of the material (and where involved, Erection and commissioning of the material/ equipment at BHEL/Destination) by Crossed cheque and no Bank commission charges are admissible. The Cheque will be sent by registered post and BHEL is in no way responsible if loss occurs due to delay by postal authorities and cheques falling into improper hands or through forgery or fraud. Suppliers having RBI-SEFT-enabled accounts can seek payment through Electronic Fund transfer. For foreign suppliers, the preferred payment term will be on Sight Draft basis and bank charges inside India will be to BHEL account and outside India will be to supplier's account.
15. Suppliers shall quote competitive price and best delivery for all the items mentioned in the enquiry. BHEL reserves the right to reject partial quotations and to place order on overall landed cost basis. Correct date of effecting supplies in the event of an order should be indicated in the offer. If the supplier's quoted terms are different from BHEL standard payment terms, interest @10.5% per annum (or as indicated in the enquiry) will be loaded to the quoted prices for difference of payment period.
16. **Packing:** The supplier shall be responsible for the goods being properly and adequately packed so as to prevent any loss, damage or deterioration during transit and indicate packing charges, if any, separately.
17. **Part/ Split Ordering:** BHEL reserves right to Order part of the item/ quantity of the enquiry and split the order among qualified vendors.
18. In case the goods enquired are on Rate Contract basis with any other unit of BHEL, such fact should be clearly indicated in the quotation giving full particulars of Rate Contract number, validity and price and also your willingness to comply with order if placed against such Rate Contract. A true copy of Rate contract signed by the supplier should be sent with the quotation.
19. **Inspection:** On receipt, the goods shall be subjected to inspection and also test, if necessary, and our decision regarding the acceptability of the goods shall be final and binding on the suppliers.
20. **Consequences of Failure To Deliver:** The time stipulated for delivery of goods shall be deemed to be the essence of the contract and delivery must be completed within the stipulated date/s. In the event of supplier's failure to supply the goods by the stipulated date/s, BHEL shall be entitled to levy a penalty of ½% per week for the delayed no of weeks or part thereof for the undelivered portion of PO subject to a maximum of 10% total order value.
21. **Withdrawal from the Contract:** In case the supplier withdraws the quotation after its acceptance by BHEL or fails to supply the goods as per the terms and conditions of contract, or at any time repudiated the contract wholly or in part, BHEL shall be at liberty to cancel the Purchase Order and to recover from the supplier the extra cost and other loss incidental to the breach of contract on the part of the supplier.
22. **Guarantee/ Warranty certificate and Manufacturer's Test report:** Invariably in all cases where it is so stipulated, the supplier should furnish Guarantee/ Warranty certificate valid for a period of 18 months from date of supply or 1 year from the date of receipt, acceptance and commissioning(or more, if provide by oem) whichever earlier and manufacturer's Test report along with the goods, failing which, BHEL shall have the right to reject the goods.
23. All ferrous/ non-ferrous items shall be colour coded as per bureau of Indian standards/ or IS standards/ BHEL Standards.
24. **Recovery of Dues:** BHEL shall recover any amount due from the supplier or any amount outstanding to the credit of the supplier with BHEL R&D unit or any other BHEL unit(s) and/or by legal action.
25. **Arbitration & Forum for Legal Proceedings:** All disputes arising in connection with indigenous/ foreign supplies shall be settled through arbitration held at Hyderabad, AP, India and arbitration shall be appointed by Arbitration Tribunal of the Federation of Andhra Pradesh Chambers of Commerce and Industry, Hyderabad, AP, India. The Courts at Secunderabad/ Hyderabad, AP, India shall have jurisdiction in respect of any suit or other legal proceeding arising from or relating to this contract

The rights and remedies of BHEL stated in these General terms and conditions shall be in addition and supplemental to its rights and remedies under law and custom or usage of trade or business and shall in no way be deemed to limit, curtail, supercede or derogate from its said rights and remedies.



ANNEXURE “AA
BHARAT HEAVY ELECTRICALS LIMITED
CORPORATE RESEARCH & DEVELOPMENT DIVISION
VIKASNAGAR, HYDERABAD – 500 093. INDIA

MATERIALS MANAGEMENT DEPARTMENT
(Information for Technical & Commercial bids with general terms)

ENCLOSURE TO ENQ No:

DATE:

- a) Please indicate() for applicable or () for not applicable against each clause of the enquiry
- b) Vendor shall confirm their compliance for applicable clauses () in their offer without deviation.

1) **Technical offer:-**

- a) Vendors to confirm compliance to all points of specifications, attached if any. Deviations if any should be specified in the offer.
- b) Vendors shall furnish relevant technical Documents / Catalogues. Drawings and Quality plan duly taking care of Purchase Specification and Quality requirements along with their offer in duplicate for Purchaser’s review / Verification.

2) **Two Part Bid:-**

Vendor shall submit their offer in 2 parts.

2.1 Technical Bid:- Containing relevant technical data, drawings, catalogues, Quality Plan etc, along with Commercial Terms and Conditions and a copy of the price bid with the price columns left blank (unpriced price bid). If the price bid was found later to be different from the unpriced price bid in any way, the offer will be rejected.

2.2 Price Bid:- Containing the Price(s) quoted. Installation and or commissioning charges shall be spelt out in absolutely lucid terms taking into account the total charges rather than quoting vaguely such as charges as per man day or charges per Engineer per day etc.,

Technical bids will be opened on the due date of the enquiry or any other date fixed by BHEL. Further, vendor should furnish clarifications, if any, required within seven days after the same is sought by Purchaser. If no clarifications/reply received within 7 days, it will be construed that vendor is not interested in the tender and Purchaser will finalise tender accordingly. Price bids received on due date along with technical offers will be recorded and opened subsequently with due intimation to vendors after finalising of technical scope of supply.

These bids shall be submitted in separate sealed covers superscribing the nature of the offer (technical bid or price bid). BHEL Enq No. Due date etc.

Note: In case of non-compliance with the TWO_-PART-BID ie.. clause number 2 and subclauses 2.1 and 2.2. Purchaser reserves the right to summarily reject all such offers.

3) Delivery:-

Vendor shall confirm supply of materials as per the delivery schedule indicated in the enquiry.

4) Negotiations:-

Vendor shall quote competitive price and best delivery to avoid negotiations.

5) Commercial Terms & Conditions:-

Terms of Delivery:

- a) **Vendors shall clearly indicate terms of delivery Viz: Ex-Works/FOR Despatching station/FOR Despatching station FOR Destination/FOB port of loading/FAS Port of loading in their offer. If the terms of delivery is Ex-Works, then vendors shall clearly indicate the following:**
 1. **Packing and forwarding charges.**
 2. **Documentation / Handling charges if any**
 3. **FOB FAS charges (Inland Freight & Insurance charges from vendor works to port of Loading).**
- b) **All Indian Vendors shall clearly specify the Excise Duty in percentage applicable for their supplies. Offers containing expressions such as “Extra as applicable” or “As applicable at the time of Delivery” will be summarily rejected.**
- c) **CST/Local Sales Tax in percentage shall be clearly indicated.**

6) Validity of Quotation:-

Validity of offer should be 90 days after the opening of price bid.

7) Part or split ordering:-

Purchaser reserves the right to order part of item / quantity of the enquiry.

8) For clauses not mentioned in this document see the enclosed “GENERAL TERMS AND CONDITIONS OF ENQUIRY AND CONTRACT FOR THE PURCHASE OF GOODS”

- 9) **In case your terms of payment are different from our standard payment terms, interest at the rate of 10.5% per annum (or BHEL’s standard rate of interest) will be loaded to your prices for the difference of period of payment.**



BHARAT HEAVY ELECTRICALS LIMITED
CORPORATE R&D Division
Vikasnagar, Hyderabad – 500093, India.

Suppliers' compliance statement to basic conditions of enquiry

(In case Order to be placed on Indian supplier in Indian currency)

Condition	BHEL R& D's terms	Supplier's compliance (indicate Yes/No. if 'No', state terms desired)
1) Validity of offer	90 days from the tender opening date	
2) Delivery requirements	Free delivery at our stores or FOR destination (as indicated in the enquiry)	
3)Warranty	Unless specifically mentioned in the enquiry, all supplied items to be provided with warrantee for one year (or more, if provided by the OEM) from the date of acceptance/commissioning. In case of equipment involving erection and commissioning, warrantee shall be for 18 months from the date of dispatch or 12 months from the date of commissioning, whichever is earlier	
4) Terms of payment	Full payment will be made within thirty days after receipt, inspection and acceptance of the material at BHEL R&D (and where involved, erection and commissioning of the material/equipment at BHEL/destination), by Crossed Cheque and no Bank commission charges are admissible.	
5) Taxes & Duties	Unless specifically mentioned in the enquiry, we do not provide 'C' or 'D' form. Supplier to specify rates of taxes and duties element wise and related percentages.	
6) Penalty for late delivery	0.5% per week beyond the delivery date as mentioned in the Purchase order on undelivered portion subject to a maximum of 10% of the total order value	

* BHEL R&D reserves the right to reject any offer due to non-compliance with the above conditions and/or non-receipt of this form in duly filled condition

* Any other elements of cost in addition to the above may please be specified in detail

(Signature and Stamp/Seal of Vendor)



BHARAT HEAVY ELECTRICALS LIMITED
CORPORATE R&D Division
Vikasnagar, Hyderabad – 500093.

IMPORTED

Suppliers' compliance statement to basic conditions of enquiry

(In case Order to be placed on the Principal and foreign currency)

Condition	BHEL R& D's terms	Supplier's compliance (indicate Yes/No. if 'No', state terms desired)
01) Validity of offer	90 days from the tender opening date (or as per enquiry)	
02) Delivery requirements	FCA – Nearest International Airport (or as indicated in the enquiry)	
03) Warranty	Unless specifically mentioned in the enquiry, all supplied items to be provided with warrantee for one year (or more, if provided by the OEM) from the date of acceptance/ commissioning. In case of equipment involving erection and commissioning, warrantee shall be for 18 months from the date of dispatch or 12 months from the date of commissioning, whichever is earlier	
04) Terms of payment	Sight draft. All bank charges inside India will be to BHEL R&D account and out side India will be to suppliers account. Documents through State Bank of India, HAL Complex, Balanagar, Hyderabad, AP, India-500 042.	
05) Agency commission	PI specify percentage charges, if any. Indian agency/agent commission will be in Indian Currency only.	
06) Erection/ Commission	As per enquiry	
07) Documentation	As per enquiry	
08) Insurance	BHEL will arrange Insurance based on intimation to our Insurance agency, United India Insurance Co., DO-2, Secunderabad, AP, India.	
09) Penalty for late delivery	0.5% per week beyond the delivery date as mentioned in the Purchase order on undelivered portion subject to a maximum of 10% of the total order value	

* BHEL R&D reserves the right to reject any offer due to non-compliance with the above conditions and/or non-receipt of this form in duly filled condition

* Any other elements of cost in addition to the above may please be specified in detail

(Signature and Stamp/ Seal of Vendor)



BHARAT HEAVY ELECTRICALS LTD.
Corp. R&D DIVISION
VIKAS NAGAR,
HYDERABAD-500 093 (INDIA)

VENDOR REGISTRATION FORM
[FORM TO BE SUBMITTED* BY THE BIDDER ALONG WITH TECHNICAL-BID]

Before filling please refer to instructions on page-4

1.0 VENDOR PROFILE:

1.1 & 1.2 Name and address of the vender: _____

Phone Nos.:

Fax No.:

Email:

1.4 Local representative of the vender in India/ Hyderabad:

Phone Nos.:

Fax No.:

Email:

Contact person:

Mobile No.:

2.0 & 2.1 Type of Organisation:

PROPRIETORSHIP	COMPANY	SISTER CONCERN	ANY OTHER (Please specify)
PARTNERSHIP	CORPORATION	Small Scale Industry	

3.0 Annual Turn Over:

Name and address of the Banker:

Sr.No.	Bank	Address

4.0 REGISTRATION PARTICULARS

4.1 IT Permanent Account No.(PAN):

4.2 & 4.3 State and central sales tax Registration No.:

4.4 ED/ Service Tax Registration No.:

PF Account No.:

Labour Licence No.:

ESI Account No.:

5.2 Contact person:

Mobile No. :

5.3 Total Number of employees:

Graduates (Engr./Scientists/Mgmt/Fin.)	Consultants	Workers		
		Sup./Skilled	Semiskilled	Unskilled

6.0 Wish to register for supplies/ services other than one bidding for :

<u>Sr.No.</u>	<u>Service/Supplies</u>	<u>Capacity</u>
<u>1</u>		
<u>2</u>		
<u>3</u>		
<u>4</u>		
<u>5</u>		
<u>6</u>		
<u>7</u>		

6.1 Reference list :

(Only recognized public and private sector companies, attach if printed copy available)

<u>Sr.No.</u>	<u>Customer</u>	<u>Volume / Year</u>
<u>1</u>		
<u>2</u>		
<u>3</u>		
<u>4</u>		
<u>5</u>		
<u>6</u>		
<u>7</u>		

7.0 & 8.0 Infrastructure / facilities :

<u>Sr.No.</u>	<u>Facility (with specifications)</u>	<u>Age/ Year procured</u>
<u>1</u>		
<u>2</u>		
<u>3</u>		
<u>4</u>		
<u>5</u>		
<u>6</u>		
<u>7</u>		
<u>8</u>		
<u>9</u>		
<u>10</u>		

9.0 Registration with other BHEL Unit/Units:

<u>Sr.No.</u>	<u>9.1.1 Unit</u>	<u>9.1.2 Registration No.</u>
<u>1</u>		
<u>2</u>		
<u>3</u>		
<u>4</u>		

Any Other information :

Declaration:

The information furnished above is true and authentic.

(CEO / Proprietor)

SEAL:

Date:

The competent authority reserves the right to accept or reject the registration. Registered vendors will be informed by mail / email, as convenient. Contact Sr.DGM (MM) for clarification/ additional information on registration.
A separate communication will be sent to you in case of non-registration, citing reasons thereof.

Instructions

1. Answer all items, use NA for items not applicable.
2. BHEL units do not require this registration.
3. Submit the form in duplicate.
4. Use additional sheets for want of space if required.
5. Attach copies of latest documents in respect of items 4.0 (Registration no.s)
6. Photographs of registered office and the chief executive/proprietor shall be furnished.
7. Use A4 sheets for this document and the enclosures.

* REGISTERED BIDDERS, HAVING BHEL (R&D) REGISTRATION NO./ HAVE SUBMITTED THIS FORMAT EARLIER, NEED NOT FURNISH THIS INFORMATION SECOND TIME (UNLESS DESIRE TO UPDATE IT).



BHEL CORPORATE R & D
VIKAS NAGAR- HYDERABAD - 500 093
ANDHRA PRADESH – INDIA
SUPPLIER REGISTRATION FORM

(FOREIGN SUPPLIER)

ALL COLUMNS SHOULD BE PROPERLY FILLED IN THE SPACE PROVIDED FOR. WHEREVER IT IS NOT APPLICABLE PLEASE WRITE “NOT APPLICABLE”. INCOMPLETE OR INCORRECT FORMS MAY NOT BE CONSIDERED.

1.0 GENERAL INFORMATION:

1.1....NAME OF COMPANY

1.2....DETAILS OF HEAD OFFICE:

ADDRESS :
TELEPHONE :
FAX :
.EMAIL :
.WEB SITE :

1.3....DETAILS OF FACTORY/WORKS:

ADDRESS :
TELEPHONE :
FAX :
.EMAIL :
.WEB SITE :

1.4....DETAILS OF MARKETING AGENT

ADDRESS :
TELEPHONE :
.FAX :
.EMAIL :
.WEB SITE :

1.5 CHIEF EXECUTIVE

NOTE: PLEASE ATTACH SEPARATE SHEETS, IF SPACE FOUND IS INADEQUATE

AUTHORISED SIGNATORY



BHEL CORPORATE R & D
VIKAS NAGAR – HYDERABAD – 500 093
ANDHRA PRADESH – INDIA

SUPPLIER REGISTRATION FORM

(FOREIGN SUPPLIER)

- 1.6 CONTACT PERSON(S)
FOR PRODUCT OFFERED
NAME(S)
OFFICIAL CAPACITY
ADDRESS:
TELEPHONE
FAX
E-MAIL
- 1.7 YEAR OF ESTABLISHMENT
- 1.8 PRODUCTION CAPACITY PER ANNUM
- 1.9 PARTICULARS OF PRODUCT INCLUDING
SPECIFICATION AND RANGE OFFERED
FOR REGISTRATION
(ATTACH BROCHERS AND CATALOGUE)
- 1.10 NAME(S) OF BANKERS
- 1.11 BANKER'S CERTIFICATE
- 1.12 PORT OF LOADING
- 1.13 NEAREST AIRPORT
- 1.14 NAME OF THE INDIAN AGENT, IF ANY
WITH AUTHORISATION LETTER
- 1.15 ANY OTHER INFORMATION:

AUTHORISED SIGNATORY



BHEL CORPORATE R & D
VIKAS NAGAR – HYDERABAD – 500 093
ANDHRA PRADESH – INDIA

SUPPLIER REGISTRATION FORM

(FOREIGN SUPPLIER)

2.0 FINANCIAL INFORMATION

2.1...TOTAL CAPACITY

2.2...ANNUAL TURN OVER FOR LAST 3 YEARS

2.3...WHEHER CREDIT LICENSE ACCEPTABLE YES/NO

3.0 QUALITY MANAGEMENT SYSTEMS
ENCLOSED FORMAT PART-B

3.1 EXPERIENCE LIST FOR SAME/SIMILAR ITEMS
TO BE ENCLOSED

4.0.....FUTURE EXPANSION PLANS:
(GIVE DETAILS)

5.0 LIST OF ENCLOSURES:
INCLUDING BROUCHERS, CATALOGUES, TECHNICAL
LITERATURE etc...

6.0 ANY OTHER INFORMATION

SIGNATURE OF SUPPIER

NAME

DESIGNATION

DATE

.....OFFICIAL SEAL

AUTHORISED SIGNATORY
