

BW FITTINGS - GENERAL

LIST OF ITEMS

	MATLCD	DESCRIPTION	QTY (NOS)	TDC	FITTING D1 VALUE	CURR	UNIT RATE (RATE PER NO)
1	921042670000	BW LR 90DEG ELL 323.9 X 40 SA234WPC	11	TDG:102 REV:05	P248.3		
2	921043370000	BW LR 90DEG ELL 219.1 X 28 SA234WPC	2	TDG:102 REV:05	P169.2		
3	921043630000	BW LR 90DEG ELL 219.1 X 25 SA234WPC	18	TDG:102 REV:05	P175.5		
4	921043890000	BW 90 deg LR ELL 273 X 32 SA234WPC	221	TDG:102 REV:05	P214.5		
5	921044670000	LR 90DEG ELL 355.6 X 9.53SA234WP22CL1	31	TDG:102 REV:05	D336.5		
6	921044760000	BW LR 45DEG ELL 219.1 X 8.18 SA234WPB	6	TDG:102 REV:05	D202.7		
7	921044830000	BW LR 90DEG ELL 457.2 X 12.7 SA234WPB	12	TDG:102 REV:05	D432.1		
8	921045020000	BW LR 90DEG ELL 323.9X9.53SA234WP22CL1	20	TDG:102 REV:05	D 304.8		
9	921046280000	90DEG BW LR ELL 88.9X 21 EPSTY:PWP22CL1	4	TDG:102 REV:05	P 51.3		
10	921051830000	BW EQT 323.9 X 8.8 SA234WPB	2	TDG:102 REV:05	D 306.3		
11	921053560000	BW EQT 508 X 6.35 SA234WPB	2	TDG:102 REV:05	D495.3		
12	921053660000	BW EQT 219.1 X 25 SA234WPC	3	TDG:102 REV:05	P175.5		
13	921056270000	BW EQT OD406.4X33 SA234WPC	1	TDG:102 REV:05	P/D1/344.4		
14	921174250000	BW RED OD 368 X 40 X 273 X 32 SA234WPC	3	TDG:102 REV:05	P292.3 /P214.5		
15	921174280000	BWREDOD355.6X9.53/323.9X9.53SA234WP22CL1	9	TDG:102 REV:05	336.5/304.8		
16	921174450000	REDUCER 273X32/219.1X30SA234WPC	6	TDG:102 REV:05	P214.5/P164.9		
17	921174460000	REDUCER 660X22/558.8X23 SA234WPC	2	TDG:102 REV:05	P620/P518.8		
18	921174650000	BWCONCREDOD355.6X62/219.1X40SA234WP22CL1	2	TDG:102 REV:05	P234/143.6		
19	921175620000	BWCONREDOD660X116/OD457X82SA234WPC	2	TDG:102 REV:05	P' D1=457.2/P' D1=314		
20	921175630000	BWCONREDOD457X82/OD406.4X72SA234WPC	3	TDG:102 REV:05	P' D1=314/P' D1=266.8		
21	921175650000	BWRED OD 559X75 / OD 406.4X56 SA234WPC	3	TDG:102 REV:05	P' D1=424.2/P' D1=306.2		

BW FITTINGS - GENERAL

LIST OF ITEMS

	MATLCD	DESCRIPTION	QTY (NOS)	TDC	FITTING D1 VALUE	CURR	UNIT RATE (RATE PER NO)
22	921176120000	RED 219.1X12.7/168.3X10.97SA234WP22CL1	4	TDG:102 REV:05	D 194.1/ D 147.4		
23	921177040000	BW CON RED OD508X64/406.4X33SA234WPC	4	TDG:102 REV:05	P /392/348.3		
24	921177070000	BW CON RED 457X56/406.4X56 SA234WPC	10	TDG:102 REV:05	P /352/296.6		
25	921177440000	REDUCER OD 660X116 / 559X75 SA234WPC	1	TDG:102 REV:05	P/452.8/424.2		
26	921177450000	BWCONREDOD660X116/OD457X82SA234WPC	2	TDG:102 REV:05	P/452.8/309.3		
27	921177500000	.BW CON REDOD508X64/273X25 SA234WPC	2	TDG:102 REV:05	P/D1/379.2/228.5		
28	925041570000	BW LR 90DEG ELL 48.3 X 10.15 SA234WPC	508	TDG:102 REV:05	D30.3		
29	925042110000	BW LR 90DEG ELL 219.1X36SA234WP22CL1	35	TDG:102 REV:05	P152.2		
30	925042470000	BW LR 90DEG ELL 323.9 X 36 SA234WPC	2	TDG:102 REV:05	P256.8		
31	925044550000	BW LR 90DEG ELL 273 X 9.27 SA234WPC	15	TDG:102 REV:05	D254.5		
32	925045450000	BW LR 90DEG ELL 60.3X12.5SA234WP22CL1	1992	TDG:102 REV:05	D34.8		
33	925045700200	BWLR90DEGELL114.3X6.02(WITHMPI) SA234WPB	4	TDG:102 REV:05	D 103.5		
34	925046700000	BW LR 90DEG ELL 114.3 X 17.12 SA234WPC	35	TDG:102 REV:05	P83.2		
35	925046720000	BW LR 90DEG ELL 168.3 X 21.95 SA234WPC	304	TDG:102 REV:05	P128.2		
36	925046780000	BW LR 90DEG ELL114.3X20SA234WP22CL1	8	TDG:102 REV:05	P78.2		
37	925046940000	BW LR 45DEG ELL 114.3 X 17.12 SA234WPC	26	TDG:102 REV:05	P83.2		
38	925048470000	LR ELBOW 45 DEG 762X12.7 SA234WPB	10	TDG:102 REV:05	D/736.6		
39	925048480000	BW LR 45 DEG ELBOW 355.6X64 SA234WPC	2	TDG:102 REV:05	P/239.4		
40	925048500000	BBW 90 DEG ELBOW OD 355.6X 64 SA234WPC	5	TDG:102 REV:05	P/239.4		
41	925048510000	BW 90 LR DEG ELBOW OD 660 X 116 SA234WPC	2	TDG:102 REV:05	P' D1=452.8		
42	925048590000	BW 90DEG LR ELBOW OD406.4X33 SA234WPC	7	TDG:102 REV:05	P/D1/344.4		

BW FITTINGS - GENERAL

LIST OF ITEMS

	MATLCD	DESCRIPTION	QTY (NOS)	TDC	FITTING D1 VALUE	CURR	UNIT RATE (RATE PER NO)
43	925052060000	BW EQT 73 X 5.16 SA234WPB	10	TDG:102 REV:05	D62.7		
44	925052160000	BW EQUAL TEE OD 457X82 SA234WPC	1	TDG:102 REV:05	P/309.3		
45	925052600000	BW EQT 508 X 12.7 SA234WPB	1	TDG:102 REV:05	D482.8		
46	925052870000	BWUEQT273X6.35 219.1X6.35SA234WP22CL1	5	TDG:102 REV:05	D260.3/D206.4		
47	925053160000	BW UEQT 323.9X6.35 273X6.35 SA234WPB	2	TDG:102 REV:05	D311.2/D260.3		
48	925053170000	BW UEQT 219.1X6.35 88.9X5.49 SA234WPB	2	TDG:102 REV:05	D206.4/D79		
49	925053790000	BW UEQT 355.6X9.53 219.1X8.18 SA234WPB	2	TDG:102 REV:05	D336.5/D202.7		
50	925054100000	BW EQT 610 X 9.53 SA234WPB	6	TDG:102 REV:05	D590.9		
51	925055370000	BWUEQT88.9X7.62/ 60.3X 5.54SA234WP22CL1	5	TDG:102 REV:05	D 73.7 / D 48.6		
52	925057020000	BW EQT 168.3 X 21.95 SA234WPC	13	TDG:102 REV:05	P128.2		
53	925057400000	BWUEQT 219.1X6.35/114.3X6.02SA234WP11CL1	1	TDG:102 REV:05	D206.4/D103.5		
54	925057430000	BWUEQT558.8X28.58/457.2X25SA234WP22CL1	4	TDG:102 REV:05	P506.8/P412.4		
55	925057440000	BWUEQT558.8X28.58/508X28SA234WP22CL1	2	TDG:102 REV:05	P506.8/P457.4		
56	925057790000	EQ TEE OD 508 X 64 SA234 WPC DRG NO 4 80 423 62608	3	TDG:102 REV:05	392/392		
57	925059220000	BW UNEQTEE OD406.4X54/219.1X30 SA234WPC	3	TDG:102 REV:05	P 301 /164.9		
58	925059230000	BWUNEQTEE OD 508X48/ 273X36 SA234WPC	1	TDG:102 REV:05	P 415/ 208		
59	925059250000	BWUNEQTEE OD 508X48/ 219.1X25 SA234WPC	1	TDG:102 REV:05	P 415 / 175.5		
60	925059920000	UNEQ TEE OD864x50/168.3x27.5SA234WP22CL1	1	TDG:102 REV:05	P/778/P/119.3		
61	925173220000	BWCONRED73X14.02/60.3X12.5 SA234WP22cl1	48	TDG:102 REV:05	D 44.5/34.8		
62	925174220000	BW CON RED 88.9X15.24/73X9.53 SA234WP22	3	TDG:102 REV:05	D1=P61.3/D53.9		
63	925174400000	BWCONRED323.9X6.35/219.1X6.35 SA234WPB	6	TDG:102 REV:05	D 311.2 / D 206.4		

BW FITTINGS - GENERAL

LIST OF ITEMS

	MATLCD	DESCRIPTION	QTY (NOS)	TDC	FITTING D1 VALUE	CURR	UNIT RATE (RATE PER NO)
64	925177020000	BWCO.RED219.1X40/168.3X34SA234WP22CL1	10	TDG:102 REV:05	P143.6 / P 107.1		
65	925177030000	BWCO.RED355.6X62/168.3X34SA234WP22CL1	2	TDG:102 REV:05	P234/P105		
66	925178790000	BW CON RED 508X12.7/323.9X9.53 SA234WPB	1	TDG:102 REV:05	D 482.8/D 304.8		
67	925178860000	BWCONRED406.4X12.7/355.6X9.53 SA234WPB	1	TDG:102 REV:05	D 381.6/336.6		
68	925178870000	BWCONRED273.1X6.35/219.1X8.18 SA234WPB	3	TDG:102 REV:05	D 260.3 / D 202.7		
69	925178920000	BW CONRED73X5.16/60.3X5.54 SA234WP22CL1	4	TDG:102 REV:05	D62.7/D49		
70	925178930000	CR457.2X22.2/406.4X22.2L220SA234WP22CL1	3	TDG:102 REV:05	P417.2/P370.4		
71	925179030000	BWCON.RED 219.1X6.35/168.3X7.11SA234WPB	4	TDG:102 REV:05	D 206.4 / D 155.6		
72	925179090000	C.RED355.6X9.53/168.3X27.5SA234WP22CL1	2	TDG:102 REV:05	D 336.5/P 119.3		
73	925179270000	BWC.RED219.1X3.76/168.3X5.4SA403WP304H	2	TDG:102 REV:05	D211.6/D157.5		
74	925179520000	BW CON RED 273X28 219.1X25 SA234WPC	2	TDG:102 REV:05	P221/P175.5		
75	925179630000	C.RED88.9X15.24/60.3X11.07SA234WP22CL1	5	TDG:102 REV:05	P 61.6 / D 37.7		
76	925179690000	BWCONRED114.3X13.49/60.3X12.5 SA234WPC	4	TDG:102 REV:05	D 89.6 / D34.8		
77	925179790000	C.RED. 114.3X20/60.3X12.5SA234WP22CL1	2	TDG:102 REV:05	D 78.2 /D 34.8		
78	925179970000	BWCO.RE.457.2X19.05/406.4X16.66SA234WPC	2	TDG:102 REV:05	P432.1/P377.2		
79	925195280000	BW END CAP 60.3 X 12.5 SA234WP22CL1	105	TDG:102 REV:05	D 34.8		
80	925195330400	BW END CAP 323.9 X 9.53SA234WP22CL1	3	TDG:102 REV:05	D 304.8		
81	925195690000	BW CAP 508 X 64 SA234WPC	1	TDG:102 REV:05	392		
82	925240170000	BW LR 90DEG ELL 88.9 X 15.24 SA234WPC	2	TDG:102 REV:05	D61.6		
83	925241560000	BW LR 90DEG ELL 168.3X27.5 SA234WPC	22	TDG:102 REV:05	P119.3		
84	925241570000	BW LR 90DEG ELL 219.1X40SA234WP22CL1	9	TDG:102 REV:05	P143.6		

BW FITTINGS - GENERAL

LIST OF ITEMS

	MATLCD	DESCRIPTION	QTY (NOS)	TDC	FITTING D1 VALUE	CURR	UNIT RATE (RATE PER NO)
85	925242030500	BW LR 90DEG ELL 355.6 X 11.13 SA234WPB	8	TDG:102 REV:05	D333.3		
86	925242430000	BW LR 90DEG ELL 219.1 X 12.7 SA234WPB	30	TDG:102 REV:05	D194.1		
87	925243020000	BW LR 90DEG ELL 60.3 X 11.07 SA234WPC	60	TDG:102 REV:05	D37.7		
88	925243090000	BW LR 90DEG ELL 273 X 36 SA234WPC	30	TDG:102 REV:05	P208		
89	925243130000	BW LR 90DEG ELL 88.9 X 11.13 SA234WPC	48	TDG:102 REV:05	D69.2		
90	925243170000	BW LR 90DEG ELL 219.1 X 30 SA234WPC	180	TDG:102 REV:05	P164.9		
91	925243430000	BW LR 90DEG ELL 457.2 X 12.7 SA234WPC	8	TDG:102 REV:05	D432.1		
92	925243440000	BW LR 90DEG ELL 48.3 X 7.14 SA234WPC	30	TDG:102 REV:05	D35.6		
93	925243470000	BW LR 90DEG ELL 273 X 25 SA234WPC	26	TDG:102 REV:05	P' D1=228.5		
94	925243530000	BW LR 45DEG ELL 323.9 X 10.31 SA234WPC	6	TDG:102 REV:05	D303.3		
95	925244560000	BW LR90DEG ELL 33.4X6.35SA234WP22CL1	100	TDG:102 REV:05	D22		
96	925244590000	LR 90DEG ELL 33.4X4.55SA234WP22CL1	280	TDG:102 REV:05	D25.2		
97	925244600000	BW LR 90DEG ELL 60.3X5.54SA234WP22CL1	310	TDG:102 REV:05	D49		
98	925244660000	BW LR 90DEG ELL 114.3X3.05 SA403WP304H	15	TDG:102 REV:05	D108.2		
99	925246070000	LR 90DEG ELL 60.3X12.75SA234WP22CL1	3	TDG:102 REV:05	D 34.3		
100	925246120000	BW LR 90DEG ELL 60.3 X 3.91 SA403WP304H	440	TDG:102 REV:05	D 53.2		
101	925246130000	BW LR 90DEG ELL 48.3 X 3.68 SA403WP304H	399	TDG:102 REV:05	D 41.6		
102	925246140000	BW LR 90DEG ELL 33.4 X 3.38 SA403WP304H	600	TDG:102 REV:05	D27.2		
103	925246300000	BWLR90DEGELBOW OD 508 X 25 SA234WP22CL1	6	TDG:102 REV:05	P460		
104	925246360000	BW LR90DEG ELL457.2X22.2SA234WP22CL1	15	TDG:102 REV:05	P417.2		
105	925246900000	BW LR90DEG ELL711.2 X 25SA234WP22CL1	6	TDG:102 REV:05	P665.1		

BW FITTINGS - GENERAL

LIST OF ITEMS

	MATLCD	DESCRIPTION	QTY (NOS)	TDC	FITTING D1 VALUE	CURR	UNIT RATE (RATE PER NO)
106	925247430000	BW LR 45DEG ELL 323.9 X 36 SA234WPC	3	TDG:102 REV:05	P256.8		
107	925247800000	LR 90DEG ELBOW OD 273.0X12.7SA234WPC	12	TDG:102 REV:05	D/248		
108	925247880000	LR 90DEG ELBOW OD 168.3X3.4 SA403WP316L	40	TDG:102 REV:05	D / 161.5		
109	925247920000	LR 90DEG ELBOW OD323.9x56SA 234 WPC	40	TDG:102 REV:05	P/214.2		
110	925248450000	BW LR 90DEG ELL 60.3 X 5.54 SA234WPC	100	TDG:102 REV:05	D49		
111	925248560000	BW LR 45DEG ELL 114.3X13.49 SA234WPC	14	TDG:102 REV:05	D89.6		
112	925248640000	BW LR 45DEG ELL 368 X 48 SA234WPC	2	TDG:102 REV:05	P281		
113	925248970000	BW LR 45 DEG ELL 559X28.58 SA234WP22CL1	10	TDG:102 REV:05	P506.8		
114	925249170000	BW LR 90DEG ELL711.2X20SA234WPC	4	TDG:102 REV:05	P673.4		
115	925249200000	BWLR 90 DEG ELBOW OD 508 X 64 SA234 WPC	17	TDG:102 REV:05	P392		
116	925249210000	BW LR 90 DEG ELL 368 X 40 SA234WPC	25	TDG:102 REV:05	P/292.3		
117	925249290000	BW LR 45 DEG ELBOW OD 508 X 64 SA234WPC	2	TDG:102 REV:05	392		
118	925249330000	BW ELBOW 45 DEG 368 X 40 SA234WPC	2	TDG:102 REV:05	292.3		
119	925249450000	BW LR 45 DEG ELL 559 X 72 SA234WPC	1	TDG:102 REV:05	P /422		
120	925249540000	BW LR 90 DEG ELL 660 X 22 SA234 WPC	26	TDG:102 REV:05	P/ 620.39		
121	925249840000	BW 90 DEG LR ELBOW OD 559 X 75 SA234WPC	8	TDG:102 REV:05	P' D1=424.2		
122	925249860000	BW 90 DEG ELBOW OD 406.4 X 56 SA234WPC	59	TDG:102 REV:05	P' D1=306.2		
123	925249870000	BW 45 DEG ELBOW OD 406.4X 56 SA234WPC	10	TDG:102 REV:05	P' D1=306.2		
124	925249880000	BW 30 DEG ELBOW OD 406.4X 56 SA234WPC	10	TDG:102 REV:05	P' D1=306.2		
125	925250070000	BW EQT 88.9 X 11.13 SA234WPC	5	TDG:102 REV:05	D69.2		
126	925251910000	BW EQTEE OD 368 X 40 SA234WPC	4	TDG:102 REV:05	292.3		

BW FITTINGS - GENERAL

LIST OF ITEMS

	MATLCD	DESCRIPTION	QTY (NOS)	TDC	FITTING D1 VALUE	CURR	UNIT RATE (RATE PER NO)
127	925251930000	BW UNEQTEE OD 368X40/ 273 X32 SA234WPC	4	TDG:102 REV:05	292.3/214.5		
128	925251950000	BW UNEQTEE OD368X40/168.3X21.95 SA234WPC	1	TDG:102 REV:05	292.3/128.2		
129	925251960000	BW EQTEE OD 323.9 X 9.53 SA234WP22CL1	2	TDG:102 REV:05	304.8		
130	925252570000	BW EQT 60.3 X 5.54 SA234WPB	20	TDG:102 REV:05	D 50.4		
131	925253020000	BW EQT 60.3 X 11.07 SA234WPC	5	TDG:102 REV:05	D37.7		
132	925253380000	BWUEQT168.3X21.95/114.3X17.12 SA234WPC	2	TDG:102 REV:05	P 128.2/P-83.2		
133	925253530000	BW UEQT 273X36 114.3X17.12 SA234WPC	3	TDG:102 REV:05	P208/P83.2		
134	925253760000	BW EQT 609.6 X 14.27 SA234WPC	2	TDG:102 REV:05	P582		
135	925253990000	BW EQT 711.2 X 20 SA234WPC	5	TDG:102 REV:05	P673.4		
136	925255590000	BW UEQT 355.6X9.53 114.3X6.02 SA234WPB	1	TDG:102 REV:05	D 336.5/102.3		
137	925256640000	UEQT 219.1X36/168.3X27.5SA234WP22CL1	3	TDG:102 REV:05	P152.2/P119.3		
138	925256850000	BW EQT 355.6 X 9.53 SA234WP22	10	TDG:102 REV:05	D336.5		
139	925257170000	BW EQT 60.3 X 3.91 SA403WP304H	50	TDG:102 REV:05	D 53.2		
140	925259550000	BWUEQT219.1X3.76/168.3X3.4 SA403WP304H	2	TDG:102 REV:05	D 211.6/D 161.5		
141	925271560000	BW CON RED 60.3X4.55/33.4X4.55 SA234WPB	50	TDG:102 REV:05	D 51.5/25.2		
142	925272030000	BW CON RED 457.2X10/323.9X9.53 SA234WPB	2	TDG:102 REV:05	D 437.2/304.8		
143	925273100000	BWCONRED168.3X21.95/73X14.02 SA234WPC	2	TDG:102 REV:05	P128.2/D47.7		
144	925273120000	BWCONRED168.3X21.95/114.3X17.12 SA234WPC	2	TDG:102 REV:05	P128.2/P83.2		
145	925273180000	BWCONRED114.3X17.12/88.9X15.24 SA234WPC	1	TDG:102 REV:05	P83.2/P61.6		
146	925273240000	BW CON RED 114.3X13.49/73X9.53 SA234WPC	11	TDG:102 REV:05	D 89.6 /D 56.1		
147	925273730000	BW CON RED 33.4X6.35/21.3X4.55 SA234WPC	80	TDG:102 REV:05	D 22/13.1		

BW FITTINGS - GENERAL

LIST OF ITEMS

	MATLCD	DESCRIPTION	QTY (NOS)	TDC	FITTING D1 VALUE	CURR	UNIT RATE (RATE PER NO)
148	925273800300	BW CON RED 219.1X32/168.3X27.5 SA234WPC	2	TDG:102 REV:05	P 160.7/P 119.3		
149	925273910000	BW CON RED 711X20 457.2X12.7 SA234WPC	4	TDG:102 REV:05	P673.4/D432.1		
150	925273920000	BWCONRED457.2X12.7/406.4X14.6 SA234WPC	10	TDG:102 REV:05	D 432.1 / P377.2		
151	925274520000	C.RED 219.1X36/168.3X27.5SA234WP22CL1	4	TDG:102 REV:05	P152.2/P118.6		
152	925275660000	BWCONRED219.1X25/168.3X21.95 SA234WPC	4	TDG:102 REV:05	P175.5/P128.3		
153	925275690000	BW CON RED 323.9X36 273X30 SA234WPC	1	TDG:102 REV:05	P256.8/P218.7		
154	925276710000	C.RED 355.6X55.6/219.1X36SA234WP22CL1	2	TDG:102 REV:05	P 248/152.2		
155	925277480000	C.RED 457.2X28.5/273X28.5SA234WP22CL1	4	TDG:102 REV:05	P405.7/P222		
156	925278140000	BW CON RED 73X5.16 60.3X5.54 SA234WPB	10	TDG:102 REV:05	D62.7/D49		
157	925278860000	BWCONRED48.3X5.08/33.4X4.55 SA403WP304H	8	TDG:102 REV:05	D39.2/D25.2		
158	925278870000	C.RED 33.4X6.35/21.3X4.78SA234WP22CL1	20	TDG:102 REV:05	D 22 / D 12.7		
159	925279380000	CR.457.2X22.2/406.4X22.2L381SA234WP22CL1	1	TDG:102 REV:05	P417.2/P370.4		
160	925279500000	BWCONRED457.2X14.27/406.4X9.53 SA234WPB	4	TDG:102 REV:05	P430.7/D387.3		
161	955247520000	BW LR 90DEG ELBOW 323.9X4.57SA403WP304H	3	TDG:102 REV:05	D 314.8		
	Grand Total		6979				