

LIST OF ITEMS

SL NO	Material	Descri	TYPE	NO CHINA	CONSTRUC TION	QTY	SPECIFICATION	TYPE	SecWt	FITTING D1 VALUE	CURREN CY	UNIT RATE (RATE PER NO)
1	921044640000	LR 90DEG ELL 168.3X10.97SA234WP22CL1	FITAS		SEAMLESS	24	SA234WP22CL1	ELBOW	15	D147.4		
2	921044650000	LR 90DEG ELL 273X9.27SA234WP22CL1	FITAS		SEAMLESS	22	SA234WP22CL1	ELBOW	37	D254.5		
3	921044660000	LR 90DEG ELL 323.9X9.53SA234WP22CL1	FITAS		SEAMLESS	25	SA234WP22CL1	ELBOW	54	D304.8		
4	921174750000	CON.REDUCER 965 X37/864X34SA234WP22CL1	FITAS		SEAMLESS	2	SA234WP22CL1	REDUCER	325	P/892.3/800		
5	921175730000	REDUCER OD 914X47/ 864X50 SA234WP22CL1	FITAS		SEAMLESS	2	SA234WP22CL1	REDUCER	714	AS PER DRG		
6	921176480000	RED 457X9.53/ 323.9X9.53SA234WP22CL1	FITAS	*	SEAMLESS	1	SA234WP22CL1	REDUCER	50	D/437.2/303.9		
7	921176780000	RED OD 965x37/559x28.58 SA234WP22CL1	FITAS	*	SEAMLESS	2	SA234WP22CL1	REDUCER	446	P/892.3/506.8		
8	921176980000	CON RED 406.4X33/219.1X12.7SA234WP22CL1	FITAS		SEAMLESS	1	SA234WP22CL1	REDUCER	86	P /344.4/ 193.7		
9	921177760000	REDUCER 508X9.53/406.4X9.53/SA234WP22CL1	FITAS	*	SEAMLESS	2	SA234WP22CL1	REDUCER	62.6	D - D1= 488.9 / 387.3		
10	925042110000	BW LR 90DEG ELL 219.1X36SA234WP22CL1	FITAS		SEAMLESS	26	SA234WP22CL1	ELBOW	82	P152.2		
11	925042310000	BW LR 90DEG ELL273.1 X 6.35SA234WP22CL1	FITAS		SEAMLESS	20	SA234WP22CL1	ELBOW	26	D260.3		
12	925045450000	BW LR 90DEG ELL 60.3X12.5SA234WP22CL1	FITAS		SEAMLESS	2000	SA234WP22CL1	ELBOW	1.7	D34.8		
13	925045660000	BW LR90DEG ELL168.3X7.11SA234WP22CL1	FITAS		SEAMLESS	67	SA234WP22CL1	ELBOW	10.4	D155.6		
14	925045800000	BW LR 90DEG ELL 508 X 28SA234WP22CL1	FITAS		SEAMLESS	10	SA234WP22CL1	ELBOW	420	P457.4		
15	925046800000	BW LR90DEG ELL168.3X27.5SA234WP22CL1	FITAS		SEAMLESS	7	SA234WP22CL1	ELBOW	37.5	P119.3		
16A	925048950000	BW LR 90DEG ELBOW 508X9.53/SA234WP22CI	FITAS		SEAMLESS	1	SA234WP22CL1	ELBOW	143.8	D/ D1/ 488.9		
16B	925048950000	BW LR 90DEG ELBOW 508X9.53/SA234WP22CI	FITAS	*	SEAMLESS	6	SA234WP22CL1	ELBOW	143.8	D/ D1/ 488.9		
17	925048960000	BWLR45 DEG ELBOW 406.4X9.53/SA234WP22CL1	FITAS	*	SEAMLESS	3	SA234WP22CL1	ELBOW	45.4	D/ D1/ 387.3		
18	925049750000	ASMEB16.9BW90DEGELL508X30 SA234WP22CL1	FITAS		SEAMLESS	4	SA234WP22CL1	ELBOW	368.4	P / 453.2		
19	925053960000	BW EQT 219.1X40SA234WP22CL1	FITAS		SEAMLESS	2	SA234WP22CL1	TEE	80	P1/144		
20	925055370000	BWUEQT88.9X7.62/ 60.3X 5.54SA234WP22CL1	FITAS		SEAMLESS	4	SA234WP22CL1	TEE	2.8	D 73.7 / D 48.6		
21	925057230000	BW EQT 168.3 X 27.5 SA234WP22CL1	FITAS		SEAMLESS	1	SA234WP22CL1	TEE	60	P119.3		
22	925057400000	BWUEQT 219.1X6.35/114.3X6.02SA234WP11CL1	FITAS		SEAMLESS	1	SA234WP11CL1	TEE	25	D206.4/D103.5		
23	925057440000	BWUEQT558.8X28.58/508X28SA234WP22CL1	FITAS		SEAMLESS	4	SA234WP22CL1	TEE	660	P506.8/P457.4		
24	925059610000	BW EQUAL TEE OD 965X10SA234WP22CL1	FITAS	*	SEAMLESS	3	SA234WP22CL1	TEE	695	D/944		
25	925059650000	UNEQTEE965X10/457X9.53SA234WP22CL1	FITAS	*	SEAMLESS	1	SA234WP22CL1	TEE	620	D/944/437.2		
26	925173220000	BWCONRED73X14.02/60.3X12.5 SA234WP22cl1	FITAS		SEAMLESS	4	SA234WP22CL1	REDUCER	2.3	D 44.5/34.8		
27	925175230000	C.RED 273X9.27/219.1X6.35SA234WP22CL1	FITAS		SEAMLESS	2	SA234WP22	REDUCER	3.24	D 254.5/D 206.4		
28	925177020000	BWCO.RED219.1X40/168.3X34SA234WP22CL1	FITAS		SEAMLESS	2	SA234WP22CL1	REDUCER	50	P143.6 / P 107.1		
29	925240600000	LR 90DEG ELL 273X25.4SA234WP22CL1	FITAS		SEAMLESS	15	SA234WP22	ELBOW	97.4	P228		
30	925240760000	BW LR 90DEG ELL323.9X28SA234WP22CL1	FITAS		SEAMLESS	7	SA234WP22	ELBOW	49.7	P273.8		
31	925240800000	BW LR45DEG ELL168.3 X 10.97 SA234WP22CL1	FITAS		SEAMLESS	4	SA234WP22CL1	ELBOW	7.5	D147.4		
32	925244100000	BW SR 90DEG ELL 323.9 X 11.13 SA234WP22	FITAS		SEAMLESS	2	SA234WP22CL1	ELBOW	40	D 301.6		
33	925244580000	BW LR90DEG ELL559X28.58SA234WP22CL1	FITAS		SEAMLESS	18	SA234WP22CL1	ELBOW	516	P506.8		
34	925244590000	LR 90DEG ELL 33.4X4.55SA234WP22CL1	FITAS		SEAMLESS	420	SA234WP22CL1	ELBOW	0.2	D25.2		
35	925244600000	BW LR 90DEG ELL 60.3X5.54SA234WP22CL1	FITAS		SEAMLESS	920	SA234WP22CL1	ELBOW	0.9	D49		
36	925246780000	BW LR45DEG ELL323.9X9.53SA234WP22CL1	FITAS	*	SEAMLESS	3	SA234WP22	ELBOW	21	D304.8		
37	925246790000	BW LR45DEG ELL355.6X9.53SA234WP22CL1	FITAS		SEAMLESS	18	SA234WP22CL1	ELBOW	35	D336.5		
38	925246900000	BW LR90DEG ELL711.2 X 25SA234WP22CL1	FITAS		SEAMLESS	2	SA234WP22CL1	ELBOW	710	P665.1		
39	925247720000	LR 90DEG ELBOW OD 610X10SA234WP22CL1	FITAS	*	SEAMLESS	8	SA234WP22CL1	ELBOW	215	D/150		
40	925247750000	LR90DEG ELBOW 965X10SA234WP22CL1(Welded)	FITAS	*	WELDED	3	SA234WP22CL1	ELBOW	540	D/944		
41	925247900000	BW 90 DEG LR ELBOW OD813x38SA234WP22CL1	FITAS		SEAMLESS	2	SA234WP22CL1	ELBOW	1395	P/738.8		
42	925247990000	BW LR 90DEG ELBOW406.4X9.53SA234WP22CL1	FITAS	*	SEAMLESS	31	SA234WP22CL1	ELBOW	100	D/385.4		
43	925248510000	BW LR90DEG ELL60.3X11.07SA234WP22CL1	FITAS	*	SEAMLESS	124	SA234WP22	ELBOW	1.3	D37.7		
44	925249090000	BW LR 90DEG ELL660X40SA234WP22CL1	FITAS		SEAMLESS	6	SA234WP22CL1	ELBOW	950	P586.7		
45	925249900000	BW90DEG LR ELL OD864X50 SA234WP22 CL1	FITAS	*	SEAMLESS	1	SA234WP22CL1	ELBOW	2042	P' D1=764.1		
46	925249910000	BW 45 DEG LR ELL OD864X50 SA234WP22 CL1	FITAS		SEAMLESS	2	SA234WP22CL1	ELBOW	1021	P' D1=764.1		
47	925250770000	BW EQT 273 X 25.4 SA234WP22	FITAS		SEAMLESS	1	SA234WP22	TEE	98.5	P 228		
48	925251960000	BW EQTEE OD 323.9 X 9.53 SA234WP22CL1	FITAS		SEAMLESS	6	SA234WP22CL1	TEE	65	304.8		
49	925254130000	BW UEQT 273X15.09 114.3X8.56 SA234WP22	FITAS	*	SEAMLESS	6	SA234WP22	TEE	46.3	P 245.9/ D 97.2		
50	925254410000	BW EQT 406.4 X 9.53SA234WP22CL1	FITAS	*	SEAMLESS	2	SA234WP22	TEE	110	D387.3		

LIST OF ITEMS

SL NO	Material	Descri	TYPE	NO CHINA	CONSTRUC TION	QTY	SPECIFICATION	TYPE	SecWt	FITTING D1 VALUE	CURREN CY	UNIT RATE (RATE PER NO)
51	925256590000	UEQT 273X15.09/168.3X10.97SA234WP22CL1	FITAS	*	SEAMLESS	6	SA234WP22	TEE	50	P 245.9/D 147.4		
52	925256850000	BW EQT 355.6 X 9.53 SA234WP22	FITAS		SEAMLESS	2	SA234WP22CL1	TEE	102	D336.5		
53	925257220000	UEQT 323.9X9.53/168.3X7.11SA234WP22CL1	FITAS		SEAMLESS	2	SA234WP22	TEE	63	D 304.8/D 155.6		
54	925274520000	C.RED 219.1X36/168.3X27.5SA234WP22CL1	FITAS		SEAMLESS	5	SA234WP22CL1	REDUCER	30	P152.2/P118.6		
55	925274570000	BWCONRED609.6X20/508X20SA234WP22CL1	FITAS		SEAMLESS	2	SA234WP22CL1	REDUCER	150	STYLE P 572.6/471		
56	925274930000	C.RED ID260X51/168.3X28SA234WP22CL1	FITAS		SEAMLESS	1	SA234WP22CL1	REDUCER	125	P260/P118.6		
57	925275550000	C. RED 558.8 X 28 / 508 X 28SA234WP22CL1	FITAS		SEAMLESS	2	SA234WP22CL1	REDUCER	161.85	P 506.8/P 457.4		
58	925276250000	BWCONRED457.2X9.53/406.4X9.53 SA234WP22	FITAS	*	SEAMLESS	2	SA234WP22	REDUCER	43	D 438.1/D 387.3		
59	925278440000	BWCONRED33.4X3.38/21.3X2.77 SA234WP22	FITAS	*	SEAMLESS	66	SA234WP22	REDUCER	0.13	D 27.2/D 16.2		
60	925279190000	C.RED 323.9X9.53/168.3X7.11SA234WP22CL1	FITAS		SEAMLESS	3	SA234WP22CL1	REDUCER	14.1	D 304.8/154.1		
61	921043370000	BW LR 90DEG ELL 219.1 X 28 SA234WPC	FITCS		SEAMLESS	26	SA234WPC	ELBOW	68.6	P169.2		
62	921044240000	BW LR 45DEG ELL 508 X 12.7 SA234WPB	FITCS	*	SEAMLESS	6	SA234WPB	ELBOW	94.3	D482.8		
63	921044610000	BW LR 90DEG ELL 273 X 9.27 SA234WPB	FITCS		SEAMLESS	44	SA234WPB	ELBOW	37	D254.5		
64	921044820000	BW LR 90DEG ELL 406.4 X 9.53 SA234WPB	FITCS		SEAMLESS	110	SA234WPB	ELBOW	91	D387.3		
65A	921044840000	BW LR 90DEG ELL 508 X 12.7 SA234WPB	FITCS	*	SEAMLESS	44	SA234WPB	ELBOW	190.1	D482.8		
65B	921044840000	BW LR 90DEG ELL 508 X 12.7 SA234WPB	FITCS	*	SEAMLESS	6	SA234WPB	ELBOW	190.1	D482.8		
66	921051370000	BW EQT 219.1 X 6.35 SA234WPB	FITCS		SEAMLESS	18	SA234WPB	TEE	23	D206.4		
67	921053660000	BW EQT 219.1 X 25 SA234WPC	FITCS		SEAMLESS	1	SA234WPC	TEE	76.5	P175.5		
68	921054790000	BW EQT 114.3 X 6.02SA234WPB	FITCS		SEAMLESS	30	SA234WPB	TEE	3.283	D103.5		
69A	921054840000	BW EQT 406.4 X 9.53 SA234WPB	FITCS	*	SEAMLESS	4	SA234WPB	TEE	110	D387.3		
69B	921054840000	BW EQT 406.4 X 9.53 SA234WPB	FITCS	*	SEAMLESS	3	SA234WPB	TEE	110	D387.3		
70	921055000000	BW EQT 273 X 9.27 SA234WPB	FITCS		SEAMLESS	1	SA234WPB	TEE	41	D254.5		
71	921055030000	BW UEQT 273X9.27 219.1X8.18 SA234WPB	FITCS		SEAMLESS	1	SA234WPB	TEE	39.6	D254.5/D202.7		
72	921056400000	BW UNEQTEE 610x82/559x75 SA234WPC	FITCS		SEAMLESS	2	SA234WPC	TEE	18.03	P/D1/454/423		
73	921056490000	BWUNEQTEE 558.8X9.53/323.9x9.53/SA234WPB	FITCS		SEAMLESS	1	SA234WPB	TEE	172.5	D D1=533.8 / D1=304.8		
74	921171170200	BW CON RED 273X9.27/219.1X8.18 SA234WPB	FITCS		SEAMLESS	4	SA234WPB	REDUCER	10.5	D254.5/D202.7		
75	921171270000	BW CON RED 508X12.7/457.2X12.7 SA234WPB	FITCS		SEAMLESS	1	SA234WPB	REDUCER	84.3	D482.8/D432.1		
76	921171310200	BW CON RED 88.9X7.62/60.3X5.54 SA234WPB	FITCS		SEAMLESS	8	SA234WPB	REDUCER	1.2	D73.7/D49		
77	921174230000	BW RED OD 406.4 X 61/ 368 X 40 SA234WPC	FITCS		SEAMLESS	7	SA234WPC	REDUCER	215	P310 /P292.3		
78	921174290000	BWRED OD 219.1X 30/114.3 X 17.12SA234WPC	FITCS	*	SEAMLESS	2	SA234WPC	REDUCER	23	164.9/ 83.2		
79	921174510000	CONC RED 168.3X27.5/114.3X17.12 SA234WPC	FITCS		SEAMLESS	6	SA234WPC	REDUCER	15	P/119.3/83.2		
80	921174770000	RED 559 X 72 / 406.4 X 54 SA234WPC	FITCS		SEAMLESS	3	SA234WPC	REDUCER	375	P 422 / P 301		
81	921174820000	RED 114.3 X 6.02 / 33.4 X 4.55 SA234WPB	FITCS		SEAMLESS	34	SA234WPB	REDUCER	1.2	D103.5/D25.2		
82	921174970000	REDUCER OD762X20/OD 558.8X23 SA234WPC	FITCS		SEAMLESS	4	SA234WPC	REDUCER	228	AS PER DRG		
83	921176230000	RED OD219.1x25/168.3x14.27SA234WPC	FITCS		SEAMLESS	3	SA234WPC	REDUCER	16	P/ 175.5 / 141.5		
84	921176650000	ECC REDUCER 457X12.7/355.6X9.53SA234WPB	FITCS		SEAMLESS	6	SA234WPB	REDUCER	55	D/431.6/D/336.6		
85	921177070000	BW CON RED 457X56/406.4X56 SA234WPC	FITCS		SEAMLESS	22	SA234WPC	REDUCER	270	P /352/296.6		
86	921177390000	RED 406.4 X 34/ 355.6X32 SA234WP22CL1	FITCS	*	SEAMLESS	6	SA234WPC	REDUCER	140	P/340/300		
87	921177450000	BWCONREDOD660X116/OD457X82SA234WPC	FITCS		SEAMLESS	4	SA234WPC	REDUCER	895	P/452.8/309.3		
88	921177610000	CON RED OD610X82/559X75 SA234WPC	FITCS		SEAMLESS	1	SA234WPC	REDUCER	198	P/D1/454/423		
89A	921177620000	CON RED OD559x75/355.6x64 SA234WPC	FITCS	*	SEAMLESS	1	SA234WPC	REDUCER	340	P/D1/430/239.4		
89B	921177620000	CON RED OD559x75/355.6x64 SA234WPC	FITCS	*	SEAMLESS	3	SA234WPC	REDUCER	340	P/D1/430/239.4		
90	921177630000	CON RED OD610X82/406.4X56 SA234WPC	FITCS		SEAMLESS	1	SA234WPC	REDUCER	345	P/D1/454/304		
91	921177700000	REDUCER 355.6X15.09/219.1X12.7/SA234WPC	FITCS	*	SEAMLESS	2	SA234WPC	REDUCER	34.84	P - D1=328.2/ D-D1= 193.7		
92	921177720000	REDUCER 762X9.53/508X9.53/SA234WPB	FITCS	*	SEAMLESS	1	SA234WPB	REDUCER	100	D - D1=741.5 / 488.9		
93	921177780000	REDUCER 965X12.7 / 762X9.53/SA234WPB	FITCS	*	SEAMLESS	1	SA234WPB	REDUCER	16.68	D - D1= 938 / 741.5		
94	925042190000	BW LR 90DEG ELL508X9.53 SA234WPB(Welded)	FITCS		SEAMLESS	26	SA234WPB	ELBOW	143.8	D 488.9		
95	925042210000	BW LR 90DEG ELL 559 X 9.53 SA234WPB(WELDED)	FITCS		WELDED	45	SA234WPB	ELBOW	175	D540		
96	925042240000	BW SR 90DEG ELL 219.1 X 6.35 SA234WPB	FITCS		SEAMLESS	4	SA234WPB	ELBOW	11.2	D206.4		
97	925042930000	BW SR 90DEG ELL 457.2 X 9.53 SA234WPB	FITCS		SEAMLESS	2	SA234WPB	ELBOW	77.6	D 438.1		
98	925043420000	BW LR 90DEG ELL 323.9 X 10.31 SA234WPC	FITCS		SEAMLESS	26	SA234WPC	ELBOW	60	D303.3		

LIST OF ITEMS

SL NO	Material	Descri	TYPE	NO CHINA	CONSTRUC TION	QTY	SPECIFICATION	TYPE	SecWt	FITTING D1 VALUE	CURREN CY	UNIT RATE (RATE PER NO)
99	925043430000	BW LR 90DEG ELL 219.1 X 8.18 SA234WPC	FITCS		SEAMLESS	9	SA234WPC	ELBOW	21	D202.7		
100	925043450200	BW LR 45DEG ELL 88.9 X 11.13 SA234WPC	FITCS		SEAMLESS	3	SA234WPC	ELBOW	4	D69.2		
101	925043530400	BW LR 90DEG ELL 457.2 X 9.53 SA234WPB	FITCS		SEAMLESS	10	SA234WPB	ELBOW	116	D 437.2		
102	925043700400	BW LR 45DEG ELL 323.9X9.53SA234WPB	FITCS		SEAMLESS	3	SA234WPB	ELBOW	27	D304.8		
103	925044250000	BW LR 90DEG ELL 114.3 X 6.02 SA234WPC	FITCS		SEAMLESS	62	SA234WPC	ELBOW	4	D103.5		
104	925045480000	BW LR 90DEG ELL 60.3 X 5.54 SA234WPB	FITCS		SEAMLESS	300	SA234WPB	ELBOW	0.9	D49		
105	925046930000	BW LR 90DEG ELL 73 X 9.53 SA234WPC	FITCS		SEAMLESS	1	SA234WPC	ELBOW	2.3	D56.1		
106	925048310000	BW 90 DEG LR ELBOW OD610x82 SA234WPC	FITCS		SEAMLESS	5	SA234WPC	ELBOW	1535	P/453.8		
107	925048490000	BW LR 45 DEG ELBOW 457X82SA234WPC	FITCS		SEAMLESS	1	SA234WPC	ELBOW	25	P/309.3		
108	925048510000	BW 90 LR DEG ELBOW OD 660 X 116 SA234WPC	FITCS		SEAMLESS	1	SA234WPC	ELBOW	2425	P' D1=452.8		
109	925048920000	BW LR 90DEG ELBOW OD219.1X12.7 SA234WPC	FITCS	*	SEAMLESS	24	SA234WPC	ELBOW	31.3	D/ D1/ 193.7		
110	925052060000	BW EQT 73 X 5.16 SA234WPB	FITCS		SEAMLESS	34	SA234WPB	TEE	2.7	D62.7		
111	925052120000	BW EQT 508 X 9.53 SA234WPB	FITCS		SEAMLESS	4	SA234WPB	TEE	168	D 488.9		
112	925052420000	BW UEQT 219.1X6.35 / 114.3X6.02 SA234WPB	FITCS		SEAMLESS	2	SA234WPB	TEE	21	D206.4/D103.5		
113	925052600000	BW EQT 508 X 12.7 SA234WPB	FITCS		SEAMLESS	2	SA234WPB	TEE	245	D482.8		
114	925053160000	BW UEQT 323.9X6.35 273X6.35 SA234WPB	FITCS		SEAMLESS	2	SA234WPB	TEE	43.4	D311.2/D260.3		
115	925053650000	BW EQT 406.4 X 6.35 SA234WPB	FITCS		SEAMLESS	8	SA234WPB	TEE	90.8	D 393.7		
116	925053730000	BW UEQT 406.4X9.53 273X9.27 SA234WPB	FITCS		SEAMLESS	2	SA234WPB	TEE	107	D387.3/D254.5		
117	925053930000	BW UEQT 219.1X8.18 114.3X6.02 SA234WPB	FITCS		SEAMLESS	6	SA234WPB	TEE	27	D202.7/D103.5		
118	925054060000	EQ TEE219.1X8.18SA234WPC	FITCS		SEAMLESS	2	SA234WPC	TEE	23	D 202.7		
119	925054100000	BW EQT 610 X 9.53 SA234WPB	FITCS		SEAMLESS	6	SA234WPB	TEE	240	D590.9		
120	925054940000	BW UEQT 406.4X9.53 219.1X8.18 SA234WPB	FITCS		SEAMLESS	2	SA234WPB	TEE	107	D387.3/D202.7		
121	925055670000	BW EQT 273 X 9.27 SA234WPC	FITCS		SEAMLESS	2	SA234WPC	TEE	41	D254.5		
122	925057240000	UNEQUAL TEE OD610x82/457x62 SA234WPC	FITCS		SEAMLESS	4	SA234WPC	TEE	1757	P/453.8/334.6		
123	925057250000	UNEQUAL TEE OD660x116/406.4x70 SA234WPC	FITCS		SEAMLESS	2	SA234WPC	TEE	2835	P452/P273.4		
124	925057670000	BW UEQTEE 508X12.7/273X9.27/SA234WPB	FITCS		SEAMLESS	5	SA234WPB	TEE	214	D482.8/D254.5		
125	925059220000	BW UNEQTEE OD406.4X54/219.1X30 SA234WPC	FITCS		SEAMLESS	6	SA234WPC	TEE	390	P 301 /164.9		
126	925059240000	BWUNEQTEE OD 559X72/168.3X27.5 SA234WPC	FITCS		SEAMLESS	2	SA234WPC	TEE	1350	P 422 /119.3		
127	925059410000	UNEQT OD168.3x14.27/88.9x11.13SA234WPC	FITCS		SEAMLESS	1	SA234WPC	TEE	22	P/ 141.5 /D 69.2		
128	925059580000	UNEQUALTEE457X12.7/323.9X9.53SA234WPC	FITCS	*	SEAMLESS	1	SA234WPC	TEE	190	D/432.1/304.8		
129	925059630000	BW EQUAL TEE OD355.6X15.09SA234WPC	FITCS	*	SEAMLESS	1	SA234WPC	TEE	150	P/326.6		
130	925059680000	BW EQUAL TEE OD 273X12.7SA234WPC	FITCS	*	SEAMLESS	10	SA234WPC	TEE	75	D/248		
131	925059690000	UNEQTEE OD 273X12.7/114.3X6.02SA234WPC	FITCS		SEAMLESS	12	SA234WPC	TEE	75	D/248/102.3		
132	925170660000	BWCONRED219.1X8.18/168.3X7.11 SA234WPB	FITCS		SEAMLESS	7	SA234WPB	REDUCER	6.3	D202.7/D155.6		
133	925172510000	BWCONRED457.2X9.53/219.1X8.18 SA234WPB	FITCS		SEAMLESS	1	SA234WPB	REDUCER	39.4	D438.1/D202.7		
134	925174140000	BW CON RED 406.4X9.53/273X6.35 SA234WPB	FITCS		SEAMLESS	2	SA234WPB	REDUCER	28.8	D387.3/ D 260.3		
135	925174180000	BW CON RED 508X9.53/406.4X9.53 SA234WPB	FITCS		SEAMLESS	5	SA234WPB	REDUCER	62.6	D488.9 / D387.3		
136	925174950000	BWCONRED219.1X6.35/88.9X5.49 SA234WPB	FITCS		SEAMLESS	3	SA234WPB	REDUCER	4.5	D 206.4/D 79.0		
137	925175360000	BWCONRED406.4X9.53/355.6X9.53 SA234WPB	FITCS		SEAMLESS	6	SA234WPB	REDUCER	36	D387.3/D336.5		
138	925175760000	BWCONRED168.3X7.11/60.3X5.54 SA234WPB	FITCS		SEAMLESS	2	SA234WPB	REDUCER	3.5	D155.6 / D 49		
139	925176170500	BW CON RED 508X9.53 273X9.27 SA234WPB	FITCS		SEAMLESS	1	SA234WPB	REDUCER	60.8	D 488.9/D 254.5		
140	925176980000	BWCONRED168.3X7.11/114.3X6.02 SA234WPC	FITCS	*	SEAMLESS	6	SA234WPC	REDUCER	3.75	D 155.6/D 103.5		
141	925178320000	BW CON RED 88.9X11.13 73X9.53 SA234WPC	FITCS		SEAMLESS	6	SA234WPC	REDUCER	2	DD69.2/D56.1		
142	925178820000	BW CON RED 508X12.7/457.2X9.53 SA234WPB	FITCS		SEAMLESS	5	SA234WPB	REDUCER	84.3	D/482.6/438.1		
143	925178870000	BWCONRED273.1X6.35/219.1X8.18 SA234WPB	FITCS		SEAMLESS	2	SA234WPB	REDUCER	9	D 260.3 / D 202.7		
144	925179240000	BW C.RED 406.4X12.7/273X9.27 SA234WPC	FITCS		SEAMLESS	2	SA234WPC	REDUCER	80	D 381.3/D 254.5		
145	925179650000	BWCONRED406.4X9.53/323.9X6.35 SA234WPB	FITCS		SEAMLESS	2	SA234WPB	REDUCER	60	D 387.3/D 311.2		
146	925195560000	BW END CAP 60.3X5.54 SA234WPB	FITCS	*	SEAMLESS	8	SA234WPB	CAP	0.6	D49		
147	925242030500	BW LR 90DEG ELL 355.6 X 11.13 SA234WPB	FITCS		SEAMLESS	20	SA234WPB	ELBOW	83.1	D333.3		
148	925242450000	BW LR 90DEG ELL 33.4 X 4.55 SA234WPB	FITCS	*	SEAMLESS	2260	SA234WPB	ELBOW	0.2	D25.2		
149	925242470000	BW LR 45DEG ELL 60.3 X 5.54 SA234WPB	FITCS	*	SEAMLESS	24	SA234WPB	ELBOW	0.45	D49		

LIST OF ITEMS

SL NO	Material	Descri	TYPE	NO CHINA	CONSTRUC TION	QTY	SPECIFICATION	TYPE	SecWt	FITTING D1 VALUE	CURREN CY	UNIT RATE (RATE PER NO)
150	925242610000	BW LR 45DEG ELL 559 X 9.53 SA234WPB(WELDED)	FITCS	*	WELDED	5	SA234WPB	ELBOW	87	D 540		
151	925242820300	BW LR 45DEG ELL 813 X 10 SA234WPB(WELDED)	FITCS	*	WELDED	2	SA234WPB	ELBOW	193	D / 793		
152	925242830000	BWLR 90DEG ELL 813 X 10 SA234WPB(WelDED)	FITCS		WELDED	28	SA234WPB	ELBOW	386	D793		
153	925243010000	BW LR 90DEG ELL 73.0 X 14.02 SA234WPC	FITCS		SEAMLESS	10	SA234WPC	ELBOW	3.2	D47.7		
154	925243090000	BW LR 90DEG ELL 273 X 36 SA234WPC	FITCS		SEAMLESS	8	SA234WPC	ELBOW	136	P208		
155	925243130000	BW LR 90DEG ELL 88.9 X 11.13 SA234WPC	FITCS		SEAMLESS	145	SA234WPC	ELBOW	4	D69.2		
156	925243170000	BW LR 90DEG ELL 219.1 X 30 SA234WPC	FITCS		SEAMLESS	100	SA234WPC	ELBOW	67	P164.9		
157	925243200000	BW LR 90DEG ELL 33.4 X 9.09 SA234WPC	FITCS		SEAMLESS	180	SA234WPC	ELBOW	0.34	D17.2		
158	925243430000	BW LR 90DEG ELL 457.2 X 12.7 SA234WPC	FITCS		SEAMLESS	4	SA234WPC	ELBOW	153.5	D432.1		
159	925243510000	BW LR 45DEG ELL 219.1 X 25 SA234WPC	FITCS		SEAMLESS	1	SA234WPC	ELBOW	30.3	P175.5		
160	925243520000	BW SR 90DEG ELL 219.1 X 8.18 SA234WPC	FITCS		SEAMLESS	4	SA234WPC	ELBOW	14	D202.7		
161	925243530000	BW LR 45DEG ELL 323.9 X 10.31 SA234WPC	FITCS		SEAMLESS	20	SA234WPC	ELBOW	30	D303.3		
162	925247450000	BW LR 30DEG ELL 368 X 48 SA234WPC	FITCS		SEAMLESS	3	SA234WPC	ELBOW	117	P281		
163	925247800000	LR 90DEG ELBOW OD 273.0X12.7SA234WPC	FITCS		SEAMLESS	21	SA234WPC	ELBOW	55	D/248		
164	925247840000	SR 90DEG ELBOW OD 559X75SA234WPC	FITCS		SEAMLESS	4	SA234WPC	ELBOW	790	P/424.2		
165	925247910000	BW 90 DEG LR ELBOW OD965x34SA234WPC	FITCS		SEAMLESS	12	SA234WPC	ELBOW	1780	P/898.6		
166	925247930000	LR 90DEG ELBOW OD219x40SA 234 WPC	FITCS		SEAMLESS	19	SA234WPC	ELBOW	85	P/143.6		
167	925248450000	BW LR 90DEG ELL 60.3 X 5.54 SA234WPC	FITCS	*	SEAMLESS	352	SA234WPC	ELBOW	2	D49		
168	925249260000	LR 90DEG ELL 168.3x14.27SA234WPC	FITCS	*	SEAMLESS	43	SA234WPC	ELBOW	20.42	P-141.7		
169	925249330000	BW ELBOW 45 DEG 368 X 40 SA234WPC	FITCS		SEAMLESS	1	SA234WPC	ELBOW	136	292.3		
170	925249460000	BW LR 90 DEG ELL 406.4 X 54 SA234WPC	FITCS		SEAMLESS	38	SA234WPC	ELBOW	450	P / 301		
171	925249780000	BW 90 DEG ELBOW OD 457 X 82 SA234WPC	FITCS		SEAMLESS	35	SA234WPC	ELBOW	820	P' D1=309.3		
172	925249790000	BW 90 DEG ELBOW OD 273 X 52 SA234WPC	FITCS		SEAMLESS	40	SA234WPC	ELBOW	230	P' D1=172		
173	925249800000	BW 45 DEG ELBOW OD 273 X 52 SA234WPC	FITCS		SEAMLESS	9	SA234WPC	ELBOW	114	P' D1=172		
174	925249820000	BW 90 LR DEG ELBOW OD 660 X 116 SA234WPC	FITCS		SEAMLESS	2	SA234WPC	ELBOW	2425	P' D1=457.2		
175	925249840000	BW 90 DEG LR ELBOW OD 559 X 75 SA234WPC	FITCS		SEAMLESS	13	SA234WPC	ELBOW	1178	P' D1=424.2		
176	925249860000	BW 90 DEG ELBOW OD 406.4 X 56 SA234WPC	FITCS		SEAMLESS	96	SA234WPC	ELBOW	465	P' D1=306.2		
177	925249870000	BW 45 DEG ELBOW OD 406.4X 56 SA234WPC	FITCS		SEAMLESS	6	SA234WPC	ELBOW	232	P' D1=306.2		
178	925249880000	BW 30 DEG ELBOW OD 406.4X 56 SA234WPC	FITCS		SEAMLESS	21	SA234WPC	ELBOW	155	P' D1=306.2		
179	925249920000	BBW 90 DEG ELBOW OD 355.6X 64 SA234WPC	FITCS		SEAMLESS	3	SA234WPC	ELBOW	385	P' D1=231.6		
180	925251440000	BW EQT 168.3 X 27.5 SA234WPC	FITCS		SEAMLESS	2	SA234WPC	TEE	65	P119.3		
181	925251500000	BW UEQT 219.1X8.18 114.3X6.02 SA234WPC	FITCS		SEAMLESS	8	SA234WPC	TEE	27	D202.7/D103.5		
182	925251530000	BW UEQT 323.9X10.31/219.1X8.18 SA234WPC	FITCS		SEAMLESS	4	SA234WPC	TEE	67.2	D303.3/D202.7		
183	925251620000	BW EQT 813 X 10 SA234WPB	FITCS		SEAMLESS	4	SA234WPB	TEE	491	D793		
184	925251990000	BW EQT 168.3X14.27 SA234WPC	FITCS		SEAMLESS	1	SA234WPC	TEE	24	P/ 141.6		
185	925252260000	BW UEQT 168.3X7.11 73X5.16 SA234WPB	FITCS		SEAMLESS	4	SA234WPB	TEE	14	D155.6/D62.7		
186	925252390000	BW UEQT 609.6X9.53 508X9.53 SA234WPB	FITCS		SEAMLESS	2	SA234WPB	TEE	227	D 590.5 / D 488.9		
187	925252570000	BW EQT 60.3 X 5.54 SA234WPB	FITCS	*	SEAMLESS	25	SA234WPB	TEE	2.2	D 50.4		
188	925252690000	BW UEQT 406.4X9.53 219.1X6.35 SA234WPB	FITCS		SEAMLESS	1	SA234WPB	TEE	106	D 387.3 / D 206.4		
189	925252780000	BW UEQT 457.2X9.53 273X9.27 SA234WPB	FITCS	*	SEAMLESS	1	SA234WPB	TEE	129	D-438.1/ D-254.5		
190	925253020000	BW EQT 60.3 X 11.07 SA234WPC	FITCS		SEAMLESS	5	SA234WPC	TEE	4	D37.7		
191	925253400000	BW EQT 114.3 X 6.02 SA234WPC	FITCS		SEAMLESS	6	SA234WPC	TEE	6.5	D 103.5		
192	925253850000	BW EQT 219.1 X 8.18 SA234WPC	FITCS		SEAMLESS	1	SA234WPC	TEE	27	D202.7		
193	925253860000	BW EQT 323.9 X 10.31 SA234WPC	FITCS		SEAMLESS	2	SA234WPC	TEE	70.5	D303.3		
194	925255850000	UNEQTTEE 168.3X27.5/114.3X17.12SA234WPC	FITCS		SEAMLESS	4	SA234WPC	TEE	55	P/119.3/83.2		
195	925255970000	BW UEQT OD 610X14.27/406.4X17.5-SA234WPC	FITCS		SEAMLESS	1	SA234WPC	TEE	158.71	P 582.3 / P 374.6		
196	925257070000	BW UEQT 406.4X9.53 323.9X9.53 SA234WPB	FITCS	*	SEAMLESS	6	SA234WPB	TEE	110	D387.3/D304.8		
197	925257610000	BW UEQT 508X9.53 406.4X9.53 SA234WPB	FITCS		SEAMLESS	7	SA234WPB	TEE	168	D 488.9 / D387.3		
198	925257770000	BW EQT 406.4 X 7.92 SA234WPB	FITCS	*	SEAMLESS	6	SA234WPB	TEE	100	D 390.6		
199	925259830000	BW UEQT 114.3X17.12/88.9X15.24 SA234WPC	FITCS		SEAMLESS	4	SA234WPC	TEE	3	P83.2/P61.6		
200A	925259890000	BW UEQT 508X12.7 219X6.35 SA234WPB	FITCS		SEAMLESS	2	SA234WPB	TEE	150	D 482.8/D 206.4		

LIST OF ITEMS

SL NO	Material	Descri	TYPE	NO CHINA	CONSTRUC TION	QTY	SPECIFICATION	TYPE	SecWt	FITTING D1 VALUE	CURREN CY	UNIT RATE (RATE PER NO)
200B	925259890000	BW UEQT 508X12.7 219X6.35 SA234WPB	FITCS	*	SEAMLESS	3	SA234WPB	TEE	150	D 482.8/D 206.4		
201	925271470000	BW CON RED 114.3X20/88.9X15.24 SA234WPC	FITCS		SEAMLESS	4	SA234WPC	REDUCER	8	P78.2/P61.6		
202	925271530000	RED323.9X 10.31/219.1X 8.18SA234WPC	FITCS		SEAMLESS	1	SA234WPC	REDUCER	17.2	D 303.3/202.7		
203	925272010000	BW CON RED 508X12.7 273X9.27 SA234WPB	FITCS		SEAMLESS	2	SA234WPB	REDUCER	80	D 482.8/D 254.5		
204	925272070000	BWCONRED457.2X9.53/406.4X9.53 SA234WPB	FITCS		SEAMLESS	4	SA234WPB	REDUCER	42.7	D 438.1/D 387.3		
205	925272170000	BWCONRED355.6X11.13/323.9X9.53 SA234WPB	FITCS		SEAMLESS	4	SA234WPB	REDUCER	35.5	D/333.3/304.8		
206	925272250300	BWCONRED406.4X9.53/323.9X9.53 SA234WPB	FITCS		SEAMLESS	1	SA234WPB	REDUCER	34	D387.3/D304.8		
207	925272400000	BW CON RED 609.6X9.53/508X9.53 SA234WPB	FITCS		SEAMLESS	2	SA234WPB	REDUCER	75.8	D B590.5 /D 488.9		
208	925272480500	BWCONRED660.4X9.53/609.6X9.53 SA234WPB	FITCS		SEAMLESS	2	SA234WPB	REDUCER	90.7	D 641.3 /590.5		
209	925273220000	BWCONRED219.1X28/168.3X21.95 SA234WPC	FITCS		SEAMLESS	1	SA234WPC	REDUCER	22.4	P169.2/P128.2		
210	925273410000	BW CON RED 406.4X53 368X48 SA234WPC	FITCS		SEAMLESS	6	SA234WPC	REDUCER	180	P300/P281		
211	925273590000	BWCONRED88.9X15.24/48.3X7.14 SA234WPC	FITCS		SEAMLESS	2	SA234WPC	REDUCER	1.5	P 61.6/D 35.6		
212	925273620000	BWCONRED60.3X11.07/33.4X6.35 SA234WPC	FITCS		SEAMLESS	10	SA234WPC	REDUCER	2.5	D37.7 / D 22		
213	925273640000	BW CON RED 168.3X21.95/73X9.53 SA234WPC	FITCS		SEAMLESS	1	SA234WPC	REDUCER	11	P128.2/D56		
214	925273710000	BWCONRED88.9X11.13/48.3X11.13 SA234WPC	FITCS		SEAMLESS	4	SA234WPC	REDUCER	1.5	D 69.2/ D 28.5		
215	925273810000	BW CON RED 219.1X36/168.3X27.5 SA234WPC	FITCS		SEAMLESS	1	SA234WPC	REDUCER	25	P152.2/P118		
216	925273860000	BW CON RED 273X36 219.1X36 SA234WPC	FITCS	*	SEAMLESS	1	SA234WPC	REDUCER	60	P 208.0 / P152.2		
217	925273880000	BWCONRED323.9X10.31/273X9.27 SA234WPC	FITCS		SEAMLESS	4	SA234WPC	REDUCER	17.8	D 303.3 / D 254.5		
218	925273930000	BW CON RED 813X22 508X14.02 SA234WPC	FITCS		SEAMLESS	2	SA234WPC	REDUCER	250	P771.5/D481		
219	925275660000	BWCONRED219.1X25/168.3X21.95 SA234WPC	FITCS		SEAMLESS	8	SA234WPC	REDUCER	20	P175.5/P128.3		
220A	925277020000	BW CON RED 559X9.53 508X9.53 SA234WPB	FITCS		SEAMLESS	4	SA234WPB	REDUCER	72	D 540/D 488.9		
220B	925277020000	BW CON RED 559X9.53 508X9.53 SA234WPB	FITCS	*	SEAMLESS	2	SA234WPB	REDUCER	72	D 540/D 488.9		
221	925277030000	CONRED711.2X9.53/610X9.53SA234WPB(Welded	FITCS	*	WELDED	6	SA234WPB	REDUCER	159	D 691.9/D 590.9		
222	925278140000	BW CON RED 73X5.16 60.3X5.54 SA234WPB	FITCS		SEAMLESS	10	SA234WPB	REDUCER	0.7	D62.7/D49		
223	925278830000	BW CON RED 60.3X5.54/33.4X5.54 SA234WPB	FITCS		SEAMLESS	24	SA234WPB	REDUCER	0.7	D 49.0/D 23.4		
224	925278840000	BW CON RED 60.3X5.54/48.3X5.54 SA234WPB	FITCS		SEAMLESS	16	SA234WPB	REDUCER	0.7	D 50.4/39.2		
225	925279010000	BW CON RED 610X10 508X9.53 SA234WPB	FITCS		SEAMLESS	17	SA234WPB	REDUCER	75.5	D 590 / D 488.9		
226	925279590000	BW CON RED 508X15.08/323.9X10.31SA234WPC	FITCS		SEAMLESS	2	SA234WPC	REDUCER	93	P482.8/DD303.3		
227	925244660000	BW LR 90DEG ELL 114.3X3.05 SA403WP304H	FITSS		SEAMLESS	20	SA403WP304H	ELBOW	5	D108.2		
228	925244850000	BW LR 90DEG ELL 168.3 X 3.4 SA403WP304H	FITSS		SEAMLESS	2	SA403WP304H	ELBOW	5	D161.5		
229	925246120000	BW LR 90DEG ELL 60.3 X 3.91 SA403WP304H	FITSS		SEAMLESS	90	SA403WP304H	ELBOW	0.9	D 53.2		
230	925246130000	BW LR 90DEG ELL 48.3 X 3.68 SA403WP304H	FITSS		SEAMLESS	110	SA403WP304H	ELBOW	0.4	D 41.6		
231	925246140000	BW LR 90DEG ELL 33.4 X 3.38 SA403WP304H	FITSS		SEAMLESS	810	SA403WP304H	ELBOW	0.2	D27.2		
232	925247870000	LR 90DEG ELBOW OD219.1X3.76 SA403WP316L	FITSS		SEAMLESS	8	SA403WP316L	ELBOW	10	D / 211.6		
233	925254810000	BW UEQT 60.3X5.54/33.4X4.55 SA403WP304H	FITSS	*	SEAMLESS	24	SA403WP304H	TEE	2.2	D49/D25.2		
234	925257170000	BW EQT 60.3 X 3.91 SA403WP304H	FITSS		SEAMLESS	20	SA403WP304H	TEE	1.6	D 53.2		
235	925257220100	BW UEQT 168.3X3.4/88.9X3.05 SA403WP304H	FITSS		SEAMLESS	1	SA403WP304H	TEE	6.69	D 161.5 / D82.8		
236	925257630000	BW EQT 48.3 X 5.08 SA403WP304H	FITSS		SEAMLESS	12	SA403WP304H	TEE	1	D 39.2		
237	925259550000	BWUEQT219.1X3.76/168.3X3.4 SA403WP304H	FITSS		SEAMLESS	4	SA403WP304H	TEE	21	D 211.6/D 161.5		
238	925259560000	BW EQT 219.1X3.76 SA403WP304H	FITSS		SEAMLESS	10	SA403WP304H	TEE	9	D 211.6		
239	925278860000	BWCONRED48.3X5.08/33.4X4.55 SA403WP304H	FITSS		SEAMLESS	20	SA403WP304H	REDUCER	0.5	D39.2/D25.2		
240	925279670000	BW RED 219.1X3.76/168.3X3.4 SA234WP304H	FITSS		SEAMLESS	1	SA234WP304H	REDUCER	5	P288.4/P118.6		

9955