

| SL NO | Material | Descri | TYPE | CONSTRUCTION | QTY | SPECIFICATION | FITTING D1 VALUE | DRAWING_A | CURRENCY | UNIT RATE |
|-------|--------------|--|-------|--------------|-----|---------------|---------------------------|-----------|----------|-----------|
| 1 | 921040410000 | BW SR 90DEG ELL 406.4 X 9.53 SA234WPB | FITCS | SEAMLESS | 8 | SA234WPB | D387.3 | | | |
| 2 | 921043370000 | BW LR 90DEG ELL 219.1 X 28 SA234WPC | FITCS | SEAMLESS | 40 | SA234WPC | P169.2 | | | |
| 3 | 921043610000 | BW LR 90DEG ELL 219.1 X 8.18 SA234WPB | FITCS | SEAMLESS | 150 | SA234WPB | D202.7 | | | |
| 4 | 921043630000 | BW LR 90DEG ELL 219.1 X 25 SA234WPC | FITCS | SEAMLESS | 36 | SA234WPC | P175.5 | | | |
| 5 | 921044240000 | BW LR 45DEG ELL 508 X 12.7 SA234WPB | FITCS | SEAMLESS | 22 | SA234WPB | D482.8 | | | |
| 6 | 921044540200 | BWLR90DEGELL73X5.16(WITHMPI) SA234WPB | FITCS | SEAMLESS | 300 | SA234WPB | D62.7 | | | |
| 7 | 921044610000 | BW LR 90DEG ELL 273 X 9.27 SA234WPB | FITCS | SEAMLESS | 53 | SA234WPB | D254.5 | | | |
| 8 | 921044620000 | BW LR 90DEG ELL 323.9 X 9.53 SA234WPB | FITCS | SEAMLESS | 125 | SA234WPB | D304.8 | | | |
| 9 | 921044640000 | LR 90DEG ELL 168.3X10.97SA234WP22CL1 | FITAS | SEAMLESS | 12 | SA234WP22CL1 | D147.4 | | | |
| 10 | 921044650000 | LR 90DEG ELL 273X9.27SA234WP22CL1 | FITAS | SEAMLESS | 58 | SA234WP22CL1 | D254.5 | | | |
| 11 | 921044670000 | LR 90DEG ELL 355.6 X 9.53SA234WP22CL1 | FITAS | SEAMLESS | 30 | SA234WP22CL1 | D336.5 | | | |
| 12 | 921044770000 | BW LR 45DEG ELL 273 X 9.27 SA234WPB | FITCS | SEAMLESS | 5 | SA234WPB | D254.5 | | | |
| 13 | 921044780000 | BW LR 45DEG ELL 323.9 X 9.53SA234WPB | FITCS | SEAMLESS | 8 | SA234WPB | D 304.8 | | | |
| 14 | 921044820000 | BW LR 90DEG ELL 406.4 X 9.53 SA234WPB | FITCS | SEAMLESS | 129 | SA234WPB | D387.3 | | | |
| 15 | 921044830000 | BW LR 90DEG ELL 457.2 X 12.7 SA234WPB | FITCS | SEAMLESS | 24 | SA234WPB | D432.1 | | | |
| 16 | 921044840000 | BW LR 90DEG ELL 508 X 12.7 SA234WPB | FITCS | SEAMLESS | 61 | SA234WPB | D482.8 | | | |
| 17 | 921044920000 | BW LR 90DEG ELL 355.6 X 7.92 SA234WPB | FITCS | SEAMLESS | 12 | SA234WPB | D339.8 | | | |
| 18 | 921050880000 | BW UEQT 323.9X8.8 273X7.5 SA234WPB | FITCS | SEAMLESS | 4 | SA234WPB | D307.9/D260.3 | | | |
| 19 | 921051370000 | BW EQT 219.1 X 6.35 SA234WPB | FITCS | SEAMLESS | 37 | SA234WPB | D206.4 | | | |
| 20 | 921054790000 | BW EQT 114.3 X 6.02SA234WPB | FITCS | SEAMLESS | 50 | SA234WPB | D103.5 | | | |
| 21 | 921054810000 | BW EQT 219.1 X 8.18SA234WPB | FITCS | SEAMLESS | 4 | SA234WPB | D 202.7 | | | |
| 22 | 921054840000 | BW EQT 406.4 X 9.53 SA234WPB | FITCS | SEAMLESS | 12 | SA234WPB | D387.3 | | | |
| 23 | 921054920400 | BW EQT 273X9.27SA234WP22CL1 | FITAS | SEAMLESS | 4 | SA234WP22CL1 | D254.5 | | | |
| 24 | 921055000000 | BW EQT 273 X 9.27 SA234WPB | FITCS | SEAMLESS | 6 | SA234WPB | D254.5 | | | |
| 25 | 921055010000 | BW EQT 60.3 X 12.5 - SA234WP22CL1 | FITAS | SEAMLESS | 34 | SA234WP22CL1 | D34.8 | | | |
| 26 | 921056410000 | UNEQTEE 273X15.09/114.3X8.56SA234WP22CL1 | FITAS | SEAMLESS | 4 | SA234WP22CL1 | P-D1=246 / D-D1=97.2 | | | |
| 27 | 921056470000 | BW UNEQTEE 355.6X15.09/273X12.7/SA234WPC | FITCS | SEAMLESS | 3 | SA234WPC | P- D1=328.2 / D -D1=247.6 | | | |
| 28 | 921056490000 | BWUNEQTEE 558.8X9.53/323.9x9.53/SA234WPB | FITCS | SEAMLESS | 6 | SA234WPB | D D1=533.8 / D1=304.8 | | | |
| 29 | 921056510000 | UNEQTEE 508X9.53/406.4X9.53 SA234WP22CL1 | FITAS | SEAMLESS | 2 | SA234WP22CL1 | D D1=488.9 / D1=387.3 | | | |
| 30 | 921056520000 | UNEQUAL 273X12.7/219.1X12.7 SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | D D1=247.6 / D1=194.1 | | | |
| 31 | 921056620000 | BW EQT OD965X9.53 SA234WPC | FITCS | SEAMLESS | 4 | SA234WPC | D-D1-945.9 | | | |
| 32 | 921056680000 | BW UNEQT OD219.1X12.7/114.3X6.02SA234WPC | FITCS | SEAMLESS | 5 | SA234WPC | D-D1-194.1/103.5 | | | |

| SL NO | Material | Descri | TYPE | CONSTRUCTION | QTY | SPECIFICATION | FITTING D1 VALUE | DRAWING_A | CURRENCY | UNIT RATE |
|-------|--------------|---|-------|--------------|-----|---------------|-------------------------|-------------------|----------|-----------|
| 33 | 921056690000 | BW UNEQTOD355.6X15.09/219.1X12.7SA234WPC | FITCS | SEAMLESS | 3 | SA234WPC | D-D1-328.2/193.7 | | | |
| 34 | 921056710000 | BW UNEQUAL TEE OD508X52/273X36 SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | P-D1-412.5/208 | | | |
| 35 | 921056720000 | BW UNEQUALTEE OD508X52/219.1X30 SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | P-D1-412.5/165 | | | |
| 36 | 921171090000 | BWCONRED114.3X6.02/88.9X5.49 SA234WPB | FITCS | SEAMLESS | 90 | SA234WPB | D103.5/D79 | | | |
| 37 | 921171130000 | BWCONRED219.1X8.18/114.3X6.02 SA234WPB | FITCS | SEAMLESS | 11 | SA234WPB | D202.7/D103.5 | | | |
| 38 | 921171150000 | BW CON RED273.1X9.27/114.3X6.02 SA234WPB | FITCS | SEAMLESS | 8 | SA234WPB | D254.5/D103.5 | | | |
| 39 | 921171170200 | BW CON RED 273X9.27/219.1X8.18 SA234WPB | FITCS | SEAMLESS | 10 | SA234WPB | D254.5/D202.7 | | | |
| 40 | 921171190000 | BWCONRED323.9X9.53/219.1X8.18 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | D304.8/D202.7 | | | |
| 41 | 921171210000 | BW CON RED 355.6X9.53/273X9.27 SA234WPB | FITCS | SEAMLESS | 1 | SA234WPB | D336.5/D254.5 | | | |
| 42 | 921171250000 | BW CON RED 508X9.53/355.6X9.53 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | D 488.9 / D 336.5 | | | |
| 43 | 921171370000 | C.RED 323.9X9.53/273X9.27SA234WP22CL1 | FITAS | SEAMLESS | 1 | SA234WP22CL1 | D304.8/D254.5 | | | |
| 44 | 921174280000 | BWREDOD355.6X9.53/323.9X9.53SA234WP22CL1 | FITAS | SEAMLESS | 17 | SA234WP22CL1 | 336.5/304.8 | | | |
| 45 | 921174480000 | CONCREDD273.1X9.27/219.1X12.7SA234WP22CL1 | FITAS | SEAMLESS | 4 | SA234WP22CL1 | D/254.5/194.1 | | | |
| 46 | 921174490000 | CONCREDD323.9X9.53/219.1X12.7SA234WP22CL1 | FITAS | SEAMLESS | 1 | SA234WP22CL1 | D/304.8/194.1 | | | |
| 47 | 921174510000 | CONC RED 168.3X27.5/114.3X17.12 SA234WPC | FITCS | SEAMLESS | 13 | SA234WPC | P/119.3/83.2 | | | |
| 48 | 921174540000 | CONCREDD 273 X9.27 /168.3 X 7.11 SA234WPC | FITCS | SEAMLESS | 4 | SA234WPC | D/254.5/155.6 | | | |
| 49 | 921174580000 | BWCONC RED 323.9X9.53/273 X 6.35SA234WPB | FITCS | SEAMLESS | 5 | SA234WPB | 304.8 / 260.3 | | | |
| 50 | 921174750000 | CON.REDUCER 965 X37/864X34SA234WP22CL1 | FITAS | SEAMLESS | 4 | SA234WP22CL1 | P892.3/798.5 | | | |
| 51 | 921174820000 | RED 114.3 X 6.02 / 33.4 X 4.55 SA234WPB | FITCS | SEAMLESS | 70 | SA234WPB | D103.5/D25.2 | | | |
| 52 | 921174880000 | BWCONRED508X14.2/355.6X11.13 SA234WPC | FITCS | SEAMLESS | 1 | SA234WPC | D 481.3 / D 333.3 | | | |
| 53 | 921174970000 | REDUCER OD762X20/OD 558.8X23 SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | AS PER DRG | 4-80-320-69306 | | |
| 54 | 921175130000 | RED OD 645X27.5/OD 559X28.58SA234WP22CL1 | FITAS | SEAMLESS | 2 | SA234WP22CL1 | AS PER DRG | 4-80-321-69526/01 | | |
| 55 | 921175190000 | CON RED 114.3X20/88.9X15.24 SA234WP22CL1 | FITAS | SEAMLESS | 2 | SA234WP22CL1 | P 78.2 / D 65 | | | |
| 56 | 921175210000 | Reducer 660 x 117.43/610x82.6 SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | P452/P465.4 | | | |
| 57 | 921175620000 | BWCONREDOD660X116/OD457X82SA234WPC | FITCS | SEAMLESS | 6 | SA234WPC | P' D1=457.2/P' D1=314 | | | |
| 58 | 921175630000 | BWCONREDOD457X82/OD406.4X72SA234WPC | FITCS | SEAMLESS | 5 | SA234WPC | P' D1=314/P' D1=266.8 | | | |
| 59 | 921175650000 | BWRED OD 559X75 / OD 406.4X56 SA234WPC | FITCS | SEAMLESS | 10 | SA234WPC | P' D1=424.2/P' D1=306.2 | | | |
| 60 | 921175730000 | REDUCER OD 914X47/ 864X50 SA234WP22CL1 | FITAS | SEAMLESS | 1 | SA234WP22CL1 | AS PER DRG | 4-80-320-70721/00 | | |
| 61 | 921176120000 | RED 219.1X12.7/168.3X10.97SA234WP22CL1 | FITAS | SEAMLESS | 8 | SA234WP22CL1 | D 194.1/ D 147.4 | | | |
| 62 | 921176350000 | RED OD 914X10/OD 813X10SA234WPB(W) | FITCS | WELDED | 2 | SA234WPB | D/889/788 | | | |
| 63 | 921176470000 | RED 273X15.09/ 168.3X10.97SA234WP22CL1 | FITAS | SEAMLESS | 8 | SA234WP22CL1 | P/244.4/147.4 | | | |
| 64 | 921176530000 | RED 219.1X3.76/168.3X3.4 SA403WP316L | FITSS | SEAMLESS | 2 | SA403WP316L | D / 211.6 /161.5 | | | |

| SL NO | Material | Descri | TYPE | CONSTRUCTION | QTY | SPECIFICATION | FITTING D1 VALUE | DRAWING_A | CURRENCY | UNIT RATE |
|-------|--------------|--|-------|--------------|-----|---------------|-----------------------------|-----------|----------|-----------|
| 65 | 921176540000 | ECC RED168.3X3.4 / 88.9X4 SA403WP316L | FITSS | SEAMLESS | 2 | SA403WP316L | D1=161.5/80.9 | | | |
| 66 | 921176640000 | REDUCER OD559X16/457.2X12.7SA 234 WPB | FITCS | SEAMLESS | 2 | SA234WPB | P/528.8/D/432.1 | | | |
| 67 | 921176780000 | RED OD 965x37/559x28.58 SA234WP22CL1 | FITAS | SEAMLESS | 4 | SA234WP22CL1 | P/892.3/506.8 | | | |
| 68 | 921176810000 | CON RED OD610X12.7/508X12.7SA234 WPC | FITCS | SEAMLESS | 2 | SA234WPC | D/585.3/483.8 | | | |
| 69 | 921177320000 | RED 323.9X9.53/114.3X6.02 SA234WP22CL1 | FITAS | SEAMLESS | 7 | SA234WP22CL1 | D/304.8/103.5 | | | |
| 70 | 921177530000 | BW C.RED168.3X3.4/141.3X3.4 SA406WP316L | FITSS | SEAMLESS | 4 | SA403WP316L | D-161.5/134.5 | | | |
| 71 | 921177620000 | CON RED OD559x75/355.6x64 SA234WPC | FITCS | SEAMLESS | 1 | SA234WPC | P/D1/430/239.4 | | | |
| 72 | 921177650000 | REDUCER 864X32/457.2X12.7/SA234WPC | FITCS | SEAMLESS | 1 | SA234WPC | P - D1=800 / D - D1 = 432.1 | | | |
| 73 | 921177690000 | BW REDUCER OD273X12.7/OD219.1X12.7 | FITCS | SEAMLESS | 2 | SA234WPC | D - D1=247.6 / 193.7 | | | |
| 74 | 921177700000 | REDUCER 355.6X15.09/219.1X12.7/SA234WPC | FITCS | SEAMLESS | 3 | SA234WPC | P - D1=328.2/ D-D1= 193.7 | | | |
| 75 | 921177710000 | RED 457.2X19.05/323.9X9.53/SA234WP22CL1 | FITAS | SEAMLESS | 5 | SA234WP22CL1 | P - D1=422.5/ D-D1= 304.8 | | | |
| 76 | 921177720000 | REDUCER 762X9.53/508X9.53/SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | D - D1=741.5 / 488.9 | | | |
| 77 | 921177740000 | CON RED 610X9.53/406.4X9.53 SA234WP22CL1 | FITAS | SEAMLESS | 2 | SA234WP22CL1 | D - D1=590.0 / 387.3 | | | |
| 78 | 921177750000 | RED 406.4X9.53/323.9X9.53/SA234WP22CL1 | FITAS | SEAMLESS | 8 | SA234WP22CL1 | D - D1= 387.3/304.8 | | | |
| 79 | 921177760000 | REDUCER 508X9.53/406.4X9.53/SA234WP22CL1 | FITAS | SEAMLESS | 2 | SA234WP22CL1 | D - D1= 488.9 / 387.3 | | | |
| 80 | 921177780000 | REDUCER 965X12.7 / 762X9.53/SA234WPB | FITCS | SEAMLESS | 4 | SA234WPB | D - D1= 938 / 741.5 | | | |
| 81 | 921177820000 | BW RED OD168.3X27.5/88.9X20SA234WP22CL1 | FITAS | SEAMLESS | 18 | SA234WP22CL1 | P-119.3/P-53.0 | | | |
| 82 | 921177850000 | BW CON RED OD660X12.7/559X10 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | D-634.5/538.4 | | | |
| 83 | 921177870000 | BW RED OD610X12.7/508X12.7 SA234WPB | FITCS | SEAMLESS | 4 | SA234WPB | D-D1-584.6/D1-482.8 | | | |
| 84 | 921177930000 | BW RED OD457X9.53/355.6X9.53 SA234WPC | FITCS | SEAMLESS | 4 | SA234WPC | D-D1-437.9/336.5 | | | |
| 85 | 921177940000 | BW RED OD965X9.53/457X9.53 SA234WPC | FITCS | SEAMLESS | 4 | SA234WPC | D-D1-945.9/437.9 | | | |
| 86 | 921177950000 | BW RED OD965X34/660X22 SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | P/D1--898.6/620 | | | |
| 87 | 921177970000 | BW RED OD219.1X12.7/114.3X6.02 SA234WP22 | FITAS | SEAMLESS | 7 | SA234WP22CL1 | D-D1-194.1/103.5 | | | |
| 88 | 921177980000 | CON. REDUCER 457X82/323.9X58/SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | P/309.3/214.2 | | | |
| 89 | 921178000000 | BW CON. RED. OD559X72/OD508X52 SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | P/422/412.5 | | | |
| 90 | 921178010000 | BW CON. RED. OD508X52/355.6X38 SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | P/412.5/285 | | | |
| 91 | 921178020000 | BW CON.RED. OD406.4X52/355.6X38 SA234WPC | FITCS | SEAMLESS | 24 | SA234WPC | P/310/285 | | | |
| 92 | 921178100000 | BW CON.REDUCER 508X75/406.4X56 SA234WPC | FITCS | SEAMLESS | 12 | SA234WPC | STY-P366/306.2 | | | |
| 93 | 921178150000 | BW C.REDOD219.1X12.7/114.3X6.02 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | STY-D-D1-194.1/103.5 | | | |
| 94 | 921178160000 | BW C.REDOD219.1X12.7/114.3X6.02 SA234WPC | FITCS | SEAMLESS | 1 | SA234WPC | STY-D-D1-194.1/103.5 | | | |
| 95 | 921178260000 | BWCONRED OD114.3X8.56/33.4X4.55SA234WPC | FITCS | SEAMLESS | 8 | SA234WPC | D-D1-97.2/25.2 | | | |
| 96 | 925033200000 | BW CAP 273 X 6.35 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | D260.3 | | | |

| SL NO | Material | Descri | TYPE | CONSTRUCTION | QTY | SPECIFICATION | FITTING D1 VALUE | DRAWING_A | CURRENCY | UNIT RATE |
|-------|--------------|--|-------|--------------|-----|---------------|------------------|-----------|----------|-----------|
| 97 | 925033240000 | BW CAP 219.1 X 8.18SA234WP22CL1 | FITAS | SEAMLESS | 3 | SA234WP22CL1 | D 202.7 | | | |
| 98 | 925041570000 | BW LR 90DEG ELL 48.3 X 10.15 SA234WPC | FITCS | SEAMLESS | 500 | SA234WPC | D30.3 | | | |
| 99 | 925042190000 | BW LR 90DEG ELL508X9.53 SA234WPB(Welded) | FITCS | WELDED | 16 | SA234WPB | D 488.9 | | | |
| 100 | 925042310000 | BW LR 90DEG ELL273.1 X 6.35SA234WP22CL1 | FITAS | SEAMLESS | 20 | SA234WP22CL1 | D260.3 | | | |
| 101 | 925042390000 | BW LR90DEG ELL88.9X15.24SA234WP22CL1 | FITAS | SEAMLESS | 36 | SA234WP22CL1 | P61.6 | | | |
| 102 | 925042500000 | BW LR 45DEG ELL 273 X 6.35 SA234WP22 | FITAS | SEAMLESS | 4 | SA234WP22 | D260.3 | | | |
| 103 | 925042870200 | BW LR 90DEG ELL 273 X 6.35 SA234WPB | FITCS | SEAMLESS | 150 | SA234WPB | D260.3 | | | |
| 104 | 925043430000 | BW LR 90DEG ELL 219.1 X 8.18 SA234WPC | FITCS | SEAMLESS | 79 | SA234WPC | D202.7 | | | |
| 105 | 925043450200 | BW LR 45DEG ELL 88.9 X 11.13 SA234WPC | FITCS | SEAMLESS | 5 | SA234WPC | D69.2 | | | |
| 106 | 925043700400 | BW LR 45DEG ELL 323.9X9.53SA234WPB | FITCS | SEAMLESS | 10 | SA234WPB | D304.8 | | | |
| 107 | 925044880000 | BW LR 90DEG ELL 323.9 X 8.38 SA234WPB | FITCS | SEAMLESS | 61 | SA234WPB | D307.9 | | | |
| 108 | 925045380000 | LR45DEG ELL 609.6X9.53 SA234WPB(Welded) | FITCS | WELDED | 5 | SA234WPB | D590.5 | | | |
| 109 | 925045440000 | BW LR 90DEG ELL 355.6 X 9.53 SA234WPB | FITCS | SEAMLESS | 40 | SA234WPB | D336.5 | | | |
| 110 | 925045480000 | BW LR 90DEG ELL 60.3 X 5.54 SA234WPB | FITCS | SEAMLESS | 480 | SA234WPB | D49 | | | |
| 111 | 925045500000 | BW LR 90DEG ELL73X14.02SA234WP22CL1 | FITAS | SEAMLESS | 17 | SA234WP22CL1 | D47.7 | | | |
| 112 | 925045660000 | BW LR90DEG ELL168.3X7.11SA234WP22CL1 | FITAS | SEAMLESS | 18 | SA234WP22CL1 | D155.6 | | | |
| 113 | 925045720000 | BWLR45DEGELL508X9.53SA234WPB(WELDED) | FITCS | WELDED | 9 | SA234WPB | D 488.9 | | | |
| 114 | 925046040000 | BW SR 90DEG ELL 355.6 X 7.92 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | D339.8 | | | |
| 115 | 925046700000 | BW LR 90DEG ELL 114.3 X 17.12 SA234WPC | FITCS | SEAMLESS | 50 | SA234WPC | P83.2 | | | |
| 116 | 925046710000 | BW LR 90DEG ELL 114.3 X 13.49 SA234WPC | FITCS | SEAMLESS | 210 | SA234WPC | D89.6 | | | |
| 117 | 925046720000 | BW LR 90DEG ELL 168.3 X 21.95 SA234WPC | FITCS | SEAMLESS | 30 | SA234WPC | P128.2 | | | |
| 118 | 925046780000 | BW LR 90DEG ELL114.3X20SA234WP22CL1 | FITAS | SEAMLESS | 28 | SA234WP22CL1 | P78.2 | | | |
| 119 | 925046930000 | BW LR 90DEG ELL 73 X 9.53 SA234WPC | FITCS | SEAMLESS | 50 | SA234WPC | D56.1 | | | |
| 120 | 925048220000 | BW 90 DEG LR ELBOW OD406.4x70 SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | P/273.4 | | | |
| 121 | 925048280000 | BW 45 DEG LR ELBOW OD457x82 SA234WPC | FITCS | SEAMLESS | 4 | SA234WPC | P/301.4 | | | |
| 122 | 925048500000 | BBW 90 DEG ELBOW OD 355.6X 64 SA234WPC | FITCS | SEAMLESS | 6 | SA234WPC | P/239.4 | | | |
| 123 | 925048920000 | BW LR 90DEG ELBOW OD219.1X12.7 SA234WPC | FITCS | SEAMLESS | 38 | SA234WPC | D/ D1/ 193.7 | | | |
| 124 | 925049110000 | BW LR 90 DEG ELBOW OD323.9X58 SA234WPC | FITCS | SEAMLESS | 22 | SA234WPC | P/214.2 | | | |
| 125 | 925049130000 | BW LR 90DEG EL OD508X52 SA234WPC | FITCS | SEAMLESS | 38 | SA234WPC | P/ D1/ 412.5 | | | |
| 126 | 925049140000 | BW LR 90DEG ELBOW OD355.6X38 SA234WPC | FITCS | SEAMLESS | 133 | SA234WPC | P/ D1/ 285 | | | |
| 127 | 925049150000 | BW LR 45DEG ELBOW OD355.6X38 SA234WPC | FITCS | SEAMLESS | 16 | SA234WPC | P/ D1/ 285 | | | |
| 128 | 925049160000 | BW LR 30DEG ELBOW OD355.6X38 SA234WPC | FITCS | SEAMLESS | 12 | SA234WPC | P/ D1/ 285 | | | |

| SL NO | Material | Descri | TYPE | CONSTRUCTION | QTY | SPECIFICATION | FITTING D1 VALUE | DRAWING_A | CURRENCY | UNIT RATE |
|-------|--------------|--|-------|--------------|-----|---------------|------------------|----------------|----------|-----------|
| 129 | 925049200000 | BW LR 90DEG ELB OD965X9.53 SA234WPC | FITCS | SEAMLESS | 3 | SA234WPC | D/ D1-945 | | | |
| 130 | 925049750000 | ASMEB16.9BW90DEGELL508X30 SA234WP22CL1 | FITAS | SEAMLESS | 16 | SA234WP22CL1 | P / 453.2 | | | |
| 131 | 925049980000 | BW LR 45 DEG ELL 88.9X11.13SA234WPC | FITCS | SEAMLESS | 31 | SA234WPC | D 69.2 | | | |
| 132 | 925052020000 | BW UEQT 273.1X6.35 168.3X7.11 SA234WPB | FITCS | SEAMLESS | 14 | SA234WPB | D260.3/D155.6 | | | |
| 133 | 925052090000 | BW EQT 168.3 X 7.11 SA234WPB | FITCS | SEAMLESS | 30 | SA234WPB | D155.6 | | | |
| 134 | 925052120000 | BW EQT 508 X 9.53 SA234WPB | FITCS | SEAMLESS | 1 | SA234WPB | D 488.9 | | | |
| 135 | 925052390000 | BW UEQT 168.3X7.11 114.3X6.02 SA234WPB | FITCS | SEAMLESS | 22 | SA234WPB | D155.6/D103.5 | | | |
| 136 | 925052400000 | BW UEQT 219.1X8.18 168.3X7.11 SA234WPB | FITCS | SEAMLESS | 16 | SA234WPB | D202.7/D155.6 | | | |
| 137 | 925052420000 | BW UEQT 219.1X6.35 / 114.3X6.02 SA234WPB | FITCS | SEAMLESS | 10 | SA234WPB | D206.4/D103.5 | | | |
| 138 | 925052470000 | BW UEQT 114.3X6.02 73X5.16 SA234WPB | FITCS | SEAMLESS | 8 | SA234WPB | D103.5/D62.7 | | | |
| 139 | 925052580000 | BW EQT 273.1 X 32 SA234WPC | FITCS | SEAMLESS | 4 | SA234WPC | P214.5 | | | |
| 140 | 925052600000 | BW EQT 508 X 12.7 SA234WPB | FITCS | SEAMLESS | 4 | SA234WPB | D482.8 | | | |
| 141 | 925052650000 | BW UEQT 168.3X7.11 88.9X5.49 SA234WPB | FITCS | SEAMLESS | 18 | SA234WPB | D155.6/D79 | | | |
| 142 | 925052660000 | BW UEQT 114.3X6.02 60.3X5.54 SA234WPB | FITCS | SEAMLESS | 4 | SA234WPB | D103.5/D49 | | | |
| 143 | 925052900000 | BW UEQT 273X6.35 114.3X6.02 SA234WPB | FITCS | SEAMLESS | 14 | SA234WPB | D260.3/D103.5 | | | |
| 144 | 925053170000 | BW UEQT 219.1X6.35 88.9X5.49 SA234WPB | FITCS | SEAMLESS | 6 | SA234WPB | D206.4/D79 | | | |
| 145 | 925053190000 | BW UEQT 355.6X9.53 273X6.35 SA234WPB | FITCS | SEAMLESS | 4 | SA234WPB | D336.5/D260.3 | | | |
| 146 | 925053250000 | BW EQT 355.6 X 9.53 SA234WPB | FITCS | SEAMLESS | 3 | SA234WPB | D336.5 | | | |
| 147 | 925053580000 | UEQT813X9.53/609.6X9.53/SA234WPB(W) | FITCS | WELDED | 1 | SA234WPB | D794.0/D590.5 | | | |
| 148 | 925054000000 | BW UEQT 273X9.27 114.3X6.02 SA234WPB | FITCS | SEAMLESS | 4 | SA234WPB | D254.5/D103.5 | | | |
| 149 | 925054260000 | BW UEQT 355.6X9.53/219.1X8.18 SA234WP22 | FITAS | SEAMLESS | 4 | SA234WP22 | D336.5/D202.7 | | | |
| 150 | 925054540000 | BW UEQT 355.6X9.53 323.9X9.53 SA234WPB | FITCS | SEAMLESS | 3 | SA234WPB | D336.5/D304.8 | | | |
| 151 | 925054940000 | BW UEQT 406.4X9.53 219.1X8.18 SA234WPB | FITCS | SEAMLESS | 6 | SA234WPB | D387.3/D202.7 | | | |
| 152 | 925056040000 | BW UNEQT OD965X9.53/508X9.53 SA234WPC | FITCS | SEAMLESS | 1 | SA234WPC | D/D1-945.9/488.9 | | | |
| 153 | 925056050000 | BW UNEQT OD965X9.53/457X9.53 SA234WPC | FITCS | SEAMLESS | 1 | SA234WPC | D/D1-945.9/437.9 | | | |
| 154 | 925057020000 | BW EQT 168.3 X 21.95 SA234WPC | FITCS | SEAMLESS | 20 | SA234WPC | P128.2 | | | |
| 155 | 925057130000 | BW UET 559X28.58/273X15.09SA234WP22CL1 | FITAS | SEAMLESS | 2 | SA234WP22CL1 | P508/P245.9 | | | |
| 156 | 925057230000 | BW EQT 168.3 X 27.5 SA234WP22CL1 | FITAS | SEAMLESS | 2 | SA234WP22CL1 | P119.3 | | | |
| 157 | 925057430000 | BWUEQT558.8X28.58/457.2X25SA234WP22CL1 | FITAS | SEAMLESS | 4 | SA234WP22CL1 | P506.8/P412.4 | | | |
| 158 | 925057790000 | EQ TEE OD 508 X 64 SA234 WPC | FITCS | SEAMLESS | 2 | SA234WPC | 392/392 | 4 80 423 62608 | | |
| 159 | 925058400000 | BW EQ TEE 660 X 22 SA234WPC | FITCS | SEAMLESS | 1 | SA234WPC | P 620.39 | | | |
| 160 | 925059240000 | BWUNEQTTEE OD 559X72/168.3X27.5 SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | P 422 /119.3 | | | |

| SL NO | Material | Descri | TYPE | CONSTRUCTION | QTY | SPECIFICATION | FITTING D1 VALUE | DRAWING_A | CURRENCY | UNIT RATE |
|-------|--------------|--|-------|--------------|-----|---------------|-------------------|-----------|----------|-----------|
| 161 | 925059430000 | EQT OD219.1x32SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | P/ 160.7 | | | |
| 162 | 925059610000 | BW EQUAL TEE OD 965X10SA234WP22CL1 | FITAS | SEAMLESS | 2 | SA234WP22CL1 | D/944 | | | |
| 163 | 925059630000 | BW EQUAL TEE OD355.6X15.09SA234WPC | FITCS | SEAMLESS | 3 | SA234WPC | P/326.6 | | | |
| 164 | 925059650000 | UNEQTEE965X10/457X9.53SA234WP22CL1 | FITAS | SEAMLESS | 2 | SA234WP22CL1 | D/944/437.2 | | | |
| 165 | 925059810000 | UNEQTEE 219.1X3.76/168.3X3.4 SA403WP316L | FITSS | SEAMLESS | 2 | SA403WP316L | D / 211.6 /161.5 | | | |
| 166 | 925059970000 | BW UNEQTEE OD 559X16/273X9.53SA234WPB | FITCS | SEAMLESS | 1 | SA234WPB | P/528.8/D/254.5 | | | |
| 167 | 925059980000 | BWUNEQTEE OD559X16/219.1X6.35 SA 234 WPB | FITCS | SEAMLESS | 1 | SA234WPB | P/528.8/D/206.4 | | | |
| 168 | 925170660000 | BWCONRED219.1X8.18/168.3X7.11 SA234WPB | FITCS | SEAMLESS | 24 | SA234WPB | D202.7/D155.6 | | | |
| 169 | 925173120000 | BWCONRED219.1X8.18/168.3X7.11 SA234WPC | FITCS | SEAMLESS | 16 | SA234WPC | D202.7/D155.6 | | | |
| 170 | 925174110000 | BWCONRED168.3X7.11/114.3X6.02 SA234WPB | FITCS | SEAMLESS | 42 | SA234WPB | D155.6/D103.5 | | | |
| 171 | 925174120000 | BW CON RED 273X6.35/168.3X7.11 SA234WPB | FITCS | SEAMLESS | 13 | SA234WPB | D260.3/D155.6 | | | |
| 172 | 925174140000 | BW CON RED 406.4X9.53/273X6.35 SA234WPB | FITCS | SEAMLESS | 8 | SA234WPB | D387.3/ D 260.3 | | | |
| 173 | 925174180000 | BW CON RED 508X9.53/406.4X9.53 SA234WPB | FITCS | SEAMLESS | 15 | SA234WPB | D488.9 / D387.3 | | | |
| 174 | 925174770000 | BWCONRED168.3X7.11/141.3X7.11 SA234WPB | FITCS | SEAMLESS | 4 | SA234WPB | D 155.6 | | | |
| 175 | 925174950000 | BWCONRED219.1X6.35/88.9X5.49 SA234WPB | FITCS | SEAMLESS | 20 | SA234WPB | D 206.4/D 79.0 | | | |
| 176 | 925175760000 | BWCONRED168.3X7.11/60.3X5.54 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | D155.6 / D 49 | | | |
| 177 | 925176030000 | BWCONRED323.9X9.53/273.1X9.27 SA234WP22 | FITAS | SEAMLESS | 6 | SA234WP22 | D304.8/D254.5 | | | |
| 178 | 925176040000 | BWCONRED273X9.27/219.1X8.18 SA234WP22CL1 | FITAS | SEAMLESS | 2 | SA234WP22 | D254.5/D202.7 | | | |
| 179 | 925176170000 | BW RED 508X9.53/273.1X9.27SA234WPB | FITCS | SEAMLESS | 1 | SA234WPB | D 488.9 / D254.5 | | | |
| 180 | 925176480000 | BW CON RED 273X9.27/219.1X8.18 SA234WPC | FITCS | SEAMLESS | 4 | SA234WPC | D 254.5 / D202.7 | | | |
| 181 | 925176620000 | BWCONRED60.3X11.07/48.3X10.15 SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | D38.2/30.3 | | | |
| 182 | 925176980000 | BWCONRED168.3X7.11/114.3X6.02 SA234WPC | FITCS | SEAMLESS | 5 | SA234WPC | D 155.6/D 103.5 | | | |
| 183 | 925178320000 | BW CON RED 88.9X11.13 73X9.53 SA234WPC | FITCS | SEAMLESS | 18 | SA234WPC | DD69.2/D56.1 | | | |
| 184 | 925178920000 | BW CONRED73X5.16/60.3X5.54 SA234WP22CL1 | FITAS | SEAMLESS | 30 | SA234WP22CL1 | D62.7/D49 | | | |
| 185 | 925179030000 | BWCON.RED 219.1X6.35/168.3X7.11SA234WPB | FITCS | SEAMLESS | 4 | SA234WPB | D 206.4 / D 155.6 | | | |
| 186 | 925179190000 | BW C.RED 273X 9.27/219.1X8.18 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | D254.5/D202.7 | | | |
| 187 | 925179460000 | BWC.RED168.3X27.5/114.3X20 SA234WP22CL1 | FITAS | SEAMLESS | 4 | SA234WP22CL1 | P119.3/P78.2 | | | |
| 188 | 925195280000 | BW END CAP 60.3 X 12.5 SA234WP22CL1 | FITAS | SEAMLESS | 35 | SA234WP22CL1 | D 34.8 | | | |
| 189 | 925195320000 | BW END CAP 355.6 X 9.53SA234WP22CL1 | FITAS | SEAMLESS | 4 | SA234WP22CL1 | D336.5 | | | |
| 190 | 925195330400 | BW END CAP 323.9 X 9.53SA234WP22CL1 | FITAS | SEAMLESS | 3 | SA234WP22CL1 | D 304.8 | | | |
| 191 | 925195560000 | BW END CAP 60.3X5.54 SA234WPB | FITCS | SEAMLESS | 24 | SA234WPB | D49 | | | |
| 192 | 925195690000 | BW CAP 508 X 64 SA234WPC | FITCS | SEAMLESS | 1 | SA234WPC | 392 | | | |

| SL NO | Material | Descri | TYPE | CONSTRUCTION | QTY | SPECIFICATION | FITTING D1 VALUE | DRAWING_A | CURRENCY | UNIT RATE |
|-------|--------------|--|-------|--------------|-----|---------------|------------------|-----------|----------|-----------|
| 193 | 925240010000 | LR 90DEG ELL 457.2X25SA234WP22CL1 | FITAS | SEAMLESS | 34 | SA234WP22CL1 | P412.4 | | | |
| 194 | 925240060000 | BW LR 90DEG ELL 88.9 X 11.13 SA234WPC | FITCS | SEAMLESS | 100 | SA234WPC | D69.2 | | | |
| 195 | 925240170000 | BW LR 90DEG ELL 88.9 X 15.24 SA234WPC | FITCS | SEAMLESS | 70 | SA234WPC | D61.6 | | | |
| 196 | 925240690000 | BW LR 90DEG ELL 168.3 X 30 SA234WP22cl1 | FITAS | SEAMLESS | 34 | SA234WP22CL1 | P114.8 | | | |
| 197 | 925240800000 | BW LR45DEG ELL168.3 X 10.97 SA234WP22CL1 | FITAS | SEAMLESS | 7 | SA234WP22CL1 | D147.4 | | | |
| 198 | 925240840000 | BW LR90DEG ELL406.4X22.2SA234WP22CL1 | FITAS | SEAMLESS | 18 | SA234WP22CL1 | P366.6 | | | |
| 199 | 925241560000 | BW LR 90DEG ELL 168.3X27.5 SA234WPC | FITCS | SEAMLESS | 30 | SA234WPC | P119.3 | | | |
| 200 | 925241580000 | BW LR 90DEG ELL 355.6X62SA234WP22CL1 | FITAS | SEAMLESS | 1 | SA234WP22CL1 | P233 | | | |
| 201 | 925242020000 | BW LR 45DEG ELL 457.2 X 9.53 SA234WPB | FITCS | SEAMLESS | 4 | SA234WPB | D-438.1 | | | |
| 202 | 925242390000 | LR 90DEG ELL 660.4 X 9.53 SA234WPB(W) | FITCS | WELDED | 6 | SA234WPB | D/640 | | | |
| 203 | 925242430000 | BW LR 90DEG ELL 219.1 X 12.7 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | D194.1 | | | |
| 204 | 925242610000 | LR 45DEG ELL 559 X 9.53 SA234WPB(W) | FITCS | WELDED | 2 | SA234WPB | D 540 | | | |
| 205 | 925242670000 | BW SR 90DEG ELL 323.9 X 9.53 SA234WPB | FITCS | SEAMLESS | 14 | SA234WPB | D304.8 | | | |
| 206 | 925242760000 | LR 45DEG ELL 610 X 10 SA234WPB(Welded) | FITCS | WELDED | 4 | SA234WPB | D 590 | | | |
| 207 | 925242820300 | LR 45DEG ELL 813 X 10 SA234WPB(Welded) | FITCS | WELDED | 3 | SA234WPB | D / 793 | | | |
| 208 | 925242830000 | BWLR 90DEG ELL 813 X 10 SA234WPB(Welded) | FITCS | WELDED | 19 | SA234WPB | D793 | | | |
| 209 | 925243020000 | BW LR 90DEG ELL 60.3 X 11.07 SA234WPC | FITCS | SEAMLESS | 70 | SA234WPC | D37.7 | | | |
| 210 | 925243130000 | BW LR 90DEG ELL 88.9 X 11.13 SA234WPC | FITCS | SEAMLESS | 110 | SA234WPC | D69.2 | | | |
| 211 | 925243170000 | BW LR 90DEG ELL 219.1 X 30 SA234WPC | FITCS | SEAMLESS | 120 | SA234WPC | P164.9 | | | |
| 212 | 925243200000 | BW LR 90DEG ELL 33.4 X 9.09 SA234WPC | FITCS | SEAMLESS | 430 | SA234WPC | D17.2 | | | |
| 213 | 925243420000 | BW LR 90DEG ELL 355.6 X 12.7 SA234WPC | FITCS | SEAMLESS | 20 | SA234WPC | D 331 | | | |
| 214 | 925243430000 | BW LR 90DEG ELL 457.2 X 12.7 SA234WPC | FITCS | SEAMLESS | 8 | SA234WPC | D432.1 | | | |
| 215 | 925243520000 | BW SR 90DEG ELL 219.1 X 8.18 SA234WPC | FITCS | SEAMLESS | 4 | SA234WPC | D202.7 | | | |
| 216 | 925244020000 | BW LR90DEG ELL219.1X12.7SA234WP22CL1 | FITAS | SEAMLESS | 62 | SA234WP22CL1 | D194.1 | | | |
| 217 | 925244560000 | BW LR90DEG ELL 33.4X6.35SA234WP22CL1 | FITAS | SEAMLESS | 40 | SA234WP22CL1 | D22 | | | |
| 218 | 925244580000 | BW LR90DEG ELL559X28.58SA234WP22CL1 | FITAS | SEAMLESS | 26 | SA234WP22CL1 | P506.8 | | | |
| 219 | 925244590000 | LR 90DEG ELL 33.4X4.55SA234WP22CL1 | FITAS | SEAMLESS | 530 | SA234WP22CL1 | D25.2 | | | |
| 220 | 925244850000 | BW LR 90DEG ELL 168.3 X 3.4 SA403WP304H | FITSS | SEAMLESS | 3 | SA403WP304H | D161.5 | | | |
| 221 | 925245770000 | LR90DEGELOD610X9.53SA234WPC(WELDED) | FITCS | WELDED | 7 | SA234WPC | D/590.7 | | | |
| 222 | 925246120000 | BW LR 90DEG ELL 60.3 X 3.91 SA403WP304H | FITSS | SEAMLESS | 110 | SA403WP304H | D 53.2 | | | |
| 223 | 925246360000 | BW LR90DEG ELL457.2X22.2SA234WP22CL1 | FITAS | SEAMLESS | 8 | SA234WP22CL1 | P417.2 | | | |
| 224 | 925246660000 | BW LR 90DEG ELL 88.9X15.24 SA234WPC | FITCS | SEAMLESS | 40 | SA234WPC | P61.6 | | | |

| SL NO | Material | Descri | TYPE | CONSTRUCTION | QTY | SPECIFICATION | FITTING D1 VALUE | DRAWING_A | CURRENCY | UNIT RATE |
|-------|--------------|--|-------|--------------|-----|---------------|------------------|-----------|----------|-----------|
| 225 | 925246670000 | BW LR 90DEG ELL 168.3 X 27.5 SA234WPC | FITCS | SEAMLESS | 50 | SA234WPC | P119.3 | | | |
| 226 | 925246710000 | BW LR 90DEG ELL 33.4 X 6.35 SA234WPC | FITCS | SEAMLESS | 330 | SA234WPC | D22 | | | |
| 227 | 925246770000 | BW LR 90DEG ELL 73 X 5.16SA234WP22CL1 | FITAS | SEAMLESS | 31 | SA234WP22CL1 | D62.7 | | | |
| 228 | 925246780000 | BW LR45DEG ELL323.9X9.53SA234WP22CL1 | FITAS | SEAMLESS | 4 | SA234WP22 | D304.8 | | | |
| 229 | 925246790000 | BW LR45DEG ELL355.6X9.53SA234WP22CL1 | FITAS | SEAMLESS | 3 | SA234WP22CL1 | D336.5 | | | |
| 230 | 925247430000 | BW LR 45DEG ELL 323.9 X 36 SA234WPC | FITCS | SEAMLESS | 8 | SA234WPC | P256.8 | | | |
| 231 | 925247450000 | BW LR 30DEG ELL 368 X 48 SA234WPC | FITCS | SEAMLESS | 10 | SA234WPC | P281 | | | |
| 232 | 925247540000 | BW LR 60 DEG ELBOW OD 355.6X36 SA234WPC | FITCS | SEAMLESS | 17 | SA234WPC | P/ 288 | | | |
| 233 | 925247720000 | LR 90DEG ELBOW OD 610X10SA234WP22CL1 | FITAS | SEAMLESS | 8 | SA234WP22CL1 | D/150 | | | |
| 234 | 925247750000 | LR90DEG ELBOW 965X10SA234WP22CL1(Welded) | FITAS | WELDED | 12 | SA234WP22CL1 | D/944 | | | |
| 235 | 925247790000 | LR 90DEG ELBOW OD 355.6X15.09SA234WPC | FITCS | SEAMLESS | 26 | SA234WPC | P/326.6 | | | |
| 236 | 925247800000 | LR 90DEG ELBOW OD 273.0X12.7SA234WPC | FITCS | SEAMLESS | 34 | SA234WPC | D/248 | | | |
| 237 | 925247810000 | LR 90DEG EL OD 273.0X15.09SA234WP22CL1 | FITAS | SEAMLESS | 12 | SA234WP22CL1 | P/244.4 | | | |
| 238 | 925247990000 | BW LR 90DEG ELBOW406.4X9.53SA234WP22CL1 | FITAS | SEAMLESS | 58 | SA234WP22CL1 | D/385.4 | | | |
| 239 | 925248000000 | BW LR 45DEG ELL 660.4 X 9.53 SA234WPB(W) | FITCS | WELDED | 2 | SA234WPB | D/640 | | | |
| 240 | 925248430000 | BW LR 45DEG ELL 73 X 5.16SA234WP22CL1 | FITAS | SEAMLESS | 40 | SA234WP22CL1 | D 62.7 | | | |
| 241 | 925248600000 | BW LR 90DEG ELL 457 X 9.53 SA234WPB | FITCS | SEAMLESS | 72 | SA234WPB | D 437.2 | | | |
| 242 | 925248720000 | BW LR 90DEG ELL88.9X20SA234WP22CL1 | FITAS | SEAMLESS | 90 | SA234WP22CL1 | P 53 | | | |
| 243 | 925249200000 | BWLR 90 DEG ELBOW OD 508 X 64 SA234 WPC | FITCS | SEAMLESS | 12 | SA234WPC | P392 | | | |
| 244 | 925249460000 | BW LR 90 DEG ELL 406.4 X 54 SA234WPC | FITCS | SEAMLESS | 9 | SA234WPC | P / 301 | | | |
| 245 | 925249780000 | BW 90 DEG ELBOW OD 457 X 82 SA234WPC | FITCS | SEAMLESS | 72 | SA234WPC | P' D1=309.3 | | | |
| 246 | 925249790000 | BW 90 DEG ELBOW OD 273 X 52 SA234WPC | FITCS | SEAMLESS | 46 | SA234WPC | P' D1=172 | | | |
| 247 | 925249820000 | BW 90 LR DEG ELBOW OD 660 X 116 SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | P' D1=457.2 | | | |
| 248 | 925249830000 | BW SR 90 DEG ELBOW OD 660 X 116 SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | P' D1=457.2 | | | |
| 249 | 925249900000 | BW90DEG LR ELL OD864X50 SA234WP22 CL1 | FITAS | SEAMLESS | 2 | SA234WP22CL1 | P' D1=764.1 | | | |
| 250 | 925249910000 | BW 45 DEG LR ELL OD864X50 SA234WP22 CL1 | FITAS | SEAMLESS | 1 | SA234WP22CL1 | P' D1=764.1 | | | |
| 251 | 925249920000 | BBW 90 DEG ELBOW OD 355.6X 64 SA234WPC | FITCS | SEAMLESS | 6 | SA234WPC | P' D1=231.6 | | | |
| 252 | 925250070000 | BW EQT 88.9 X 11.13 SA234WPC | FITCS | SEAMLESS | 10 | SA234WPC | D69.2 | | | |
| 253 | 925251440000 | BW EQT 168.3 X 27.5 SA234WPC | FITCS | SEAMLESS | 10 | SA234WPC | P119.3 | | | |
| 254 | 925251500000 | BW UEQT 219.1X8.18 114.3X6.02 SA234WPC | FITCS | SEAMLESS | 12 | SA234WPC | D202.7/D103.5 | | | |
| 255 | 925251620000 | BW EQT 813 X 10 SA234WPB (WELDED) | FITCS | WELDED | 2 | SA234WPB | D793 | | | |
| 256 | 925252010000 | BW UEQT 508X12.7 457.2X9.53 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | D482.8/437.2 | | | |

| SL NO | Material | Descri | TYPE | CONSTRUCTION | QTY | SPECIFICATION | FITTING D1 VALUE | DRAWING_A | CURRENCY | UNIT RATE |
|-------|--------------|---|-------|--------------|-----|---------------|---------------------|-----------|----------|-----------|
| 257 | 925252060000 | BW EQT 457.2 X 9.53 SA234WPB | FITCS | SEAMLESS | 14 | SA234WPB | D437.94 | | | |
| 258 | 925252260000 | BW UEQT 168.3X7.11 73X5.16 SA234WPB | FITCS | SEAMLESS | 4 | SA234WPB | D155.6/D62.7 | | | |
| 259 | 925252300000 | BW UEQT 323.9X9.53 273X9.27 SA234WPB | FITCS | SEAMLESS | 4 | SA234WPB | D 304.8 / D 254.5 | | | |
| 260 | 925252390000 | BW UEQT 609.6X9.53 508X9.53 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | D 590.5 /D 488.9 | | | |
| 261 | 925252430000 | BW UEQT 273X6.35 88.9X5.49 SA234WPB | FITCS | SEAMLESS | 6 | SA234WPB | D260.3/D79.0 | | | |
| 262 | 925252590000 | BW UEQT 60.3X5.54 33.4X4.55 SA234WPB | FITCS | SEAMLESS | 6 | SA234WPB | D 49/ D25.2 | | | |
| 263 | 925252620000 | BW UEQT 323.9X9.53 168.3X7.11 SA234WPB | FITCS | SEAMLESS | 6 | SA234WPB | D304.8 / D155.6 | | | |
| 264 | 925252760000 | BW UEQT 323.9X10.31/114.3X6.02 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | D 303.3 / D103.5 | | | |
| 265 | 925253020000 | BW EQT 60.3 X 11.07 SA234WPC | FITCS | SEAMLESS | 10 | SA234WPC | D37.7 | | | |
| 266 | 925253030000 | BW EQT 114.3 X 13.49 SA234WPC | FITCS | SEAMLESS | 3 | SA234WPC | D89.6 | | | |
| 267 | 925253200000 | BW UEQT 114.3X13.49/88.9X11.13 SA234WPC | FITCS | SEAMLESS | 6 | SA234WPC | D 89.6 / D 69.2 | | | |
| 268 | 925253210000 | BW UEQT 219.1X8.18 168.3X7.11 SA234WPC | FITCS | SEAMLESS | 6 | SA234WPC | D202.7/D155.6 | | | |
| 269 | 925253390000 | BW UEQT 114.3X6.02 73.0X5.16 SA234WPC | FITCS | SEAMLESS | 6 | SA234WPC | D103.5/D62.7 | | | |
| 270 | 925253470000 | BW EQT 219.1 X 12.7 SA234WPC | FITCS | SEAMLESS | 1 | SA234WPC | D194.1 | | | |
| 271 | 925253690000 | BW UEQT 273X32 114.3X17.12 SA234WPC | FITCS | SEAMLESS | 3 | SA234WPC | P214.5/P83.2 | | | |
| 272 | 925253850000 | BW EQT 219.1 X 8.18 SA234WPC | FITCS | SEAMLESS | 4 | SA234WPC | D202.7 | | | |
| 273 | 925253860000 | BW EQT 323.9 X 10.31 SA234WPC | FITCS | SEAMLESS | 1 | SA234WPC | D303.3 | | | |
| 274 | 925254410000 | BW EQT 406.4 X 9.53SA234WP22CL1 | FITAS | SEAMLESS | 8 | SA234WP22CL1 | D387.3 | | | |
| 275 | 925255570000 | BW UEQT 457.2X9.53 323.9X6.35 SA234WPB | FITCS | SEAMLESS | 4 | SA234WPB | D437.94/D311.2 | | | |
| 276 | 925255790000 | BW UEQT 323.9X9.53 219.1X8.18 SA234WPB | FITCS | SEAMLESS | 9 | SA234WPB | D304.8/D202.7 | | | |
| 277 | 925257060000 | BW UEQT 457.2X9.53 406.4X9.53 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | D 438.1/D 387.3 | | | |
| 278 | 925257070000 | BW UEQT 406.4X9.53 323.9X9.53 SA234WPB | FITCS | SEAMLESS | 4 | SA234WPB | D387.3/D304.8 | | | |
| 279 | 925257720000 | UEQT 323.9X9.53/168.3X7.11SA234WP22CL1 | FITAS | SEAMLESS | 8 | SA234WP22 | D 304.8/D 155.6 | | | |
| 280 | 925259200000 | UEQT355.6X9.53/168.3X7.11SA234WP22CL1 | FITAS | SEAMLESS | 5 | SA234WP22CL1 | D336.5/D155.6 | | | |
| 281 | 925259680000 | BW EQT 21.3 X 3.73 SA234WPB | FITCS | SEAMLESS | 360 | SA234WPB | D14.5 | | | |
| 282 | 925259750000 | BW UEQT 457.2X9.53 219.1X6.35 SA234WPB | FITCS | SEAMLESS | 3 | SA234WPB | D-438.1/D206.4 | | | |
| 283 | 925259890000 | BW UEQT 508X12.7 219X6.35 SA234WPB | FITCS | SEAMLESS | 9 | SA234WPB | D 482.8/D 206.4 | | | |
| 284 | 925259910000 | BW EQT 660 X10 SA234WPB(Welded) | FITCS | WELDED | 2 | SA234WPB | D640 | | | |
| 285 | 925259970000 | BW UEQT 114.3X17.12/60.3X11.07 SA234WPC | FITCS | SEAMLESS | 4 | SA234WPC | P-D1=83.2/D-D1=37.7 | | | |
| 286 | 925271470000 | BW CON RED 114.3X20/88.9X15.24 SA234WPC | FITCS | SEAMLESS | 4 | SA234WPC | P78.2/P61.6 | | | |
| 287 | 925271530000 | RED323.9X 10.31/219.1X 8.18SA234WPC | FITCS | SEAMLESS | 3 | SA234WPC | D 303.3/202.7 | | | |
| 288 | 925271590000 | BW CON RED 33.4X4.55/21.3X3.73 SA234WPB | FITCS | SEAMLESS | 80 | SA234WPB | D25.2/D14.5 | | | |

| SL NO | Material | Descri | TYPE | CONSTRUCTION | QTY | SPECIFICATION | FITTING D1 VALUE | DRAWING_A | CURRENCY | UNIT RATE |
|-------|--------------|---|-------|--------------|-----|---------------|-------------------|-----------|----------|-----------|
| 289 | 925271620000 | BW CON RED 813X10 508X9.53 SA234WPB | FITCS | SEAMLESS | 1 | SA234WPB | D 793 / D 488.9 | | | |
| 290 | 925272010000 | BW CON RED 508X12.7 273X9.27 SA234WPB | FITCS | SEAMLESS | 5 | SA234WPB | D 482.8/D 254.5 | | | |
| 291 | 925272030000 | BW CON RED 457.2X10/323.9X9.53 SA234WPB | FITCS | SEAMLESS | 5 | SA234WPB | D 437.2/304.8 | | | |
| 292 | 925272060000 | BW CON RED 508X9.53/457.2X9.53 SA234WPB | FITCS | SEAMLESS | 1 | SA234WPB | D488.9/437.2 | | | |
| 293 | 925272210000 | BWCONRED609.6X9.53/406.4X9.53 SA234WPB | FITCS | SEAMLESS | 1 | SA234WPB | D590.5/D387.3 | | | |
| 294 | 925272250300 | BWCONRED406.4X9.53/323.9X9.53 SA234WPB | FITCS | SEAMLESS | 3 | SA234WPB | D387.3/D304.8 | | | |
| 295 | 925272420000 | BWCONRED508X14.2/355.6X11.13 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | P 481.3 / D 333.3 | | | |
| 296 | 925272480500 | CONRED660.4X9.53/609.6X9.53 SA234WPB(W) | FITCS | WELDED | 1 | SA234WPB | D 641.3 /590.5 | | | |
| 297 | 925272550000 | BW CON RED 660.4X9.53/508X9.53 SA234WPB | FITCS | SEAMLESS | 4 | SA234WPB | D640/D488.9 | | | |
| 298 | 925272780000 | BW CON RED 73X5.16 33.4X4.55 SA234WPB | FITCS | SEAMLESS | 24 | SA234WPB | D62.7/D25.7 | | | |
| 299 | 925272790000 | BWCONRED355.6X9.53/323.9X9.53 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | D336.5/D304.8 | | | |
| 300 | 925273190000 | BW CON RED 88.9X15.24/73X14.02 SA234WPC | FITCS | SEAMLESS | 23 | SA234WPC | P61.6/D47.7 | | | |
| 301 | 925273220000 | BWCONRED219.1X28/168.3X21.95 SA234WPC | FITCS | SEAMLESS | 3 | SA234WPC | P169.2/P128.2 | | | |
| 302 | 925273260000 | BWCONRED88.9X15.24/60.3X11.07 SA234WPC | FITCS | SEAMLESS | 6 | SA234WPC | P61.6/D37.7 | | | |
| 303 | 925273590000 | BWCONRED88.9X15.24/48.3X7.14 SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | P 61.6/D 35.6 | | | |
| 304 | 925273640000 | BW CON RED 168.3X21.95/73X9.53 SA234WPC | FITCS | SEAMLESS | 1 | SA234WPC | P128.2/D56 | | | |
| 305 | 925273670000 | BW CON RED 406.4X17/323.9X12.7 SA234WPC | FITCS | SEAMLESS | 2 | SA234WPC | P 374.6/D 298.5 | | | |
| 306 | 925273730000 | BW CON RED 33.4X6.35/21.3X4.55 SA234WPC | FITCS | SEAMLESS | 40 | SA234WPC | D 22/13.1 | | | |
| 307 | 925273810000 | BW CON RED 219.1X36/168.3X27.5 SA234WPC | FITCS | SEAMLESS | 1 | SA234WPC | P152.2/P118 | | | |
| 308 | 925273920000 | BWCONRED457.2X12.7/406.4X14.6 SA234WPC | FITCS | SEAMLESS | 4 | SA234WPC | D 432.1 / P377.2 | | | |
| 309 | 925274190400 | BWCONRED355.6X9.53/273X9.27 SA234WP22CL1 | FITAS | SEAMLESS | 6 | SA234WP22CL1 | D 336.5 / D 254.5 | | | |
| 310 | 925275550000 | C. RED 558.8 X 28 / 508 X 28SA234WP22CL1 | FITAS | SEAMLESS | 2 | SA234WP22CL1 | P 506.8/P 457.4 | | | |
| 311 | 925276250000 | BWCONRED457.2X9.53/406.4X9.53 SA234WP22 | FITAS | SEAMLESS | 4 | SA234WP22 | D 438.1/D 387.3 | | | |
| 312 | 925276730000 | BWCONRED323.9X33.32/273X28.58 SA234WP22 | FITAS | SEAMLESS | 2 | SA234WP22 | P273.8/P221.8 | | | |
| 313 | 925277010000 | BW CON RED 559 X 16 / 508 X 16 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | P528.8/P478.3 | | | |
| 314 | 925277030000 | CONRED711.2X9.53/610X9.53SA234WPB(Welded) | FITCS | WELDED | 7 | SA234WPB | D 691.9/D 590.9 | | | |
| 315 | 925278300000 | BWCONRED273.1X6.35/168.3X4.78 SA234WPB | FITCS | SEAMLESS | 1 | SA234WPB | D260.3/158.7 | | | |
| 316 | 925278850000 | BWCONRED114.3X6.02/88.9X6.02 SA234WPB | FITCS | SEAMLESS | 1 | SA234WPB | D 103.5 / D 79 | | | |
| 317 | 925279510000 | CONCREDC355.6X9.53 / 168.3 X 7.11SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | D336.5/D155.6 | | | |
| 318 | 925279550000 | BW CON RED 813X9.53 508X9.53 SA234WPB | FITCS | SEAMLESS | 1 | SA234WPB | D794.0/D488.9 | | | |
| 319 | 925279590000 | BW CON RED 508X15.08/323.9X10.31SA234WPC | FITCS | SEAMLESS | 1 | SA234WPC | P482.8/DD303.3 | | | |
| 320 | 955171130000 | BW CON RED 457.2X12.7/273X6.35 SA234WPB | FITCS | SEAMLESS | 2 | SA234WPB | D432.1/D260.3 | | | |