



Bharat Heavy Electricals Limited
Electronics Division, Mysore Road, Bangalore – 560 026.



-Bharath Heavy Electrical Ltd
Electronics Division
Mysore Road, Bangalore-560026

Tender Document

Name of the work:

Comprehensive AMC for Air Conditioning,
Chiller and Pressurization Plants.

Opening Date: 04 –08 – 2006.

This Tender document contains 40 pages



**Phone: 26998406 / 26743369/
26744224**

NOTICE INVITING TENDERS

01. Tender Reference : BHE/EDN / KCP/M&S/PS – 50/1/2006-07/01
Date: 07.07.2006
02. Name of the work : Comprehensive Annual Maintenance
Contract for Air-Conditioning, Chiller
and Pressurization Plant
03. Period of contract : 1 Year
04. Estimated Cost : Rs. 6.5Lakhs
05. Earnest Money Deposit : Rs. 25000/-
06. Last Date & Time for the receipt of Completed Tender. : **Before 3.00 PM on 04.08.2006**
07. Date & Time for Tender Opening (Technical Bid) : **At 3.15 PM on 04.08.2006**
08. Place of submission of completed Tender : Tender document shall be dropped at
FS&T tender box kept at Reception
BHEL, Electronics Division,
Mysore Road, Bangalore -26.

This tender document contains **39** pages including the following.

I. Technical Bid : Pages from 1- 36 (part-I)

- a) Instructions to tenderers
- b) Scope of Work
- c) Questionnaire(Annexure-III)

II. Price Bid : Pages - 37 – 40 (part-II)

- Note:**
1. The tenderer shall read the tender documents carefully and fill all the columns neatly. Incomplete tenders will be rejected.
 2. The tenderer shall return the duly filled in tender document after affixing signature on all pages.
 3. The Tenderers shall ensure and put “Technical cum Commercial bid (Part – I)” & “Instructions to Tenderers” together in one cover and “Schedule of Work / Price bid (Part – II)” in a separate cover. Both these covers shall be separately sealed and then put together in a single cover and sealed. All the sealed covers shall be properly identified with necessary information such as Tender reference, type of document put inside, date of tender opening to enable to open the correct document cover only.



PART-1
TECHNICAL-CUM-COMMERCIAL BIDS
 (To be furnished by the Bidders)

- 01 Name of the work : Comprehensive Annual Maintenance Contract for
 Air-Conditioning, Chiller and Pressurization Plants
- 02 Stipulation period / contract period :
- 03 Name of the Contractor :
- 04 Address :
- (a) Office :
- Telephone No :
- Fax No :
- Mobile No :
- (b) Residence :
- Telephone No :
- Mobile No :
- 05 Qualification :
- 06 Staff Strength :
- (a) Technical :
- (b) General :
- 07 Details of Infrastructure available :
 (Enclose Additional Sheet If
 required)



Bharat Heavy Electricals Limited
Electronics Division, Mysore Road, Bangalore – 560 026.

- 08 Details of similar works, of similar value: : Enclosed / Not Enclosed
Successfully completed (Name of the work, company, Contact Person with Phone No., Value of work) (Copy of Completion certificate to be enclosed)
- 09 EMD Particulars :
(a) Cash :
b) Demand Draft / Pay Order :
:
- 10 Whether Registered with ESI / PF Authority : Yes / No
a) If Yes, indicate registration Nos
ESI No :
PF No :



INSTRUCTIONS TO TENDERERS

Name of work: Comprehensive Annual Maintenance Contract for Air-Conditioning, Chiller and Pressurization Plants

1. Sealed Tenders for the above noted works are hereby invited from Contractors experienced in works of similar kind and magnitude.
2. Tenders should be addressed to DGM (FS&T), Electronics Division, Bharat Heavy Electricals Limited, Mysore Road, Bangalore – 560 026. The full name and address of the tenderer, name of the work and the date of opening should be indicated on the cover.
- 2.1 The local address of the Contractor, the name of the person to whom all the correspondence are to be addressed should be indicated with telephone number (both office and residence), FAX /e-mail address, Mobile phone No. etc..
3. All entries in the tender documents should be in the same ink. Erasures and over writing are not permitted. The tenderer concerned with proper indication of the name, designation and address of the person signing should duly sign all cancellations and insertions.
4. Tenderers shall fill in all the required particulars in the blank spaces provided for this purpose in the tender documents and also sign each and every page of the tender document including the drawings (wherever applicable) attached there to before submitting tender.
5. Unit rates should be quoted in figures as well as in words in Indian Currency only i.e. Rupees and Paise with reference to each item and for all the items shown in the attached schedule. The rates shall include all taxes and duties payable on account of Service Tax, Sales Tax etc., and also expenses towards PF and ESI contributions (see clauses 8, 39 and Annexure 'C'). The tenderers shall fill amount of each item and the total on each sheet as also the grand total amount of the whole contract.
6. In case the rate quoted in figures differs from those quoted in words, the lower of the rates will be taken as the tendered rate and shall be binding on the tenderers.
7. In quoting their rates, the tenderers are advised to take into account all factors including any fluctuations in market rates. No claim for enhanced rates will be entertained on this account after acceptance of the tender or during the currency of the contract.



Bharat Heavy Electricals Limited
Electronics Division, Mysore Road, Bangalore – 560 026.

8. The rates to be quoted by the tenderer shall be firm and shall cover and include all statutory levies arising from Acts, passed by Parliament or by State legislature and rules framed there under. The rates shall further be deemed to include statutory levies arising from such Acts, Central or State, which may come into force, subsequent to submission of tenders. The tenderer shall note that no claim for enhancement of rates, on the ground that existing statutory levies have been increased, or that new statutory levies have come into effect after tender, or on any other ground, will be entertained on any account.
9. (a) The rates quoted in the tender shall remain valid for a period of 'THREE MONTHS' from the date of opening of tender.

(b) Tenderer shall not increase their quoted rates, once the tenderer has submitted his quotation and during execution of the contract in case his tender is accepted.
10. Quantities shown in the attached schedule are only approximate and are liable to variation without entitling the Contractor to any compensation, provided the total value of the contract does not vary by more than 20 % (twenty percent).
11. Before tendering, the tenderers are advised to inspect the site of work and its environments and be well acquainted with the actual working and other prevailing conditions, position of materials and labour. They should be well versed with BHEL General Conditions of Contract, Instructions to tenderers, drawing wherever applicable and specifications and all other documents which form part of the agreement to be entered into subsequent to award of work. The tenderers shall specially note that it is the tenderer's responsibility to provide any item which is not specially mentioned in the specification or drawing, but which is necessary to complete the work.
12. Details and quantities of each item of work shown in the "Bill of Quantities" attached here to be only approximate. They are given as a guide for the purpose of tendering only and are liable to variation and alteration at the discretion of the competent authority. The work under each item as executed shall be measured and priced at the corresponding rates to be quoted by the contractor in the Bill of Quantities attached here to.
13. Should a tenderer find discrepancies or omissions in the drawings wherever applicable / Specifications / Scope of work / Terms & Conditions attached to the tender documents or should be in doubt as to their meaning, he should at once address to the authority inviting the tender for clarifications.

Every endeavor is made to avoid any error which can materially affect the basis of the tender but the successful tenderer shall take upon himself to provide for the risk of any error which may be subsequently discovered and shall make no subsequent claim on account thereof.



Bharat Heavy Electricals Limited
Electronics Division, Mysore Road, Bangalore – 560 026.

14. In the event of tender being submitted by a firm, the tender must be signed separately and legibly by each partner or member of the firm or in their absence, by the person holding the power of Attorney on behalf of the firm concerned. In the latter case, a copy of the power of attorney duly attested by a Gazetted officer must accompany the tender.
15. In case, the date of tender opening falls on Holiday, the tender will be opened on the next working day.
16. Every tender must be accompanied by deposit receipt for the amount mentioned as Earnest Money Deposit. This earnest money will be refunded to the unsuccessful tenderers after finalisation of the award of work. In the case of successful tenderer, the earnest money will be retained as part of the Security Deposit for satisfactory completion of the work in accordance with Clause – 16 of the BHEL General Conditions of the Contract. Tenders without Earnest Money Deposit receipts are liable to be rejected. No interest will be paid on the earnest money deposits.
17. The Earnest Money Deposit shall be submitted along with Technical bid and may be furnished in any of the following forms:
 - (a) Cash
 - (b) Pay Order / Demand Draft
18. Unless the Contractor whose tender is accepted signs the contract agreement within fifteen days (15 days) of the date of the order directing him to do so, the amount of Earnest Money already deposited by him may be forfeited and acceptance of his tender withdrawn.
19. If, after opening of tenders, a tenderer revokes his tender or increases his earlier quoted rates or after acceptance of his tender does not commence the work in accordance with the instructions of Engineer-in-charge, the Earnest Money Deposited by him will be forfeited and acceptance of his tender withdrawn. If only a part of the work included in the tender had been awarded to the tenderer, the amount of Earnest Money to be forfeited will be based on the value of the contract so awarded.
20. BHARAT HEAVY ELECTRICALS LIMITED reserves the right to reject any or all the tenders received or accept any tender or part thereof without assigning any reason thereof. In the case of acceptance of a part of tender, the time for completion may also be reduced to the extent considered appropriate by the accepting authority.
21. Conditional and unsigned tenders, tenders containing absurd rates and amounts, tenders which are incomplete or otherwise considered defective, tenders which are not in accordance with the tender conditions laid down by the Accepting Officer and tenders not submitted in the prescribed forms are liable to be rejected.



Bharat Heavy Electricals Limited
Electronics Division, Mysore Road, Bangalore – 560 026.

22. The contractors who are not on the approved list of contractors of this organisation must submit the following testimonials simultaneously with their tenders. These testimonials shall be signed by the person (s) issuing the same indicating their name, designation and full address.
- i. A certificate to establish that the tenderer is an independent contractor working on his own.
 - ii. At least 2 certificates from responsible officers of Government or firms of repute, regarding the tenderer's capacity to undertake and carryout the work tendered for / similar work satisfactorily.
 - iii. A certificate from a Bank of standing or magistrate regarding the tenderer's financial position.

Note: (a) Copies of testimonials unless attested by a Gazetted Officer will not be accepted.

(b) Non – submission of the above testimonials simultaneously with the tenders may result in the tenders being rejected.

23. The tenders should be accompanied by a list of contracts already held by the Contractor at the time of submitting the tender and giving the following particulars:
- (a) Name of work, value and address.
 - (b) The balance work remaining to be done on the same.
24. Tenders submitted by post should be sent by "Registered Post with Acknowledgement due". These should be posted with due consideration for any delay in postal delivery. Tenders received after the due date of opening of tenders are liable to be rejected.
25. The Contractor's responsibility under this contract shall commence from the date of receipt of the order or acceptance of his tender.
26. If a tenderer expires after the submission of his tender or after the acceptance of his tender, BHEL may, at their discretion, cancel such tender. If a partner of the firm expires after the submission of the Tender, after the acceptance of the Tender, BHEL may cancel such Tender at the discretion unless the firm retains its character (s).
27. BHARAT HEAVY ELECTRICALS LIMITED will not be bound by any power of Attorney granted by the tenderer or by changes in the composition of the firm made subsequent to the execution of the contract. They may however, recognise such power of Attorney and changes after obtaining proper legal advice, the cost of which will be chargeable to the contractor concerned.



Bharat Heavy Electricals Limited
Electronics Division, Mysore Road, Bangalore – 560 026.

28. If the tenderer deliberately gives wrong information in his tender, BHEL reserves the right to reject such tender at any stage. Further the tenderer will be liable for any damage caused.
29. Words imparting the singular number shall be deemed to include the plural number and vice-versa where the context so requires.
30. The General and Special Conditions of Contract are complementary to each other and where they are in conflict, the special condition shall prevail.
31. The expenses for completing the stamping the agreement shall be paid by the contractor.
32. Unless and otherwise stated all tendered work includes supply, erection, testing and commissioning of equipment as agreed to in the contract.
33. After completion of the job, the contractor has to furnish actual drawings of work done in consultation with Engineer-in-charge.
34. Any covering letter and comments of the Contractor should be submitted in duplicate along with the offer.
35. The Contractor shall provide all the materials needed for trial run, testing including chemicals, consumables etc which are not covered in the Price Bid.. In quoting their rates, the Contractors are advised to take into account the cost of the above materials.
36. Should a tenderer or a contractor on the list of approved contractors have a relative or in the case of firm or Company of Contractors any of its share holder's relative is employed in a Gazetted Capacity in the Electronics Division of Bharat Heavy Electricals Limited, Bangalore – 26, the authority inviting tenders shall be informed of this fact at the time of submission of the tender, failing which tender may be disqualified or if such a fact subsequently come to light, the relevant provisions of the General Conditions of Contract will apply.
37. These 'INSTRUCTIONS TO TENDERERS' & 'GENERAL CONDITIONS OF CONTRACT OF BHEL' shall be deemed to form an integral part of the contract agreement for the work to be entered into. In cases of variation between the two in any matter, the conditions in the 'THE INSTRUCTIONS TO TENDERERS' shall prevail. Extracts of some of the important clauses of BHEL G.C.C are enclosed (Annexure containing extracts of clauses 20, 38 and 58 of BHEL GCC). The contractor has to obtain, at his cost, a copy of the BHEL GCC, scrutinise the same, and when submitting his tender, indicate his acceptance of BHEL GCC in the proforma enclosed at Annexure B.



Bharat Heavy Electricals Limited
Electronics Division, Mysore Road, Bangalore – 560 026.

- 38 All operations to be carried out by the Contractor during the execution of the contract such as drilling, welding etc., shall be done with proper equipment brought by the tenderer. Suitable power point will be provided and tapping from the power point to equipment shall be done using proper size of cable ,equipment and after getting approval of connections from our Engineer-in-charge.
- 39 The Contractor shall comply with the provision of Employees Provident Fund and Miscellaneous Provisions Act 1952 and rules, regulations and other orders issued there under. He, as an employer, shall be liable to pay employer's contribution/deductions towards PF under the PF Act in respect of all labour employed by him, for the execution of the contract in accordance with the provisions of the Employees Provident Funds and Miscellaneous Provisions Act, 1952 as amended from time to time. For this purpose he shall indicate the code number obtained from the Regional Provident Fund Commissioner or he should obtain a code number if he has not and produce the Photostat copy of the challan / receipt of monthly remittance of the contribution made by him to the PF Commissioner. Final payments due to him will be released only on production of a "No due certificate" from the Regional Provident Fund Commissioner wherever applicable. He shall also furnish such returns as are due, under the Act, to be sent to the appropriate authorities through the Principal Employer".
- 40 The Contractor should get himself registered with the E.S.I. Authorities as an independent Employer, obtain a separate code number and remit the dues in respect of the labour employed by him for the work and produce the Challans / Receipts of remittance of the ESI contributions due under the E.S.I. Act to the Company authorities. He shall also furnish such returns, as are due, under the Act, to be sent to the appropriate authorities through the Principal Employer.
- 40.1 If any action is brought in by P.F. Commissioner/ESI authorities on BHEL for the work done by the Contractor for his labourers regarding PF/ESI amount due, short remittances, non remittances etc., the Contractor shall defend the case on behalf of BHEL and/or reimburse BHEL the expenses so incurred.
- 40.2 If applicable, the Contractor shall apply and obtain license under Contract labour (R&A) Act 1970 and comply with the relevant provisions of this Act in respect of the labour employed by him for executing this contract. The Contractor shall furnish necessary returns to the authority through the Principal Employer.
- 41 If applicable, the Contractor shall insure all his labourers and materials. Any claim by his employees for the damages shall be settled by the contractor even action is against BHEL or to reimburse the legal expenses incurred by BHEL
- 42 Any action brought in by anybody on BHEL regarding patent, right etc., used by contractor in execution of work shall be defended by the contractor and /or reimburse to BHEL the cost of the same.



43 Contractor shall produce necessary records, documents, explanation whenever he is called upon to do, by any Government. Agencies like ESI, PF, VIGILANCE etc.,

44 **TERMS OF PAYMENT:**

Payment will be made on quarterly basis against your invoice after satisfactory Services of each quarter.

45 **SECURITY DEPOSIT**

45.1 The successful tenderer shall deposit the Security deposit before start of the work. The rate of Security deposit will be as below.

Upto Rs. 10 Lakhs	10 %
Above Rs. 10 Lakhs upto Rs. 50 Lakhs	Rs. 1 Lakh + 7.5% of the amount exceeding Rs. 10 Lakhs
Above Rs. 50 Lakhs	Rs. 4 Lakhs + 5 % of the amount exceeding Rs. 50 Lakhs

45.2 Security deposit may be furnished in any one of the following forms

Cash (as permissible under the Income Tax Act)

Pay Order, Demand Draft in favour of BHEL

Local Cheques of scheduled banks, subject to realization.

Securities available from Post Offices such as National Savings Certificates, Kisan Vikas Patras etc. (Certificates should be held in the name of Contractor furnishing the security and duly pledged in favour of BHEL and discharged on the back)

Bank Guarantee from scheduled Banks / Public Financial Institutions as defined in the Companies Act subject to a maximum of 50% of the total security deposit value. The balance 50% has to be remitted either by cash or in the other form of security. The Bank Guarantee format should have the approval of BHEL.

Fixed Deposit Receipt issued by Scheduled Banks / Public Financial Institutions as defined in the Companies Act. The FDR should be in the name of the contractor, A/C. BHEL, duly discharged on the back.

Security Deposit can also be recovered at the rate of 10% from the running bills. However in such cases at least 50% of Security Deposit shall be deposited before start of the work and the balance 50% may be recovered from the running bills.

EMD of the successful tenderer shall be converted and adjusted against the security deposit.

The Security deposit shall not carry any interest.



NOTE: Acceptance of Security Deposit against Sl. No. (iv) and (vi) above will subject to hypothecation or endorsement on the document in favour of BHEL-EDN. However, BHEL will not be liable or responsible in any matter for the collection of interest or renewal of the documents or in any other matter connected therewith.

46 RUNNING ACCOUNT PAYMENTS

During execution of work, payments of all works in place will be made on the basis of measurements recorded in measurement sheet / book in respect of items executed but no claim on the account will be entertained, if for any reason payments are not so made.

- 47 The work shall be carried out as per detailed specifications enclosed with the tender. The items for which there is no mention in the drawings, detailed specifications to relevant IS specifications (latest edition) shall be followed.

48 CLEANING OF SITE:

After completion of the work, the contractor shall remove all debris, take away left over construction materials, machine, equipment, temporary offices, stores, work shop etc. and make the area neat and clean. The cost of this work shall be included in the quoted rate.



SCOPE OF WORK:

I) LIST FO PLANTS COVERED UNDER COMPREHENSIVE AMC:

Sl. No.	DESCRIPTION OF THE PLANTS
01	Devices 40 TR A/C plant – Indirect expansion type comprising of a. Compressor (Model 5H40) - 2 No's (1 No. Stand by) b. Condenser - 2 No's (1 No. Stand by) c. Air handing Unit - 2 No's d. Cooling Tower - 1 No's e. Condenser Pump - 2 No's (1 No. Stand by) f. Chiller Pump - 2 No's (1 No. Stand by) g. Compressor Motors - 2 No's (1 No. Stand by) h. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.
02	Device 18TR Chiller plant – Comprising of a. Compressor (Model 5F40) - 1 No. b. Condenser - 1 No. c. Cooling Tower - 1 No. d. Condenser Pump - 1 No. e. Chiller Pump - 1 No. f. Compressor Motors - 1 No. g. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.
03	East First floor 55TR A/C Plant -Direct expansion type Comprising of a. Compressor (Model 5H60) - 2 No's (1 No. Stand by) b. Condenser - 2 No's (1 No. Stand by) c. Air handing Unit - 1 No. d. Cooling Tower - 1 No. e. Condenser Pump - 2 No's (1 No. Stand by) f. Compressor Motors - 2 No's (1 No. Stand by) g. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.
04	DOE 35 TR A/C Plant – Direct expansion type Comprising of a. Compressor (Model 5H40) - 2 No's (1 No. Stand by) b. Condenser - 2 No's (1 No. Stand by) c. Air handing Unit - 2 No's d. Cooling Tower - 1 No. e. Condenser Pump - 3 No's (1 No. Stand by) f. Compressor Motors - 2 No's (1 No. Stand by) g. Condensate drain pump - 1 n o h. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.



Sl. No.	DESCRIPTION OF THE PLANTS
05	<p>DOE 35 TR Chiller plant – comprising of</p> <ul style="list-style-type: none">a. Compressor (Model 5H40) - 2 No's (1 No. Stand by).B. Condenser - 2 No's (1 No Stand by)c. Chiller Pump - 2 No's (1 No Stand by)d. Compressor Motors - 2 No's (1 No. Stand by).e. Chilled water Pressure Tank - 1 No.f. Reciprocating pumps(WASP Make) - 2 No's (1 No. Stand by).g. Portable Air Compressor (for chilled water pressure tank -1 Noh. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc. <p>Note : Cooling tower and condenser water pumps are common for Both AC and Chiller plants of DOE.</p>
06	<p>Jig Boring package 7.5TR. A/C Plant – Comprising of</p> <ul style="list-style-type: none">a. Semi hermetic Compressor (Model SK70) - 1 No.b. Condenser - 1 No.c. Package blower Unit - 1 No.d. Cooling Tower - 1 No.e. Condenser Pump - 1 No.f. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.
07	<p>EAST ANNEX 11 X 3 = 33.5 TR Package (Model OPUA SC110) and 5.5 Tr. AC Package . OPUA SC 55) - comprising of</p> <ul style="list-style-type: none">a. Hermetic SCROLL Compressor (Model Z872KC) 7 No's (1 No Stand by)b. Condenser (Air cooled) - 7 No's (2 Nos. Stand by).c. Package blower Unit - 4 No. (1 No. Stand by)d. Refrigeration circuit, and all connected electrical and mechanical equipments & accessories etc.
08	<p>EAST 'G' FLOOR.40TR A/C Plant - Direct expansion type, comprising of</p> <ul style="list-style-type: none">a. Compressor (Model SMC 4X100) - 2 No's (1 No. Stand by).b. Condenser - 2 No's (1 No. Stand by).c. Air handing Unit - 1 No.d. Condenser Pump - 2 No's (1 No. Stand by).e. Compressor Motors - 2 No's (1 No. Stand by).f. Cooling Tower - 1 No.g. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.



Sl. No.	DESCRIPTION OF THE PLANTS
09	TSC(Module).40TR A/C Plant – Direct expansion type Comprising of a. Compressor (Model SMC 4X100) - 2 No's (1 No. Stand by). b. Condenser - 2 No's (1 No. Stand by). c. Air handing Unit - 1 No's d. Condenser Pump - 2 No's (1 No. Stand by). e. Compressor Motors - 2 No's (1 No. Stand by). f. Cooling Tower - 1 No's h. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.
10	EDP 10 X 3 = 30 TR Package (Model A 1000A1B4) AC Plant. (1 Unit is Stand by) - comprising of a. Semi Hermetic Compressor (Model BH 100) - 3 No's b. Condenser (Air cooled) - 6 No's (2 No. Stand by). c. Package blower Unit - 3 No. (1 No. Stand by) d. Refrigeration circuit, and all connected electrical and mechanical equipments & accessories etc.
11	East Pressurization Plant - Comprising of a) Pressurization blower including motor - 1 Set. b) Connected electrical & mechanical equipments and accessories
12	Devices 60 TR Chiller plant – comprising of a. Compressor (Model AC - 770) - 2 No's (1 No. Stand by). b. Condenser - 1 No. c. Chiller Pump - 1 No. d. Condenser pump - 1 No. d. Compressor Motors - 2 No's (1 No. Stand by). e. Cooling Tower - 1 No. f. Chilled water Pressure Tank - 1 No. g. Reciprocating pumps(WASP Make) - 2 No's (1 No.Stand by). h. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.
13	Metrology Lab 15TR. A/C Plant – Comprising of a. Compressor (Model FK4) - 2 No. (1 No. Stand by) b. Condenser (Air cooled) - 1 No. c. Compressor Motors - 2 No. (1 No. Stand by) d. Air handing Unit - 1 No. e. Refrigeration circuit, and all connected electrical and mechanical equipments & accessories etc.



Sl. No.	DESCRIPTION OF THE PLANTS
14	<p>Silicon 10 X 2 = 20 TR Package (Model PAW 1028) A/C Plant - comprising of</p> <ul style="list-style-type: none">a. Compressor - 4 No'sb. Condenser - 4 No'sc. Package blower unit - 2 No'sd. Condenser Pump - 2 No's (1 No. Stand by).e. Cooling Tower - 1 No.f. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.
15	<p>NEB 4th floor (AC & SD) 10 X 2 = 20 TR Package (Model PAW 1028) A.C Plant - comprising of</p> <ul style="list-style-type: none">a. Hermetic Compressor - 4 No'sb. Condenser - 4 No'sc. Package blower unit - 2 No'sd. Condenser Pump - 2 No's (1 No. Stand by).e. Cooling Tower - 1 No.f. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.
16	<p>NEB 5th floor (AC & SD) Package 10 TR A/C Plant (Model PAW 1028) and 5 TR. AC Package (Model PCK 58)- comprising of</p> <ul style="list-style-type: none">a. Hermetic Compressors - 3 No's.b. Condenser - 3 No'sd. Package blower unit - 2 No'sg. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc. <p>Note : Cooling tower and condenser water pumps are common for Both 4th and 5th floor AC Packages (AC&SD)</p>



II) THE SCOPE SHALL INCLUDE THE FOLLOWING EQUIPMENTS AND ACCESSORIES :-

- 1) Compressors along with Motors and drive systems.
- 2) Condenser units along with pumps, piping and Motors.
- 3) Chiller units along with Pumps and Motors.
- 4) Air handling units with Fans and Motors, Filters, ductings (Except Micro Vee and HEPA filters which will be supplied by B.H.E.L.) Heaters, Expansion valves, Solenoid valves, strainers and ducting etc.,
- 5) Cooling towers along with pumps, Blowers, Fans, fills, piping, Nozzles etc.,
- 6) Pressurization Blower along with Motors.
- 7) Water circuits along with pressure Gauges, Instruments and safety cut-outs .
- 8) Refrigeration piping along with valves , insulation etc.,
- 9) All electrical from the main power control panel for the plant including Main switches, Cables, Power line Fuses, Cable legs, Connectors, Contactors, Timer's, Over load relays, Single Phase preventers, Motors, Control, Thermostats, Humidistat, Pressure cut-outs controls etc.
- 10) Reciprocating pumps along with Motor and accessories, piping, piping insulation for process chilled water circulation.
- 11) The replacement of the equipment as a whole such as Compressors for central plants, Condensers, Air handling units, Cooling towers, pumps, motors and replacement of micro Vee and HEPA filters are not covered under AMC. However, all the spares, consumables and materials required for breakdown works/preventive maintenance works/overhauling of the above equipments are covered under the AMC .

III) THE SERVICING SHALL INCLUDE: -

- 1) The Plants / equipments are to be maintained at their working capacity and by Carrying out preventive maintenance, as per the checklist for all of the above equipments /accessories once in a quarter. The preventive maintenance works shall be planned for Saturdays / Sundays Holidays in order to ensure maximum availability of the plant.
- 2) Attending to breakdown maintenance within 24 hours of call. The breakdown shall be intimated on telephone followed by a FAX message. However, the telephonic complaint be registered along with time and date at your end and a reference number shall be provided.
- 3) Overhauling of the equipment's/ compressor's/ pump's/Plant's etc, shall be carried out as and when required depending upon efficiency or once in a year, in consultation with Engineer in- charge.
- 4) The plant should be put back into service / operation, by carrying out repair /replacement of components/spares/accessories/piping and consumables such as Lubrication oil, Refrigerant gas etc as and when required.



- 5) The following tests shall be conducted for the plants during the contact period and test reports should be submitted immediately after tests.
- | | |
|--|---------------|
| i. Efficiency test. | (Quarterly) |
| ii. Particle counts test. | (Quarterly) |
| iii. Air flow test | (Quarterly) |
| iv. No. of air changes. | (Quarterly) |
| v. Percentage of Fresh air | (Quarterly) |
| vi. Sound level of the plant | (Quarterly) |
| vii. Vibration Level test along with Alignment corrections | (Half yearly) |
- 6) After conducting tests for sound level and vibration level of the plants, if any variation with respect to standard values will be set right/ repair the plants well with in the standard limits along with certificate.
- 7) Particle counts test shall be conducted for the conditioned areas of all the A/C plants approximately about 100 locations.
- 8) The test shall be conducted for respirable particulate matter (RSPM) and oxygen level in the conditioned area half yearly through the agencies that are in the field of Air quality monitoring, and test reports to be submitted immediately after test.
- 9) The test shall be conducted for process chilled water pressure tanks as per “The Karnataka Factories rule 65” through the agencies, who are the authorized by the department of factories and boilers, Government of Karnataka and test report to be submitted immediately after test.
- 10) All the meters and gauges have to be calibrated at least once in a year, traceable to national standards and furnish the calibration certificates and any defective gauges/meters have to be repaired /replaced along with calibration certificates traceable to national standards.
- 11) The refrigeration system shall be checked for any leakage of gas and lubrication oil and the same shall be charged/topped up as and when required. The lubrication oil shall be replaced with new oil at least once in a year.
- 12) Water-cooled Condenser De-Scaling and tube brushing work has to be Carry out as and when required. However the de-scaling and brushing work as to be carry out at least twice in the AMC period in consultation with our Engineer in charge.



- 13) Pre filters, Plummer blocks, shaft, runners, drives, heaters and heater controls etc. of AHU'S shall be replaced whenever found defective.
- 14) Repair /Replacement, parts / accessories of cooling towers as and when required. Cleaning of cooling tower shall be carried out by you at the time of each quarterly services.
- 15) Spares and consumables are to be used as per annexure – I & II. In case spares and consumables are not in list enclosed then you have to obtain the concurrence of competent authority before usage
- 16) Special care and attention be given to ensure that no damage is done to the equipment in terms of: -
 - a) Avoiding leakage of refrigeration gas into the atmosphere through regular check up and prevention.
 - b) The refrigerant R-22 used for recharging purposes for repair / preventive maintenance works of Air-conditioning / chilled water plants should not exceed more than 5% of the total gas used in the system during the AMC period of one year, in the view of environmental protection. However it is contractors responsibility to maintain the plant on optimum efficiency condition.
 - c) Avoiding spillage of oils on the ground and ground contamination.
 - d) Proper disposal of spent oil/wastes as per the company's procedures.
 - e) Avoiding noise pollution, by keeping the noise levels within the permitted levels, by way of quarterly checks and remedial measures.
 - f) Usage of eco-friendly chemicals/cleaning aspects for de-scaling/coil cleaning etc.
 - g) Every breakdown /preventive maintenance service shall be followed by necessary Service Report indicating details of consumables/spares used including labour charges separately.
 - h) Compressors for Package units shall be replaced with either Factory reconditioned or new compressors of the same make in case of requirement.
 - i) In case, the insulation/ cladding is removed during breakdown / preventive maintenance works shall be reinstalled/repaired/ replaced immediately.



IV) SPARES AND CONSUMABLES:

All the necessary materials, spares and consumables required for preventive maintenance works / Breakdown maintenance works / Overhauling works will be supplied by you as and when required at no extra cost.

V) TOOLS, TACKLES AND MEASURING INSTRUMENTS:

All the necessary Tools, Tackles and Measuring Instruments required during preventive Maintenance works/Breakdown Maintenance works/Overhauling works/While conducting tests are to be arranged from your end as and when required at no extra cost.

VI) PAYMENT TERMS:-

Payment will be made once in Quarterly after satisfactory completion of the Services.

VII) GENERAL:

- 1) All the statutory requirements as called for by the labour Department, Government of Karnataka, are to be fulfilled in respect of Income Tax, PF, ESI and Safety etc, Your personnel working in BHEL should be Covered under above schemes of your company. You shall furnish the ESI and PF codes.
- 2) Your service personnel should take adequate safety precaution and use necessary safety equipments during repair/servicing works.
- 3) Any damage that may be caused to men and assets of our company by your personnel shall be made good at your cost.
- 4) You are requested to abide by security rules to get access to our premises that are in force from time to time.
- 5) Returnable materials such as tools, equipments and replacement spares etc brought inside our premises shall be entered at our check post to enable you to take them back after the completion of works.
- 6) All the materials such as spares/consumables etc required for service /maintenance work shall be brought with necessary delivery challans duly Endorsed by our security at the material gate and hand over to us.
- 7) Your service personnel have to report to the Executive In charge/Supervisor in charge immediately after entering into our factory premises and before taking up any service /repair works.



ANNEXURE 1

- I. As can be seen from the list of plants, we are having ACCEL, CARRIER/ VOLTAS, KIRLOSKAR, BATLIBOI & COUPLAND compressors. Tenderers are required to arrange for the spares only from the manufacturers / their authorized dealers/OEM'S with proof for the same.
- II. For any other space required for the system shall be used from the following makes.
- | | | |
|------------------------------|---|-------------------------------|
| 1. BEARING | : | SKF / NBC/ ZKL/ NTN |
| 2. GAUGES | : | Fiebig / KI |
| 3. CUT OUTS | : | Danfoss / Indfoss |
| 4. THERMOSTATS/
HUMISTATS | : | Danfoss / Indfoss / Honeywell |
| 5. SOLENOID VALVES
(LLSV) | : | Sprolan/ Danfoss |
| 6. V-BELTS | : | Fenner/ Dunlop |
| 7. ELECTRICALS | : | Refer Annexure - II |



“Annexure “II”

BHARAT HEAVY ELECTRICALS LIMITED
(ELECTRONICS DIVISION)
MYSORE ROAD BANGALORE – 560 026

ACCEPTABLE MAKES OF MATERIALS

1. L.T. SDUs/FSUs/SFUs	Siemens/ L&T/E.E./ C&S
2. L.T. Isolator	Siemens/L & T/EE/GEC
3. Change over switches	C&S / HPL/ Indo Asian/ Hevell's
4. Rotary/Selector switches	Siemens/ L & T/ Kaycee/ Thaker/ Reco/ Switchtron/ Salzer
5. Limit switches	Siemens/ BCH
6. Toggle switches	Reco/ Kaycee
7. CTs & PTs	TELK/ Kappa/ Siemens/ Indcoil/AEL/Kalpa
8. Motors	BHEL/ Siemens/ ABB/ Crompton/ Kirloskar/ AEI/ BEACON/BBC/National Electric company/
9. Motor Starters	Siemens/ L&T/ BCH
10. Overload relays	Siemens / L & T/ BCH/EE
11. Time delay relay	Siemens/ BCH/ L&T/ EE
12. Single phase Preventer	Siemens/ L & T/ BCH
13. Push button & Indication Lamps	Siemens/ L & T/ Vaishno/ Technic
14. Measuring Instruments	AE/ MECO/ IMP/ ENERCON/ ALACRITY
15. Energy Meters	BHEL/. ENERCON/ ALACRITY/ MECO
16. Protective Relays	EE/ Easun Rerole/ EMCO
17. Cables	CCI/ Universal/ Fort Gloster/ Asian/ Nicco/ Premier/ Polycab
18. PVC insulated copper wires	Finolex/ Wincap/ Polycab/ Anchor
19. Copper Lugs	Dowell
20. Cable sockets/Glands	Dowels / Lotus/ Braco
20. Fuse distribution boards	E.E/ Siemens/ L & T./ Standard
21. Bus bar trunking units	E. E
22. Piano type switches, sockets, plugs, Ceiling Rose	Anchor/ Record/ Anchor-Roma/Anchor- Diana/ Lisha./ MK/ LK
23. Industrial sockets	Crompton/ BCH/ Legrand
24. MCB plug & socket Distribution Board	MDS/ Siemens / BCH
25. Cable tray	MEK/ Indiana
26. Conduit pipes & accessories	GB / BHARAT/ Universal/ Uniplast/ Supreme
27. Cable sockets/Glands	Dowels / Lotus/ Braco
28. Bakelite fuse cut-outs	EE/ Standard



Bharat Heavy Electricals Limited
Electronics Division, Mysore Road, Bangalore – 560 026.

BHARAT HEAVY ELECTRICALS LIMITED

(ELECTRONICS DIVISION)

MYSORE ROAD BANGALORE – 560 026

ANNEXURE: 'B'

GENERAL CONDITIONS OF CONTRACT

It is hereby agreed by me/us that the BHEL General Conditions of Contract including subsequent amendments/ additions/deletions to clauses if any, and conditions pertaining the settlement of disputes by Arbitration from an integral part of the tender documents and that the tender submitted by me/us is subject to the aforesaid BHEL General Conditions of Contract which has been read and accepted by me/us.



Bharat Heavy Electricals Limited
Electronics Division, Mysore Road, Bangalore – 560 026.

BHARAT HEAVY ELECTRICALS LIMITED
(ELECTRONICS DIVISION)
MYSORE ROAD BANGALORE – 560 026

ANNEXURE 'C'

CLAUSE 20 OF GENERAL CONDITIONS OF CONTRACT

LABOUR

The Contractor shall employ labour in sufficient numbers either directly or through sub-contractors to maintain the required date of progress and of quality to ensure workmanship of the degree specified in the contract and to the satisfaction of the Engineer-in-charge. The contractor shall not employ in connection with the works any person who has not completed his eighteen years of age.

The Contractor shall furnish to the Engineer-in-charge at the intervals specified by him, a distribution return of the number and description by trades of the workpeople employed on the works. The Contractor shall also submit on the 4th and 19th or every month to the Engineer-in-charge a true statement showing in respect of the second half of the preceding month and the first half the current month (i) the accidents that occurred during the said fortnight showing the circumstances under which they happened and the extent of damage and injury caused by them and (ii) the number of female workers who have been allowed maternity benefits as provided in the maternity benefit Act, 1961 or Rules made there under and the amount paid to them.

The Contractor shall pay to labour employed by him either directly or through sub-contractors wages not less than fair wages as defined in the Contractor's Labour Regulations.

The Contractor shall in respect of labour employed by him either directly or through sub-contractors comply with or cause to be complied with contractor's labour Regulations in regard to all matters provided therein.

The Contractor shall comply with the provisions of the payment of wages Act, 1936, Minimum Wages Act, 1948, Workmen's Compensation Act 1923, Industrial Disputes Act, 1947, Maternity Benefit Act 1961, or any modifications thereof or any other law relating there to and rules made there under from time to time.

The Contractor shall be liable to pay his contribution and the employees contribution of the State Insurance Scheme in respect of all labour employed by him for the execution of the contract, in accordance with the provision of "The Employees, State Insurance Act, 1948," as amended from time to time. The Contractor shall apply to the ESI Authorities, get himself registered with them and obtain a code Number. He shall pay the remittances towards PF under his Code Number only.



The Engineer-in-charge shall on a report having been made by an Inspecting Officer as defined in the Contractor's Labor Regulations have the power to required for making good the loss suffered by a worker or workers by reason of non fulfillment of the conditions of the contract for the benefit of workers, non-payment for wages or of deductions made from his or their wages which are not justified by the terms of the Contract of non observance of the said Contractor's Labour Regulations.

The Contractor shall indemnify the BHEL against any payment to be made under and for observance of the Regulations aforesaid without prejudice to his right to claim indemnity from these sub-contractors.

In the event of the Contractor committing a default or breach of any of the provisions of the aforesaid contractor's Labor Regulations, as amended from time to time or furnishing any information or submitting or filling any from /Register /Slip under the provisions of these Regulations which is materially incorrect then on the report of the Inspecting Officers as defined in the Contractors Labor Regulations, the Contractor shall without prejudice to any other liability pay to the BHEL a sum not exceeding Rs. 50/- as liquidated damages may be enhanced to Rs. 50/- per day for each day of default subject to a maximum percent of the estimated cost of works put to tender. The Contractor shall defend the case by himself any action brought in by such Government Agencies for non-compliance of any Labor Regulations and/or reimburse the expenses incurred by BHEL in this regard.

The Engineer-in-charge shall deduct such amount from bills or security deposit of the Contractor and credit the same to the welfare fund constituted under Regulations. The decisions of the Engineer-in-charge in this respect shall be final and binding.

MODEL RULES FOR LABOUR WELFARE

The Contractor shall at his own expense comply with or cause to be complied with model Rules for labor Welfare as appended to these conditions or rules framed by Government from time to time for the protection of health and for making sanitary arrangements for workers employed directly or indirectly on the works. In case the Contractor fails to make arrangements as aforesaid the Engineer-in-charge shall be entitled do so and recover the cost thereof from the contractor.



BHARAT HEAVY ELECTRICALS LIMITED
(ELECTRONICS DIVISION)
MYSORE ROAD BANGALORE – 560 026

SAFETY CODE

**RESPONSIBILITIES OF THE CONTRACTOR IN RESPECT OF
SAFETY OF MEN, EQUIPMENT, MATERIAL AND ENVIRONMENT**

1. Before commencing the work, contractor submit a “SAFETY PLAN” to the authorized BHEL Official. The ‘Safety Plan’ shall indicate in detail the measure that would be taken by the contractor to ensure safety of men, equipment, material and environment during execution of the work. The plan shall take care to satisfy all requirements specified hereunder. The contractor shall submit safety plan along with his offer. During negotiations before placing of work order and during execution of the contractor BHEL shall have right to review and suggest modification in the Safety Plan. Contractor shall abide by BHEL decision in this respect.
2. The contractor shall take all necessary safety precautions and arrange for appropriate appliances as per direction of BHEL or its authorized officials to prevent loss of human lives, injuries to personnel engaged, and damage to property and environment.
3. The contractor shall provide to its work force and ensure the use of the following personal protective equipment as found necessary and as directed by the authorized BHEL officials:-
 - (I) Safety Helmets conforming to IS – 2925: 1984.
 - (ii) Safety Belts conforming to IS – 3521: 1983.
 - (iii) Safety Shoes conforming to IS – 1989: 1978.
 - (iv) Eye and Face Protection devices conforming to IS – 8520: 1977 and IS – 8940: 1978.
 - (v) Hand and body protection devices conforming to:
 - IS – 2573: 1975
 - IS – 6994: 1973
 - IS – 8807: 1978
 - IS – 8519: 1977.

All tools, tackles, lifting appliances, material handling equipment scaffolds, cradles, safety nets, ladders, equipments etc. used by the contractor shall be of safe design and construction. These shall be tested and certificate of fitness obtained before putting them to use and from time to time as instructed by authorized BHEL official who shall have the right to ban the use of any item.



Bharat Heavy Electricals Limited
Electronics Division, Mysore Road, Bangalore – 560 026.

All electrical equipment, connections and wiring for constructions power, its Distribution and use shall conform to the requirement of India Electricity Act and Rules. Only electricians licensed by the appropriate statutory authority shall be employed by the contractor to carry out all types of electrical works. All electrical appliances including portable electric tools used by the contractor shall have safe plugging system to source of power and be appropriately earthed.

The Contractor shall not use any hand – lamp energized by electric power with supply voltage of more than 24 Volts. For work in confined spaces, lighting shall be arranged with power source of not more than 24 Volts.

The contractor shall adopt all fire safely measures as laid down in the “Code for Fire Safety at Construction sites” issued by the Safety Department of the Construction management (HQ) of BHEL and as per directions of the authorized BHEL official. A copy of the above referred “Code of Fire Safety at Construction Sites” shall be made available by BHEL to the contractor for reference, on demand by the contractor, during tendering stage itself.

Where it becomes necessary to provide and/or store petroleum Products, explosives, chemicals and liquid or gaseous fuel or any other substance that may cause fire or explosion, the contractor shall be responsible for carrying out such provisions and/or storage in accordance with the rules and regulations laid down in the relevant government acts, such as Petroleum Act, Petroleum and Carbides of Calcium manual of the chief controller of Explosives, Govt. of India. etc., Prior approval of the authorized BHEL official at the site shall also be taken by the contractor in all such matters.

The contractor shall arrange at his cost (wherever not specified) appropriate illumination at all work spots for safe working when natural daylight may not be adequate for clear visibility.

The contractor shall be held responsible for any violation of statutory regulations local, state or central and BHEL instructions, that may enrage safety of men, equipment, material and environment in his scope of work or another contractor’s or agency’s. cost of damages if any, to life and property arising out of such violation of statutory regulations and BHEL instructions shall be borne by the contractor.

In case of a fatal or disabling injury accident to any person at construction sites due to lapses by the contractor, the victim and/or his/her dependents shall be compensated by the contractor as per statutory requirements. However, if considered necessary, BHEL have the right to impose appropriate financial penalty on the contractor and recover the same from payments due to the contractor for suitably compensating the victim and/or his/her dependents. Before imposing any such penalty, appropriate enquiry shall be held by BHEL giving opportunity to the contractor to present his case.

In case of any damage to property due to lapses by the contractor, BHEL shall have the right to recover cost of such damages from payments due to the contractor after holding an appropriate enquiry.



Bharat Heavy Electricals Limited
Electronics Division, Mysore Road, Bangalore – 560 026.

In case of any delay in the completion of a job due to mishaps attributable to lapses by the contractor, BHEL shall have right to recover cost of such delay from payments due to the contractor, after notifying the contractor suitably and giving him opportunity to present his case.

If the contractor fails to improve the standards of safety in its operation to the satisfaction of BHEL after being given a reasonable opportunity to do so; provide necessary safety devices and equipment or to carry out instructions or to provide necessary safety devices and equipment or to carry out instructions regarding safety issued by the authorized BHEL official, BHEL shall have the right to take corrective steps at the risk and cost of the contractor after giving a notice of not less than seven days indicating the steps that would be taken by BHEL.

The contractor shall submit report of all accidents, fires and property damage, dangerous occurrence to the authorized BHEL official immediately after such occurrence, but in any case not later than twelve hours of the occurrence. Such reports shall be furnished in the manner prescribed by the contractor to the authorized BHEL official from time to time as prescribed.

Before commencing the work, the contractor shall appoint/nominate a responsible officer to supervise implementation of all safety measures and liaison with his counterpart of BHEL.

If Safety record of the contractor in execution of the awarded job is to the satisfaction of Safety Department of BHEL, issue of an appropriate certificate to recognize the safety performance of the contractor may be considered by BHEL after completion of the job.



BHARAT HEAVY ELECTRICALS LIMITED
(ELECTRONICS DIVISION)
MYSORE ROAD BANGALORE – 560 026

ANNEXURE 'E'

CLAUSE 58 OF GENERAL CONDITIONS OF CONTRACT

ARBITRATION:

Except where otherwise provide for in the contract all questions and disputes relating to the meaning of the specifications, designs, drawings and instructions herein. Before mentioned and as to any other question, claim, right, matter or thing whatever in any way arising out of or relating to the contract, designs, drawings, specifications, estimates, instructions, orders or these conditions or otherwise concerning the works, or the execution or failure to execute the same whether arising during the progress of the work or after the completion or abandonment thereof shall be referred to the sole arbitration of the Executive Director/General Manager of BHEL and if the Executive Director/General Manager willing to act as such Arbitrator. There will be no unwilling to act to the sole Arbitrator so appointed is an employer of BHEL to which the contract relates and that in the course of his duties as such he had expressed views on all or any of the matters in dispute or difference. The Arbitration to whom the matter is originally referred being transferred or vacating his office or being unable to act for any reason, such Executive Director/General Manager as aforesaid at the time of such transfer vacation of office or inability to act, shall appoint another person to act as arbitrator in accordance with the terms of the contract. Such person shall be entitled to proceed with the reference from the stage at which it was left by his predecessor. It is also a term of this contract that no person other than a person appointed by such Executive Director/General Manager or an employee appointed as arbitrator shall give reasons for the award.

Subject as aforesaid the provision of the Arbitration Act 1940 or any statutory modification or re-enactment thereof and the rules made thereunder and for the time being in force shall apply to the arbitration proceeding under this clause.

It is term of the contract that the party invoking arbitration shall specify the dispute or disputes to be referred to arbitration under clause together with the amount or amounts claimed in respect of each such dispute.

The arbitrator (s) may from to time with consent of the parties extend the time, for making and publishing the award.

The work under the contract shall, if reasonably possible, continue during the arbitration proceedings and no payment due or payable to the contractor shall be withheld on account of such proceedings.

The arbitrator shall be deemed to have entered on the reference on the date he issues notice to both the parties fixing the date of the first hearing.



Bharat Heavy Electricals Limited
Electronics Division, Mysore Road, Bangalore – 560 026.

The arbitrator shall give a separate speaking award in respect of each or difference referred to him.

The venue of arbitration shall be such place as may be fixed by the arbitrator in his sole discretion.

The award of the arbitrator shall be final, conclusive and binding on all parties to this contract



BHARAT HEAVY ELECTRICALS LIMITED
(ELECTRONICS DIVISION)
MYSORE ROAD BANGALORE – 560 026

ANNEXURE: 'F'

FORM OF BANK GUARANTEE FOR EARNEST MONEY DEPOSIT

In CONSIDERATION of the Bharat Heavy Electricals Limited, Electronics Division, Mysore road, Bangalore – 26, (herein after called the company) having its Registered office (BHEL House, Siri Port, New Delhi – 110 049), having agreed to exempt M/s.....a proprietary concern/a partnership firm registered under the partnership ACT 1936, A Limited Company incorporated under the companies Act 1956, having its place of business at(hereinafter called the 'contractor' from furnishing Earnest Money Deposit in cash as specified in the Tender Notice No..... dated.....for the work of ----- (hereinafter called 'the said tender') on production of a Bank Guarantee for Rs._____ only). We _____ Bank (here in after referred to as the Bank/Guarantor) do hereby undertake to pay to the Company an amount not exceeding Rs._____ against any loss or damage caused to or suffered or would be caused to or suffered to by the company by reason of any breach or default or non compliance by the said Contractor (s) of any of the terms and conditions contained in the said Tender.

2. We, the _____ Bank do hereby undertake to pay to the Company on demand, without any demur, the amounts claimed is due by way or loss or damage caused to or suffered by the Company by reason of any breach or default or non-compliance by the said contractor(s) of any of the terms and conditions contained in the said Tender or by reasons of the Contractor's failure to perform the said Tender. Any such demand made on the Bank shall be conclusive and binding on the Bank as regards the amount due and guarantee shall be restricted to an amount not exceeding Rs.....(Rupees..... only). The decision of the company as to whether a default has been committed or not by the said contractor is final and binding on the bank.

Note: Amount to be indicated both in figures and words.



Bharat Heavy Electricals Limited
Electronics Division, Mysore Road, Bangalore – 560 026.

3. We.....Bank further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the finalization of the Tender, acceptance of the same by the company and commencement of the work by the contractor, as specified by the company or till the company certifies that the terms and conditions of the said tender have been fully properly carried out by the said contractor and accordingly discharge the guarantee. Unless a demand or claim under this guarantee is made on us in writing on/or before We shall be discharged all liability under this guarantee thereafter.

4. We..... Bank further agree that the Company shall have the fullest liberty, without our consent and without affecting in any manner our obligations hereunder, to vary any of the terms and conditions of the said tender or to extend the time of performance by the said Contractor from time to time or to postpone for any time or from time to time any of the power exercisable by the company against the said contractor and to forbear of enforce any of the terms our liability by reason of any such variation , or extension being granted to the said contractor (s).

5. We Bank lastly undertake not to revoke this guarantee during its currency except with the previous consent of the company in writing.

Dated this day of Two thousand
.....ForBank.

GUARANTOR

WITNESS WITH ADDRESS :

- 1.

- 2.

Note: Indicate here date of expiry of four months from the date of opening of the tender.



BHARAT HEAVY ELECTRICALS LIMITED
(ELECTRONICS DIVISION)
MYSORE ROAD BANGALORE – 560 026

ANNEXURE: 'D'

CLAUSE 38 OF BHEL GENERAL CONDITIONS OF CONTRACT

**INSURANCE OF WORKS AGAINST DAMAGE AND LOSS DUE TO FIRE,
STRIKE TEMPEST, FLOODS, EARTHQUAKE, RIOT AND AGAINST DAMAGE
BY AIRCRAFT**

The contractor shall, within one month date of acceptance of the contract, insure the work against loss and damage by fire, tempest, floods, earthquake, riots, strike and against damage by aircraft with an insurance office approved by the accepting officer from the date of acceptance of work or actual commencement of work which ever is earlier. Such insurance shall be effected in the name of BHEL and shall be for the full value of the contract sum. The contractor shall lodge with the BHEL the policies and receipts of the premiums for such insurance and shall maintain such policies in force until the entire completion of the work as certified by the senior Engineer.

If the contractor fails to comply with the terms of this condition the accepting officer may insure the work and may deduct the amount of premiums from any money that may become payable to the contractor or may at his discretion refuse payment of any advance to the contractor until the contractor shall have complied with the terms of this condition.

Such insurance whether effected by the Accepting officer or the Contractor shall not be a limit or bar to the liability and colligation of the contractor to complete the entire work in all respects as certified by the Senior Engineer.

In case of such a loss or damage as aforesaid, the money payable under any such insurance shall be received and may be retained by the B.H.E.L. until the work is finally completed and shall then be credited to the contractor in the final statement of accounts in the event of the contract not having been previously cancelled under these conditions after taking into account the delay in completion, settlement to his workers for damages, damage to BHEL. Property etc.,



BHARAT HEAVY ELECTRICALS LIMITED
ELECTRONICS DIVISION
&
ELECTRONICS SYSTEMS DIVISION
BANGALORE

HEALTH, SAFETY & ENVIRONMENTAL POLICY

The Management is committed to be an environmentally sound company in its activities, products, services and to provide safe and healthy working environment covering its employees, products & services as an integral part of business performance through :

- ★ **Compliance with applicable Legislation and Regulations**
- ★ **Setting objectives and targets to eliminate / control / minimise environmental pollution, risks due to Occupational Health and Safety Hazards**
- ★ **Promotion of activities for conservation of resources by environmental management with focus on oil, electrical energy and chemicals**
- ★ **Enhancement of Environmental, Safety and Occupational Health awareness amongst employees, customers, suppliers, contractors by pro-active communication**
- ★ **Regular evaluation and pro-active measures for prevention & control of environmental pollution/accidents / occupational diseases**
- ★ **Appropriate training of employees and interested parties on Health, Safety & Environmental (HSE) aspects**
- ★ **Formulation and maintenance of HSE Management Programs for continual improvement**
- ★ **Periodic review & audit of HSE Management System to ensure its continuing suitability, adequacy and effectiveness**
- ★ **Communication of HSE Policy to all employees and interested parties**
- ★ **Co-operation with concerned agencies / regulatory bodies engaged in HSE activities.**

Sd.
RAMJI RAI
EXECUTIVE DIRECTOR
BHEL (EDN) BANGALORE



ANNEXURE – III

Subject : Comprehensive Annual Maintenance Contract for Air-Conditioning, Chiller and Pressurization Plants

Questionnaire to be answered by the tenderer by ticking the suitable boxes

SL. No.	Description	Yes	No
01	Whether the tenderer has understood the scope of work as indicated in the tender. (If there is any clarification required, the same may be got cleared from the Executive in charge, before submitting the offer.)		
02	Whether the tenderer has agreed to all Terms & Conditions given in the tender. (If there is any deviation, the same may be mentioned in separate sheet.		
03	Whether the tenderer agrees for the payment terms mentioned in the tender.		
04	Whether the tenderer has their own code for ESI & PF. (If the tenderer does not possess their own code their offer will not be considered. Paying the PF & ESI on another agency's name / sister concern is not acceptable.)		
05	Whether the tenderer agrees to comply with all statutory regulation.		
06	Whether the tenderer agrees to give validity of offer for 3 months from the date of opening of technical bid.		
07	Whether the tenderer agrees to comply with all Safety Standards as mentioned in the tender specification.		
08	Whether the tenderer has agreed to submit EMD of Rs. 25,000/- and has submitted the same along with technical bid. (if not enclosed the tender will not be considered)		
09	Whether the tenderer has enclosed the DD for Rs. 200/-towards the cost of Tender Document, along with the Technical bid. (In case of tender documents are down loaded from BHEL web site)		



Bharat Heavy Electricals Limited
Electronics Division, Mysore Road, Bangalore – 560 026.

SL. No.	Description	Yes	No
10	Whether the tenderer has agreed to submit Security Deposit immediately after receipt of the work order as mentioned in the tender		
11	Whether the tenderer has enclosed the list of clients with addresses & contact person.		
12	Whether the tenderer has enclosed the list of similar works already done / being done with the addresses and contact person.		
13	Whether the tenderer has enclosed the certificates received from Government / Reputed organisation for the similar work done.		
14	Whether the tenderer has enclosed the list of technical personnel their qualification and experience who will be Incharge for this work.		
15	Whether the tenderer has indicated the address of their local office in Bangalore along with the phone no. & fax no. etc		
16	Whether the tenderer has enclosed the solvency certificate obtained from a bank for a value of Rs. 2,50,000/- minimum.		
17	Whether the tenderer has enclosed the copy of Power of Attorney (if applicable).		
18	Whether the tenderer has enclosed the certificate to establish that the tenderer is an independent contractor working on his own.		
19	Whether the tenderer has agreed to supply materials as per the Approved makes as mentioned in the tender		

Note: If any of the question is not applicable, please mention as “ Not Applicable”



II .Price Bid

Factory Services
M&S/PS/50

SCHEDULE OF COMPREHENSIVE AMC WORK:

Sl. No.	DESCRIPTION OF THE PLANTS	Amount in Rs.
01	Devices 40 TR A/C plant – Indirect expansion type comprising of i. Compressor (Model 5H40) - 2 No's (1 No. Stand by) j. Condenser - 2 No's (1 No. Stand by) k. Air handing Unit - 2 No's l. Cooling Tower - 1 No's m. Condenser Pump - 2 No's (1 No. Stand by) n. Chiller Pump - 2 No's (1 No. Stand by) o. Compressor Motors - 2 No's (1 No. Stand by) p. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.	
02	Device 18TR Chiller plant – Comprising of h. Compressor (Model 5F40) - 1 No. i. Condenser - 1 No. j. Cooling Tower - 1 No. k. Condenser Pump - 1 No. l. Chiller Pump - 1 No. m. Compressor Motors - 1 No. n. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.	
03	East First floor 55TR A/C Plant -Direct expansion type Comprising of h. Compressor (Model 5H60) - 2 No's (1 No. Stand by) i. Condenser - 2 No's (1 No. Stand by) j. Air handing Unit - 1 No. k. Cooling Tower - 1 No. l. Condenser Pump - 2 No's (1 No. Stand by) m. Compressor Motors - 2 No's (1 No. Stand by) n. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.	
	(A) SUB TOTAL AMOUNT IN Rs.	



Bharat Heavy Electricals Limited
Electronics Division, Mysore Road, Bangalore – 560 026.

Sl. No.	DESCRIPTION OF THE PLANTS	Amount in Rs.
04	DOE 35 TR A/C Plant – Direct expansion type Comprising of i. Compressor (Model 5H40) - 2 No's (1 No. Stand by) j. Condenser - 2 No's (1 No. Stand by) k. Air handing Unit - 2 No's l. Cooling Tower - 1 No. m. Condenser Pump - 3 No's (1 No. Stand by) n. Compressor Motors - 2 No's (1 No. Stand by) o. Condensate drain pump - 1 n o p. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.	
05	DOE 35 TR Chiller plant – comprising of a. Compressor (Model 5H40) - 2 No's (1 No. Stand by). b. Condenser - 2 No's (1 No Stand by) c. Chiller Pump - 2 No's (1 No Stand by) d. Compressor Motors - 2 No's (1 No. Stand by). e. Chilled water Pressure Tank - 1 No. f. Reciprocating pumps(WASP Make) - 2 No's (1 No. Stand by). g. Portable Air Compressor (for chilled water pressure tank -1 No h. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc. Note : Cooling tower and condenser water pumps are common for Both AC and Chiller plants of DOE.	
06	Jig Boring package 7.5TR. A/C Plant – Comprising of i. Semi hermetic Compressor (Model SK70) - 1 No. j. Condenser - 1 No. k. Package blower Unit - 1 No. l. Cooling Tower - 1 No. m. Condenser Pump - 1 No. n. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.	
07	EAST ANNEX 11 X 3 = 33.5 TR Package (Model OPUA SC110) and 5.5 Tr. AC Package . OPUA SC 55) - comprising of a. Hermetic SCROLL Compressor (Model Z872KC) 7 No's (1 No Stand by) b. Condenser (Air cooled) - 7 No's (2 Nos. Stand by). c. Package blower Unit - 4 No. (1 No. Stand by) d. Refrigeration circuit, and all connected electrical and mechanical equipments & accessories etc.	
	(B) SUB TOTAL AMOUNT IN Rs.	



08	<p>EAST 'G' FLOOR.40TR A/C Plant - Direct expansion type, comprising of</p> <ul style="list-style-type: none">a. Compressor (Model SMC 4X100) - 2 No's (1 No. Stand by).b. Condenser - 2 No's (1 No. Stand by).c. Air handing Unit - 1 No.d. Condenser Pump - 2 No's (1 No. Stand by).e. Compressor Motors - 2 No's (1 No. Stand by).f. Cooling Tower - 1 No.o. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.	
09	<p>TSC(Module).40TR A/C Plant - Direct expansion type Comprising of</p> <ul style="list-style-type: none">a. Compressor (Model SMC 4X100) - 2 No's (1 No. Stand by).b. Condenser - 2 No's (1 No. Stand by).c. Air handing Unit - 1 No'sd. Condenser Pump - 2 No's (1 No. Stand by).e. Compressor Motors - 2 No's (1 No. Stand by).f. Cooling Tower - 1 No'sp. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.	
10	<p>EDP 10 X 3 = 30 TR Package (Model A 1000A1B4) AC Plant. (1 Unit is Stand by) - comprising of</p> <ul style="list-style-type: none">a. Semi Hermetic Compressor (Model BH 100) - 3 No'sb. Condenser (Air cooled) - 6 No's (2 No. Stand by).c. Package blower Unit - 3 No. (1 No. Stand by)d. Refrigeration circuit, and all connected electrical and mechanical equipments & accessories etc.	
11	<p>East Pressurization Plant - Comprising of</p> <ul style="list-style-type: none">a) Pressurization blower including motor - 1 Set.b) Connected electrical & mechanical equipments and accessories	
12	<p>Devices 60 TR Chiller plant- comprising of</p> <ul style="list-style-type: none">a. Compressor (Model AC - 770) - 2 No's (1 No. Stand by).b. Condenser - 1 No.c. Chiller Pump - 1 No.d. Condenser pump - 1 No.d. Compressor Motors - 2 No's (1 No. Stand by).e. Cooling Tower - 1 No.f. Chilled water Pressure Tank - 1 No.g. Reciprocating pumps(WASP Make) - 2 No's (1 No. Stand by).h. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.	
	<p>(C) SUB TOTAL AMOUNT IN Rs.</p>	



13	Metrology Lab 15TR. A/C Plant – Comprising of f. Compressor (Model FK4) - 2 No. (1 No. Stand by) g. Condenser (Air cooled) - 1 No. h. Compressor Motors - 2 No. (1 No. Stand by) i. Air handling Unit - 1 No. j. Refrigeration circuit, and all connected electrical and mechanical equipments & accessories etc.	
14	Silicon 10 X 2 = 20 TR Package (Model PAW 1028) A/C Plant - comprising of a. Compressor - 4 No's b. Condenser - 4 No's c. Package blower unit - 2 No's d. Condenser Pump - 2 No's (1 No. Stand by). e. Cooling Tower - 1 No. f. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.	
15	NEB 4th floor (AC & SD) 10 X 2 = 20 TR Package (Model PAW 1028) A.C Plant - comprising of a. Hermetic Compressor - 4 No's b. Condenser - 4 No's c. Package blower unit - 2 No's d. Condenser Pump - 2 No's (1 No. Stand by). e. Cooling Tower - 1 No. f. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc.	
16	NEB 5th floor (AC & SD) Package 10 TR A/C Plant (Model PAW 1028) and 5 TR. AC Package (Model PCK 58) - comprising of a. Hermetic Compressors - 3 No's. b. Condenser - 3 No's d. Package blower unit - 2 No's g. Refrigeration circuit, cooling water circuit and all connected electrical and mechanical equipments & accessories etc. Note : Cooling tower and condenser water pumps are common for Both 4 th and 5 th floor AC Packages (AC&SD)	
	(D) SUB TOTAL AMOUNT IN Rs.	
	TOTAL (A + B + C+ D) AMOUNT IN RUPEES	

Total Amount in words _____