



भारत हेवी इलेक्ट्रिकल्स लिमिटेड

(भारत सरकार का उपक्रम)

**BHARAT HEAVY ELECTRICALS LIMITED**

(A Govt. of India Undertaking)

**TCN - 03**

Ref: PSER:SCT:KGN-M738:TCN-03

Date: 25-04-2007

Sub	Tender change notice (TCN) 03.	
Job	Application of paint of boiler & aux, structure including hangers & supports, etc for 3x500 MW unit # 5, 6 & 7 at Kahalgaon STPP, Bihar.	
Ref	1.0	Tender no PSER:SCT:KGN-M738:07.
	2.0	BHEL's NIT vide reference no PSER:SCT:KGN-M738:0852, dated 14-03-07.
	3.0	BHEL's TCN-01 vide reference no PSER:SCT:KGN-M738:TCN-01, dated 05-04-07.
	4.0	BHEL's TCN-02 vide reference no PSER:SCT:KGN-M738:TCN-02, dated 18-04-07.

With reference to above, following points, relevant to tender, may please be noted and complied with while submitting offer.

- 1.0 Modification/ clarifications to tender have been effected as per enclosed Annexure-A. Bidder to note the same while submitting offer.
- 2.0 No deviation certificate has been revised and the same is attached as Ennexeure-2. Bidder to submit no deviation certificate as per revised format while submitting offer.
- 3.0 All other terms & conditions shall remain unchanged.

Thanking you,

Yours faithfully,  
for BHARAT HYEAVY ELECTRICALS LTD

DGM (SCT)

Encl

- 1.0 Annexure-2.
- 2.0 Annexure-A.

पावर सेक्टर पूर्वी क्षेत्र (मुख्यालय)

POWER SECTOR EASTERN REGION, DJ-9/1, SALT LAKE CITY, KOLKATA - 700 091

फैक्स/Fax : (033) 23211960 फोन/Phone : बोर्ड/EPABX : 23211691

**MODIFICATION/ CLARIFICATION TO TENDER TERMS  
TENDER NO – PSER:SCT:KGN-M738:07**

- 1.0 The contractor should use only scaffolding pipes, platforms from light weight metals only. No other materials for scaffolding & platform shall be allowed at site. Therefore, contractor shall arrange metallic scaffolding for application of finish painting work etc.
- 2.0 The contractor is strictly prohibited from using the components like angles, channels, beams, plates, pipe/ tubes, and handrails etc for any temporary supporting or scaffolding works. Contractor shall arrange himself all such materials required in connection with scaffolding jobs. In case of such misuse of BHEL materials, a sum as determined by BHEL engineer will be recovered from the contractor's RA bill. The decision of BHEL engineer is final and binding on the contractor.
- 3.0 The contractor shall provide all the necessary scaffolding materials, temporary structures and necessary safety devices etc, during all stages of work. Scaffolding materials (pipes, gratings etc) shall be used only with light weight metals. Necessary certificates for healthiness of scaffolding materials and accessories are to be arranged by the contractor for conforming fitness so that the items can be used safely by the persons working in that area.
- 4.0 The contractor shall do necessary surface preparation before taking up the application work and is required to obtain a clearance from BHEL engineer before starting paint application work in any area.

---

**FORMAT FOR NO DEVIATION CERTIFICATE**  
**(To be submitted in the bidder's letter head)**

BHARAT HEAVY ELECTRICALS LIMITED,  
Power Sector - Eastern Region,  
Plot no 9/1, DJ Block, Sector – II, Salt Lake City,  
Kolkata – 700 091

Sub	No Deviation Certificate.	
Job	Application of paint of boiler & aux, structure including hangers & supports, etc for 3x500 MW unit # 5, 6 & 7 at Kahalgaon STPP, Bihar.	
Ref	01	BHEL's NIT vide reference no PSER:SCT:KGN-M738:0852, dated 14-03-07.
	02	Tender no PSER:SCT:KGN-M738:07.
	03	BHEL's TCN-01 vide reference no PSER:SCT:KGN-M738:TCN-01, dated 05-04-07.
	04	BHEL's TCN-02 vide reference no PSER:SCT:KGN-M738:TCN-02, dated 18-04-07.
	05	BHEL's TCN-03 vide reference no PSER:SCT:KGN-M738:TCN-03, dated 25-04-07.
	06	Other references (if any).

Dear Sirs,

With reference to above, this is to confirm that as per tender conditions, we have visited site before submission of our offer and noted the job content & site conditions etc. We also confirm that we have not changed/ modified the tender documents as appeared in the website and in case of observance at any stage, it shall be treated as null and void.

We hereby confirm that we have not taken any deviation from tender clauses together with other references as enumerated in the above referred NIT and confirm our acceptance to reverse auctioning process and we hereby convey our unqualified acceptance to all terms and conditions as stipulated in the tender and NIT.

In the event of observance of any deviation in any part of our offer at a later date whether implicit or explicit, the deviations shall stand null & void.

We confirm to have submitted offer strictly in accordance with tender instructions.

Thanking you,

Yours faithfully,

(Signature, date & seal of authorized  
representative of the bidder)