



ISO 9001-2000,ISO
14001 and OHSAS
18001 certified
company
SubContract and
Purchase Deptt.

Bharat Heavy Electricals Limited
(A Govt. of India Undertaking)
Power Sector – Northern Region,
Plot No. 25 , Sector - 16A , Distt. Gautam Budh
Nagar, NOIDA – 2 01301 (INDIA)
Phone: 91-120-2515476 / 2515464 / 2515479
Fax 91-120-2515464 / 2515467
Email: sku@bhel.com / vks@bhel.com

TENDER NOTICE

BHEL Power Sector, Northern Region invites bids for the following item required at BHEL sites in India as follow: -

Enquiry No.	Item Description	Last Date of Tender Submission & Opening
BHEL/PSNR/SCP/VKS/ E-1448	HEAVY DUTY HYDRAULIC STUD TENSIONER / BOLT STRETCHING DEVICE SUITABLE FOR M-42 TO M-90 STUD TENSIONING, COMPLETE WITH ACCESSORIES AS PER DETAILS ENCLOSED IN ANNEXURE-1 QTY REQUIRED 02 NOS	19.11.2007 3.30PM (IST)

Notes:

1. For detailed tender enquiry, please visit BHEL web site www.bhel.com
2. Purchase Preference will be given to CPSUs as per Indian Govt. Guidelines.
3. **Consignees for one number each shall be as given below**
 - A. **Construction Manager, N. C.P.P, Dadri Site, (U.P.)**
 - B. **Construction Manager, Kota Thermal Site ,(RAJ).**

GM/SCP&SAS



ISO 9001-2000,ISO 14001
and OHSAS 18001
certified company
SubContract and
Purchase Deptt.

Bharat Heavy Electricals Limited
(A Govt. of India Undertaking)
Power Sector – Northern Region,
Plot No. 25 , Sector - 16A , Distt. Gautam Budh
Nagar, NOIDA – 2 01301 (INDIA)
Phone: 91-120-2515476 / 2515464 / 2515479
Fax 91-120-2515464 / 2515467
Email: sku@bhelpsnr.co.in / vks@bhelpsnr.co.in

TENDER ENQUIRY

BHEL Power Sector, Northern Region invites bids for the following items required at BHEL sites in India as follow: -

Enquiry No.	Item Description	Last Date of Tender Submission & Opening
BHEL/PSNR/SC P/VKS/ E-1448	HEAVY DUTY HYDRAULIC STUD TENSIONER / BOLT STRETCHING DEVICE SUITABLE FOR M-42 TO M-90 STUD TENSIONING, COMPLETE WITH ACESSARIES AS PER DETAILS ENCLOSED IN ANNEXURE-1 QTY REQUIRED 02 NOS	19.11.2007 3.30PM (IST)

DESTINATION FOR SUPPLY IS AS FOLLOW:

1. 1 No at Dadri Site Near Ghaziabad, (U.P.)
2. 1 No at Kota Thermal Site , (RAJ).

QUALIFYING REQUIREMENTS / PAST EXPERIENCE:-

THE OFFERED MODEL SHOULD BE FROM CURRENT MANUFACTURING RANGE. OFFER FROM ONLY THOSE MANUFACTURERS (DIRECTLY OR THROUGH THEIR AUTHORISED DEALER) WILL BE CONSIDERED WHO HAVE BEEN MANUFACTURING SIMILAR OR HIGHER CAPACITY AND SHOULD HAVE SUPPLIED HEAVY DUTY HYDRAULIC STUD TENSIONER / BOLT STRETCHING DEVICE IN THE LAST 3 YEARS.

NOTES:-

- (i) The Tender Document comprise of following;
 - (1) Tender Notification
 - (2) Tender Invitation
 - (3) Annexure-1(Technical Specifications)
 - (4) Special Terms & Conditions.
 - (5) General Terms & Conditions.
 - (6) Rate Schedule

- (ii) Tender Documents with complete details are hosted in this web page. Bidder(s) intending to participate may download the tender document from the web site.
- (iii) Bidder(s) can also collect hard copy of tender documents from this office. Tender documents (non transferable) will be issued **free of cost on all working days between 09.30 Hrs. to 15.30 Hrs within the period i.e upto 17.11.2007.** Request for issue of tender document should clearly indicate Tender No. and work.
- (iii) Tenders must be submitted to the undersigned **latest by 19.11.2007** before opening of technical bids commences. Technical bids shall **be opened at 15.30 Hrs. (IST) on 19.11.2007.**
- (iv) The present destination for supply of elevators is as per given above, However, the destination is subject to change as per deployment plan at the time of delivery
- (v) All corrigenda, addenda, amendments and clarifications to this Tender will be hosted in this web page and not in the newspaper. Bidders shall keep themselves updated with all such amendments.
- (vi) BHEL takes no responsibility for any delay/loss of documents or correspondences sent by courier/post.
- (vii) Purchase Preference will be given to CPSUs as per Govt. Guidelines.

GM/SCP&SAS

ANNEXURE-1

Technical specifications of Heavy Duty Hydraulic Stud Tensioner / Bolt stretching device suitable for M-42 – M-90 stud tensioning completed with the following accessories and first fill of hydraulic oil:

1. Two speed hand pump fitted with DCV, PRV & pressure gauge.
2. Thermo plastic hose pipe (3 meter length) with quick change coupling, working pressure 700 bar.
3. Device capacity – 150 Tons
4. Closed height 200 / 150 mm
5. Stroke – 5 mm
6. Device Body Dia. – 300 mm
7. Device center hole dia – 145 mm
8. Working pressure – 700 KG / CM2
9. Bridge height (approx) : 100 mm (For bolt size M64 – M90)
10. Bridge height (approx) : 60 mm (For bolt size M42 – M56)
11. Bridge outside dia – 290 mm (common to all bolt sizes)
12. Bridge wall thickness (approx.) 35 mm for bolt size – M-64 – M90
13. Bridge wall thickness (approx.) 25 mm for bolt size – M-42 – M56
14. Adopter collar thickness (approx.) 60mm for M64 – M90
15. Adopter collar thickness (approx.) 50mm for M42 – M56
16. Tomy Bar for rotating disc – 16 – 20 mm.
17. Load indicating pressure gauge - 0 – 900 BAR
18. Piston rod will be duly hard chrome plated.
19. Bridge have three cuts at equal distance.
20. Lifting pad with 4 Nos. heavy duty handles for suitable handling of device.

Adopter with Rotating disc of the following size.

Adopter size	Length(MM)	Quantity.(Nos.)
M90 x 6	125	2
M 80 x 6	100	2
M 72 x 7	100	1
M 72 x 7	250	1
M 64 x 7	250	1
M 64 x 7	100	1
M 56 x 5.5	100	2
M 52 x 5	100	1
M 48 x 5	100	2
M 42 x 4.5	100	1

SPECIAL TERMS AND CONDITIONS

Sealed tenders in two part bid system i.e. Part-I – Techno-Commercial bid and Part-II - Price bid are invited for supply and testing of **TWO NOS HEAVY DUTY HYDRAULIC STUD TENSIONER / BOLT STRETCHING DEVICE** as per detailed specifications so as to reach us before the date of opening. The tenders (Part I only) will be opened at 3.30 PM (IST) on **19.11.2007**.

Tender should not be addressed to any Individual's name but only by designation to:

**ADDITIONAL GENERAL MANAGER/SCP
BHARAT HEAVY ELECTRICALS LIMITED
(A Govt. of India Undertaking)
Power Sector-Northern Region,
Plot no.25, Sector 16 A PB NO. 55,
NOIDA –201301 (INDIA)**

The tenderers are advised to submit the bid in conformity with the following: -

1. Offer should be submitted in two part bid system as under;

1.1 Part - I Techno-Commercial bid. It should include the following: -

- i) Technical specifications along with necessary catalogues, drawings, and technical literatures for the offered **bolt stretching device** in line with the technical specifications enclosed with this tender.
- ii) Documentary evidence of **bolt stretching device** manufactured /supplied.
- iii) Details of service facilities available in India for 'After Sales Service'.
- iv) Acceptance to commercial terms and conditions.
- v) **Normally no deviations are allowed (Techno-Commercial). However, If there are any deviations, the same should be clearly specified.** Deviation, if any, will be subject to suitable loading by BHEL and for which BHEL's decision shall be final and binding.
- (vi) In case of foreign bidder offer, the Principal's technical offer only should be enclosed, and the price should be on F.O.R, in I.N.R only
- (vii) Bidders shall submit their offer in **INR only**, the same to be indicated in their offer (Part-I).
- (ix) Commercial
This part shall include / indicate the following :
 - a) Station of dispatch
 - b) Terms of payment

- c) Taxes & duties applicable.
- d) Delivery Schedule
- e) Offer validity
- f) A copy of "Un-Priced Part II" i.e., a copy of the Price Bid without the price details to be enclosed.

1.2 Part II (Price bid) :-

- i) As per Rate Schedule format enclosed.
- ii) The bidders should fully understand scope of supply and their responsibilities under the tender specifications before quoting. **The bidders are required to quote only in Indian Currency for the rates as per rate schedule, in part-II price bid. Conditional price bid or price bid with any deviation are liable to be rejected.** No cutting / erasing /overwriting shall be done in the price bid.

2. Following should be super scribed on the envelopes of the two parts of the Bid.

Part I: Techno-Commercial Bid:-

Tender for:

Tender No.:

Due on :

Part II (Price bid)

Tender for:

Tender No.:

3 Both Part I and Part II should be individually sealed and super scribed as indicated above and shall be enclosed in one main envelope duly sealed and super scribed as :

Tender for :

Tender No.:

Due on:

Containing Part I and Part II of the offer.

4 The tenders should be sent sufficiently in advance so as to reach before the due date and time. BHEL shall not be responsible in case of delay in receipt of tenders.

5 Inspection, Testing & Commissioning : -

The supplier shall offer the bolt **stretching device** and accessories for inspection at manufacturer's works as per international norms. Inspection shall be carried out in presence of BHEL engineers or its nominated representative.

Testing shall be carried out on commissioning of bolt stretching device and shall be accepted at site or at supplier's works.

6. The delivery required is within two months progressively from date of P.O. However, tenderers should indicate the best possible delivery period.

7. Offers should be valid for a period of 180 days from the date of Techno-Commercial bid (Part-I) opening.
8. **Service support of the equipment under purchase is of utmost concern.** Tenderers shall elaborate on the service network and spare parts availability, which are to be ensured to maintain the equipment after initial commissioning and completion of warranty period. In case service/spare parts facilities are not available in India, tenderers shall indicate the maximum possible time in making such services available from places outside India.
9. The equipment being offered should be of robust design and suitable for operations in Indian climatic conditions such as saline atmosphere, ambient temperature upto 50⁰ C. The electrical and controls should be tropicalised to withstand such climatic conditions.
10. **Payment Terms:** Tenderer shall adhere to the following payment terms :-
 - a) 90% of Ex-Works value of bolt **stretching device** and accessories with 100% taxes, duties, freight, packing & forwarding and insurance against despatch documents.
 - b) 10% of Ex-Works value of bolt **stretching device** and accessories within 30 days of acceptance of the device at site..

The set of despatch documents for 90% payment shall be as follows

- Three Original of tax Invoices (Cenvat / Modvat Invoice)
- One original and one copy of Packing List
- Inspection and Test Certificate of the **bolt stretching device** at Manufacturer Works, duly certified by BHEL or its Authorised Agency or its waiver.
- Warranty Certificate for the goods
- Catalogue of compressor model supplied
- Certificate confirming, "Goods supplied are new".

NOTES:-

- (i) Tenderers are required to specifically confirm acceptance of these payment terms in their techno-commercial offer.
 - (ii) **No advance shall be paid.**
11. **Warranty: -**
- The Compressors offered shall carry a warranty for a period of 12 months from the date of commissioning of bolt **stretching device** at site. **Rectification / replacement required during the warranty period will be arranged by the supplier free of cost including to and fro transport charges and import duty/excise duty/other taxes/insurance etc payable on replacement items.**
12. On acceptance of techno-commercial and price bids, **BHEL reserves the right to conclude the contract either on Ex- works or FOR site basis at its sole discretion.**
 13. All sheets of the offer should be duly signed and stamped by the tenderers.

TENDER NO:PSNR/SCP/VKS/E-1448

14. In case of any contradiction between General Terms & Conditions (GTC) and Special Terms & Conditions of Contract (STC), the latter shall prevail.
15. All lubricants / consumables (except fuel), if required for successful commissioning of the elevator shall be supplied along with the elevators without any extra cost.

AGM./SCP&SAS

GENERAL TERMS & CONDITIONS

1. Manufacturer's name, their trade mark and brand, if any should invariably be mentioned in the tender and illustrative leaflets in duplicate giving technical particulars etc. should be attached to the tender, to facilitate consideration of the offer.
2. Materials should be of best quality and correct to specifications, relevant DIN/ISO/ANSI standard or any other equivalent INTERNATIONAL standard specification.
3. Correct date of affecting supplies in the event of an order from this office should be recorded in the tender.
4. Please note that our terms of payment are as per **clause 10** of "**SPECIAL TERMS AND CONDITIONS**" (**enclosed**).

No advance shall be paid.

In case of payment through , Bank all incidental charges will be to the Beneficiary's account.

5. Bharat Heavy Electricals Limited does not bind itself to accept the lowest tender, but reserves to itself the right to accept or reject all or part of any tender at its discretion.
6. No enhancement of rate, whatsoever the cause, will be allowed once the offer is accepted and the order is placed. Withdrawal of the offer after it is accepted or failure to make the supply within the schedule period will entail cancellation of purchase order and purchase at the risk and cost of supplier.
7. The quantities of each item to be purchased may vary according to actual requirement at the time of placement of order.
8. Supply against orders will be subject to the General Conditions of Contract prevailing in **Bharat Heavy Electricals Limited**.
9. Where Sales Tax is payable extra it will only be paid if registration numbers both under local sales tax/VAT and Central Sales Tax are specifically mentioned on the invoice. Tenderers should invariably quote their sales tax Registration No. in the offer.
10. **Liquidated Damages:** It is clearly understood between the parties to the contract that the delivery of the goods specified in the purchase order should be made within the time limit prescribed. Where the seller supplies or dispatches the goods beyond the delivery period specified, the purchaser will have no obligation to accept the goods. If accepted, liquidated damages at the rate of ½% (half percent) of the value of goods in arrears per week subject to a maximum of 10% (ten percent) of order value, will be levied at the discretion of the purchaser, without prejudice to any other relief or compensation due to the purchaser under any other condition to the contract.
11. **Risk Purchase:-** Alternatively, the purchaser at his option, will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole or any part of the goods which the supplier fails to deliver or dispatch within the time stipulated as aforesaid, or if the same were not available, the best and the nearest available substitute therefore. The

seller shall be liable for any loss, which the purchaser may sustain by reason of such risk purchase in addition to L.D. at the rate mentioned in clause 10 above.

12. **Inspection:** All goods and work are subject to our inspection either at manufacture's works or after delivery as may be agreed. The decision of BHEL shall be final. Rejected goods will be returned to the supplier at his cost including freight on original shipment. The tenderers shall also offer load test/over load test of the crane at manufacturers works in presence of engineers from BHEL. Load test shall also be carried out with available load at site as per load chart of the crane.
13. **Insurance:** - Wherever specifically agreed to, the supplier will insure at his cost the goods for all transit risks including 120 days storage risk from the date of delivery of the goods at the final destination.

In all other cases, supplier must furnish particulars of despatch i.e. station of despatch and destination, name of the goods, number of cases and their weights, value of the goods including all taxes, duties, levies and freight etc. for each consignment immediately after the despatch of goods. Failure to do this will make the supplier responsible for making good any loss which might have otherwise been recovered from insurers.

Note : However, the supplier shall still remain responsible for defective parts or short supply and defective packing.

14. **Metric System:-** Suppliers are requested to give metric measurements while quoting.
15. **Arbitration** : All disputes between the parties to the contract arising out of or in relation to the contract, other than those for which the decision of the Engineer or any other person is by the contract expressed to be final and conclusive, shall after written notice by either party to the contract to the other party, be referred to sole arbitration of the General Manager or his nominee. The arbitration shall be conducted in accordance with the provisions of the Arbitration and Reconciliation Act, 1996 The place of Arbitration shall be New Delhi(India).
16. Any suites in respect of this contract shall have the jurisdiction of the courts of New Delhi (India) only.

GM./SCP&SAS.

RATE SCHEDULE

Sl.No	DESCRIPTION	PRICE IN INR
1.	TOTAL PRICE FOR SUPPLY OF 2 (TWO) NUMBER OF HEAVY DUTY HYDRAULIC STUD TENSIONER / BOLT STRETCHING DEVICE COMPLETE AS PER DETAILED SPECIFICATIONS ENCLOSED WITH TENDER ENQUIRY INCLUDING TESTING & COMMISSIONING OF HEAVY DUTY HYDRAULIC STUD TENSIONER / BOLT STRETCHING DEVICE AT SITE OR SUPPLIERS WORKS.	
2	PACKING AND FORWARDING CHARGES	
3.	INSURANCE (MARINE) CHARGES FROM MANUFACTURING WORKS UPTO DESTINATION IN INDIA.	
4.	EXCISE DUTY, (CENVAT/MODVAT DETAILS)	
5	CST WITH AND WITHOUT C FORM	
6.	TRANSPORTATION / FREIGHT CHARGES FROM MANUFACTURER WORK PLACE TO BHEL SITE OFFICE , AS PER BELOW. 1) N. C.P.P Dadri, Near Ghaziabad (U.P.) 2) Kota Thermal (Raj)	
7	TOTAL OF ALL ABOVE	
8.	CENVAT AMOUNT FOR BENEFIT TO BHEL	
	NET AMOUNT (COST TO BHEL)	

NOTES:

1. **Tenders will be evaluated based on the prices quoted upto FOR Site.** Bidders are requested to quote for each and every item from 1 to 5 as indicated above. Please indicate NIL against items not applicable.
2. CENVAT/MODVAT credit: The quotation must indicate Tariff item number and rate of Excise Duty applicable. The original Excise Duty Gate Pass will be required to be furnished in case charged to us. If the tenderer is availing **MODVAT** credit for his input materials, the effect of Performa credit should be passed on to the purchaser.
3. Any other charges, if not specified above, may also be indicated.
4. Incomplete offer received may not be considered.
5. The Rate shall be entered in figures as well as in words. In case of difference in rates between words and figures THE LESSER OF THE TWO will be treated as valid rate.
6. In case of omission in quoting any rate, the evaluation will be done considering the highest quoted rate obtained against that item but the order, if placed, will be on the lowest quoted rate obtained against that item.

(Signature and Seal of Tenderer)