

CORRIGENDA:

REF; NO. **RAK M 000001**: SUPPLY OF WORK STATION , SERVER AND MONITOR

AMENDMENT NO. 1:

CHANGE IN QUANTITY OF ITEM NO. 2,4,6,7 &8 AND CHANGE IN CLAUSE 20 (REVERSE AUCTION)

FOR THE FOLLOWING ITEMS QUANTITY HAS BEEN REVISED AS DETAILED BELOW:

ITEM NO	BHEL CODE AND DISCREPTION	REVISED QTY
1	DA 0659452472 22 " LED BACKLIT MONITOR	200 NOS.
4	DA 0659452499 RAID 5 SERVER FOR MAX DNA	65 NOS.
6	DA 0659452529 ENGINEER STATION WINDOWS 7 SATA	77 NOS.
7	DA 0659452545 OPERATOR STATION WINDOWS 7 SAS	100 NOS.
8	DA 0659452553 ENGINEER STATION WINDOWS 7 SAS	15 NOS.

REVERSE AUCTION CLAUSE 20 HAS BEEN CHANGED AS FOLLOWS:

Clause no. 20 : Reverse Auction: Against this enquiry for the subject item / system with detailed scope of supply as per enquiry specifications, BHEL EDN reserves the right to follow reverse auction procedure i.e., On line bidding on network, before finalizing the purchase order on technically competent bidders, as per the guidelines given ANNEXURE G enclosed. In case BHEL does not resort to Reverse Auction the price bids and price impact (if any) already submitted and available with BHEL SHALL only be opened as per BHEL'S standard practice without seeking any more price impacts on account of BHEL not going for reverse auction as process further.

"IN CASE THE REVERSE AUCTION CLAUSE IS NOT ACCEPTED BY ANY OF THE VENDORS , THEIR OFFERS WILL BE REJECTED."

ALL OTHER TERMS AND CONDITIONS OF THE ENQUIRY REMAINS UN CHANGED.