



भारत हेवी इलेक्ट्रिकल्स लिमिटेड BHARAT HEAVY ELECTRICALS LIMITED

RAMACHANDRAPURAM :: HYDERABAD – 502 032

M & S, F & P & CW DIVISION
10-REPAIR SHOP, AIR-CONDITIONING

(This should be submitted in separate cover in sealed condition)

PRICE BID

ANNEXURE-II

Ref: TENDER NOTICE NO: M&S/AC/OMC NEW/13-14/0830/21,

DATE: 30.08.2013

Scope of Work: Maintenance of AC Equipments.

Sl.	S.No.	Block	Capacity each in TR	Total TR	Machine Make, Year, Refregerant, Voltage	No. of units	Unit Rate/TR/Six months	Total Cost
1	1	Admn. Building HR dept.	15.5 X 2	31	Package Plant:- Carrier 8.5x2 each Voltage : 415 V 3 Ph R : 22 Capacity : 46,500 K.Cal Year : 2011	2		
2	2	Safety department	17	17	Package Plant:- Carrier Voltage : 415 V 3 Ph R : 22 Capacity : 51,000 K.Cal Year : 2011	1		
3	3	02- Impregnation plant New	50 X 2	100	Central Plant :- Carrier, 50 X 2 nos. Voltage : 415 V 3 Ph R : 407 Capacity : 1,00,000 K.Cal Year : 2012	2		
4	4	NBS	3	3	Oil Chiller :- Advance Voltage : 415 V R : 134a Capacity : 9000 K.Cal Year : 08/2008	1		
5			1	1	Oil Chiller :- Advance Voltage : 415 V R : 134a Capacity : 3000 K.Cal Year : 08/2009	1		
6			1 X 2	2	Panel A/C :- Advance(2No,s) Voltage : 230 V R : 134a Capacity : 1450 K.cal Year : 08/2009	2		
7			1	1	Pendent Cooler :- Advance Voltage : 230 V R : 134a Capacity : 160 W Year : 08/2009	1		
8			1	1	Air Drier :- ELGI Voltage : 220 Vac R : 407 Capacity : 40 Cfm Year : 08/2009	1		

9	5	NBS	3	3	Oil Chiller : - Advance Voltage : 415 V R : 134a Capacity : 9000 K.Cal Year : 10/2009	1		
10			1	1	Oil Chiller : - Advance Voltage : 415 V R : 134a Capacity : 3000 K.Cal Year : 06/2009	1		
11			1 X 2	2	Panel A/C : - Advance(2No,s) Voltage : 230 V R : 134a Capacity : 1450 K.Cal Year : 09/2009	2		
12			1	1	Pendent Cooler : - Advance Voltage : 230 V R : 134a Capacity : 1800 W Year : 08/2009	1		
13			1	1	Air Drier : - ELGI Voltage : 220 Vac R : 407 Capacity : 40 Cfm Year : 09/2009	1		
14	6	NBS	3	3	Oil Chiller : - Advance Voltage : 415 V R : 134a Capacity : 9000 K.Cal Year : 05/2009	1		
15			1	1	Oil Chiller : - Advance Voltage : 415 V R : 134a Capacity : 3000 K.Cal Year : 05/2009	1		
16			1 X 2	2	Panel A/C : - Advance(2No,s) Voltage : 230 V R : 134a Capacity : 1450 K.Cal Year : 04/2009	2		
17			1	1	Pendent Cooler : - Advance Voltage : 230 V R : 134a Capacity : 160 W Year : 04/2009	1		
18			1	1	Air Drier : - ELGI Voltage : 220 Vac R : 407 Capacity : 40 Cfm Year : 04/2009	1		
19	7	NBS	3	3	Oil Chiller : - Advance Voltage : 415 V R : 134a Capacity : 9000 K.Cal Year : 08/2009	1		
20			1	1	Oil Chiller : - Advance Voltage : 415 V R : 134a Capacity : 3000 K.Cal Year : 10/2009	1		

21			1 X 2	2	Panel A/C :- Advance(2No,s) Voltage : 230 V R : 134a Capacity : 1450 K.cal Year : 06/2009	2		
22			1	1	Pendent Cooler :- Advance Voltage : 230 V R : 134a Capacity : 160 W Year : 06/2009	1		
23			1	1	Air Drier :- ELGI Voltage : 220 Vac R : 407 Capacity : 40 Cfm. Year : 06/2009	1		
24	8	NBS	3	3	Oil Chiller :- Advance Voltage : 415 V R : 134a Capacity : 9000 K.Cal Year : 09/2009	1		
25			1	1	Oil Chiller :- Advance Voltage : 415 V R : 134a Capacity : 3000 K.Cal Year : 09/2009	1		
26			1 X 2	2	Panel A/C :- Advance(2No,s) Voltage : 230 V R : 134a Capacity : 1450 K.Cal Year : 08/2009	2		
27			1	1	Pendent Cooler :- Advance Voltage : 230 V R : 134a Capacity : 160 W Year : 08/2009	1		
28			1	1	Air Drier :- ELGI Voltage : 220 Vac R : 407 Capacity : 40 Cfm Year : 09/2009	1		
29	9	NBS	1	1	Oil Chiller :- Advance Voltage : 415 V R : 134a Capacity : 1960 K.Cal Year : 10/2009	1		
30			1	1	Panel A/C :- Advance Voltage : 230 V R : 134a Capacity : 1450 K.Cal Year : 09/2009	1		
31			1	1	Air Drier :- ELGI Voltage : 220 Vac R : 407 Capacity : 40 Cfm Year : 09/2009	1		
32	10	NBS	2	2	Oil Chiller :- Voltage : 415 V R : 22 Capacity : 6000 K.Cal Year : 4737/10	1		
33			1	1	Panel A/C :- Rittal Voltage : 415V R : 134a Capacity : 1450 K.Cal Year : 01/9/2009	1		

34			1	1	Pendent Cooler : - Rittal Voltage : 230 V R : 134a Capacity : 1800 W Year : 23/10/2009	1		
35	11	NBS	2	2	Oil Chiller : - Voltage : 415 V R : 22 Capacity : 6000 K.Cal Year : 4737/10	1		
36			1	1	Panel A/C : - Rittal Voltage : 415V R : 134a Capacity : 1500 W Year : 21/8/2009	1		
37			1	1	Pendent Cooler : - Rittal Voltage : 230 V R : 134a Capacity : 1800 W Year : 23/10/2009	1		
38	12	NBS	1	1	Pancel : - Air Con. Voltage : 220 Vac R : 407C Capacity : 550 W Year : 04/2009	1		
39	13	NBS	1	1	Pancel : - Air Con. Voltage : 220 Vac R : 407C Capacity : 550 W Year : 04/2010	1		
40	14	NBS	3	3	Panel A/C : - Schimpre Voltage : 415 V 24DC R : 134a Capacity : 10 KW Year : 12/2009	1		
41	15	NBS	3	3	Panel A/C : - Schimpre Voltage : 415 V 24DC R : 134a Capacity : 10 KW Year : 12/2009	1		
42	16	NBS	3	3	Panel A/C : - Schimpre Voltage : 415 V 24DC R : 134a Capacity : 10 KW Year : 12/2009	1		
43	17	NBS	2.5	2.5	Oil Chiller : - Schimpre Voltage : 415 V 24 DC R : 134a Capacity : 8.5 KW Year : 04/2010	1		
44			2	2	Air Drier : - ELGI Voltage : 220 Vac R : 407 Capacity : 85 Cfm Year : 09/2009	1		
45	18	NBS	2.5	2.5	Oil Chiller : - Schimpre Voltage : 415 V 24 DC R : 134a Capacity : 8.5 KW Year : 04/2012	1		
46			2	2	Air Drier : - ELGI Voltage : 220 Vac R : 407 Capacity : 85 Cfm Year : 04/2010	1		

47	19	NBS	1.5	1.5	Oil Chiller : - Schimpre Voltage : 415 V 24 DC R : 134a Capacity : 3.9 KW Year : 03/2010	1		
48	20	NBS	1	1	Panel A/C(Top) : - Rittal Voltage : 415 V R : 134a Capacity : 3000W Year : 11/03/2010	1		
49			1.5 X 2	3	Panel A/C(Side) : - Rittal (2No,s) Voltage : 415 V R : 134a Capacity : 4500 W Year : 03.2010	2		
50			2	2	Panel(Carbin) : - KLH Kaltetechnik Gmbh Voltage : 415 V R : 134a Capacity : 6.5 KW Year : 2010	1		
51	21	9 FA	1	1	Panel(Side) : -	1		
52	22	9 FA	1	1	Pendent Cooler : - Rittal Voltage : 230 V R : 134a Capacity : 300 W Year : 11/2009	1		
53			1 x 3	3	Panel A/C(Side) : - Rittal (3No,s) Voltage : 230 V R : 134a Capacity : 2000W Year : 12/2004.	3		
54			2.5	2.5	Oil Chiller : - Advance Voltage : 415 V R : 134a Capacity : 7500 KCal/hr Year : 02/2012	1		
55			1	1	Air Drier : - ELGI Voltage : 220 Vac R : 407 Capacity : 20 Cfm Year : 12/11	1		
56	23	9 FA	2.5	2.5	Oil Chiller : - Advance Voltage : 415 V R : 134a Capacity : 7500 K Cal /hr Year : 02/2012	1		
57			1 X 3	3	Panel A/C(Side) : - Rittal (3No,s) Voltage : 230 V R : 134a Capacity : 2000W Year : 12/2004.	3		
58	24	9 FA	1.5	1.5	Air Drier : - ELGI Voltage : 220 Vac R : 407 Capacity : 50 Cfm Year : 12/11	1		

59			1 X 2	2	Panel A/C(Side) : - Rittal (2No,s) Voltage : 230 V R : 134a Capacity : 2000W Year : 12/2004.	2		
60	25	9 FA	1	1	Air Drier : - ELGI Voltage : 220 Vac R : 407 Capacity : 1.56 sq.m/m Year : 12/10	1		
61			3.5	3.5	Oil Chiller : - Span associates Voltage : 415 V R : 134a Capacity : 11 KW Year :	1		
62			1.5	1.5	Air Drier : - ELGI Voltage : 220 Vac R : 407 Capacity : 64 Cfm Year : 12/10	1		
63			2	2	Oil Chiller : - Span associates Voltage : 415 V R : 134a Capacity : 5000 KCal/hr Year :	1		
64			1	1	Oil Chiller : - Span associates Voltage : 415 V R : 134a Capacity : 1285 KCal/hr Year :	1		
65			1 X 3	3	Panel A/C : - Advance (3No,s) Voltage : 230 V R : 22 Capacity : 2000W Year : 10/11.	3		
66			1	1	Pendent Cooler : - Advance Voltage : 230 V R : 134a Capacity : 250W Year : 08/2011	1		
67	26	9 FA	1	1	Panel A/C(Top) : - Rittal Voltage : 400 V R : 134a Capacity 780W Year : 22/10/2010	1		
68	27	9 FA	1	1	Panel A/C(Top) : - Rittal Voltage : 400 V R : 134a Capacity : 780W Year : 22/10/2010	1		
69	28	9 FA	6 X 3	18	Oil Chiller : - X 3No's Voltage : 415 V R : 134a Capacity : 20 KW Year :	3		
70			1.5 X 4	6	Panel A/C : - Rittal X 4 No's Voltage : 400 V R : 134a Capacity : 64 Cfm Year : 22/10/2010	4		
71	29	01 Block	2 X 2	4	Oil Chiller : - Euro Cold X 2No's Voltage : 415 V R : 404a Capacity : 5700W	2		

72			1.5 X 2	3	Panel A/C : - Cosmote X 2 No's Voltage : 400 V R : 134a Capacity : 4KW Year : 2010	2		
73			1	1	Pendent Cooler : - Cosmote Voltage : 230 V R : 134a Capacity : 0.33 KW Year : 2010	1		
74			1	1	Air Drier : - ELRO Voltage : 220 Vac R : 407 Capacity : 20 Cfm Year : 04/2010	1		
75	30	01 Block	1 X 3	3	Panel A/C : - Kelvin X 3 No's Voltage : 400 V R : 134a Capacity : 1580W Year : 2010	3		
76			2	2	Oil Chiller : - EATA Voltage : 415 V R : 407 Capacity : 5700W Year :	1		
77			2 X 2	4	Oil Chiller : - EATA X 2No's Voltage : 415 V R : 407 Capacity : 3890W Year :	2		
78			3.5	3.5	Oil Chiller : - EATA Voltage : 415 V R : 134 Capacity : 11,164W Year :	1		
79			1	1	Air Drier : - ELGI Voltage : 220 V R : 407 Capacity : 20 Cfm Year : 03/2011	1		
80	31	01 Block	2	2	Oil Chiller : - EATA Voltage : 415 V R : 407 Capacity : 5700W Year : 2011	1		
81			3.5	3.5	Oil Chiller : - EATA Voltage : 415 V R : 407 Capacity : 11164 W Year : 2011	1		
82			5 X 3	15	Panel A/C : - Kelvin X 3 No's Voltage : 415 V R : 134 Capacity : 15800 W Year : 2011	3		
83			1	1	Air Drier : - ELGI Voltage : 220 V R : 134 Capacity : 20 Cfm Year : 03/2011	1		
84	32	01 Block	2.5	2.5	Oil Chiller : - Habo Voltage : 415 V R : 407 Capacity : 8850 W Year : 05/09	1		

85			1	1	Oil Chiller :- Habo Voltage : 415 V R : 407 Capacity : 2700W Year : 05/09	1		
86			1 X 2	2	Panel A/C :- Rittal X 2 No's Voltage : 400 V R : 134a Capacity : 2350 W Year : 21/04/09	2		
87			1	1	Air Drier :- ELGI Voltage : 220 V R : 134 Capacity : 20 Cfm Year : 03/2011	1		
88	33	01 Block	2.5	2.5	Oil Chiller :- Halo Voltage : 415 V R : 407 Capacity : 8850 W Year : 05/09	1		
89			1	1	Oil Chiller :- Habo Voltage : 415 V R : 407 Capacity : 2700W Year : 05/09	1		
90			1 X 2	2	Panel A/C :- Rittal X 2 No's Voltage : 400 V R : 134a Capacity : 1150 W Year : 21/04/09	2		
91			1	1	Air Drier :- ELGI Voltage : 220 V R : 134 Capacity : 20 Cfm Year : 03/2011	1		
92	34	01 Block	5	5	Oil Chiller :- Rittal Voltage : 415 V R : 407 Capacity : 16000 W Year : 2012	1		
93			1 X 4	4	Panel A/C :- Rittal X 4 No's Voltage : 400 V R : 134a Capacity : 1510 W Year : 2010	4		
94			1	1	Pendent Cooler :- Rittal Voltage : 230 V R : 134a Capacity : 320 W Year : 01/09/2010	1		
95			1	1	Air Drier :- Premier Voltage : 220 V R : 134 Capacity : 20 Cfm Year : 01/09//2010	1		
96	35	02 Block	1	1	Panel A/C :- Rittal Voltage : 230 V R : 134a Capacity : 1000 W Year :	1		
97			10	10	Water Chiller :- I Bag Voltage : 415 V R : 22 Capacity : 35 KW Year :	1		

98			2	2	Air Drier : - Air Solutions Voltage : 400 V R : 134 Capacity : 55 Cfm Year :	1		
99	36	02 Block	1	1	Panel A/C : - Advance Voltage : 230 V R : 22 Capacity : 1500 W Year :	1		
100	37	02 Block	1	1	Panel A/C : - Advance Voltage : 230 V R : 22 Capacity : 1000 W Year : 2012	1		
101	38	02 Block	1	1	Panel A/C : - Sun Beam Voltage : 230 V R : 134a Capacity : 2000 W Year : 2013	1		
102			1	1	Pendent Cooler : - Sun Beam Voltage : 230 V R : 134a Capacity : 180 W Year : 2013	1		
103	39	02 Block	1	1	Panel A/C : - Advance Voltage : 230 V R : 22 Capacity : 1000 W Year : 2012	1		
104	40	02 Block	3.5	3.5	Oil Chiller : - EATA Voltage : 415 V R :134 Capacity : 11164 W Year : 2013	1		
105			2	2	Oil Chiller : - EATA Voltage : 415 V R :134 Capacity : 5700 W Year : 2013	1		
106			1 X 2	2	Panel A/C : - Rittal Voltage : 400 V R : 134a Capacity : 1580 W Year : 2013	2		
107			1	1	Air Drier : - ELGI Voltage : 220 V R : 134 Capacity : 20 Cfm Year :	1		
108	41	02 Block	1	1	Panel A/C : - Rittal Voltage : 400 V R : 134a Capacity : 2000 W Year :	1		
109			1	1	Air Drier : - Sanpar Voltage : 220 V R : 134 Capacity : 20 Cfm Year :	1		
110	42	02 Block	1	1	Panel A/C : - Rittal Voltage : 400 V R : 134a Capacity : 2000 W Year :	1		

111	43	02 Block	3 X 4	12	Water Chiller :-Advance X 4 nos. Voltage : 415 V R :134 Capacity : 9000 K cal Year : 2011	4		
112	44	02 Block	1	1	Panel A/C :- Rittal Voltage : 400 V R : 134a Capacity : 1675 W Year :	1		
113	45	70 Block	1	1	Panel A/C :- Advance Voltage : 230 V R : 134a Capacity : 1000 W Year : 2012	1		
114	46	70 Block	1	1	Panel A/C :- Rittal Voltage : 230 V R : 134a Capacity : 1000 W Year : 2011	1		
115			1	1	Panel A/C :- Rittal Voltage : 230 V R : 134a Capacity : 1000 W Year : 2011	1		
116	47	70 Block	1	1	Panel A/C :- Chillton Voltage : 230 V R : 134a Capacity : 900 K.Cal Year : 2011	1		
117	48	70 Block	1	1	Panel A/C :- Rittal Voltage : 230 V R : 134a Capacity : 1500 W Year : 2012	1		
118			1	1	Panel A/C :- Zapp Cool Voltage : 230 V R : 22 Capacity : 1570 W Year : 2012	1		
119			1	1	Air Drier :- CPX-20 Voltage : 220 Vac R : 407 Capaty : 20 Cfm Year : 2012	1		
120	49	70 Block	1	1	Oil Chiller :- Voltage : R : Year :	1		
121			1 X 2	2	Panel A/C :- Rittal(2No,s) Voltage : 230 V R : 134a Capacity : 1230 W Year :	2		
122			1	1	Pendent Cooler :- MKS Clima Voltage : 230 V R : 134a Capacity : 240 W Year :	1		
123			1	1	Air Drier :- Prememier Voltage : 220 Vac R : 134a Capacity : 10 Cfm Year :	1		

124	50	70 Block	1	1	Panel A/C :- Advance Voltage : 230 V R : 134a Capacity : 1000 W Year : 2012	1		
125	51	70 Block	1	1	Panel A/C :- Werner Finely Voltage : 230 V R : 134a Capacity : - 900 K.cal Year :	1		
126			1	1	Pendent Cooler : Werner Finely Voltage : 230 V R : 134a Capacity : 400 K.cal Year :	1		
127	52	70 Block	1	1	Panel A/C :- Voltage : 230 V R : 134a Capacity : Year :	1		
128	53	03 Block	1	1	Panel A/C :- Rittal Voltage : 230V R : 134a Capacity : 1400 Watts Year :	1		
129	54	03 Block	1	1	Panel A/C :- Sun Bream Voltage : 230V R : 134a Capacity : 1500 Watts Year :	1		
130			7.5	7.5	Panel A/C :- Werner Finely Voltage : 415 V R : 22 Capacity : - 22500 K.cal Year :	1		
131	55	51 Block	1 X 2	2	Panel A/C :- Kelvin X 2 No,s Voltage : 230 V R : 134a Capacity : 2890 W Year :	2		
132			2.5 X 2	5	Oil Chiller :- Kelvin X 2 No,s Voltage : 440 V R : 134a Capacity : 6700 W Year :	5		
133			1	1	Pendent Cooler :- Kelvin Voltage : 230 V R : 134a Capacity : 250 W Year :	1		
134			1	1	Air Drier :- Trident Voltage : 230 V R : 134a Capacity : 40 Cfm Year :	1		
135	56	51 Block	10	10	Oil Chiller :- Advance Voltage : 440 V R : 22 Capacity : 30000 W Year :	1		
136			1 X 3	3	Panel A/C :- Rittal X 3 No's Voltage : 230 V R : 134a Capacity : 850 W Year : 2010	3		

137	57	51 Block	1	1	Panel A/C : - Advance Voltage : 230 V R : 22 Capacity : 1500 W Year : 2010	1		
138	58	51 Block	1 X 3	3	Panel A/C : - Rittal X 3 No's Voltage : 230 V R : 134a Capacity : 950 W Year : 2010	3		
139			2.5	2.5	Oil Chiller : - Rittal Voltage : 440 V R : 134a Capacity : 7900 W Year :	1		
140			1	1	Pendent Cooler : - Rittal Voltage : 230 V R : 134a Capacity : 300 W Year :	1		
141	59	51 Block	1 X 3	3	Panel A/C : - Rittal X 3 No's Voltage : 230 V R : 134a Capacity : 950 W Year : 2010	3		
142			2.5	2.5	Oil Chiller : - Rittal Voltage : 440 V R : 134a Capacity : 7900 W Year :	1		
143			1	1	Pendent Cooler : - Rittal Voltage : 230 V R : 134a Capacity : 300 W Year :	1		
144	60	51 Block	1	1	Panel A/C : - Pennenberg Voltage : 230 V R : 134a Capacity : 2000 W Year : 2011	1		
145			2	2	Oil Chiller : - Euro cold Voltage : 440 V R : 404 Capacity : 4700 W Year :	1		
146			1	1	Pendent Cooler : - Cosmotec Voltage : 230 V R : 134a Capacity : 330 W Year :	1		
147	61	51 Block	1	1	Panel A/C : - Pennenberg Voltage : 230 V R : 134a Capacity : 2000 W Year : 2011	1		
148			2	2	Oil Chiller : - Euro cold Voltage : 440 V R : 404 Capacity : 4700 W Year :	1		
149			1	1	Pendent Cooler : - Cosmotec Voltage : 230 V R : 134a Capacity : 330 W Year :	1		

150	62	51 Block	1	1	Panel A/C : - Warner Finly Voltage : 230 V R : 134a Capacity : 3000 K Cal Year : 2012	1		
151			1	1	Oil Chiller : - warner Finley Voltage : 440 V R : 22 Capacity : 3000 K Cal Year :	1		
152			1	1	Air Drier : - CEC Voltage : 230 V R : 134a Capacity : 20 CFM Year :	1		
153	63	51 Block	1 X 3	3	Panel A/C : - Rittal X 3 No's Voltage : 230 V R : 134a Capacity : 2000 W Year : 2012	3		
154			2.5	2.5	Oil Chiller : - Rittal Voltage : 440 V R : 134a Capacity : 7900 W Year :	1		
155			1	1	Pendent Cooler : - Rittal Voltage : 230 V R : 134a Capacity : 300 W Year :	1		
156			1	1	Air Drier : - ELGI Voltage : 230 V R : 134a Capacity : 20 Cfm Year :	1		
157	64	51 Block	1 X 2	2	Panel A/C : - Freeztech X 2 No's Voltage : 230 V R : 134a Capacity : 2000 W Year : 2012	2		
158	65	06 Block	1	1	Panel A/C : - Sunbeam Voltage : 230 V R : 134a Capacity : 1500 W Year : 2012	1		
159			1	1	Pendent Cooler : - Advance Voltage : 230 V R : 134a Capacity : 2500 W Year :	1		
160	66	06 Block	1	1	Panel A/C : - Advance Voltage : 230 V R : 134a Capacity : 450 W Year : 2011	1		
161	67	06 Block	1	1	Panel A/C : - Advance Voltage : 230 V R : 134a Capacity : 1500 W Year : 2011	1		
162	68	06 Block	1	1	Panel A/C : - Rittal Voltage : 230 V R : 134a Capacity : 1230 W Year : 2011	1		

163	69	06 Block	1	1	Panel A/C : - Rittal Voltage : 440 V R : 134a Capacity : 1625 W Year : 2012	1		
164			1	1	Panel A/C : - Rittal Voltage : 440 V R : 134a Capacity : 1060 W Year : 2012	1		
165			10	10	Oil Chiller : - Advance Voltage : 440 V R : 407 Capacity : 37500 K Cal Year : 2012	1		
166			5	5	Oil Chiller : - Advance Voltage : 440 V R : 407 Capacity : 17500 K Cal Year : 2012	1		
167			1	1	Pendent Cooler : - Rittal Voltage : 230 V R : 134a Capacity : 300 W Year : 2012	1		
168	70	06 Block	1	1	Panel A/C : - Advance Voltage : 230 V R : 134a Capacity : 1000 W Year : 2012	1		
169	71	06 Block	1	1	Panel A/C : - Advancel Voltage : 230 V R : 134a Capacity : 1000 W Year : 2012	1		
170	72	06 Block	1	1	Panel A/C : - Advance Voltage : 230 V R : 134a Capacity : 1625 W Year : 2012	1		
171			3	3	Oil Chiller : - Advance Voltage : 440 V R : 22 Capacity : 9000 K Cal Year : 2012	1		
172	73	06 Block	1	1	Panel A/C : - Rittal Voltage : 230 V R : 134a Capacity : 3000 W Year : 2012	1		
				506	Total Nos.	223		
Total Cost								

Taxes: Taxes included or not included in the offer should be mentioned.

Taxes if not optioned, offer will be treated as including taxes.,

(Signature of Contractor With Stamp)