



भारत हेवी इलेक्ट्रिकल्स लिमिटेड

(भारत सरकार का उपक्रम)

BHARAT HEAVY ELECTRICALS LIMITED

(A Govt. of India Undertaking)

TCN – 11

Ref: PSER:SCT:NKP-M1699:TCN-11

Date: 21-11-2015

Sub	Tender change notice (TCN)11	
Job	Design, engineering, manufacturing, supply, erection, testing, commissioning, PG Test and handing over, etc of CPU System along with pre-filters and two nos external regeneration systems for 3x660 MW units at North Karanpura Super Thermal Power Project, Jharkhand.	
Ref	1.0	Tender No. PSER:SCT:NKP-M1699:15
	2.0	BHEL's NIT, vide reference no PSER:SCT:NKP-M1699:4695, dated 18/09/2015
	3.0	BHEL's TCN-01, vide reference no PSER:SCT:NKP-M1699:TCN-01, dated 29-09-2015.
	4.0	BHEL's TCN-02, vide reference no PSER:SCT:NKP-M1699:TCN-02, dated 07-10-2015.
	5.0	BHEL's TCN-03, vide reference no PSER:SCT:NKP-M1699:TCN-03, dated 16-10-2015.
	6.0	BHEL's TCN-04, vide reference no PSER:SCT:NKP-M1699:TCN-04, dated 19-10-2015.
	7.0	BHEL's TCN-05, vide reference no PSER:SCT:NKP-M1699:TCN-05, dated 28-10-2015.
	8.0	BHEL's TCN-06, vide reference no PSER:SCT:NKP-M1699:TCN-06, dated 05-11-2015.
	9.0	BHEL's TCN-07, vide reference no PSER:SCT:NKP-M1699:TCN-07, dated 10-11-2015.
	10.0	BHEL's TCN-08, vide reference no PSER:SCT:NKP-M1699:TCN-08, dated 13-11-2015.
	11.0	BHEL's TCN-09, vide reference no PSER:SCT:NKP-M1699:TCN-09, dated 16-11-2015.
	12.0	BHEL's TCN-10, vide reference no PSER:SCT:NKP-M1699:TCN-10, dated 19-11-2015.
	13.0	All other pertinent issues till date.

With reference to above, following points/ documents, relevant to tender, may please be noted and complied with while submitting offer.

- 1.0 Amendment-2 to Volume-II (Technical Specification) as attached.
- 2.0 Revised 'No deviation certificate' as per enclosed Annexure-2. Bidder shall submit no deviation certificate as per enclosed format only.
- 3.0 All other terms & conditions shall remain unchanged.

Thanking you,

Yours faithfully,
for BHARAT HEAVY ELECTRICALS LTD

SR. ENGR (SCT)

Encl

- 1.0 As above.

पावर सेक्टर पूर्वी क्षेत्र (मुख्यालय)

POWER SECTOR EASTERN REGION, DJ-9/1, SECTOR-II, SALT LAKE CITY, KOLKATA - 700 091

फैक्स/Fax : (033) 23211960

फोन/Phone : बोर्ड/EPABX : 23211691, 23211798, 23211796

FORMAT FOR NO DEVIATION CERTIFICATE
(To be submitted in the bidder's letter head)

BHARAT HEAVY ELECTRICALS LIMITED,
Power Sector - Eastern Region,
Plot no 9/1, DJ Block, Sector – II, Salt Lake City,
Kolkata – 700 091

Sub	No Deviation Certificate.	
Job	Design, engineering, manufacturing, supply, erection, testing, commissioning, PG Test and handing over, etc of CPU System along with pre-filters and two nos external regeneration systems for 3x660 MW units at North Karanpura Super Thermal Power Project, Jharkhand.	
Ref	01	Tender No. PSER:SCT:NKP-M1699:15
	02	BHEL's NIT, vide reference no PSER:SCT:NKP-M1699:4695, dated 18/09/2015
	03	BHEL's TCN-01, vide reference no PSER:SCT:NKP-M1699:TCN-01, dated 29-09-2015.
	04	BHEL's TCN-02, vide reference no PSER:SCT:NKP-M1699:TCN-02, dated 07-10-2015.
	05	BHEL's TCN-03, vide reference no PSER:SCT:NKP-M1699:TCN-03, dated 16-10-2015.
	06	BHEL's TCN-04, vide reference no PSER:SCT:NKP-M1699:TCN-04, dated 19-10-2015.
	07	BHEL's TCN-05, vide reference no PSER:SCT:NKP-M1699:TCN-05, dated 28-10-2015.
	08	BHEL's TCN-06, vide reference no PSER:SCT:NKP-M1699:TCN-06, dated 05-11-2015.
	09	BHEL's TCN-07, vide reference no PSER:SCT:NKP-M1699:TCN-07, dated 10-11-2015.
	10	BHEL's TCN-08, vide reference no PSER:SCT:NKP-M1699:TCN-08, dated 13-11-2015.
	11	BHEL's TCN-09, vide reference no PSER:SCT:NKP-M1699:TCN-09, dated 16-11-2015.
	12	BHEL's TCN-10, vide reference no PSER:SCT:NKP-M1699:TCN-10, dated 19-11-2015.
	13	BHEL's TCN-11, vide reference no PSER:SCT:NKP-M1699:TCN-11, dated 21-11-2015.
	14	All other pertinent issues till date.

Dear Sirs,

With reference to above, this is to confirm that as per tender conditions, we have visited site before submission of our offer and noted the job content & site conditions etc. We also confirm that we have not changed/ modified the tender documents as appeared in the website/ issued by you and in case of such observance at any stage, it shall be treated as null and void.

We hereby confirm that we have not taken any deviation from tender clauses together with other references as enumerated in the above referred NIT. We hereby confirm our unqualified acceptance to all terms & conditions, unqualified compliance to technical specification, integrity pact (if applicable) and acceptance to reverse auctioning process.

In the event of observance of any deviation in any part of our offer at a later date whether implicit or explicit, the deviations shall stand null & void.

We confirm to have submitted offer in accordance with tender instructions and as per aforesaid references.

Thanking you,

Yours faithfully,

(Signature, date & seal of authorized representative of the bidder)

<p>पावर सेक्टर पूर्वी क्षेत्र (मुख्यालय) POWER SECTOR EASTERN REGION DJ-9/1, SECTOR-II, SALT LAKE CITY, KOLKATA - 700 091 फैक्स/Fax : (033) 23211960 फोन/Phone : बोर्ड/EPABX : 23211691, 23211798, 23211796</p>



**AMENDMENT ON TECHNICAL SPECIFICATION
FOR CONDENSATE POLISHING UNIT**

3X660 MW NTPC NORTH KARANPURA STPP

SPECIFICATION NO.: PE-TS-405-155A-A001

AMENDMENT NO # 2

REV. NO. 00

DATE: 20.11.15

Page 1 of 1

The following modifications with respect to Technical Specification for Condensate Polishing Unit, BHEL's Technical specification number PE-TS-405-155A-A001 Rev 01 shall apply.

MODIFIED CLAUSES/PAGE NUMBERS.

Sl no	Vol. No.	Section/Description	Clause no	Page no	Existing	Modified to
1.	IIB	SECTION- C1, ATTACHMENT- A REVISED SPECIFIC TECHNICAL REQUIREMENTS FOR MECHANICAL ATTACHED WITH TCN- 01 (Ref. PSER:SCT:NKP-1699:TCN-01) dated 29-09-2015.	20)	Page 5 of 18	All the piping, valves, fitting, instruments, accessories etc. used in service vessel area shall be designed for an internal pressure of at least the design pressure of service vessels and for a maximum condensate flow of not less than total design flow of all the working service vessels. All the piping, valves, fitting, instruments, accessories etc. used in service vessel area shall be based on the actual pressure rating to meet the system requirements but not less than 300# class and this area shall be considered as high pressure side.	All the piping, valves, fitting, instruments, accessories, alongwith each Service Vessels and each pre filters etc. used in service vessel area shall be designed for an internal pressure of at least 49 Kg/cm ² (g) and for a maximum condensate flow of not less than total design flow of all the working service vessels. All the piping, valves, fitting, instruments, accessories alongwith each Service Vessels and each pre filters etc. used in service vessel area shall be based on the actual pressure rating to meet the system requirements but not less than 300# class and this area shall be considered as high pressure side.