

PRICE FORMAT FOR SUPPLY OF ELECTRICAL ITEMS**UN - PRICE BID**

TITLE: PROCUREMENT OF ELECTRICAL ITEMS IN BHEL TOWNSHIP, SECTOR-17, NOIDA

NIT NO:- 15:AA:NOI:ADMN:Electrical Items :112:2013-14 Dated 23/10/2013

Delivery Schedule:- Full quantity within 20 days from placement of Purchase Order.

SI.No	Description of items	Unit	Tentative quantity	Rate (Rs.) in figure	Rate (Rs.) in words.	VAT (%)	Amount (Rs.) inclusive of VAT & all other
1	ADD ON Block 2NO-2NC, MCX-03, 18A, 415V, L&T make	No.	70	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
2	Analog timer switch, Din rail mounted, FM-1 type, L&T/C&S / Havells make or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
3	Bulkhead Light, Philips/Havells make or equivalent	No.	250	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
4	Bell Push Switch,5A, 240V, one way, piano type, Anchor/Havells make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
5	Batten Holder-PVC, 5A, 240V, ISI mark, Anchor/Havells make or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
6	Bulb - 100 W, Philips or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
7	Call Bell, (Type- Ding Dong/ Multi Tune) 240 V, Anchor/Havells make or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
8	CFL PLC 2 Pin 8 Watt, Havells/Philips/Anchor or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
9	CFL 18/20 watt, two tube type, Philips/Havells make or equivalent.	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
10	CFL 8 watt, two tube type, Philips/Havells make or equivalent.	No.	250	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
11	Copper Cable 2.5 sq.mm x 4 core (as per IS-694)(100 meter Roll)make Havells /Anchor/Polycab or equivalent	Roll	3	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
12	Capacitor 2.5 mfd,as per IS-13340, Havells/ Siemens or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
13	Capacitor-20mfd, as per IS-13340, Havells/ Siemens or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
14	Capacitor-42mfd, as per IS-13340, Havells/ Siemens or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
15	Ballast (Choke), copper, 40 watt, suitable for flourecent tube, as per IS:1534, 240V/50Hz, Philips/Crompton/Havells or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
16	Ballast (Choke) for electronic tube light, T5, 28W, Philips/Havells make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
17	Contacto-MNX18, L&T make	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
18	Contacto-MCX-03, 4 pole 32 Amp, L&T make	No.	60	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
19	Contacto-MCX-22, 4pole, 100 Amp, L&T make	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
20	Copper wire 1.5 sq.mm, 90 mtrs. roll,single core, FR PVC, as per IS:694 , Finolex / Havells /Polycab make or equivalent.	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx

21	Copper wire 2.5 sq.mm, 90 mtrs. roll, single core, FR PVC, as per IS:694, Finolex / Havells /Polycabr make or equivalent.	Roll	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
22	Copper wire 4 sq.mm, 90 mtrs. roll, single core, FR PVC, as per IS:694, Finolex / Havells /Polycab make or equivalent.	Roll	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
23	Copper wire 6 sq.mm-90 mtrs. roll, single core, FR PVC, as per IS:694, Finolex / Havells /Anchor make or equivalent.	Roll	2	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
24	Copper Cable 10 sq.mm, single core, 100 meter roll, FR PVC, as per IS:694, Finolex / Havells /Anchor make or equivalent.	Roll	1	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
25	Copper Cable, 25 sq.mm, single core, 100meter roll, FR PVC, as per IS:694, Finolex / Havells /Anchor make or equivalent.	Roll	1	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
26	DP Switch - 32Amp, as per IS:3854, Havells/Anchor or equivalent.	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
27	Doom Light, spherical shaped, used for gate posts, material- polycarbonate, non transparant, white colour, diameter of sphere="30 cm".	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
28	Electronic - fan regulator, 240V-50 Hz, 100W, white colour, Single Model Step type, Anchor/Havells make or equivalent.	No.	70	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
29	Exhaust fan blade 12"- metallic	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
30	New Exhaust fan- 12", as per IS:2312-1967, Metal, Double Ball Bearing, Cromption / Orient /Havells make or equivalent	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
31	coper wire (Flexible) 23/76 -90 mtrs. roll- II Core, FR PVC, as per IS:694, Finolex / Havells /Polycab make or equivalent	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
32	Gang Box 5 Amp PVC (1+1), Anchor make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
33	Gang Box 15 Amp PVC (1+1), Anchor make or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
34	Igniter, suitable for MH flood light (400W), 2 lead, Havells/ Philips make or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
35	New Geyser- 25 Ltr, 2000 watt, as per IS:8978, Bajaj/Havells make or equivalent	No.	8	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
36	MCB 10 Amp. Single Pole, conforms to IS 60898, Hager/Havelles/ABB make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
37	MCB 16 Amp. Single Pole, conforms to IS 60898, Hager/Havelles/ABB make or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
38	MCB 20 Amp. Single Pole, conforms to IS 60898, Hager/Havelles/ABB make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
39	MCB 32 Amp. Single Pole, conforms to IS 60898, Hager/Havells/ABB make or equivalent.	No.	30	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
40	MCB 32 Amp. Double Pole, conforms to IS 60898, Hager/Havells/ABB make or equivalent.	No.	30	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx

41	MCB 4pole, 32 Amp, conforms to IS 60898, Hager/Havells /ABB make or equivalent.	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
42	MCCB 4pole, 100Amp, suitable for fixing vertical type TPN-DB, conforms to IEC-60947-2, L&T make or equivalent.	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
43	MH Ballast (Choke)-70W, conforms to IS:6616-1982, IEC 922 & IEC 923, Havells/Phillips or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
44	MH Ballast (Choke)-150W, conforms to IS:6616-1982, IEC 922 & IEC 923, Havells/ Phillips or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
45	MH Ballast (Choke)-250W, conforms to IS:6616-1982, IEC 922 & IEC 923, Havells/ Phillips or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
46	MH Ballast (Choke)-400W, conforms to IS:6616-1982, IEC 922 & IEC 923, Havells/ Phillips or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
47	MH Lamp Holder- screw type	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
48	MH Double ended holder	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
49	Metal Helide double ended Lamp- 70 watt, Havells / Philips make or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
50	MH Garden Light Set - 70W, Jupiter(Havells) / Bajaj make or equivalent	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
51	Metal Helide double ended Lamp - 150 watt , Suitable for flood lighting- white colour, Havells / Philips / Bajaj make or equivalent.	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
52	Metal Helide single ended Tubular Clear Lamp - 150 watt, Suitable for flood lighting- white colour, Havells / Philips / Bajaj make or equivalent	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
53	Metal Helide single ended Tubular Clear Lamp - 250 watt, Suitable for flood lighting- white colour, Havells / Philips/ Bajaj make or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
54	Metal Helide Flood Light Set - 250W , Havells (Jeta 6) make with IP-65 protection	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
55	Metal Helide single ended Lamp - 400 watt,Suitable for flood lighting - white colour, Havells / Philips/ Bajaj make or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
56	Panel Encloser Box-(600x400x200), with IP protection -55, BCH make or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
57	Panel Box - Medium(150x150x120), with IP protection -55, BCH make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
58	Plug top 3 pin 15/16 Amp, as per IS-1293, Anchor/Havells/Great white make or equivalent.	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
59	Plug top 3 pin 5/6 Amp, as per IS-1293, Anchor/Havells/Great white make or equivalent.	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
60	PVC electric Board (Heavy type) -4"x4" Board, ISI mark	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx
61	PVC electric Board (Heavy type) - 8"x6"Board, ISI mark	No.	15	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxx

62	PVC Gitti, length- 35mm, Diameter- 6mm	Pkt.	40	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
63	PVC Batten (Casing & Capping) 1", white, Length-2 Meter, as per IS-14927 Part-2, AKG make or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
64	PVC Batten (Casing & Capping) 3/4", white, Length-2 Meter, as per IS-14927 Part-2,AKG make or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
65	PVC Batten (Casing & Capping) 1 1/2 ", white, Length-2 Meter, as per IS-14927 Part-2, AKG make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
66	PVC Flexible pipe 1/2" (30 mtr. roll) as per IS-9537	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
67	PVC Conduit pipe- 3/4"(3meter per length) as per IS-9537, Part-3	No.	100	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
68	PVC Conduit pipe- 1" (3 meter per length) as per IS-9537, Part-3	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
69	PVC Bend-3/4", as per IS:3419	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
70	Electronic Fan Regulator (stepper) Modular 1-module, Anchor (Roma) make	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
71	20Amp modular socket-Anchor(Roma) make	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
72	10Amp modular socket- Anchor(Roma) make	No.	40	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
73	10Amp modular switch, one way, Anchor(Roma) make	No.	40	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
74	20Amp modular switch, one way, Anchor(Roma) make	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
75	Bell Push switch, one way, 5 Amp, Anchor(Roma) make	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
76	Socket 15/16 Amp, Multiple socket flush type, 6 pin, Anchor/ Havells make or equivalent	No.	100	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
77	Socket 5/6 Amp, 3 pin, Anchor/ Havells make or equivalent.	No.	150	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
78	spare coil for MCX-22, L&T make	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
79	spare coil for MCX-03, L&T make	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
80	Switch- piano type 15 Amp, as per IS:3854, Anchor/ Havells make or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
81	Switch- piano type 5 Amp, as per IS:3854, Anchor/ Havells make or equivalent	No.	200	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
82	Telephone cable(2 pair) ISI mark (90 meter Roll), FR PVC, material- solid annealed high conductivity of bare copper, Anchor/Polycap make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
83	Telephone cable(10 pair) ISI mark (90 meter Roll), FR PVC, material- solid annealed high conductivity of bare copper, Anchor/Polycap/Delton make or equivalent		2	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx
84	Tape roll, FR PVC, size 1.8 cmX9 m X0.125 mm, as per IS:7809, make - Steel grip	No.	100	xxxxxxx	xxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxx

