

TENDER SPECIFICATION
NO: BHE/PW/PUR/KHZI-PNT/1246

EPOXY PAINT ON RCC PIPE RACK

AT

1X72 MW GTG BASED REVAMP PROJECT OF CPP AT KRIBHCO HAZIRA, GUJARAT

VOLUME :II – PRICE BID-1246



BHARAT HEAVY ELECTRICALS LIMITED

(A GOVERNMENT OF INDIA UNDERTAKING)

POWER SECTOR - WESTERN REGION

SHREEMOHINI COMPLEX

345, KINGSWAY - NAGPUR 440 001

BHARAT HEAVY ELECTRICALS LIMITED

(A GOVERNMENT OF INDIA UNDERTAKING)
POWER SECTOR - WESTERN REGION
SHREEMOHINI COMPLEX
345, KINGSWAY - NAGPUR 440 001

TENDER SPECIFICATION

NO: BHE/PW/PUR/KHZI-PNT/1246

EPOXY PAINT ON RCC PIPE RACK

AT

1X72 MW GTG BASED REVAMP PROJECT OF CPP AT KRIBHCO HAZIRA, GUJARAT

EARNEST MONEY DEPOSIT: Please see Notice Inviting Tender.
LAST DATE FOR: Please see Notice Inviting Tender.
TENDER SUBMISSION:

THESE TENDER SPECIFICATION DOCUMENTS CONTAINING **VOLUME-I-Tech Bid**, **VOLUME- II-Price Bid** AND
VOLIME-IBCD Rev-01 ARE ISSUED TO:

M/s.

PLEASE NOTE:
THESE TENDER SPECS DOCUMENTS ARE NOT TRANSFERABLE.

For Bharat Heavy Electricals Limited

AGM (Purchase)
Place: Nagpur
Date:

Price Bid for Epoxy Paint on RCC Pipe Rack at 1x72 MW CPP Revamp Project Kribhco Hazira

Sl. No.	Description	Unit	Quantity	Rate in figure (In Rs)	Rate in words (In Rs)	Amount (In Rs)
1	Providing (Supplying) and applying ready made Epoxy Paint over RCC Pipe Rack with suitable pigments of approved shade and as per manufacturer's recommendation for the paint system, exposed to moderately to severe corrosive condition. The epoxy paint shall be a two pack material and shall be resistant to water, splash, spillage & acidic environment. The epoxy paint coating shall be of two coat each minimum 75 micron thickness over a coat of epoxy primer of minimum 75 micron including all labour, material, equipment, surface prepration, scaffolding at all heights, etc at any level as per specification, drawing and as directed by engineer-in-charge.	SQM	10000			

Date
Place

Sealed and sign of the Bidder