



An ISO 9001
Company

Bharat Heavy Electricals Limited

(High Pressure Boiler Plant)

Tiruchirappalli – 620014, TAMIL NADU, INDIA

MATERIALS MANAGEMENT

TITLE CORRIGENDUM for NIT_20876	Phone : +91 431 257 7434 Fax : +91 431 252 0719 Email : npeswar@bheltry.co.in
--	--

Reference Number: Enquiry 1701402331	Enquiry Date: 19.12.2014	Due date for submission of quotation: 20.01.2015
You are requested to quote the Enquiry number date and due date in all your correspondences. This is only a request for quotation and not an order		

CORRIGENDUM

Details of Corrigendum
Due date for submission of quotation is changed as 12.03.2015 Integrity Pact format enclosed Enquiry revised for addition of Item
All other terms and conditions as published in the NIT 20876 remain unaltered.

BHEL commercial terms & conditions with Price Bid formats and all annexure can be downloaded from BHEL web site http://www.bhel.com or from the Government tender website http://tenders.gov.in (public sector units) Bharat Heavy Electricals Limited) under enquiry reference "1701402331 "	
Tenders should reach us before 14:00 hours on the due date Technical bid will be opened at 14:30 hours on the due date Tenders would be opened in presence of the tenderers who have submitted their offers and who may like to be present.	Yours faithfully, For Bharat Heavy Electricals Limited

INTEGRITY PACT

Between

Bharat Heavy Electricals Ltd. (BHEL), a company registered under the Companies Act 1956 and having its registered office at "BHEL House", Siri Fort, New Delhi – 110049 (India) hereinafter referred to as "The Principal", which expression unless repugnant to the context or meaning hereof shall include its successors or assigns of the ONE PART

and

_____, (description of the party along with address), hereinafter referred to as "The Bidder/ Contractor" which expression unless repugnant to the context or meaning hereof shall include its successors or assigns of the OTHER PART

Preamble

The Principal intends to award, under laid-down organizational procedures, contract/s for

_____. The Principal values full compliance with all relevant laws of the land, rules and regulations, and the principles of economic use of resources, and of fairness and transparency in its relations with its Bidder(s)/ Contractor(s).

In order to achieve these goals, the Principal will appoint Independent External Monitor(s), who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

Section 1 – Commitments of the Principal

- 1.1 The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:-
 - 1.1.1 No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - 1.1.2 The Principal will, during the tender process treat all Bidder(s) with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the tender process or the contract execution.
 - 1.1.3 The Principal will exclude from the process all known prejudiced persons.
- 1.2 If the Principal obtains information on the conduct of any of its employees which is a penal offence under the Indian Penal Code 1860 and Prevention of Corruption Act 1988 or any other statutory penal enactment, or if there be a substantive suspicion in this regard, the Principal will inform its Vigilance Office and in addition can initiate disciplinary actions.

Section 2 – Commitments of the Bidder(s)/ Contractor(s)

- 2.1 The Bidder(s)/ Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.
 - 2.1.1 The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm, offer, promise or give to the Principal or to any of the Principal's employees involved

in the tender process or the execution of the contract or to any third person any material, immaterial or any other benefit which he / she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.

- 2.1.2 The Bidder(s)/ Contractor(s) will not enter with other Bidder(s) into any illegal or undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
- 2.1.3 The Bidder(s)/ Contractor(s) will not commit any penal offence under the relevant IPC/ PC Act; further the Bidder(s)/ Contractor(s) will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- 2.1.4 The Bidder(s)/ Contractor(s) will, when presenting his bid, disclose any and all payments he has made, and is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.
- 2.2 The Bidder(s)/ Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.

Section 3 – Disqualification from tender process and exclusion from future contracts

If the Bidder(s)/ Contractor(s), before award or during execution has committed a transgression through a violation of Section 2 above, or acts in any other manner such as to put his reliability or credibility in question, the Principal is entitled to disqualify the Bidder(s)/ Contractor(s) from the tender process or take action as per the separate "Guidelines on Banning of Business dealings with Suppliers/ Contractors". framed by the Principal.

Section 4 – Compensation for Damages

- 4.1 If the Principal has disqualified the Bidder from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover the damages equivalent Earnest Money Deposit/Bid Security.
- 4.2 If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to section 3, the Principal shall be entitled to demand and recover from the Contractor liquidated damages equivalent to 5% of the contract value or the amount equivalent to Security Deposit/Performance Bank Guarantee, whichever is higher.

Section 5 – Previous Transgression

- 5.1 The Bidder declares that no previous transgressions occurred in the last 3 years with any other company in any country conforming to the anti-corruption approach or with any other Public Sector Enterprise in India that could justify his exclusion from the tender process.
- 5.2 If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

Section 6 – Equal treatment of all Bidders/ Contractors/ Sub-contractors

- 6.1 The Bidder(s)/ Contractor(s) undertake(s) to obtain from all subcontractors a commitment consistent with this Integrity Pact and report Compliance to the Principal. This commitment shall be taken only from those sub-contractors whose contract value is more than 20 % of Bidder's/ Contractor's contract value with the Principal. The Bidder(s)/ Contractor(s) shall continue to remain responsible for any default by his Sub-contractor(s).
- 6.2 The Principal will enter into agreements with identical conditions as this one with all Bidders and Contractors.
- 6.3 The Principal will disqualify from the tender process all bidders who do not sign this pact or violate its provisions.

Section 7 – Criminal Charges against violating Bidders/ Contractors /Sub-contractors

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the Vigilance Office.

Section 8 –Independent External Monitor(s)

- 8.1 The Principal appoints competent and credible Independent External Monitor for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.

- 8.2 The Monitor is not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the CMD, BHEL.
- 8.3 The Bidder(s)/ Contractor(s) accepts that the Monitor has the right to access without restriction to all contract documentation of the Principal including that provided by the Bidder(s)/ Contractor(s). The Bidder(s)/ Contractor(s) will grant the monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his contract documentation. The same is applicable to Sub-contractor(s). The Monitor is under contractual obligation to treat the information and documents of the Bidder(s)/ Contractor(s) / Sub-contractor(s) with confidentiality.
- 8.4 The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the contract provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.
- 8.5 As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or take corrective action, or heal the situation, or to take other relevant action. The Monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action.
- 8.6 The Monitor will submit a written report to the CMD, BHEL within 8 to 10 weeks from the date of reference or intimation to him by the Principal and, should the occasion arise, submit proposals for correcting problematic situations.
- 8.7 The CMD, BHEL shall decide the compensation to be paid to the Monitor and its terms and conditions.
- 8.8 If the Monitor has reported to the CMD, BHEL, a substantiated suspicion of an offence under relevant IPC / PC Act, and the CMD, BHEL has not, within reasonable time, taken visible action to proceed against such offence or reported it to the Vigilance Office, the

Monitor may also transmit this information directly to the Central Vigilance Commissioner, Government of India.

8.9 The number of Independent External Monitor(s) shall be decided by the CMD, BHEL.

8.10 The word 'Monitor' would include both singular and plural.

Section 9 – Pact Duration

9.1 This Pact begins and shall be binding on and from the submission of bid(s) by bidder(s). It expires for the Contractor 12 months after the last payment under the respective contract and for all other Bidders 6 months after the contract has been awarded.

9.2 If any claim is made / lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified as above, unless it is discharged/ determined by the CMD, BHEL.

Section 10 – Other Provisions

10.1 This agreement is subject to Indian Laws and jurisdiction shall be registered office of the Principal, i.e. New Delhi.

10.2 Changes and supplements as well as termination notices need to be made in writing. Side agreements have not been made.

10.3 If the Contractor is a partnership or a consortium, this agreement must be signed by all partners or consortium members.

10.4 Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intentions.

10.5 Only those bidders/ contractors who have entered into this agreement with the Principal would be competent to participate in the bidding. In other words, entering into this agreement would be a preliminary qualification.

For & On behalf of the Principal

For & On behalf of the Bidder/ Contractor

(Office Seal)

(Office Seal)

Place-----

Date-----

Witness: _____

Witness: _____

(Name & Address) _____

(Name & Address) _____



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE :2577359
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail:
Web:

429-002/A

Vendor Code : 23505	Enquiry No	Enquiry Date	Due Date for Quotation
Vendor Name : Open Tender Dummy Code Australia	1701402331 - 18	19.12.2014	12.03.2015
Please quote Enquiry No, Date and due date in all correspondences. This is only a request for quotation and not an order. <u>Bid should be submitted in Two Parts. 1. Techno-commercial Bid (Part-I) and 2. Price Bid (Part-II) in a separate sealed cover and both the covers must be placed in a Third Cover and Sealed. Our Enquiry No, Enq. date & Enq. Due date must be written on all Three covers.</u>			

Item	Description	Unit	Quantity	Delivery Quantity	Schedule Date
10	L068319759301001 PASSENGER CUM GOODS ELEVATOR OF CAPACITY :3000kg; SPEED: 0.55m/sec AS PER SPECIFICATION : CI:0683:ELEV/REV.00. 1) NUMBER OF LANDINGS SHALL BE 13 INCLUDING GROUND FLOOR. 2) LANDING LEVELS OF ELEVATOR SHALL BE AS FOLLOWS; 0.0mm, 11550mm, 19425mm, 29225mm, 38500mm, 45500mm, 56525mm, 64575mm, 74550mm, 86800mm, 99225mm, 105175mm & 112175mm. 3) FINISHED FLOOR LEVEL (FFL) = (-)200mm.	NO	2.000	2.00	24.11.15
20	L068519759301001 GOODS CUM PASSENGER ELEVATOR - CAPACITY :3000kg; SPEED: 0.55m/sec AS PER SPECIFICATION : TDC:TCI:263:RC/REV.02. 1) NUMBER OF LANDINGS SHALL BE 15 INCLUDING GROUND FLOOR. LANDING LEVELS OF ELEVATOR SHALL BE AS FOLLOWS; 0.0mm, 4240mm, 9350mm, 22500mm, 27450mm, 30350mm, 34310mm, 38550mm, 44700mm, 50700mm, 56650mm, 60450mm, 67250mm, 73530mm & 82350mm. 2) FINISHED FLOOR LEVEL (FFL) = (-)200mm 3) TRAP DOOR & ENTRANCE AT TG SIDE 4) DESIGN,CONSTRUCTION AND FINISH OF CAR: SS SHEET FABRICATED (ASTM 304 NO:4 HAIRLINE FINISH). 5) CAR DOOR : SS PANEL(ASTM 304 NO:4 HAIRLINE FINISH)CENTRE OPENING. 6) CAR ENCLOSURE : SS CONSTRUCTION (ASTM 304 NO:4 HAIRLINE FINISH)	NO	1.000	1.00	24.11.15
30	L068519759301002 PASSENGER ELEVATOR - CAPACITY :1088kg; SPEED: 1.00m/sec AS PER SPECIFICATION : TDC:TCI:263:RC/REV.02. 1) NUMBER OF LANDINGS SHALL BE 15 INCLUDING GROUND FLOOR.	NO	1.000	1.00	24.11.15

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
2/7

PHONE :2577359
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail:
Web:

1701402331 / 19.12.2014

23505

LANDING LEVELS OF ELEVATOR SHALL BE AS FOLLOWS;

0.0mm, 4240mm, 9350mm, 22500mm,
27450mm, 30350mm, 34310mm, 38550mm,
44700mm, 50700mm, 56650mm, 60450mm,
67250mm, 73530mm
& 82350mm.

2) FINISHED FLOOR LEVEL (FFL) = (-)200mm

3) TRAP DOOR & ENTRANCE AT TG SIDE

4) DESIGN,CONSTRUCTION AND FINISH OF CAR: SS SHEET FABRICATED (ASTM 304 NO:4 HAIRLINE FINISH).

5) CAR DOOR : SS PANEL(ASTM 304 NO:4 HAIRLINE FINISH)CENTRE OPENING.

6) CAR ENCLOSURE : SS CONSTRUCTION (ASTM 304 NO:4 HAIRLINE FINISH).

40 L171319759301001 NO 2.000 2.00 24.11.15

PASSENGER CUM GOODS ELEVATOR - CAPACITY :2000kg; SPEED: 0.55m/sec AS PER SPECIFICATION :

TDC:TCI:263:RC/REV.02.

1) NUMBER OF LANDINGS SHALL BE 13 INCLUDING GROUND FLOOR.

LANDING LEVELS OF ELEVATOR SHALL BE AS FOLLOWS;

0.0mm, 8500mm, 17350mm, 21700mm,
24900mm, 28700mm, 32800mm,
36600mm, 45900mm, 58600mm, 61400mm,
69800mm & 80800mm.

2) FINISHED FLOOR LEVEL (FFL) = (-)200mm

3) TRAP DOOR & ENTRANCE AT BOILER SIDE

4) DESIGN,CONSTRUCTION AND FINISH OF THE CAR: SS SHEET FABRICATED (ASTM 304 NO:4 HAIRLINE FINISH).

5) CAR DOOR & LANDING DOOR - SS PANEL(ASTM 304 NO:4 HAIRLINE FINISH) CENTRE OPENING.

6) CAR ENCLOSURE - SS CONSTRUCTION (ASTM 304 NO:4 HAIRLINE FINISH).

ENCLOSURE:

1) SPECIFICATION : TDC:TCI:263:RC/REV.02.

REMARKS :

1) PACKING PROCEDURE : QA:CI:STD:PR:02/02 SHALL BE FOLLOWED.

2) VENDOR QP SHALL BE SUBMITTED AFTER PLACEMENT OF P.O. AND SUBJECTED TO CUSTOMER APPROVAL.

3) VALUE REFERENCE: PPO. 7000014206 DT 17/08/2012.

50 L171519759302001 NO 1.000 1.00 24.11.15

GOODS CUM PASSENGER ELEVATOR WITH CAPACITY - 3000 KG & SPEED - 0.55 MPS AS PER SPECIFICATION :

TDC:TCI:263:RC/REV.02.

NO. OF LANDINGS SHALL BE 16 INCLUDING GROUND FLOOR.

LANDING LEVEL OF THE ELEVATOR SHALL BE

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
3/7

PHONE :2577359
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail:
Web:

1701402331 / 19.12.2014

23505

AS FOLLOWS

0.0mm, 4710mm, 9700mm, 21000mm,
25000mm, 29200mm, 32200mm, 35500mm,
42500mm, 48000mm, 52000mm, 58000mm,
65100mm, 74100mm, 83500mm, 89550mm.

ENTRY OF THE ELEVATORS SHALL BE
TOWARDS BOILER SIDE.

FINISHED FLOOR LEVEL SHALL BE (-)200mm.

SPECIAL REQUIREMENTS:

1. DESIGN , CONSTRUCTION AND FINISH OF
CAR : CAR INSIDE ENCLOSURE
INCLUDING INNER SIDE OF DOOR SHALL BE
OF STAINLESS STEEL PLATE OF GRADE
- SS 304 BRIGHT FINISH.
2. LANDING DOORS SHALL BE OF FIRE
RESISTANT (TYPE-F DOORS) FOR ATLEAST
ONE HOUR AND SMOKE TIGHT.

60 L171519759302002 NO 1.000 1.00 24.11.15

PASSENGER ELEVATOR WITH CAPACITY -
1088 KG & SPEED - 1.00 MPS AS PER
SPECIFICATION : TDC:TCI:263/RC/REV.02.

NO. OF LANDINGS SHALL BE 16 INCLUDING
GROUND FLOOR.

LANDING LEVEL OF THE ELEVATOR SHALL BE
AS FOLLOWS

0.0mm, 4710mm, 9700mm, 21000mm,
25000mm, 29200mm, 32200mm, 35500mm,
42500mm, 48000mm, 52000mm, 58000mm,
65100mm, 74100mm, 83500mm, 89550mm.

ENTRY OF THE ELEVATORS SHALL BE
TOWARDS BOILER SIDE.

FINISHED FLOOR LEVEL SHALL BE (-)200mm.

SPECIAL REQUIREMENTS:

1. DESIGN , CONSTRUCTION AND FINISH OF
CAR : CAR INSIDE ENCLOSURE
INCLUDING INNER SIDE OF DOOR SHALL BE
OF STAINLESS STEEL PLATE OF GRADE
- SS 304 BRIGHT FINISH.
2. LANDING DOORS SHALL BE OF FIRE
RESISTANT (TYPE-F DOORS) FOR ATLEAST
ONE HOUR AND SMOKE TIGHT.

70 L171619759302001 NO 2.000 2.00 24.11.15

GOODS CUM PASSENGER ELEVATOR WITH
CAPACITY - 3000 KG & SPEED - 0.55 MPS
AS PER SPECIFICATION :

TDC:TCI:263/RC/REV.02.

NO. OF LANDINGS SHALL BE 16 INCLUDING
GROUND FLOOR.

LANDING LEVEL OF THE ELEVATOR SHALL BE
AS FOLLOWS

0.0mm, 4710mm, 9700mm, 21000mm,
25000mm, 29200mm, 32200mm, 35500mm,
42500mm, 48000mm, 52000mm, 58000mm,
65100mm, 74100mm, 83500mm, 89550mm.

ENTRY OF THE ELEVATORS SHALL BE
TOWARDS BOILER SIDE.

FINISHED FLOOR LEVEL SHALL BE (-)200mm.

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
4/7

PHONE :2577359
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail:
Web:

1701402331 / 19.12.2014

23505

SPECIAL REQUIREMENTS:

1. DESIGN , CONSTRUCTION AND FINISH OF
CAR : CAR INSIDE ENCLOSURE
INCLUDING INNER SIDE OF DOOR SHALL BE
OF STAINLESS STEEL PLATE OF GRADE
- SS 304 BRIGHT FINISH.

2. LANDING DOORS SHALL BE OF FIRE
RESISTANT (TYPE-F DOORS) FOR ATLEAST
ONE HOUR AND SMOKE TIGHT.

80 L171619759302002 NO 2.000 2.00 24.11.15

PASSENGER ELEVATOR WITH CAPACITY -
1088 KG & SPEED - 1.00 MPS AS PER
SPECIFICATION : TDC:TCI:263/RC/REV.02.
NO. OF LANDINGS SHALL BE 16 INCLUDING
GROUND FLOOR.

LANDING LEVEL OF THE ELEVATOR SHALL BE
AS FOLLOWS

0.0mm, 4710mm, 9700mm, 21000mm,
25000mm, 29200mm, 32200mm, 35500mm,
42500mm, 48000mm, 52000mm, 58000mm,
65100mm, 74100mm, 83500mm, 89550mm.

ENTRY OF THE ELEVATORS SHALL BE
TOWARDS BOILER SIDE.

FINISHED FLOOR LEVEL SHALL BE (-)200mm.

SPECIAL REQUIREMENTS:

1. DESIGN , CONSTRUCTION AND FINISH OF
CAR : CAR INSIDE ENCLOSURE
INCLUDING INNER SIDE OF DOOR SHALL BE
OF STAINLESS STEEL PLATE OF GRADE
- SS 304 BRIGHT FINISH.

2. LANDING DOORS SHALL BE OF FIRE
RESISTANT (TYPE-F DOORS) FOR ATLEAST
ONE HOUR AND SMOKE TIGHT.

90 L171819759301001 NO 2.000 2.00 24.11.15

PASSENGER CUM GOODS ELEVATOR -
CAPACITY :1360 kg; SPEED:

0.75 m/sec AS PER SPECIFICATION :
TDC:TCI:263:RC/REV.02 WITH 14 LANDING
LEVELS [0.00mm, 8500mm, 17350mm,
21700mm, 24900mm, 28700mm, 32800mm,
36600mm, 42800mm, 48800mm, 58600mm,
69800mm, 77200mm, 80800mm]

[OPERATING HEIGHT: 80.8Mtr.]

NOTE:-

1. FINISHED FLOOR LEVEL IS (-)200mm.
2. ENTRANCE & TRAP DOOR AT BOILER SIDE.

REMARKS :

1. THE SPECIFICATION TDC:TCI:263:RC/REV.01
IS ALREADY AVAILABLE WITH
MM/FB.

2. PACKING PROCEDURE : QA:CI:STD:PR:02/02
SHALL BE FOLLOWED.

3. REF: P.P.O VALUE 7000012619 DTD.

17/06/2011. IN ADDITION TO THAT
ADDITIONAL TRAVEL HEIGHT AND SPEED
(0.75m/sec) PRICE AS AVAILABLE IN THE
LAST RATE CONTRACT IS INCLUDED.

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
5/7

PHONE :2577359
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail:
Web:

1701402331 / 19.12.2014		23505			
100	L180419759301001	NO	2.000	2.00	24.10.15
<p>GOODS CUM PASSENGER ELEVATOR - CAPACITY :3000kg; SPEED: 0.55m/sec AS PER SPECIFICATION : TDC:TCI:263:RC/REV.02. 1) NUMBER OF LANDINGS SHALL BE 23 INCLUDING GROUND FLOOR. LANDING LEVELS OF ELEVATOR SHALL BE AS FOLLOWS; 0.0mm, 5700mm, 9000mm, 13700mm, 18000mm, 25850mm, 28900mm, 31800mm, 35100mm, 38300mm, 41500mm, 44800mm, 48900mm, 51800mm, 55800mm, 60500mm, 68900mm, 75800mm, 78900mm, 82900mm, 90400mm, 97500mm & 100500mm. 2) FINISHED FLOOR LEVEL (FFL) = (-)200mm 3) TRAP DOOR & ENTRANCE AT BOILER SIDE 4) DESIGN,CONSTRUCTION AND FINISH OF CAR: SS SHEET FABRICATED (ASTM 304 NO:4 HAIRLINE FINISH). 5) CAR DOOR : SS PANEL(ASTM 304 NO:4 HAIRLINE FINISH)CENTRE OPENING. 6) CAR ENCLOSURE : SS CONSTRUCTION (ASTM 304 NO:4 HAIRLINE FINISH)</p>					
110	L180419759301002	NO	2.000	2.00	24.10.15
<p>PASSENGER ELEVATOR - CAPACITY :1088kg; SPEED: 1.00m/sec AS PER SPECIFICATION : TDC:TCI:263:RC/REV.02. 1) NUMBER OF LANDINGS SHALL BE 23 INCLUDING GROUND FLOOR. LANDING LEVELS OF ELEVATOR SHALL BE AS FOLLOWS; 0.0mm, 5700mm, 9000mm, 13700mm, 18000mm, 25850mm, 28900mm, 31800mm, 35100mm, 38300mm, 41500mm, 44800mm, 48900mm, 51800mm, 55800mm, 60500mm, 68900mm, 75800mm, 78900mm, 82900mm, 90400mm, 97500mm & 100500mm. 2) FINISHED FLOOR LEVEL (FFL) = (-)200mm 3) TRAP DOOR & ENTRANCE AT BOILER SIDE 4) DESIGN,CONSTRUCTION AND FINISH OF CAR: SS SHEET FABRICATED (ASTM 304 NO:4 HAIRLINE FINISH). 5) CAR DOOR : SS PANEL(ASTM 304 NO:4 HAIRLINE FINISH)CENTRE OPENING. 6) CAR ENCLOSURE : SS CONSTRUCTION (ASTM 304 NO:4 HAIRLINE FINISH).</p>					
120	L180619759301001	NO	2.000	2.00	24.11.15
<p>GOODS CUM PASSENGER ELEVATOR - CAPACITY :3000kg; SPEED: 0.55m/sec AS PER SPECIFICATION : TDC:TCI:263:RC/REV.02. 1) NUMBER OF LANDINGS SHALL BE 22 INCLUDING GROUND FLOOR.</p>					

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

Page
6/7

PHONE :2577359
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail:
Web:

1701402331 / 19.12.2014

23505

LANDING LEVELS OF ELEVATOR SHALL BE AS FOLLOWS;

0.0mm, 5700mm, 9000mm, 13700mm, 18000mm, 25850mm, 28900mm, 31800mm, 35100mm, 38300mm, 41500mm, 44800mm, 48900mm, 51800mm, 60500mm, 68900mm, 75800mm, 78900mm, 82900mm, 90400mm, 97500mm & 100500mm.

- 2) FINISHED FLOOR LEVEL (FFL) = (-)200mm
- 3) TRAP DOOR & ENTRANCE AT BOILER SIDE
- 4) DESIGN,CONSTRUCTION AND FINISH OF CAR: SS SHEET FABRICATED (ASTM 304 NO:4 HAIRLINE FINISH).
- 5) CAR DOOR : SS PANEL(ASTM 304 NO:4 HAIRLINE FINISH)CENTRE OPENING.
- 6) CAR ENCLOSURE : SS CONSTRUCTION (ASTM 304 NO:4 HAIRLINE FINISH).

130 L180619759301002 NO 2.000 2.00 24.11.15

PASSENGER ELEVATOR -
CAPACITY :1088kg; SPEED: 1.00m/sec AS PER SPECIFICATION :

TDC:TCl:263:RC/REV.02.

- 1) NUMBER OF LANDINGS SHALL BE 22 INCLUDING GROUND FLOOR.

LANDING LEVELS OF ELEVATOR SHALL BE AS FOLLOWS;

0.0mm, 5700mm, 9000mm, 13700mm, 18000mm, 25850mm, 28900mm, 31800mm, 35100mm, 38300mm, 41500mm, 44800mm, 48900mm, 51800mm, 60500mm, 68900mm, 75800mm, 78900mm, 82900mm, 90400mm, 97500mm & 100500mm.

- 2) FINISHED FLOOR LEVEL (FFL) = (-)200mm
- 3) TRAP DOOR & ENTRANCE AT BOILER SIDE
- 4) DESIGN,CONSTRUCTION AND FINISH OF CAR: SS SHEET FABRICATED (ASTM 304 NO:4 HAIRLINE FINISH).
- 5) CAR DOOR : SS PANEL(ASTM 304 NO:4 HAIRLINE FINISH)CENTRE OPENING.
- 6) CAR ENCLOSURE : SS CONSTRUCTION (ASTM 304 NO:4 HAIRLINE FINISH).

140 L180919759301001 NO 1.000 1.00 25.06.17

PASSENGER CUM GOODS ELEVATOR OF
CAPACITY :2000kg; SPEED: 0.55m/sec AS PER SPECIFICATION : TDC:TCl:263:RC/REV.03.

- 1) NUMBER OF LANDINGS SHALL BE 17 INCLUDING GROUND FLOOR.

LANDING LEVELS OF ELEVATOR SHALL BE AS FOLLOWS:

0.0mm, 5700mm, 12000mm, 17000mm, 22550mm, 28500mm, 32700mm, 36500mm, 40300mm, 44100mm, 50100mm, 56300mm, 62500mm, 68500mm, 73900mm, 80900mm & 87450mm.

- 2) FINISHED FLOOR LEVEL (FFL) = (-)200mm.
- 3) TRAP DOOR & ENTRANCE AT BOILER SIDE
- 4) DESIGN,CONSTRUCTION AND FINISH OF

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,

BHARAT HEAVY ELECTRICALS LIMITED



(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE :2577359
GRAMS : BHARATELEC
FAX NO: 2520719
E-mail:
Web:

Page
7/7

1701402331 / 19.12.2014

23505

THE CAR: SS SHEET FABRICATED (ASTM 304 NO:4 HAIRLINE FINISH).
5) CAR DOOR & LANDING DOOR - SS PANEL(ASTM 304 NO:4 HAIRLINE FINISH).
6) CAR ENCLOSURE - SS CONSTRUCTION (ASTM 304 NO:4 HAIRLINE FINISH).
7) VENDOR QP SHALL BE SUBMITTED AFTER PLACEMENT OF P.O. AND SUBJECTED TO CUSTOMER APPROVAL.

This Enquiry shall be monitored by Independent External Monitor

Shri D.R.S Chaudhary, IAS (Retd.)
Flat No. L-202 & L-203 (1st Floor)
Ansal Lake View Enclave
Shamla Hills
Bhopal- 462 013 (M.P.)
Ph: + 91 755 -4050495
dilip.chaudhary@icloud.com

General Note:

1. PACKING PROCEDURE : QA:CI:STD:PR:02/02 SHALL BE FOLLOWED.
2. VENDOR QP SHALL BE SUBMITTED AFTER PLACEMENT OF P.O.
3. OFFER SHALL BE FORWARDED IN DUPLICATE ALONG WITH COMPLAINT TO SPEC
4. OFFER SHALL BE FORWARDED IN TWO PART BID.(TECHNICAL & COMMERCIAL BID SEPERATELY
5. This is an open Tender enquiry and same has been published onwww.bhel.com, and www.tenders.gov.in. A press advertisement will also be published in leading News papers.

Enclosures:

1. Scope & spl. conditions
2. TDC NEYVELI - CI 0683 ELEV Rev 00
3. TDC TCI 263 RC REV 03
4. COM COND WITH LOADING
5. ENQ TERMS AND COND
6. SD ENQ DEVIATION
7. MANUFA QP
8. QA CI STD PR 02 REV 02

"LD clause has to be confirmed without fail."

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(FOSSIL BOILERS)
Yours faithfully,