FIRST ANGLE PROJECTION

(ALL DIMENSIONS ARE IN mm)

DRG. NO 0-301-75-00015 SH. 01 OF 22

SECTION B-B

DIRECTION OF STEAM FLOW

POS. NO.: 1

DESIGN "RIGHT"





SCHEME FOR D AND S DIMENSIONS

*) REFERED TO ADJACENT BLADE



ALL OVER EXCEPT OTHERWISE STATED (3.2 = Rz100 Rmax160 = 12.5 = Rz2.5 = 0.4 = Rz10 = 1.6)

DESIGN: "LEFT" — L "LEFT" REVERSED IMAGE

DESIGN: "RIGHT" — POS.NO: 01 — R "RIGHT" AS DRAWN

BLADE SHOWN IN DIRECTION OF STEAM FLOW

SECTION AX	Hx	Lges	AMI	UMA	RHk	BBi	D
A1 - A1	-10.0	19.07	5.50	9.77	0.10	47.70	6.15
A2 - A2	0.0	19.88	5.78	4.60	0.11	47.25	6.41
A12-A12	10.0	20.67	6.06	2.24	0.11	46.82	6.66
A19-A19	17.0	21.20	6.24	2.49	0.11	46.52	6.83
A26-A26	24.0	21.72	6.42	3.06	0.12	46.22	7.00

LOCAL SMALLEST RADIUS OF CURVATURE ON PRESSURE SIDE: 12.5 MM

GUIDE BLADE AT JOINT PLANE (2 NO.)
MADE BY REWORKING ON GUIDE BLADE(LEFT)



POS.NO : 02

JOINT BLADE AT PARTING PLANE (2 NO.)
MADE BY REWORKING ON GUIDE BLADE(RIGHT)



VIEW X



SECTION CC



SECTION DD



DESIGN: "RIGHT"



DESIGN: "LEFT"



CENTRE DISTANCES IN SEMI-FINISHED CONDITION

TECHNICAL REQUIREMENTS

1. TOLERANCES:



2. STRAK NUMBER: 80669
3. NUMBER OF BLADES/ROW: 106
(INCLUDING JOINT BLADES)

ROW NO.	01 (RIGHT)	01
		VAR

TYPE OF PRODUCT OR
NAME OF CUSTOMER/PROJECT

BHARAT HEAVY ELECTRICALS LTD
HYDERABAD

	NAME	DATE	NO.OF VAR.
DRN.	A HEMASUNDAR	15.02.2016	
CHD.	K THIRUMURTHY	15.02.2016	-NA-
APPD.	T.S.PRABHAKAR	15.02.2016	

DEPT.	UNTOL. DIMS. OR C/M/F	SCALE	WEIGHT (KG)	REF. TO ASSY. DRG.	ITEM NO.	NO.OF ITEMS
CODE 415	LTD	NTS	0,115	-NA-	-NA-	-NA-

TITLE: GUIDE BLADE - RIGHT
S-135-S20-TR070/034A2S

CARD CODE: -

DRAWING NO. 0-301-75-00015 REV. 00

SHT. No 01 NO. OF SHT. 22

REV.	DATE	ALTERED	CHD/APPD
ZONE			

THE INFORMATION ON THIS DOCUMENT IS THE PROPERTY OF BHARAT HEAVY ELECTRICALS LIMITED. IT MUST NOT BE USED DIRECTLY OR INDIRECTLY IN ANY WAY DETRIMENTAL TO THE INTEREST OF THE COMPAY

GENERAL DIMENSIONAL LIMITS,FITS & TOLERANCES AS PER HY0230261

COMPUTER FILE NAME: T-1160

REF. DRG. NO.

SIGN. AND DATE:

INVENTORY NO.

This Drawing is printed from Engineering Digital Archive System (EDAS). Therefore signatures are not essentially required.