




Project	Equipment	Phy Unit	Qty	Unit Exworks	% ED	% CST	% VAT	% ST	Unit F&I	Plan Dt	Comments
TANTRANSCO ANIKADAVU SS	Supply of light fitting CFL, NON-INTEGRATED WARM WHITE 2 PIN 26W suitable for 220 V AC operation. PVC insulated copper wire of 15 sq.mm size in PVC pipes with 5 amps flush type switch including supply of all materials (including supply of light fittings for false ceiling with lamps)etc.	Nos	60								
TANTRANSCO ANIKADAVU SS	ETC of light fitting CFL, NON-INTEGRATED WARM WHITE 2 PIN 26W suitable for 220 V AC operation. PVC insulated copper wire of 15 sq.mm size in PVC pipes with 5 amps flush type switch including supply of all materials (including supply of light fittings for false ceiling with lamps)etc.	Nos	60								
TANTRANSCO ANIKADAVU SS	Supply of CFL Non Integrated, Master PLC 2 pin , cool white (13PLC8402P) with 13 Watts fluorescent lamps for 220 AC operation , with PVC insulated copper wire of 2.5 sq.mm size in PVC pipes with 5 amps flush type switch including supply of all materials (including supply of light fittings with lamps)etc. complete.	Nos	30								
TANTRANSCO ANIKADAVU SS	ETC and concealed wiring of CFL Non Integrated, Master PLC 2 pin , cool white (13PLC8402P) with 13 Watts fluorescent lamps for 220 AC operation with PVC insulated copper wire of 2.5 sq.mm size in PVC pipes with 5 amps flush type switch including supply of all materials (including supply of light fittings with lamps) etc. complete.	Nos	30								
TANTRANSCO ANIKADAVU SS	Supply of decorative type fittings with dished opal cover with necessary chokes and capacitors etc with 2x40W fluorescent lamps (HPPF) suitable for 220 V AC operation (Reputed make approved by department Engineer at site) .	Nos	6								
TANTRANSCO ANIKADAVU SS	ETC of decorative type fittings with dished opal cover with necessary chokes and capacitors etc with 2x40W fluorescent lamps (HPPF) suitable for 220 V AC operation (Reputed make approved by department Engineer at site) .	Nos	6								
TANTRANSCO ANIKADAVU SS	Supply CFL Dulux T/E Plus, Non-Integrated Interna, 4pin, GX24q-4, 42 W lamps for 220 V AC operation. Suitable for 220 V AC operation (Reputed make approved by department Engineer at site).	Nos	5								
TANTRANSCO ANIKADAVU SS	ETC of CFL Dulux T/E Plus, Non-Integrated Interna, 4pin, GX24q-4, 42 W lamps for 220 V AC operation. Suitable for 220 V AC operation (Reputed make approved by department Engineer at site)	Nos	5								
TANTRANSCO ANIKADAVU SS	Supply of Decorative type fitting with polystyrene louver assembly with necessary chokes & capacitors etc with 2x40W fluorescent lamps (HPPF) suitable for 220 V AC operation (Reputed make approved by department Engineer at site)	Nos	6								
TANTRANSCO ANIKADAVU SS	ETC of Decorative type fitting with polystyrene louver assembly with necessary chokes & capacitors etc with 2x40W fluorescent lamps (HPPF) suitable for 220 V AC operation (Reputed make approved by department Engineer at site)	Nos	6								
TANTRANSCO ANIKADAVU SS	Supply of Decorative type fitting with opal acrylic cover with necessary chokes and capacitors etc with 2x40W fluorescent lamps (HPPF) suitable for 220 V AC operation (Reputed make approved by department Engineer at site)	Nos	10								
TANTRANSCO ANIKADAVU SS	ETC of Decorative type fitting with opal acrylic cover with necessary chokes and capacitors etc with 2x40W fluorescent lamps (HPPF) suitable for 220 V AC operation (Reputed make approved by department Engineer at site)	Nos	10								
TANTRANSCO ANIKADAVU SS	Supply of basic mounting rail type fittings with necessary choke with single 40W fluorescent lamps suitable for 220V AC operation (Reputed make approved by department Engineer at site)	Nos	10								
TANTRANSCO ANIKADAVU SS	ETC of basic mounting rail type fittings with necessary choke with single 40W fluorescent lamps suitable for 220V AC operation (Reputed make approved by department Engineer at site)	Nos	10								
TANTRANSCO ANIKADAVU SS	Supply of sub-distribution board having 1 No. 63 A, TPN isolator as incomer and 3 Nos. MCB 32 A (Reputed make), DP HRC fuse as outgoing. (Supply)	Nos	2								
TANTRANSCO ANIKADAVU SS	ETC of sub distribution board having 1 No. 63 A, TPN isolator as incomer and 3 Nos. 63 A, DP HRC fuse as outgoing etc. complete sample to be approved by department Engineer.	Nos	2								
TANTRANSCO ANIKADAVU SS	Supply of 60 Amps DP isolator as incoming and 4 Way TPN miniature circuit breaker 10 Nos 5 Amps as outgoing lighting distribution board.	Nos	6								
TANTRANSCO ANIKADAVU SS	ETC of 60 Amps DP isolator as incoming 4 way miniature circuit breaker of 10 Amps as outgoing lighting distribution board etc. complete sample to be approved by department Engineer.	Nos	6								
TANTRANSCO ANIKADAVU SS	Supply main switch board shall be of indoor, industrial wall mounted, vermin proof, dust proof and suitable for 400/440 V, 3 phase, 4 wire system with bus bar chamber, interconnections to sub circuit MCBs and cable glands with the following ratings of INCOMER : 1 No. 200 Amps TPN Fuse switch (with HRC fuse), and outgoing circuits bus bars shall be rated for 4 pole 63 No. 200 Amps TPN Fuse switch (with HRC fuse), and outgoing circuits bus bars shall be rated for 4 pole 63Amps Main Switch and 16 A MCB -10 Nos for each	No.	1								


ANIL KULKARNI / Engineer (T.B.M.M.)
 सदीप कलर्स (प्रा.) एम. लि. / Transmission Business Group
 अभियंता (वि. वी. एम. सि.)
 परियोजना व्यापार समूह
 भारत हेवी इलेक्ट्रिकल्स लिमिटेड
Bharat Heavy Electricals Limited
 5th Floor, Tower-A, Advant Navis IT Business Park,
 Plot No. 7, Sector-42, Expressway Noida-201305 (U.P.)

Project	Equipment	Qty	Unit	Unit Exworks	% EQ	% CST	% VAT	% ST	Unit P&I	Plan Dt	Comments
TANTRANSCO ANIKADAVU SS	ETC for Laying of 4 of 4 sqmm (S6/0.3mm) PVC insulated SC unsheathed copper conductor of 1100 V grade in suitable PVC rigid pipe concealed in wall and ceiling with continuous earth wire connection 14 SWG TC wire and making good of the concealed portion with suitable colour.	150	m								
TANTRANSCO ANIKADAVU SS	Supply of 4 of 4 sqmm PVC insulated multistrand unsheathed copper conductor of 1100 V grade in suitable PVC pipe concealed in wall and ceiling with continuous earth wire 14 SWG TC wire for power pull point on wall and ceiling with reputed make switch boxes etc. complete.	300	RM								
TANTRANSCO ANIKADAVU SS	ETC for Laying of 4 of 4 sqmm PVC insulated multistrand unsheathed copper conductor of 1100 V grade in suitable PVC pipe concealed in wall and ceiling with continuous earth wire 14 SWG TC wire for power pull point on wall and ceiling with reputed make switch boxes etc. complete.	300	RM								
TANTRANSCO ANIKADAVU SS	Supply of 4 of 6 sqmm (84/0.3mm) PVCinsulated SC unsheathed copper conductor of 1100 V grade in suitable PVC rigid pipe concealed in wall and ceiling with continuous earth wire 14 SWG TC wire and making good of the concealed portion with suitable colour.	100	RM								
TANTRANSCO ANIKADAVU SS	ETC for Laying of 4 of 6 sqmm (84/0.3mm) PVCinsulated SC unsheathed copper conductor of 1100 V grade in suitable PVC rigid pipe concealed in wall and ceiling with continuous earth wire 14 SWG TC wire and making good of the concealed portion with suitable colour.	100	RM								
TANTRANSCO THAPPAGUNDU SS	ILLUMINATION EQUIPMENT FOR CONTROL ROOM BUILDING	1	LOT							30-Jul-14	AS PER TECH SPEC TB 363 958 014
TANTRANSCO THAPPAGUNDU SS	Supply of 20Amps DP plug and socket in sheet enclosure with 5 Nos. 32 A DP MCB in flush with wall with earth connection (AC plug) (legrand MDS)/Hager (L&T) .	1	Nos								
TANTRANSCO THAPPAGUNDU SS	ETC of 20Amps DP plug and socket in sheet enclosure with 5 Nos. 32 A DP MCB in flush with wall with earth connection (AC plug) (legrand MDS)/Hager (L&T) make including cost of wiring.	1	Nos								
TANTRANSCO THAPPAGUNDU SS	Supply of 6 of 4 sqmm PVC unsheathed multi- strand copper conductor cable of 1100V grade in suitable PVC rigid pipe in wall or ceiling with continuous earth wire connection of 14 SWG TC wire for AC	100	Rm								
TANTRANSCO THAPPAGUNDU SS	ETC for Laying of 6 of 4 sqmm PVC unsheathed multi-strand copper conductor cable of 1100V grade in suitable PVC rigid pipe in wall or ceiling with continuous earth wire connection of 14 SWG TC wire for AC	100	Rm								
TANTRANSCO THAPPAGUNDU SS	Supplying of down fall rod for ceiling fan	14	Nos								
TANTRANSCO THAPPAGUNDU SS	ETC of down fall rod for ceiling fan including cost of material, labour, lead, lift etc .	14	Nos								
TANTRANSCO THAPPAGUNDU SS	Supply of 4x28 W Twin type Mirror optic suspension type fitting for fixing in false ceiling (Philips/Crompton / Wipro) complete with louvers cover complete with copper chokes and condenser with conduit pipe suspension, with PVC unsheathed copper leads from the terminals to the fittings with flu. tubes.	20	Nos								
TANTRANSCO THAPPAGUNDU SS	ETC of 4x28 W Twin type Mirror optic suspension type fitting for fixing in false ceiling (Philips/Crompton / Wipro) complete with louvers cover complete with copper chokes and condenser with conduit pipe suspension, with PVC unsheathed copper leads from the terminals to the fittings with flu. tubes.	20	Nos								
TANTRANSCO THAPPAGUNDU SS	Supply of down fall rod for twin mirror optic fittings	20	Nos								
TANTRANSCO THAPPAGUNDU SS	ETC of down fall rod for twin mirror optic fittings including cost of material, labour, lead, lift etc.	20	Nos								
TANTRANSCO THAPPAGUNDU SS	Supply of 1400mm sweep AC ceiling fan with electronic regulator with 300mm down rod on the existing clamps of approved quality of Crompton/Rally/Usha/Bajaj)	8	Nos								
TANTRANSCO THAPPAGUNDU SS	ETC of 1400mm sweep AC ceiling fan with electronic regulator with 300mm down rod on the existing clamps of approved quality of Crompton/Rally/Usha/Bajaj including cost of all materials lead lift etc.	8	Nos								
TANTRANSCO THAPPAGUNDU SS	Supply of 1200mm sweep AC ceiling fan with electronic regulator with 300mm down rod on the existing clamps of approved quality of Crompton/Rally/Usha/Bajaj)	6	Nos								
TANTRANSCO THAPPAGUNDU SS	ETC of 1200mm sweep AC ceiling fan with electronic regulator with 300mm down rod on the existing clamps of approved quality of Crompton/Rally/Usha/Bajaj including cost of all materials lead lift etc .	6	Nos								
TANTRANSCO THAPPAGUNDU SS	Supply 450mm sweep AC exhaust fan heavy duty	4	No								
TANTRANSCO	ETC of 450mm sweep AC exhaust fan heavy duty	4	No								


SANDEEP KALKAL
 Engineer (T.B.M.M.)
 Transmission Business Group
 भारत भारती इलेक्ट्रिकल्स लिमिटेड
 Bharat Heavy Electricals Limited
 5th Floor, Tower-A, Advant Navis IT Business Park,
 Plot No. 7, Sector-142, Expressway Noida-201305 (U.P.)

Project	Equipment	Qty	Unit	Unit Egworks	% ED	% CST	% VAT	% ST	Unit F&I	Plan Dt	Comments
TANTRANSCO THAPPAGUNDU SS	ETC of 60 Amps 1DP Isolator as incoming 4 way miniature circuit breaker of 10 Amps as outgoing lighting distribution board etc. complete sample to be approved by department Engineer.	6	Nos								
TANTRANSCO THAPPAGUNDU SS	Supply main switch board shall be of indoor, industrial wall mounted, vermin proof, dust proof and suitable for 400/440 V, 3 phase, 4 wire system with bus bar chamber, interconnections to sub circuit MCBs and cable glands with the following ratings of INCOMER : 1 No. 200 Amps TPN Fuse switch (with HRC fuse), and outgoing circuits bus bars shall be rated for 4 pole 63 No. 200 Amps TPN Fuse switch (with HRC fuse), and outgoing circuits bus bars shall be rated for 4 pole 63Amps Main Switch and 16 A MCB -10 Nos for each sub circuit complete with angle iron frame all labour, lead and lift etc complete.	1	No.								
TANTRANSCO THAPPAGUNDU SS	ETC of Lighting Switch Board with 1 No. 200 A, TPN fuse switch as incoming and 3 Nos. 63 A TPN, 2 Nos. 63A DP, 1 No. 32A DP switch fuse etc. complete.	1	set								
TANTRANSCO THAPPAGUNDU SS	Supply of power Distribution Board (incoming 63 A DP Isolator - 1 No. and outgoing 15 A SPN Switch fuse - 12 Nos.	2	Nos								
TANTRANSCO THAPPAGUNDU SS	ETC of Power Distribution Board (incoming: 63A DP, Isolator 1 No. DP switch fuse as outgoing 15A SPN switch fuse - 12 Nos. etc complete. sample to be approved by department Engineer	2	Nos								
TANTRANSCO THAPPAGUNDU SS	Supply of 8 SWG copper conductor (Insulated Tinned copper wire) for distribution board and switch board earthing approved quality.	200	RM								
TANTRANSCO THAPPAGUNDU SS	Supply of MS BOX for peripheral lighting cable termination with suitable terminal blocks approved quality.	7	Nos.								
TANTRANSCO THAPPAGUNDU SS	ETC of MS Box for peripheral lighting cable termination with suitable terminal blocks etc. complete, sample to be approved by department Engineer.	7	Nos								
TANTRANSCO THAPPAGUNDU SS	Supply of light fitting CFL NON-INTEGRATED WARM WHITE 2 PIN 26W suitable for 220 V DC operation (Reputed make) including cost of fitting all labour, lead and lift etc. complete. (Supply and ETC)	15	Nos.								
TANTRANSCO THAPPAGUNDU SS	ETC of light fitting CFL NON-INTEGRATED WARM WHITE 2 PIN 26W suitable for 220 V DC operation (Reputed make) including cost of fitting all labour, lead and lift etc. complete.	15	Nos.								
TANTRANSCO THAPPAGUNDU SS	Supply of 2 KV Inverter with suitable 220 V DC operation including 4 way double pole emergency distribution board having 1 NO (Reputed make)	2	Nos								
TANTRANSCO THAPPAGUNDU SS	ETC of 2 KV Inverter with suitable 220 V DC operation including 4 way double pole emergency distribution board having 1 NO (Reputed make)	2	Nos								
TANTRANSCO THAPPAGUNDU SS	ETC:- Wiring with 2x1.5 sq.mm PVC Insulated single core copper conductor cable 1100 V grade in suitable PVC rigid pipe on wall and ceiling with reputed make switch boxes earthwire connection in 14 SWG TC wire for light point / Fan point including cost of wire, labour lead etc. complete. of approved quality.	55	Pts								
TANTRANSCO THAPPAGUNDU SS	ETC:- wiring with 2 x 1.5 sqmm(22/0.3mm) PVC insulated single core copper conductor cable 1100 v grade with multi strand approved quality in suitable PVC rigid pipe for concealed wiring on wall and ceiling with reputed make switch boxes concealed type with 3mm thick hylum sheet cover with 5 amps flush type switch with continuous earth wire connection of 14swg TC wire and making good of the concealed portion with wire and making good of the concealed portion with suitable colour including supply of all materials, labour, etc complete.	110	Pts								
TANTRANSCO THAPPAGUNDU SS	ETC:- Wiring with 2 x 4 sqmm (56/0.3mm) PVC Insulated single core unsheathed copper conductor cable 1100 v grade multi strand approved quality in suitable PVC rigid pipe on wall and ceiling with accessories with suitable switch box concealed type with 3 mm thick hylum sheet cover for 15 A 3 PIN non interlocking CB plug with continuous earth wire connection of 14 swg TC wire and making good of the concealed portion with suitable colour including supply of all materials, labour etc complete.	10	Pts								
TANTRANSCO THAPPAGUNDU SS	Supply of concealed wiring 5 Amps 3 pin plug points with combined switch plug with PVC insulated Copper wire of 1.50 Sq mm size in PVC pipe.	46	Pts								
TANTRANSCO THAPPAGUNDU SS	ETC for concealed wiring a 5 Amps 3 pin plug points with combined switch plug with PVC insulated Copper wire of 1.50 Sq mm size in PVC pipe.	46	Pts								
TANTRANSCO THAPPAGUNDU SS	Supply, and concealed wiring metal clad with cast Aluminium enclosure 20A, 10, 3 pin full inter-locked switches socket with PVC insulated Copper wire of 4 Sq mm size in PVC pipe with one run of 14 gauge copper wire for earthing. sample to be approved by department Engineer.	15	Pts								
TANTRANSCO THAPPAGUNDU SS	ETC of concealed wiring metal clad with cast Aluminium enclosure 20A, 10, 3 pin full inter-locked switches socket with PVC insulated Copper wire of 4 Sq mm size in PVC pipe with one run of 14 gauge copper wire for earthing. sample to be approved by department Engineer.	15	Pts								


15.09.15
SANDEEP KALKAL
 Engineer (T.B.M.M.)
 Transmission Business Group
 Bharat Heavy Electricals Limited
 5th Floor, Tower A, Advant Navis IT Business Park
 Plot No. 7, Sector-142, Expressway Noida-201305 (U.P.)

Project	Equipment	Qty	Unit	Unit Exworks	% ED	% GST	% VAT	% ST	Unit Plan	Plan Dt	Comments
TANTRANSCO THAPPAGUNDU SS	Pixing and concealed wiring for exhaust fans with PVC insulated copper wire of 4 sq.mm size in PVC pipe with 5 amps flush type switch etc complete. (Only ETC)	6	Pts								
TANTRANSCO THAPPAGUNDU SS	ETC and concealed wiring for exhaust fans with PVC insulated copper wire of 4 sq.mm size in PVC pipe with 5 amps flush type switch etc complete.	6	Pts								
TANTRANSCO THAPPAGUNDU SS	Supply of 4 of 4 sqmm (56/0.3mm) PVCinsulated SC unsheathed copper conductor of 1100 V grade in suitable PVC rigid pipe concealed in wall and ceiling with continuous earth wire connection 14 SWG TC wire and making good of the concealed portion with suitable colour.	150	m								
TANTRANSCO THAPPAGUNDU SS	ETC for Laying of 4 of 4 sqmm (56/0.3mm) PVC insulated SC unsheathed copper conductor of 1100 V grade in suitable PVC rigid pipe concealed in wall and ceiling with continuous earth wire connection 14 SWG TC wire and making good of the concealed portion with suitable colour.	150	m								
TANTRANSCO THAPPAGUNDU SS	Supply of 4 of 4 sqmm PVC insulated multistrand unsheathed copper conductor of 1100 V grade in suitable PVC pie concealed in wall and ceiling with continuous earth wire 14 SWG TC wire for power pulg point on wall and ceiling with reputed make switch boxes etc. complete.	300	RM								
TANTRANSCO THAPPAGUNDU SS	ETC for Laying of 4 of 4 sqmm PVC insulated multistrand unsheathed copper conductor of 1100 V grade in suitable PVC pie concealed in wall and ceiling with continuous earth wire 14 SWG TC wire for power pulg point on wall and ceiling with reputed make switch boxes etc. complete.	300	RM								
TANTRANSCO THAPPAGUNDU SS	Supply of 4 of 6 sqmm (84/0.3mm) PVCinsulated SC unsheathed copper conductor of 1100 V grade in suitable PVC rigid pipe concealed in wall and ceiling with continuous earth wire 14 SWG TC wire and making good of the concealed portion with suitable colour.	100	RM								
TANTRANSCO THAPPAGUNDU SS	ETC for Laying of 4 of 6 sqmm (84/0.3mm) PVCinsulated SC unsheathed copper conductor of 1100 V grade in suitable PVC rigid pipe concealed in wall and ceiling with continuous earth wire 14 SWG TC wire and making good of the concealed portion with suitable colour.	100	RM								

You are requested to submit your most competitive offer so as to reach us positively by the tender opening date & time. THE TENDERS NOT RECEIVED WITHIN SCHEDULED DATE AND TIME ARE LIKELY TO BE IGNORED. BHEL shall not be responsible for any postal delay.

IN YOUR OWN INTEREST YOU ARE ADVISED TO CAREFULLY READ "THE INSTRUCTIONS TO BIDDERS". INCOMPLETE BIDS AND/OR BIDS NOT COMPLYING WITH TENDER CONDITIONS SHALL BE TREATED AS NON RESPONSIVE AND ARE LIKELY TO BE IGNORED.

In case Tender Documents are not received within 7 days of this E-mail message, intimate BHEL accordingly. If no intimation is received, it will be considered that you have received tender enquiry and delay in submission offer due to late receipt of tender documents will not be entertained.

YOU ARE REQUESTED TO SUBMIT YOUR MOST COMPETITIVE OFFER SO AS TO REACH US POSITIVELY BY 2 PM ON THE TENDER OPENING DATE AND TENDER WILL BE OPENED AT 2:30 PM WITH EFFECT FROM 15-SEP-09.

BHEL RESERVES THE RIGHT TO OPT FOR REVERSE AUCTION FOR OBTAINING BEST PRICES.

OFFERS THROUGH E-MAIL / FAX:

WHOSOEVER DESIRES TO SEND OFFERS ON THEIR OWN RISK (COMPLETE IN ALL RESPECTS) VIA E-MAIL or FAX HAVE TO SEND THE OFFERS TO THE COMMON E-MAIL ADDRESS tenderbox@bhel.in or 0120-6748581 FAX .

THE RECEIVED EMAIL OFFERS WILL BE PRINTED BY PURCHASE COORDINATOR AND PUT THEM INTO COVERS AS PER CONVENTIONAL METHOD FOR TENDER OPENING I.E., TECHNO COMMERCIAL & PRICE OFFER SHALL BE PUT INTO TWO SEPARATE COVERS AND BOTH THE COVERS ARE KEPT IN THIRD COVER DULY SUPER SCRIBING ENQY. NO. AND DUE DATE.

OFFERS SENT TO ANY OTHER E-MAIL ID or FAX NO AND INCOMPLETE OFFERS SHALL NOT BE CONSIDERED FOR EVALUATION PURPOSE.

It is suggested that the bidders are advised to send the files with 'password protection'. procedure for giving a password to a file has been given below:

For saving Excel file with password

Steps to be followed:

1. Click on the FILE option in XP system and Start sign in Vista system then go to SAVE AS option.
2. Select the location to save and Click on the TOOLS box and go to GENERAL OPTION.
3. It will ask for the password, type the password into open or modify box or both as required.
4. Then click on the OK button it will ask for recenter of the password.
5. After reentering the password click on the save box.

For saving Word file with password

Steps to be followed:

1. Click on the FILE option in XP and Start sign in Vista then go to SAVE AS option.
2. Select the location to save and Click on the TOOLS box and go to SECURITY OPTION in XP system and GENERAL OPTION in Vista system.
3. It will ask for the password, type the password into open or modify box or both as required.
4. Then click on the OK button it will ask for recenter of the password.
5. After reentering the password click on the save box.

The vendors who has sent offers with password, the passwords are to be forwarded to another email id: supplierinfo@bhelindustry.com

MSME STATUS

"THOSE INDUSTRIES WHO HAVE FILED A MEMORANDUM WITH THE CONCERNED AUTHORITIES AND REGISTERED AS MICRO & SMALL ENTERPRISE UNDER MICRO, SMALL AND MEDIUM ENTERPRISES DEVELOPMENT ACT 2006, HAVE TO SUBMIT A COPY OF SUCH REGISTRATION CERTIFICATE / MEMORANDUM TO BHEL FOR NECESSARY COMPLIANCES OF THE ABOVE ACT".


ANOOOP KALKAL
 Engineer (T.B.M.M.)
 Transmission Business Group
 Bharat Heavy Electricals Limited
 Sector-142, Expressway No.3a-201305 (U.P.)
 Plot No. 75

Please acknowledge the receipt of tender enquiry and fax back this letter by ticking the appropriate item below.

for BHARAT HEAVY ELECTRICALS LIMITED
Sandeep Kalkal Engineer (T.B.M.M.)
Transmission Business Group
संदीप कलकल
अभियंता (टी.बी.एम.एम.)
परिवहन व्यापार समूह / Transmission Business Group
भारत हेवी इलेक्ट्रिकल्स लिमिटेड
Bharat Heavy Electricals Limited
5th Floor, Tower-A, Advant Navis IT Business Park,
Plot No. 7, Sector-142, Expressway Noida-201305 (U.P.)

We acknowledge the receipt of tender.

- (a) The offer against subject enquiry shall be submitted by the scheduled date and time.
(b) We regret to quote. The item in reference is out of our manufacturing range.
(c) We regret because of our prior commitments.
(d) Any other reason.

To
Dipak Kumar Mandal
Dy General Manager
BHARAT HEAVY ELECTRICALS LIMITED
TRANSMISSION BUSINESS GROUP
TOWER-A, 5th Floor,
Advant Navis IT Business Park,
Plot No-7, Sector-142, Expressway Noida
Noida-201305
Distt. Gautam BudhNagar, U.P

Ph: 0120-6748134
Fax: 0120-6748581

Enquiry No : 3540004 Enquiry Dt : 03-Jun-14

Signature and Seal of Tenderer