



## Bharat Heavy Electricals Limited

(A Govt. Of India Undertaking)

Power Sector, Eastern Region

BHEL Bhawan, Plot No. DJ-9/1 , Sector- II ,  
Salt Lake City , Kolkata , WEST BENGAL, INDIA  
Phone : 033-23216130-31, FAX : 033-23211960

### NOTICE INVITING TENDER

**Tender No. PSER: PUR: MJA-S194:15 (ENQ:15:PP:0015:PUR:102) Date: 15/10/2015.**

**LAST DATE OF SUBMISSION OF COMPLETE OFFER: 19/10/2015 (UP TO 15:00 HRS.).**

**(Techno-commercial offer shall be opened on 19/10/2015 at 16:00 HRS.)**

**SUB: TENDER DOCUMENT FOR “OVERHAULING OF BOILER & AUXILIARIES OF UNIT-7, 500 MW, MEJIA TPS, DVC, WEST BENGAL”.**

1. Sealed offers are invited from reputed & experienced bidders (**meeting pre-qualification criteria as mentioned**) at the above address to be submitted **in two parts a) Techno-Commercial and b) Price bid parts in two separate sealed covers which may be kept in an outer cover super-scribing the tender number on the envelopes** as indicated in the “Particulars of the tender” enclosed.
2. The offer shall be submitted as per the instructions of tender document. Only One set of tender document (**in original, downloaded from website**) signed by authorised company rep. of bidder and stamped on each page shall be submitted as detailed further, as given below. Bidders to note specifically that all pages of tender document, including these NIT pages etc. appearing in the website for this particular tender shall be submitted by them (after signing/stamping on each page) as a part of their offer. **Price shall not be mentioned by them anywhere in the techno-commercial portion of offer. Best price shall be mentioned in the relevant price schedule only and submitted in separate sealed envelope.** In case of bidders facing any difficulty in downloading the tender from internet website, they should contact this office (Asst. Engineer, Purchase or AGM, Purchase Phone no. 033-23211496/1690). **No alteration/changes by bidders is permitted in the tender/NIT appeared in the website.**
3. Successful bidder shall have to submit additional set of tender/sign on tender document provided by BHEL, if so decided by BHEL.
4. **Earnest Money Deposit ( EMD ) of Rs. 1,00,000=00** in the form of crossed Demand Draft / Pay Order ( in favour of **Bharat Heavy Electricals Limited, payable at Kolkata** ), shall be enclosed by the bidder along with the offer, failing which the tender is liable for rejection.

One time EMD for Rs. 1,00,000.00 ( Rupees One Lakh only ) for SAS jobs will also be valid for all such jobs. Bidders who have deposited one time EMD of Rs. 1.00 lakh with BHEL: PSER for SAS job (evidence of deposit must be submitted) will be exempted from submission of EMD with this tender. The followings may be noted:

In case the bidder deposits separate EMD as mentioned above, there will be no change

- a) In existing clauses of this tender.
- b) In case of bidders having one time EMD; one time EMD can not be used for SD purpose.
- c) Security deposit shall be submitted as per provision of tender. **Security deposit shall cover the entire duration of work plus the performance guarantee period plus three months notice period prior to release of the same.**
- d) **Bank Guarantee shall not be acceptable towards EMD. The EMD shall be enclosed with the Techno-Commercial Bid (Part-A).**

5. The offers shall be sent in three separate sealed envelopes as under:

COVER NO	SHALL CONTAIN FOLLOWING
<b>COVER-I (TECHNO-COMMERCIAL BID)</b>	i) Covering letter of offer ii) Pre-qualifying documents with all credential documents iii) Demand Draft etc towards Cost of Tender (if applicable) iv) Unpriced Techno-Commercial Bid v) Duly filled all annexures vi) References of subsequent correspondences, if any vii) Copy of records notes of Pre Bid Conference, if applicable/ pre-bid MOM. viii) Price schedule – <b>Unpriced but</b> mentioning only quoted / unquoted against each item ix) Copy of Tender change notice (TCN), if applicable. x) All supporting documents/ Annexures etc as applicable. xi) NIT pages (all pages) xii) No deviation certificate in bidders letterhead as per format given. xiii) <i>Part – D : General Terms &amp; Conditions of Reverse Auction</i>
<b>COVER-II (PRICE BID)</b>	i) Copy of covering letter given in Cover-I ii) Duly filled in Price Schedule
<b>COVER-III (EMD)</b>	Demand Draft etc towards EMD as per instruction <b>(if applicable)</b>

**SPECIAL NOTE:**

- A) Above three separately sealed covers shall together be enclosed in a fourth cover (Cover-IV). All the four sealed covers shall be clearly super scribed with **COVER NO WITH NOMENCLATURE, NAME OF THE JOB, TENDER DOCUMENT NO. AND DUE DATE OF SUBMISSION.**
- B) Offer & documents submitted with the offer shall be signed and stamped in each page by authorised representative of the bidder. No overwriting/correction in tender documents by bidders shall be allowed.
- C) All documents / Annexures submitted with the offer shall be properly annexed and placed in respective places of the offer as per enclosure list mentioned in the covering letter. BHEL shall not be responsible for any missing documents.
- 6.0 No deviation with respect to tender clauses and no additional clauses/ suggestions/clarification in Techno-commercial bid/Price bid shall normally be considered by BHEL. Bidders are requested to positively comply with the same. Offers with deviation are liable for rejection.
- 7.0 BHEL reserves the right to accept or reject any or all offer without assigning any reasons thereof. BHEL also reserve the right to cancel the tender wholly or partly without assigning any reason thereof. BHEL also reserve the right to split/part award the job. Also BHEL shall not entertain any correspondence from bidders in this matter (except for the refund of EMD)
- 8.0 Bidders must visit site/ work area and study the job content, facilities available, present condition of machines etc before quoting for this tender. They may also consult this office before submitting their offers, for any clarifications regarding scope of work, facilities available at sites or on terms and conditions. No additional claim shall be entertained by BHEL in future, on account of non-acquaintance of site/machine conditions at the time of bidding.

- 9.0 For any clarification on the tender document, you may seek the same in writing (two copies) within **17/10/2015 (up to 11:00 Hrs. IST)**, from the office of the undersigned which will be clarified to all the bidders. BHEL shall not be responsible for receipt of queries after due date of seeking clarification due to postal delay, and receipt of any query after due date shall not be entertained.
- 10.0 BHEL may decide holding pre-bid conference [PBC] with bidders. On such communication from BHEL, the bidder shall ensure participation for the same at the appointed time, date and place as may be decided by BHEL.
- 11.0 In case of absence of any queries from bidder(s), their quoted price will be PRESUMED to be final and complete with reference to the tender documents (including Tender change notes (TCNs), clarifications, corrigendum issued by BHEL, if any). Bidders are requested to study the tender documents in detail and prepare their queries/clarifications accordingly. All such queries / clarifications shall be cleared/replied by BHEL. Such clarification letters, corrigendum and/or Tender change notes (TCNs), if issued by BHEL, shall form part of tender document.
- 12.0 In the event of any conflict between requirement of any clause of this specification/ documents /drawings /data sheets etc or requirements of different codes/ standards specified/ contradictions between any two clauses of tender document, the same to be brought to the knowledge of BHEL by bidders in writing for clarification before due date of seeking clarification, otherwise, more stringent requirement as may be interpreted by BHEL shall prevail and shall be binding on you. Any typing error/missing pages/ other clerical errors in the tender documents, noticed by you must be pointed out before submission of offer, or else, BHEL'S interpretation shall prevail & binding on you.
- 13.0 Tender document containing above mentioned volumes shall be signed & stamped in all pages including this covering letter. Price bid shall be furnished in the format (Vol-III) enclosed with the tender. Any additional copy, if required, may be taken by photocopying from the tender document given in the web.
- 14.0 **The Price Bids of only those bidders will be opened, who will qualify for the subject job on the basis of pre-qualification evaluation & Techno-Commercial bids etc. BHEL reserves the right to reject the bidders with unsatisfactory past performance in the execution of a contract. BHEL's decision in this regard shall be final & binding.**
- 15.0 While BHEL reserve the right to open the price bid (Cover-II) of the offers in camera, the date & time to open the Cover-II (PRICE BID) tender opening shall be intimated to the bidders in case BHEL decides it to be 'Public opening' and in such a case, one authorised representative of the bidder shall be allowed to attend.
- 16.0 **Validity of the offer shall be for six months from the due date of offer submission (including extension, if any).**
- 17.0 Firm prices are to be quoted in whole rupees, in the place meant for price or on the price schedule enclosed as applicable for the full scope of work given in Annexure-II. The rates quoted must be in figures and words as well (Prices quoted must be workable too for the job involved). **Prices quoted by the bidders should be inclusive of all taxes and duties leviable by any statutory authority for this job as on the date of the tender opening (excluding service tax and educational cess on service tax)**
- 18.0 Price Bids shall be evaluated based on Lump sum Price only. However, Unit Rates shall also be furnished if applicable in the Price Schedule.
- 19.0 Overwriting or erasures should be avoided. If however, they exist they must be invariably attested.
- 20.0 BHEL reserves the right to accept or reject any bid without assigning any reasons thereof. BHEL also reserves the right to cancel the tender wholly or partly without assigning any reasons.

- 21.0 While BHEL reserves the right to open the price bid of the offers in camera, the date & time to open the tender opening shall be intimated to the bidders in case BHEL decides it to be 'Public opening' and in such a case, one authorized representative of the bidder shall be allowed to attend.
- 22.0 Bidders are required to submit best price bid in a separate sealed cover (COVER-II) along with techno-commercial bid (COVER-I) as indicated in sl. no. 5.0 above.
- 23.0 ***BHEL reserves the right to go for REVERSE AUCTIONING (RA) instead of opening the sealed envelope price bid, submitted by the bidder. This will be decided after techno-commercial evaluation. All bidders to give their acceptance for participation in RA. Non-acceptance to participate in RA may result in non-consideration of their bids, in case BHEL decides to go for RA.***
- 24.0 ***In case BHEL decides to go for Reverse Auction, only those bidders who have given their acceptance to participate in RA will be allowed to participate in the Reverse Auction. Those bidders who have given their acceptance to participate in Reverse Auction will have to necessarily submit 'online sealed bid' in the Reverse Auction. Non-submission of 'online sealed bid' by the bidder will be considered as tampering of the tender process and will invite action by BHEL as per extant guidelines in vogue. Information and General Terms and conditions of Reverse Auction is attached in Part-D.***
- 25.0 *Reverse Auction is the type of auction typically conducted to buy goods / items over Internet in which the lowest price bidder wins. In case, the bidders are willing to know the details about the methodology, they may please contact HEAD/PURCHASE OR ASST. ENGINEER /PURCHASE, BHEL, KOLKATA.*
- 26.0 ***However, if reverse auction process is unsuccessful as defined in the RA rules/procedures, or for whatsoever reason, then the sealed 'PRICE BIDS' will be opened for deciding the successful bidder. BHEL's decision in this regard will be final and binding on bidder.***
- 27.0 Bidders are requested to note that the accepted / agreed tender terms (technical, commercial or on Reverse Auction) in their original offer can not be altered / withdrawn by their own during the processing of tender.
- 28.0 The Bidder along with its associate/collaborators/sub-contractors/sub-vendors/consultants/service providers shall strictly adhere to BHEL Fraud Prevention Policy displayed on BHEL website <http://www.bhel.com> and shall immediately bring to the notice of BHEL management about any fraud or suspected fraud as soon as it comes to their notice.
- 29.0 The offers of the bidders who are on the banned list as also the offer of the bidders, who engages the services of the banned firms, shall be rejected. The list of banned firms is available on BHEL web site [www.bhel.com](http://www.bhel.com).
- 30.0 The bidder may have to produce original document for verification if so decided by BHEL.
- 31.0 Suspension of Business dealings: BHEL reserves the right to take action against contractors who fail to perform or indulge in malpractices, by suspending business dealings with them as detailed in Annexure-A.

32.0 "MSE suppliers can avail the intended benefits only if they submit along with the offer, attested copies of either EM II certificate having deemed validity (five years from the date of issue of acknowledgement in EM II) or valid NSIC certificate or EM II certificate along with attested copy of a CA certificate (Format enclosed at Annexure -B where deemed validity of EM II certificate of five years has expired) applicable for the relevant financial year (latest audited). Date to be reckoned for determining the deemed validity will be the date of bid opening (Part 1 in case of two part bid). Non submission of such documents will lead to consideration of their bid at par with other bidders. No benefit shall be applicable for this enquiry if any deficiency in the above required documents are not submitted before price bid opening. If the tender is to be submitted through e-procurement portal, then the above required documents are to be uploaded on the portal. Documents should be notarized or attested by a Gazetted officer."

Any Bidder falling under MSME category, shall furnish the following details & submit documentary evidence/Govt. Certificate etc. in support of the same along with their techno-commercial offer

Type under MSME	SC/ST owned	Others
Micro		
Small		
Medium		

**Note:** - If the bidder does not furnish the above, offer shall be processed construing that the bidder is not falling under MSME category.

33.0 **Order of Precedence: In the event of any ambiguity or conflict between the Tender Documents, the order of precedence shall be in the order below:**

- i) Amendments/Clarifications/Corrigenda/Errata/Tender change notice (TCN) etc. issued in respect of the tender documents by BHEL
- ii) Notice Inviting Tender (NIT)
- iii) Price Schedule – (Annexure-VII)
- iv) Scope of work & other details - Annexure-I & SAS-I, Annexure-II, Annexure-III, Annexure for HSE & OHSAS and Special note to bidders.
- v) SPECIFIC TERMS AND CONDITIONS FOR SERVICES JOBS
- vi) GENERAL & SPECIAL CONDITIONS OF CONTRACT FOR SERVICES JOB

All the bidders are requested to note that all the errata / technical clarifications / corrigendum / extension etc. shall be published in website [www.jantermanter.com](http://www.jantermanter.com) , [www.bhel.com](http://www.bhel.com) & <http://eprocure.gov.in> . As such, all the bidders are requested to be in continuous touch with these websites.

34.0 **Complete offer to be addressed to, ASST. ENGINEER/PURCHASE OR AGM /PURCHASE, BHARAT HEAVY ELECTRICALS LIMITED, POWER SECTOR – EASTERN REGION, PLOT NO.9/1, BLOCK-DJ, SECTOR-II, SALT LAKE, KOLKATA-700091 clearly mentioning the Tender No. along with latest due date of offer submission.**

Tenders must adhere to the "GENERAL & SPECIAL CONDITIONS OF CONTRACT (FOR SERVICES JOB) AND "SPECIFIC TERMS & CONDITIONS FOR SERVICES JOB and quote accordingly. Any terms and conditions not covered in this, will be governed by GSCC.

BHEL RESERVES THE RIGHT TO ACCEPT/REJECT ANY OR ALL THE BIDS WITHOUT ASSIGNING ANY REASON THEREOF. RESPONSIBILITY OF POSTAL/COURIER DELAY SHALL NOT REST WITH BHEL.

for BHARAT HEAVY ELECTRICALS LTD

SR. ENGINEER (PURCHASE)

Agency	Contact details	
BHEL, PSER, Kolkata	Address	Bharat Heavy Electricals Limited, POWER SECTOR – EASTERN REGION 2nd FLOOR, Block-DJ, Plot- 9/1, SECTOR, SALT LAKE CITY, KOLKATA – 700 091
	Phone no.	DIRECT- 033-23211496, 23211690, EPABX – 23216130, Extn. – 3223
	FAX no.	033-23211960
	E-mail ID	<a href="mailto:biplab.pal@bhelpser.co.in">biplab.pal@bhelpser.co.in</a>

**ANNEXURE - IV**

**FORMAT FOR NO DEVIATION CERTIFICATE**  
**(To be submitted in the bidder's letter head)**

To,  
Bharat Heavy Electricals Limited,  
POWER SECTOR – EASTERN REGION  
2<sup>nd</sup> FLOOR, Block-DJ, Plot- 9/1, SECTOR  
SALT LAKE CITY, KOLKATA – 700 091  
FAX – 033-2321-1960

**Sub: NO DEVIATION CERTIFICATE FOR TENDER FOR “OVERHAULING OF BOILER & AUXILIARIES OF UNIT-7, 500 MW, MEJIA TPS, DVC, WEST BENGAL”.**

**Tender No. PSER: PUR: MJA-S194:15 (ENQ:15:PP:0015:PUR:102) Date: 15/10/2015.**

Dear Sirs,

**With** reference to above, this is to confirm that as per tender conditions, we have visited site before submission of our offer and noted the job content & site conditions etc. We also confirm that we have not changed/modified the tender documents as appeared in the website/newspapers and in case of observance at any stage, it shall be treated as null and void.

**We** hereby confirm that we have not taken any deviation from tender clauses together with other references as enumerated in the above referred NIT *and confirm our acceptance to **reverse auctioning process*** and we hereby convey our unqualified acceptance to all terms and conditions as stipulated in the tender and NIT.

In the event of observance of any deviation in any part of our offer at a later date whether implicit or explicit, the deviations shall stand null & void.

We confirm to have submitted offer strictly in accordance with tender instructions.

Thanking you,

Yours faithfully,

(Signature, date & seal of authorized  
representative of the contractor)

**ANNEXURE - V**

**PRE – QUALIFICATION CRITERIA**

**Job: “OVERHAULING OF BOILER & AUXILIARIES OF UNIT-7, 500 MW, MEJIA TPS, DVC, WEST BENGAL”.**

**Tender No. PSER: PUR: MJA-S194:15 (ENQ:15:PP:0015:PUR:102) Date: 15/10/2015.**

SL NO	CRITERIA
<b>A</b>	<b>PRE-QUALIFICATION CRITERIA</b>
1.0	<p>BIDDER SHOULD HAVE AVERAGE ANNUAL TURNOVER OF MINIMUM Rs 28.58 LAKH IN LAST 3 (THREE) FINANCIAL YEARS, ENDING ON 31-03-2015 AND MUST HAVE EARNED PROFIT IN ANY ONE OF LAST 3 (THREE) FINANCIAL YEARS, ENDING ON 31-03-2015 &amp; SHOULD HAVE POSITIVE NET WORTH AS ON 31-03-2015.</p> <p>AUDITED BALANCE SHEET AND PROFIT &amp; LOSS ACCOUNT OF THE COMPANY NEED BE SUBMITTED FOR LAST 3 (THREE) FINANCIAL YEARS, ENDING ON 31-03-2015 IN SUPPORT OF THIS REQUIREMENT.</p> <p>IN CASE AUDITED FINANCIAL STATEMENTS HAVE NOT BEEN SUBMITTED FOR ALL THE THREE YEARS AS INDICATED AGAINST ABOVE THEN THE APPLICABLE AUDITED STATEMENTS SUBMITTED BY THE BIDDERS AGAINST THE REQUISITE THREE YEARS, WILL BE AVERAGED FOR THREE YEARS.</p>
2.0	<p>BIDDER SHOULD HAVE EXECUTED AT LEAST ONE JOB OF ERECTION &amp; COMMISSIONING OR OVERHAULING OF BOILER &amp; AUXILIARIES JOB OF AN UNIT OF RATING 200MW OR ABOVE IN ANY UTILITY/ INDUSTRIAL PROJECT IN LAST 3 (THREE) YEARS, ENDING ON LATEST DUE DATE OF SUBMISSION OF OFFER.</p> <p>RELEVANT SUPPORTING DOCUMENTS SHALL BE SUBMITTED.</p>
NOTE FOR SL NO 2.0 ABOVE	
THE WORD EXECUTED MEANS: THE WORK SHALL HAVE BEEN COMPLETED UP TO LIGHT UP OF BOILER.	
3.0	<p>BIDDER SHOULD HAVE VALID PAN</p> <p>RELEVANT SUPPORTING DOCUMENTS SHALL BE SUBMITTED.</p>
4.0	<p>NO CONSORTIUM / JV BIDDING IS ALLOWED FOR THIS TENDER.</p>
5.0	<p>CONSIDERATION OF OFFER WILL BE SUBJECT TO CUSTOMER'S APPROVAL OF BIDDER</p>
<b>Note</b>	<p>AFTER SATISFACTORY FULFILLMENT OF ALL THE ABOVE CRITERIA, OFFER SHALL BE CONSIDERED FOR FURTHER EVALUATION AS PER NIT AND ALL OTHER TERMS OF THE TENDER.</p>

**GENERAL INFORMATION:**

VENDOR SHOULD FURNISH INFORMATION REGARDING PROJECTS IN HAND, DETAILS OF CURRENT LITIGATION AND ARBITRATION CASES, ORDERS REGARDING EXCLUSION/EXPULSION OR BLACK LISTING, IF ANY.

CORRIGENDUM/EXTENSION (IF ANY) OF THIS TENDER WILL BE PUBLISHED IN BHEL WEBSITES.

INTERESTED BIDDERS MEETING THE ABOVE QUALIFYING REQUIREMENTS MAY DOWNLOAD TENDER DOCUMENTS FROM BHEL WEBSITE.

i)	DOWNLOAD OF TENDER DOCUMENT STARTS	15/10/2015
ii)	TENDER DOWNLOAD CLOSING ON	19/10/2015 AT 15:00 HRS.
iii)	LAST DATE OF SEEKING CLARIFICATIONS	17/10/2015 UP TO 11:00 HRS. IST
iv)	PRE-BID DISCUSSION (IF REQUIRED) ON	TO BE INTIMATED (IF ANY)
v)	LAST DATE OF SUBMISSION OF OFFER	19/10/2015 UP TO 15:00 HRS.
vi)	DATE OF TECHNO-COMMERCIAL BID OPENING	19/10/2015 AT 16:00 HRS.

BHEL RESERVE THE RIGHT TO ACCEPT/REJECT ANY OR ALL THE BIDS WITHOUT ASSIGNING ANY REASON THEREOF. RESPONSIBILITY OF POSTAL/COURIER DELAY SHALL NOT REST WITH BHEL.

**NOTE: PRE-BID DISCUSSION, IF TAKE PLACE, SHALL FORM PART OF THE TENDER DOCUMENT. NO CLARIFICATIONS/QUIRIES FROM THE TENDERERS AFTER 17/10/2015 (UP TO 11:00 HRS. IST) PRE-BID CONFERENCE (IF TAKES PLACE) SHALL BE ENTERTAINED BY BHEL.**

**ENCLOSURES:--**

- i) SCOPE OF WORK , TAXES AND DUTIES: (ANNEXURE-I : 12 PAGES)
- ii) ESSENTIAL CONDITIONS TO BE FULFILLED BY SUCCESSFUL BIDDER:  
(ANNEXURE-SAS-I: 02 PAGES)
- iii) TENTATIVE LIST OF T & P (ANNEXURE-II : 01 PAGE)
- iv) GENERAL SCOPE OF WORK (ANNEXURE-III : 01 PAGE)
- v) ANNEXURE FOR HSE & OHSAS: 16 PAGES
- vi) SPECIAL NOTE TO BIDDERS : 01 PAGE
- vii) GENERAL & SPECIAL CONDITIONS OF CONTRACT FOR SERVICES JOB (23 PAGES)
- viii) SPECIFIC TERMS AND CONDITIONS FOR SERVICES JOB (14 PAGES)
- ix) NO DEVIATION CERTIFICATE AS PER PRESCRIBED FORMAT (ANNEXURE-IV)
- x) PRE-QUALIFICATION CRITERIA (ANNEXURE-V)
- xi) DECLARATION OF THE BIDDERS (ANNEXURE-VI)
- xii) PRICE SCHEDULE (ANNEXURE-VII)
- xiii) *GENERAL TERMS & CONDITIONS OF REVERSE AUCTION (PART – D)*
- xiv) *FORMAT FOR SECURITY DEPOSIT CUM PERFORMANCE BANK GUARANTEE*
- xv) *RTGS FORMAT (REAL TIME GROSS SETTLEMENT)*
- xvi) *SUSPENSION OF BUSINESS DEALING WITH SUPPLIERS - ANNEXURE-A*
- xvii) *FORMAT FOR CERTIFICATE BY CHARTERED ACCOUNTANT ON LETTER HEAD - ANNEXURE-B*
- xviii) *FORMAT FOR DECLARATION FOR RELATION IN BHEL*
- xix) *FORMAT FOR SEEKING CLARIFICATION*

**ALL THE PAGES OF NIT SHALL BE DULY SIGNED & STAMPED BY THE BIDDER WHILE SUBMITTING THE OFFER.**

For & on behalf of  
**BHARAT HEAVY ELECTRICAL LIMITED**

SR. ENGINEER (PURCHASE)

**PARTICULARS OF THE TENDER**

- A) TENDER NUMBER : **PSER: PUR: MJA-S194:15 (ENQ:15:PP:0015:PUR:102)**  
**Date: 15/10/2015.**
- B) WORK : **“OVERHAULING OF BOILER & AUXILIARIES OF UNIT-7,  
500 MW, MEJIA TPS, DVC, WEST BENGAL”.**
- C) TENDER SUBMISSION DUE DATE : **ON 19/10/2015 UP TO 15:00 HRS.**
- D) TECHNICAL BID OPENING DATE : **ON 19/10/2015 AT 16:00 HRS.**
- E) PRICE BID OPENING : .....
- F) VALIDITY OF OFFER : **SIX (06) MONTHS FROM LATEST DUE DATE  
OF OFFER SUBMISSION.**
- G) MOBILIZATION TIME : **Within 01 (One) day from date of intimation  
by BHEL**
- H) COMPLETION PERIOD : **30 (Thirty) days (from De-synchronization to  
Synchronization), as per Scope, Annexure-I.**
- I) TARGET COMPLETION DATE : .....
- J) The vendors should furnish the following documents for our scrutiny along with papers for pre-qualification for qualifying for price bid opening.
- 1) Credential / Experience certificates in line with Pre-Q & requirements in line with tender specifications
  - 2) PAN NO & Photo Copy of PAN CARD/Sales Tax Clearance certificate.
  - 3) Photo Copy of PAN based Service Tax Registration Certificate/Proof of PAN based STC No.
  - 4) Latest Banker's certificate for financial soundness.
  - 5) Balance sheets & P&L Accounts for the preceding three years
  - 6) Organizational chart
  - 7) Relevant list of T&P held by the vendor earmarked for the tendered job
  - 8) List of concurrent contracts held by the Contractor.

**Particulars of Tender (Continued)**

Facilities to be provided to contractors as described below:-

All T&P required / recommended for the work against this tender shall have to be mobilized by the contractor fully at their expense within the quoted price.

Any special T&P i.e. T&P made available by the manufacture of the equipment to the customer can be made available to the contractor free of charges subject to availability at site.

Any consumables required / recommended for the work against this tender shall have to be mobilized by the contractor fully at their expenses within the quoted price.

Regarding other facilities for the contractors the following table clarifies adequately. Vendors are expected to quote considering these without any deviations from the provisions of “Notice Inviting Tender”.

Deviated offers are liable for rejection of price bid opening

a) Water	<b>Free of Charges</b>
b) Power	<b>Free of Charges</b>
c) Storage Space	<b>Free of Charges</b>
d) Covered Space	<b>Free of Charges</b>
e) Uncovered Space	<b>Free of Charges</b>
f) E.O.T. Crane	<b>Free of Charges</b>
g) Operators for the above	<b>Cannot be provided</b>
h) Residential accommodation for sub-contractors' personnel.	<b>Cannot be provided</b>
i) Compressed air	<b>Free of Charges</b>
j) Work shop facilities	<b>Free of Charges</b>

k) i) Mobile Crane/Hydra for heavy materials, if available	<b>Cannot be provided</b>
ii) Operator for K (i)	<b>Cannot be provided</b>
iii) Fuel charges for K (i)	<b>Cannot be provided</b>
l) Other material handling equipment	<b>Cannot be provided</b>
m) Trailor	<b>Cannot be provided</b>
n) Wooden Sleepers	<b>Cannot be provided</b>
o) Tarpulins	<b>Cannot be provided</b>
p) Scaffolding materials	<b>Cannot be provided</b>

No advance is payable to the contractors for mobilizing the site. Any payment can be made only against running bills as per payment terms.

For & on behalf of  
**BHARAT HEAVY ELECTRICALS LIMITED**

SR. ENGINEER (PURCHASE)

**ANNEXURE-VI**

**DECLARATION OF THE BIDDERS**

**Job: "OVERHAULING OF BOILER & AUXILIARIES OF UNIT-7, 500 MW, MEJIA TPS, DVC, WEST BENGAL".**

01. I, .....hereby certify that all the information and data furnished by me with regard to this **Tender No. PSER: PUR: MJA-S194:15 (ENQ:15:PP:0015:PUR:102) Date: 15/10/2015** are true and complete to the best of my knowledge.
02. I have gone through the tender specifications, scope of work, terms and conditions mentioned in Annexure as well as General and Special conditions of contract and various stipulations in detail and agree to abide by them and comply with the requirements and intent of specifications.
03. I also certify that there have been no deviations from the tender requirements in the bid submitted against this tender.
04. I further certify that I am duly authorized representative of the under mentioned tenderer and hold a valid power of attorney to this effect, a copy of which is enclosed.

Signature:

Name :

Date :

Designation :

Seal:

**Tenderers Name and address**

**PART-D:**  
**General Terms & Conditions of Reverse Auction**

Against this enquiry for the subject item/ system with detailed scope of supply as per enquiry specifications, BHEL may resort to "REVERSE AUCTION PROCEDURE" i.e., ON LINE BIDDING (THROUGH A SERVICE PROVIDER). The philosophy followed for reverse auction shall be English Reverse (No ties).

1. For the proposed reverse auction, technically and commercially acceptable bidders only shall be eligible to participate.
2. Those bidders who have given their acceptance for Reverse Auction (quoted against this tender enquiry) will have to necessarily submit 'online sealed bid' in the Reverse Auction. Non-submission of 'online sealed bid' by the bidder for any of the eligible items for which techno-commercially qualified, will be considered as tampering of the tender process and will invite action by BHEL as per extant guidelines in vogue.
3. BHEL will engage the services of a service provider who will provide all necessary training and assistance before commencement of on line bidding on internet.
4. In case of reverse auction, BHEL will inform the bidders the details of Service Provider to enable them to contact & get trained.
5. Business rules like event date, time, bid decrement, extension etc. also will be communicated through service provider for compliance.
6. Bidders have to fax the Process Compliance form (**Annexure-III of Business Rule Document of Reverse Auction – shall be shared to bidders along with intimation of RA schedule**) before start of Reverse auction. Without this, the bidder will not be eligible to participate in the event.
7. In line with the NIT terms, BHEL will provide the calculation sheet (e.g., EXCEL sheet) which will help to arrive at "Total Cost to BHEL" like Packing & forwarding charges, Taxes and Duties, Freight charges, Insurance, Service Tax for Services and loading factors (for non-compliance to BHEL standard Commercial terms & conditions) for each of the bidder to enable them to fill-in the price and keep it ready for keying in during the Auction.
8. Reverse auction will be conducted on scheduled date & time.
9. At the end of Reverse Auction event, the lowest bidder value will be known on auction portal.
10. The lowest bidder has to fax/e-mail the duly signed and filled-in prescribed format for price breakup including that of line items, if required, (**as per Annexure-IV of Business Rule Document of Reverse Auction**) as provided on case-to-case basis to Service provider within two working days of Auction without fail.
11. In case BHEL decides not to go for Reverse Auction procedure for this tender enquiry, the Price bids and price impacts, if any, already submitted and available with BHEL shall be opened as per BHEL's standard practice.
12. Bidders shall be required to read the "Terms and Conditions" section of the auctions site of Service provider, using the Login IDs and passwords given to them by the service provider before reverse auction event. Bidders should acquaint themselves of the 'Business Rules of Reverse Auction', which will be communicated before the Reverse Auction.
13. If the Bidder or any of his representatives are found to be involved in Price manipulation/ cartel formation of any kind, directly or indirectly by communicating with other bidders, action as per extant BHEL guidelines, shall be initiated by BHEL and the results of the RA scrapped/ aborted.
14. The Bidder shall not divulge either his Bids or any other exclusive details of BHEL to any other party.
15. In case BHEL decides to go for reverse auction, the H1 bidder(s) (whose quote is highest in online sealed bid) may not be allowed to participate in further RA process.

**“OVERHAULING OF BOILER & AUXILIARIES OF U#7,500 MW AT MEJIA TPS, DVC, WEST BENGAL”****Job Duration: 30 DAYS (FROM DESYNCHRONIZATION TO SYNCHRONIZATION)**

The scope under this specification is not exhaustive but indicative only. However, any activity covered under the normal course of overhauling job shall be deemed to be within the scope. Time is the essence of this contract. Hence contractor must mobilize site with adequate manpower for round the clock 12 hours shifts work during the entire duration. Workmen will not be allowed to work more than 12hrs a day. Also adequate T&P, Consumables and inspection/measuring and monitoring devices are to be mobilized at site for two shift operations to avoid any hold up during execution of the work. Post overhauling, lightup of the boiler and synchronization of the unit, observation for 72hrs at stable rated load and attending all works to rectify defects if any, is included within the scope of work. Prior to mobilization of site list of work men shift wise with the concerned work area supervisor shall be finalized in BHEL HQ. **In case any part of the job is not required to be carried out, a deduction will be effected as per percentage shown against those items.**

Item No.01	<b>CLEANING OF THE BOILER AND ITS SURROUNDING AREAS</b>	<b>(4.00%)</b>
1.0	<ol style="list-style-type: none"> <li>1. All the electrical junction boxes, Field instrument enclosure, Valve actuator and Motors, Control Valves, SADC damper actuators etc. to be covered by plastic Sheet.</li> <li>2. Removal of accumulated ash and debris from the followings areas:-               <ol style="list-style-type: none"> <li>a. Pent house and its roof, Drum dead chamber.</li> <li>b. Dog house and S-panel areas and buck stays.</li> <li>c. All floors of main boiler including ground floor and areas between PA Fan#7A to 7B and power house wall to PA fan bay which will be affected due to cleaning of ash of the aforesaid areas and scraps and debris generated during the overhauling of the unit.</li> <li>d. Ash debris and scraps generated during the overhauling in the areas between ID fans and ESP and surrounding ID fan area.</li> </ol> </li> <li>3. Existing temporary scaffolding, scraps, ash/coal dust from top of the air ducts and flue gas ducts (excluding the ducts area of milling plants), Pipes structural members etc. confined in the main boiler to be removed.</li> <li>4. Water washing of outside of main boilers, diff. floors, APH area (outside), etc. has to be carried out</li> </ol>	2.00%
2.0	<ol style="list-style-type: none"> <li>1. The ash accumulated inside the ducts such as wind boxes, APH &amp; its ducts, and flue gas ducts up to chimney and other ducts, all expansion joints of flue gas ducts, flue gas duct from eco-coil to APH, PA hot and cold air duct up to hot air and cold air gate etc. has to be cleaned.</li> <li>2. Top of all ducts along with its surroundings has to be cleaned.</li> <li>3. Ash and debris from the above mentioned areas are to be collected in gunny bags and to be disposed of from the areas as per instruction by BHEL Site Engineer in-charge.</li> <li>4. Necessary work force, tools &amp; tackles, scaffolding materials, plastic sheet, winch, hoses with fittings etc. required for the work to be arranged by successful bidder.</li> <li>5. Transportation of Ash/debris etc. from worksite to disposal place shall be arranged by successful bidder. Ash should be disposed around 4.0 kms from the work site within the premises of MTPS as per direction of BHEL Site Engineer in-charge.</li> <li>6. The accumulated ash in the ground floor due to removal from pent house and other areas has to be disposed of on daily basis to avoid nuisance in surrounding areas</li> </ol>	2.00%

Item No. 02	ERECTION OF SCAFFOLDING IN I <sup>st</sup> PASS, DIV SH (CUPLOCK SYSTEM) & PLATEN SH,RH, II <sup>nd</sup> PASS UPTO ROOF	(6.00%)
1.0	<ol style="list-style-type: none"> <li>1. Transportation of complete set of scaffolding material from stores to various working floors of Boiler as per the instruction of BHEL Site Engineer in Charge.</li> <li>2. Transportation activity will be started and completed prior to unit shutdown but the intimation of unit shutdown should be intimated in advance by BHEL.</li> <li>3. The complete cup-lock scaffolding system including bracing, approach platforms, and all other erection activities, along with the staircase in the boiler first pass, is to be erected within 05 (five) days from the date of availability of work front.</li> <li>4. Platforms &amp; approaching ladders are to be provided at various locations like water wall platen coil soot blower elevations, each elevation of Burner block (oil/air/coal compartments) in all four corners, S-panel, water wall tubes in the burner zone, as well as other areas as per instruction of the BHEL Site Engineer in charge at any location within the Boiler furnace i.e. I<sup>st</sup> pass, SH, RH &amp; II<sup>nd</sup> Pass. Scaffolding for checking of roof tubes at the location where the coil tubes penetrate the roof tube.</li> <li>5. All scaffolding erection work to be carried out strictly as per the standard safety norms.</li> <li>6. The material for Cup lock scaffolding system and steel board planks will be provided by DVC free of cost. However it shall be the responsibility of contractor to maintain the materials in good condition. In case of any damage due to the negligence of the contractor or loss of the scaffolding material, deduction shall be made from the bills of the contractor at applicable current price with BHEL overhead or the party may replace the same of original make. All the scaffolding materials other than boiler first pass will be arranged by successful bidder. Also during the erection of scaffolding in the first pass area, if the materials for the platform are not sufficient, wooden planks will be arranged by successful bidder.</li> <li>7. Removal of scaffolding after completion of overhauling work: The expected date for start of scaffolding removal will be after completion of hydro test. The total scaffolding removal work will be completed within three (3) days from the starting date.</li> <li>8. Barring the aforesaid cuplock scaffolding, any other scaffolding material like wooden planks, pipes, pipe clamps, etc. which will be required for carrying out different activities in the first pass and second pass has to be arranged by successful bidder.</li> <li>9. Erection of wooden platform from left wall to right wall at <b>three elevations</b> at the following places :- <ol style="list-style-type: none"> <li>a. Screen tubes.</li> <li>b. Eco hanger tubes &amp; LTSH terminal tubes.</li> <li>c. SCW upto roof, if required.</li> <li>d. SH Hanger Tubes</li> <li>e. RH front and rear coil.</li> <li>f. Final &amp; Platen SH</li> <li>g. Extended Steam Cooled walls for inspection</li> </ol> </li> </ol>	4.00%

2.0	<ol style="list-style-type: none"> <li>1. Arrangements for inspection of Pass-I &amp; II roof tubes have to be made by the successful bidder.</li> <li>2. Complete platform in the ECO Hopper area has to be made by the successful bidder for the inspection and other works in the area.</li> <li>3. Arrangements for inspection &amp; de-metering of all bends of steam cooled spacer tubes (this includes bends just below the radiant roof) to be made by successful bidder.</li> <li>4. Arrangements for inspection/cleaning of trough seal &amp; its wire net has to be made by successful bidder.</li> <li>5. Erection of platform outside the boiler, as and where required.</li> <li>6. Making of approach &amp; platform for lifting &amp; lowering of LTSH/ECO coils respectively as per requirement.</li> <li>7. All the dismantled scaffolding material will be immediately shifted from Boiler area at various elevations to site stacking area as directed by BHEL Site Engineer in charge, so that no obstruction is created during boiler light up and to the personnel working in other areas for other O/H and commissioning activities.</li> <li>8. All scaffolding material will be transported back to the central stores within 7 days of boiler light up.</li> <li>9. For shifting of scaffolding material from DVC store to various Boiler elevations/floors and from worksite to stores, the successful bidder has to make his own transport arrangements.</li> <li>10. The successful bidder has to provide the sufficient manpower to shift the scaffolding system partially from one place to another place inside the boiler during the overhauling of the unit.</li> </ol>	2.00%																								
Item No.03	<b><u>PRESSURE PARTS ACTIVITIES</u></b>	<b>(16.00%)</b>																								
1.0	<ol style="list-style-type: none"> <li>1. Checking of pressure parts e.g. tubes / headers for bulging / erosion/ cracks or any other abnormality.</li> <li>2. Cleaning of soot from Boiler tubes, wall etc. by jet cleaning (at a pressure of 150 Kg/Cm<sup>2</sup>). <b>High pressure water jet pump and accessories shall be arranged by successful bidder.</b></li> <li>3. Random thickness survey of pressure parts tubes by D-metering. Thickness survey will be carried out in the following erosion prone areas after removal of the tube shields (if any), removal of the cassette baffles (in case of coils that are lifted or lowered), cleaning the surface by wire brush / buffing wheel:- <table border="1" data-bbox="358 1205 1344 1915"> <tr> <td data-bbox="358 1205 407 1444">a)</td> <td data-bbox="407 1205 737 1444"><b>Water Wall &amp; Extended Water Wall</b></td> <td data-bbox="737 1205 769 1444">:</td> <td data-bbox="769 1205 1344 1444">Burner Block tubes specially at the bends and at parting planes of Burner nozzles , S-panel lower and upper bends, goose neck bends, side wall bends near ring header, upper corner transition tubes, bends of peep holes, Bends around Wall Blower &amp; soot blower holes &amp; Manholes, WW Hanger tubes, rear arch wall tube bends etc</td> </tr> <tr> <td data-bbox="358 1444 407 1528">b)</td> <td data-bbox="407 1444 737 1528"><b>SH/ RH/ PLATEN coils</b></td> <td data-bbox="737 1444 769 1528">:</td> <td data-bbox="769 1444 1344 1528">Tubes facing flue gas path &amp; out of coil bands/pitch and their bends (Demetering to be done at three elevations).</td> </tr> <tr> <td data-bbox="358 1528 407 1623">c)</td> <td data-bbox="407 1528 737 1623"><b>WW Screen Tube</b></td> <td data-bbox="737 1528 769 1623">:</td> <td data-bbox="769 1528 1344 1623">Wherever shielding is dislocated &amp; refractory is damaged and tubes exposed to flue gas (Demetering to be done at three elevations).</td> </tr> <tr> <td data-bbox="358 1623 407 1717">d)</td> <td data-bbox="407 1623 737 1717"><b>SH Screen, Eco Hanger, LTSH Terminal Tubes &amp; Bends</b></td> <td data-bbox="737 1623 769 1717">:</td> <td data-bbox="769 1623 1344 1717">Tubes facing flue gas path (Demetering to be done at three elevations).</td> </tr> <tr> <td data-bbox="358 1717 407 1864">e)</td> <td data-bbox="407 1717 737 1864"><b>Eco coils/ LTSH coils</b></td> <td data-bbox="737 1717 769 1864">:</td> <td data-bbox="769 1717 1344 1864">Tubes facing flue gas &amp; out of coil bands/pitch and their bends wherever protective shields are dislocated &amp; tube/ bends are exposed to flue gas &amp; the coils which will be lifted for inspection. Demetering is to be done on all the lifted coils.</td> </tr> <tr> <td data-bbox="358 1864 407 1915">f)</td> <td data-bbox="407 1864 737 1915"><b>Steam Cooled Spacer Tubes</b></td> <td data-bbox="737 1864 769 1915">:</td> <td data-bbox="769 1864 1344 1915">All bends &amp; tubes in flue gas path.</td> </tr> </table> </li> </ol>	a)	<b>Water Wall &amp; Extended Water Wall</b>	:	Burner Block tubes specially at the bends and at parting planes of Burner nozzles , S-panel lower and upper bends, goose neck bends, side wall bends near ring header, upper corner transition tubes, bends of peep holes, Bends around Wall Blower & soot blower holes & Manholes, WW Hanger tubes, rear arch wall tube bends etc	b)	<b>SH/ RH/ PLATEN coils</b>	:	Tubes facing flue gas path & out of coil bands/pitch and their bends (Demetering to be done at three elevations).	c)	<b>WW Screen Tube</b>	:	Wherever shielding is dislocated & refractory is damaged and tubes exposed to flue gas (Demetering to be done at three elevations).	d)	<b>SH Screen, Eco Hanger, LTSH Terminal Tubes &amp; Bends</b>	:	Tubes facing flue gas path (Demetering to be done at three elevations).	e)	<b>Eco coils/ LTSH coils</b>	:	Tubes facing flue gas & out of coil bands/pitch and their bends wherever protective shields are dislocated & tube/ bends are exposed to flue gas & the coils which will be lifted for inspection. Demetering is to be done on all the lifted coils.	f)	<b>Steam Cooled Spacer Tubes</b>	:	All bends & tubes in flue gas path.	8.00%
a)	<b>Water Wall &amp; Extended Water Wall</b>	:	Burner Block tubes specially at the bends and at parting planes of Burner nozzles , S-panel lower and upper bends, goose neck bends, side wall bends near ring header, upper corner transition tubes, bends of peep holes, Bends around Wall Blower & soot blower holes & Manholes, WW Hanger tubes, rear arch wall tube bends etc																							
b)	<b>SH/ RH/ PLATEN coils</b>	:	Tubes facing flue gas path & out of coil bands/pitch and their bends (Demetering to be done at three elevations).																							
c)	<b>WW Screen Tube</b>	:	Wherever shielding is dislocated & refractory is damaged and tubes exposed to flue gas (Demetering to be done at three elevations).																							
d)	<b>SH Screen, Eco Hanger, LTSH Terminal Tubes &amp; Bends</b>	:	Tubes facing flue gas path (Demetering to be done at three elevations).																							
e)	<b>Eco coils/ LTSH coils</b>	:	Tubes facing flue gas & out of coil bands/pitch and their bends wherever protective shields are dislocated & tube/ bends are exposed to flue gas & the coils which will be lifted for inspection. Demetering is to be done on all the lifted coils.																							
f)	<b>Steam Cooled Spacer Tubes</b>	:	All bends & tubes in flue gas path.																							

	<p><b>g) Steam Cooled Wall</b> : Near upper and lower portion of ECO/ LTSH coils, manhole door bends &amp; Soot Blower Bends</p> <p><b>h) Eco 7 LTSH hanger headers &amp; 2<sup>nd</sup> pass ring headers</b> : Stubs exposed to flue gas path and uncovered with refractory</p> <p><b>i) Furnace Roof tube and Second pass roof tube:</b> : In the bend areas, areas where the refractory has been damaged, areas where vertical tubes/ coils originate, etc.</p> <p><b>j)</b> Any other area as indicated by DVC after initial inspection.                  Thickness survey/Demetering of pipe &amp; bend line of                  i) All the Mal station valves drain line                  ii) Drain lines of CRH, HRH &amp; APRDS                  iii) Bend line of the pipe going to the unit flash tank</p>		
	<p>After carrying out the thickness survey of boiler tubes of the above areas, the stub/ tubes having lower thickness will be replaced and necessary heat treatment as per welding schedule has to be done. The aforesaid scope of work is based on 400 nos. of physical joints. After replacement of tubes the same have to be guarded with protection shields, if required, to avoid erosion in future. The bare tubes which are in erosion prone area are to be covered by protective shield</p>		
2.0	<ol style="list-style-type: none"> <li>1. Checking of supports of Drums, all headers &amp; pipes in pent house &amp; dog house, eco inlet header, down comers and their rectification as required.</li> <li>2. Checking of buckstay links and corner connections (supporting pins, gusset plates etc.). Seismic guides of down comers, furnace guides, leveler guides and their rectification as required. Checking of scalloped bars, stirrup plates of buckstay channels, vertical and horizontal buckstay, if found necessary during inspection of corner connections. The inspection of wind box supports and its expansion joints, burner block connecting links, S-panel supports and their rectifications/ replacements of all above as required. Rectification/replacement of expansion joint (Wind Box) will be in the scope of successful bidder.</li> <li>3. During the checking of the seismic guides and furnace guides, buck-strays, the control dimensions has to be measured and recorded. Supports of wind box, S-panel, header suspension will have to be checked and necessary corrections has to be taken if required.</li> <li>4. Prior to shut down of the unit, successful bidder would perform Hot walk down survey of the Boiler &amp; Auxiliaries and any abnormality in the system, leakages in the Water circuit &amp; steam circuit, leakages in skin casing, peep holes, soot blower seal boxes etc., any problem in the buckstay like vibration etc., ID/FD fan bearing problem like vibration, hotness, abnormal sound etc, Duct leakages, damaged insulation of the Main Boiler, APH, FG Ducts etc. should be recorded &amp; the same should be attended on priority wise during the overhauling period.</li> <li>5. Random DP test for Platen, Div Platen &amp; RH, LTSH &amp; ECO inlet &amp; outlet headers stubs including the stubs for all the header vents is included in the scope of work. Rectification/replacement of stubs, if case of crack, porosity or any other problem, would be done based on preliminary finding of DP test.</li> <li>6. Cutting of hand hole plate or desired tube if required for fibroscopy of headers.</li> <li>7. Checking of baffles, shields and shrouds for pressure parts and their rectification. Fabrication and erection of baffles and guards as per the instruction of BHEL Site Engineer in charge.</li> <li>8. Rectification of misalignment of all the coils. Replacement of all the damaged cassette baffles of all the coils as per the instruction of the BHEL Site Engineer in charge.</li> <li>9. Checking of tube attachment like clamps, flexible connectors and vibration snubbers/ spacers, in SH/ RH/SCW Hanger tubes/ Platen / LTSH/Eco coils and rectification to the extent possible as required. Bends to the extent possible will be fabricated by Successful bidder at site in case of non-availability.</li> <li>10. Correction of Bowing / misalignment of tubes / coils in different areas of boiler by tube replacement and to the extent possible by mechanical method.</li> </ol>	5.00%	

	<ol style="list-style-type: none"> <li>11. Checking of vibration snubbers in water wall screen tube and super heater hanger tubes and rectification of the defect or replacement of the snubbers.</li> <li>12. Inspection of orifice and strainer of lower ring header (Mud Drum) and necessary rectification, if required.</li> <li>13. Repair/redressing of insulation cladding of walls as &amp; where bulged.</li> <li>14. Repair of the boiler skin casing, refractory, insulation, etc., in the furnace goose neck and furnace rear wall area.</li> <li>15. Cutting of ring header drain lines near ring header and flushing of ring header by water (to be done by filling water circuit through drum by running fill pump/ BFP) to clear any chokage in ring header. Normilisation of ring header drain line.</li> <li>16. Replacement of tubes based on inspection to be carried out. Replacement of tubes includes:             <ol style="list-style-type: none"> <li>a) Cutting edge preparation and fitting of tubes.</li> <li>b) Welding of root by TIG and subsequent MAW.</li> <li>c) Tangent/ fins welding wherever applicable.</li> <li>d) Radiography, repair if any and SR as per BHEL norms and procedures.</li> </ol> </li> </ol> <p>Note:-</p> <ol style="list-style-type: none"> <li>a) Welding of stainless steel / dissimilar metals is to be done. However electrode E-309/D-1212 for dissimilar welding and stainless steel welding will be provided by MTPS/DVC.</li> <li>b) All the tubes for thickness upto 4.5 mm are to be TIG welded unless otherwise instructed by BHEL Site Engineer in charge.</li> <li>c) Tangent/ Fins welding will be done by HP Welder only.</li> <li>d) Failed welding joints of tubes/bends which have been carried out by successful bidder during overhauling will be rectified free of cost within defect liability period (Against bad workmanship).</li> </ol>	
3.0	<ol style="list-style-type: none"> <li>1. Gas tightness test and attending to all leakages in pent house, dog house bottom ash hopper arches, membrane walls, steam cooled walls and other areas by restoration of fins, recasting of damages refractory and repair of skin casing including bulging, deformations etc. as applicable, sealing of dog house and pent house, if any. Wherever welding of fins/ skin casing is not possible due to poor access, sealing will be done by putting castable refractory. Damaged expansion joints of the wind boxes with Boiler &amp; Burner block will have to be replaced at no extra cost, if required.</li> <li>2. Before carrying out gas tightness test, insulation and cladding of all expansion joints of wind box, PA ducts, secondary air ducts from Air Preheater to wind box, Air Preheater expansion joints in flue gas path, burner block top and bottom portion etc. will be removed to identify the leakages and attend to the same.</li> <li>3. Thorough checking of roof skin casing of boiler first &amp; second pass and its roof supports. The damaged / deformed skin casing, ex-pansion joints supports etc. have to be removed and replaced with new M.S. plates, new expansion joints and supports after application of refractory.</li> <li>4. Checking of Trough sealing system and deeper plates/ S.S nets and /replacement/rectification, if required. Cleaning of seal trough is also included in the scope.</li> <li>5. Inspection/ checking of suspension of different headers, down comers start up vent line, silencer of ERV, exhaust pipes of safety valves etc.</li> <li>6. Checking and re-setting of all hanger supports of critical piping i.e Main Steam / HRH/ CRH, APRDS, Extraction, BFP &amp; Feed pipe line and rectification/ repair/ readjustment as per requirement.</li> <li>7. Assistance during Hydro Test.</li> <li>8. Removal of scaffolding after successful hydro test and air tightness test.</li> <li>9. Box up of boiler including boxing up of all manholes and peep holes by providing new packing.</li> <li>10. After removal of ash from pent house and drum dead chamber thorough checking inside pent house, its all manhole doors, enclosures, shall be carried out by successful bidder. If any damaged is noticed the necessary repair work will be carried out. Pourable insulation/castable refractory as and where required shall be applied.</li> <li>11. External cleaning of Boiler pressure parts tube surfaces exposed to furnace and flue gas path. Tubes will be cleaned by wire brushes and will be washed with high</li> </ol>	3.00%

	<p>pressure water jet. Fire fighting hoses etc. will have to be arranged by successful bidder. During cleaning of 2nd pass of the Boiler proper care have to be taken to avoid choking of the air preheater baskets &amp; the same should be covered with polythene sheet.</p> <p>12. Replacement of Sealing Ropes and Gaskets of all the Boiler Peep Holes and the manholes indicated by BHEL Site Engineer in charge.</p> <p>13. Eight Modules of coils of LTSH (either lower or upper) and six pairs of Eco upper and six pairs of lower banks each from any location or any position will be lifted from its position for inspection/demetering and replacement of eroded tubes and there after positioning of the same. The other coils will be lifted or lowered as per the instruction of BHEL Site Engineer in charge if required.</p> <p>14. Radiographic examination of 500 nos. of old joints of the LTSH and Economizer zone.</p> <p>15. The aforesaid scope of work is based on 100 meters of Tangent/Fin welding.</p> <p>16. Support services for fibroscopic inspection and cutting and welding of hand-hole plates.</p> <p>17. Support services for BCW pump inspection during overhauling along with necessary scaffolding.</p>									
Note	<p>a) The party's lumpsum offered price shall be based on 400 nos. physical weld joints and tangent/attachment welding length not exceeding 100 running meters. In boiler pressure parts, any no. of joints beyond 400 nos. physical joints and length of tangent/attachment welding beyond 100 running meters will be paid extra on physical joint basis and running meter basis. However, if no. of joints to be welded is less than 400 nos. and the length of tangent/attachment welding less than 100 running meters, there will be deduction from lumpsum price on physical joint basis /running meter basis. Average unit rates per additional / less physical joint including NDT , stress relieving (if required) all inclusive shall be paid / recovered as following rates :-</p> <p>HP welding :</p> <table style="margin-left: 40px;"> <tr> <td>Carbon steel</td> <td>@ Rs. 400/- per physical joint</td> </tr> <tr> <td>Alloy steel</td> <td>@ Rs 450/- per physical Joint</td> </tr> </table> <p>Attachment welding @ Rs 100/- per running meter</p> <p>b) Additional Price for Lowering and Lifting of LTSH coils beyond 8 nos. modules (one module consists of two nos. coils) &amp; ECO coils beyond 6 pairs (Twelve nos. of coils from each lower and upper bank) from each lower and upper banks.</p> <table style="margin-left: 40px;"> <tr> <td>LTSH Coils</td> <td>@ Rs 6500/- per module</td> </tr> <tr> <td>ECO Coils</td> <td>@ Rs 5300/- per pair</td> </tr> </table> <p>c) Header stub replacement, if required, will have to be done by contractor @ Rs 3500/- per Stub.</p>	Carbon steel	@ Rs. 400/- per physical joint	Alloy steel	@ Rs 450/- per physical Joint	LTSH Coils	@ Rs 6500/- per module	ECO Coils	@ Rs 5300/- per pair	
Carbon steel	@ Rs. 400/- per physical joint									
Alloy steel	@ Rs 450/- per physical Joint									
LTSH Coils	@ Rs 6500/- per module									
ECO Coils	@ Rs 5300/- per pair									
Item No.04	<b><u>OVERHAULING OF BOILER DRUM:</u></b>	<b>(3.00%)</b>								
1.0	<p>1. Open the manholes of boiler drum and provide exhaust fan for forced cooling. Successful bidder has to arrange the fan for the same. Down comer openings will be covered by covers and asbestos cloth.</p> <p>2. While working inside the drum only 24 volts power supply connections shall be used. All necessary arrangement for the same has to be arranged by successful bidder.</p> <p>3. Removal of cyclone separators for inspection &amp; cleaning.</p> <p>4. Cleaning of the welding joints of steam chest, cyclone separator with the help of Teflon brush so as not to damage the magnetite layer.</p> <p>5. Inspection of the drum internals &amp; vortex breaker after cleaning.</p> <p>6. After cleaning carry out the DPT of the welding joints of the steam chest. The successful bidder has to arrange kit for DPT. DPT of the joints will be checked by DVC representative.</p>	1.00%								
2.0	<p>1. Cutting and removal of the phosphate dosing header from the drum and cleaning of the same.</p> <p>2. After cleaning and inspection of the phosphate dosing header, re-welding of the header in its position.</p> <p>3. Removal of the CBD isolation v/v bonnet or cut the CBD line to check the CBD line of the boiler drum for any choking.</p> <p>4. Lapping and blue matching of drum manholes and its matching surface is to be</p>	1.00%								

	done. If required, material build up and scrapping to be carried out to achieve matching surface. 5. Reassemble the drum internals and removal of all the left out material from the drum.	
3.0	1. After inspection and clearance from Engineer In charge the drum has to be boxed up after putting proper gasket for the drum manhole. 2. Carryout hot tightening of drum manholes after boiler light-up at pressures specified by the BHEL Site Engineer in charge. 3. Checking of down comer suspension and drum suspension.	1.00%
Item No.05	<b>OVERHAULING OF COAL &amp; OIL BURNER SYSTEM</b>	<b>(10.00%)</b>
1.0	1. Cleaning of wind box and inspection for any damage and repairing of leakages, if any including expansion joints. 2. Checking and repair of supporting truss in Wind Box. 3. Inspection, repair of SADC damper and ensuring mechanical freeness and full open / close of the dampers. Servicing of SADC power cylinders and instrumentations are excluded. 4. Dismantling of coal and Air nozzle assembly. 5. Dismantling of oil burners. 6. Inspection of coal and air nozzle and oil burner component and Replacement of the same if required. Repair of coal inlet isolating gates and replacement of their Gland/seals.	2.00%
2.0	1. Hard facing of coal nozzle, divider plates, nozzle tips as required. Hard facing electrodes will be provided by DVC. SS electrodes and electrodes for dissimilar joints have to be arranged by successful bidder within quoted lumpsum price.	3.00%
3.0	1. Assembly of coal, oil and air nozzles system. 2. Replacement of the burner inner and outer casing bolts. 3. Cleaning/ servicing / replacement and assembly of oil gun guide pipe, igniter guide pipe and scanner guide pipe assemblies. 4. Cleaning / Replacement of atomizing steam and oil hoses.	3.00%
4.0	1. Inspection and replacement of igniter and scanner cooling air hoses. 2. Servicing of Burner tilting mechanism. 3. Servicing and Adjustment of SADC Dampers. 4. Adjustment of coal / air nozzle, oil burners and tilting mechanism. 5. Servicing and repair of all coal gates at burner mouth for easy operation and covering of the gate spindle with pipe / plate to avoid accumulation of ash on the thread if possible.	2.00%
Item No-06	<b>OVERHAULING OF AIR PRE HEATERS - 02 Nos.</b>	<b>(16.00%)</b>
1.0	1. Opening of manholes. 2. Removal of hot, intermediate and cold end baskets from position, thereafter cleaning/ water washing and inspection of the APH modules. Repair of the APH Modules and cold end gratings before insertion of the APH Basket. Cleaning of the re-useable baskets, as indicated after joint inspection has to be done by High pressure Water Jet. After cleaning they will once again be jointly inspected. Before the inspection of the baskets removed, they are to be properly arranged and shorted out in the place as indicated by BHEL Site Engineer in charge. All the arrangement for inspection and cleaning has to be done by successful bidder. The cleaned baskets have to be reused and the damaged ones will have to be replaced. 3. Cleaning of Air pre heater chamber and inspection. 4. Cleaning of accumulated ash from the sector plate box after cutting the static seal of sector plates throughout the length & restoration of the same after final inspection by BHEL Site Engineer in charge. 5. Repair of sector plate, if required, by replacing the damaged portion of the subject sector plate.	4.00%
2.0	1. Inspection / resetting and replacement of all seals including axial, radial, by-pass seals, Rotor post seals (if required), static seals and packers. 2. Replacement of wools of all the static seals. Repair of hot spool sealing system and air seal of trunion.	4.00%

	<ol style="list-style-type: none"> <li>3. Rotor leveling and sector plate adjustment.</li> <li>4. Repair/ surface finishing of sector plates and leveling. Inspection / cleaning / repairing / replacement of sector plate adjustment bolts, head links, shims and packers. Inspection, adjustment of axial seal plates and replacement of woofs of the same.</li> <li>5. Repair / replacement of eroded house panel, pipe supports stiffeners, expansion joints etc. after air leak test.</li> <li>6. Checking of nozzles of water washing, firefighting and shoot blowing system for possible chokeage and cleaning / replacement as required.</li> </ol>									
3.0	<ol style="list-style-type: none"> <li>1. Dismantling, cleaning, inspection Adaptor sleeve by removing the guide bearing and its other components, checking of contact of adopter sleeve with trunion, re-assembly of the same for both Air pre-heater and replacement of bearings if required. Replacement of ropes of sealing tube.</li> <li>2. Cleaning and inspection of the both support bearing and its other components by shifting the bearing assembly from its positions to lower elevation and replacement if required for both air pre-heaters. DP test for lower race has to be carried out. Servicing of shaft sealing systems and water shield arrangement.</li> <li>3. Servicing of air motor and shoot blowing drives, Barco swivel joints and DA head valves. The bush bearing of S.B system have to be dismantled and after cleaning to be fitted &amp; there after greasing and replacement of gland packing.</li> <li>4. Inspection of Trunion Bolts and Module mounting Pins for both the APHs.</li> <li>5. Servicing of lube oil system.</li> <li>6. Cleaning of lube oil coolers and filters, servicing of relief valves including Hydro Test of lube oil coolers of the lube oil system of both guide and support bearings. Modification of oil and water lines if required.</li> <li>7. Inspection of drive pinion and pin rack</li> <li>8. Resetting / replacement of T –bar, rotor angle &amp; by pass angle if required</li> <li>9. Internal inspection of the speed reducers of the APHs and the replacement of the same if required</li> </ol>	4.00%								
4.0	<ol style="list-style-type: none"> <li>1. Repair of heating element Module frame and supporting pipes. The worn out supporting structural members have to be removed and a new structural members have to be fitted either after fabricating the same from MS plate or MS flats as per availability. The supporting pipes have to be shielded by SS Shields or MS angles.</li> <li>2. Servicing of drive pinion air sealing system and trunion air sealing system.</li> <li>3. Attending to all air leakages which are found from the APH body by running, ID &amp; FD Fans.</li> <li>4. Test run of the APH and necessary corrective action, if any abnormality is observed.</li> <li>5. Inspection of refractory on centre section around hot spool seal &amp; application as per requirement.</li> <li>6. Steam washing/soda wash of old and new APH baskets if required has to be carried out and laying of steam pipe from nearest tapping points for the above purpose is in scope of successful bidder. However, material required for the above job will be provided by DVC. Supply of Caustic Soda is in the scope of DVC</li> </ol>	4.00%								
Note	Necessary T & P (4-way jack and oil pump: 4x 100MT Capacity) required for inspection of support bearing & guide bearing to be arranged by successful bidder, if the same is not available with DVC.									
Item No-07	<b>OVERHAULING OF BOILER SAFETY VALVE</b>	<b>(5.00%)</b>								
1.0	<p><b>Valve to be serviced:</b></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding-left: 20px;">Drum safety valves</td> <td style="text-align: right;">--- 06 nos.</td> </tr> <tr> <td style="padding-left: 20px;">Superheater safety valve</td> <td style="text-align: right;">--- 02 nos.</td> </tr> <tr> <td style="padding-left: 20px;">Hot reheater safety valves</td> <td style="text-align: right;">--- 04 nos.</td> </tr> <tr> <td style="padding-left: 20px;">Cold reheater safety valves</td> <td style="text-align: right;">--- 04 no.</td> </tr> </table> <p><b>Activities involved:</b></p> <ol style="list-style-type: none"> <li>1. Erection of scaffolding wherever required.</li> <li>2. Checking of previous set points.</li> <li>3. Dismantling and inspection of safety valve internals and cleaning.</li> <li>4. Lapping of valve disc and valve seat. Valve seat cutting/re-setting, if required.</li> </ol>	Drum safety valves	--- 06 nos.	Superheater safety valve	--- 02 nos.	Hot reheater safety valves	--- 04 nos.	Cold reheater safety valves	--- 04 no.	
Drum safety valves	--- 06 nos.									
Superheater safety valve	--- 02 nos.									
Hot reheater safety valves	--- 04 nos.									
Cold reheater safety valves	--- 04 no.									

	<p>Design value of seat height (upper value) has to be maintained as per the instruction of BHEL Site Engineer in charge.</p> <ol style="list-style-type: none"> <li>5. Checking of valve spindle run out and replacement, if required.</li> <li>6. DPT of valve spindle, disc, seat, spring etc. and redressing / seat cutting, if required.</li> <li>7. Re-assembly and pressure blow down setting.</li> <li>8. Checking of supports/suspension of Safety valve exhaust pipe &amp; silencer.</li> <li>9. Successful bidder has to arrange safety valve floating party with treavy test kit within the lumpsum quoted price. Actual floating of one or more valves to be demonstrated as per requirement of DVC.</li> <li>10. If required, Successful bidder has to arrange seat cutting machine.</li> <li>11. Removal and relaying of insulation wherever required.</li> <li>12. Removal of scaffolding.</li> </ol>																																														
Item No-08	<b>OVERHAULING OF HP VALVES AND OTHER VALVES</b>	<b>(8.00%)</b>																																													
1.0	<p>List of valves to be serviced:-</p> <table border="1"> <thead> <tr> <th>Sl. No.</th> <th>Valve Description with TAG No.</th> <th>Total Nos.</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Main Steam stop valves boiler end</td> <td>01 Nos.</td> </tr> <tr> <td>2</td> <td>Main Steam equalizer Valves</td> <td>04 Nos.</td> </tr> <tr> <td>3</td> <td>ERV and Pilot Valves</td> <td>01 Set</td> </tr> <tr> <td>4</td> <td>Main Steam Drain Valves before MS Stop valves</td> <td>04 Nos.</td> </tr> <tr> <td>5</td> <td>Drum Vent Valves</td> <td>04 Nos.</td> </tr> <tr> <td>6</td> <td>Starting Vent valves (S 34, 35,36 &amp;37)</td> <td>04 Nos.</td> </tr> <tr> <td>7</td> <td>Super-heater Spray Pneumatic block Valves.</td> <td>1 Nos.</td> </tr> <tr> <td>8</td> <td>Eco Recirculation Valve</td> <td>01 No.</td> </tr> <tr> <td>9</td> <td>IBD Valves</td> <td>02 Nos.</td> </tr> <tr> <td>10</td> <td>EBD Valves</td> <td>02 Nos.</td> </tr> <tr> <td>11.</td> <td>CBD Valves</td> <td>02 Nos.</td> </tr> <tr> <td>12</td> <td>SH Spray Line NRV</td> <td>02 Nos.</td> </tr> <tr> <td>13</td> <td>Soot Blower main isolating valve (S30 , S122)</td> <td>02 Nos.</td> </tr> <tr> <td>14</td> <td>Replacement of Gland Packings of all vent &amp; drain valves of 1/2" to 2" valves &amp; repair of drum mountings</td> <td>100 Nos</td> </tr> </tbody> </table> <p><b>Activities:</b></p> <ol style="list-style-type: none"> <li>1. Erection and removal of scaffolding as required.</li> <li>2. Removal of insulation as required.</li> <li>3. Dismantling of valves after actuator removal</li> </ol>	Sl. No.	Valve Description with TAG No.	Total Nos.	1	Main Steam stop valves boiler end	01 Nos.	2	Main Steam equalizer Valves	04 Nos.	3	ERV and Pilot Valves	01 Set	4	Main Steam Drain Valves before MS Stop valves	04 Nos.	5	Drum Vent Valves	04 Nos.	6	Starting Vent valves (S 34, 35,36 &37)	04 Nos.	7	Super-heater Spray Pneumatic block Valves.	1 Nos.	8	Eco Recirculation Valve	01 No.	9	IBD Valves	02 Nos.	10	EBD Valves	02 Nos.	11.	CBD Valves	02 Nos.	12	SH Spray Line NRV	02 Nos.	13	Soot Blower main isolating valve (S30 , S122)	02 Nos.	14	Replacement of Gland Packings of all vent & drain valves of 1/2" to 2" valves & repair of drum mountings	100 Nos	2.00%
Sl. No.	Valve Description with TAG No.	Total Nos.																																													
1	Main Steam stop valves boiler end	01 Nos.																																													
2	Main Steam equalizer Valves	04 Nos.																																													
3	ERV and Pilot Valves	01 Set																																													
4	Main Steam Drain Valves before MS Stop valves	04 Nos.																																													
5	Drum Vent Valves	04 Nos.																																													
6	Starting Vent valves (S 34, 35,36 &37)	04 Nos.																																													
7	Super-heater Spray Pneumatic block Valves.	1 Nos.																																													
8	Eco Recirculation Valve	01 No.																																													
9	IBD Valves	02 Nos.																																													
10	EBD Valves	02 Nos.																																													
11.	CBD Valves	02 Nos.																																													
12	SH Spray Line NRV	02 Nos.																																													
13	Soot Blower main isolating valve (S30 , S122)	02 Nos.																																													
14	Replacement of Gland Packings of all vent & drain valves of 1/2" to 2" valves & repair of drum mountings	100 Nos																																													
2.0	<ol style="list-style-type: none"> <li>1. Cleaning, inspection &amp; DP test of valve components.</li> <li>2. Replacement of damaged / worn out internals.</li> <li>3. Lapping and blue matching of valve seat and valve disc/ wedge as required.</li> <li>4. Checking of spindle straightness &amp; correction.</li> <li>5. Assembly of valve after servicing</li> </ol>	4.00%																																													
3.0	<ol style="list-style-type: none"> <li>1. Mounting and coupling of actuators with valve spindle, setting of valve and actuators stroke.</li> <li>2. Relaying of insulation</li> </ol>	2.00%																																													
Note	<p>Replacement of valves (size below 150mm Nb and other low pressure valves below 40kg/sq.cm), if required, will have to be done by the contractor on additional price basis. Rates for replacement of valves inclusive of handling of valves, HP welding, radiography and stress relieving as applicable, shall be paid to the party as per following rate:-</p> <ul style="list-style-type: none"> <li>• On physical HP weld joint basis @Rs 400/- per joint for Carbon steel joint and Rs 450/- per joint for Alloy steel joint.</li> </ul>																																														

Item No-09	<b>INSULATION</b>	<b>(3.00%)</b>
1.0	<ol style="list-style-type: none"> <li>The Scope includes 500 m<sup>2</sup> of insulation work.</li> <li>The Insulating material/ GI/Aluminum / corrugated Sheet has to be transported from DVC store to work site(s) as per the instructions of the BHEL Site Engineer in charge</li> <li>All the damaged insulation is to be properly removed without any damage to the surface on which it is applied.</li> <li>Re-insulation of damaged / bare area in the main boiler, valves, pipes and, APH etc.</li> </ol>	1.00%
2.0	<ol style="list-style-type: none"> <li>Old insulation of RH&amp;SHH headers in pent house has to be removed for checking and carrying out DPT of stubs and there after re-application of new wool mattress.</li> </ol>	1.00%
3.0	<ol style="list-style-type: none"> <li>In addition to above, damaged insulation of other ducts such as APH out let to ESP inlet ducts, ESP outlet ducts are to be replaced.</li> <li>This is then to be applied in the required area with adequate precautions/protection to the personnel carrying out the job.</li> <li>The insulating materials and cladding/ GI sheet will be provided by DVC but the screws, sealing materials, insulation hook, etc. have to be arranged by the contractor at his own cost.</li> </ol>	1.00%
Note	<ol style="list-style-type: none"> <li>The scope of work includes 500 (five hundred) Sq. metre of mineral wool insulation. Application of insulation beyond 500 Sq.metre as stated above shall be paid extra at the following rate:- <ul style="list-style-type: none"> <li>Application of Insulation @Rs.160/- (Rupees One hundred sixty only) per Sq. metre</li> </ul> </li> <li>Recovery at the same rate as above will be made from lumpsum price if the quantity of job is less than 500 (five hundred) Sq. metre as specified above.</li> </ol>	
Item No-10	<b>REFRACTORY</b>	<b>(3.00%)</b>
1.0	<ol style="list-style-type: none"> <li>The Scope includes casting of 10 MT of Refractory.</li> <li>The refractory material has to be transported from DVC store to work site(s) as per the instructions of the BHEL Site Engineer in charge</li> <li>Checking of damaged refractory lining in Boiler 1<sup>st</sup> and 2<sup>nd</sup> pass and application of refractory as per required. Application of refractory in pent house and its roof as and where required.</li> </ol>	2.00%
2.0	<ol style="list-style-type: none"> <li>All the damaged refractory is to be properly removed without any damage to the surface on which it is applied.</li> <li>Dry refractory is to be mixed with water, as per the instructions of the BHEL Site Engineer in charge.</li> <li>This is then to be applied in the required area with adequate precautions/protection to the personnel carrying out the job.</li> <li>Proper curing time is to be given to the applied refractory so that it acquires the requisite strength</li> </ol>	1.00%
Note	<ol style="list-style-type: none"> <li>The scope of work includes casting 10 MT refractory. Casting of refractory beyond 10MT shall be paid extra at the following rate:- <ul style="list-style-type: none"> <li>Casting of Refractory @Rs 2500/- (Rupees two thousand five hundred only) per MT</li> </ul> </li> <li>Recovery at the same rate as above will be made from lumpsum price if the quantity of job is less than 10MT as specified above.</li> </ol>	
Item No-11	<b>OVERHAULING OF DUCTS, GATES AND DAMPERS OF AIR &amp; FLUE GAS DUCTS</b>	<b>(8.00%)</b>
1.0	<ol style="list-style-type: none"> <li>Servicing of dampers, IGV, guillotine gates and servicing of gear box of motor operated actuator as detailed below:- <ol style="list-style-type: none"> <li>APH SA &amp; PA outlet damper (electric) 04 Nos.</li> <li>I.D fan inlet dampers (pneumatic) 02 Nos.</li> </ol> </li> <li>Inspection of bearings of driven and drive shafts, its chain and necessary replacement if required. Replacement of all types of seals if necessary.</li> </ol>	1.00%
2.0	<ol style="list-style-type: none"> <li>The scope includes replacement of 25MT of duct plates and support steel.</li> <li>Inspection and checking of air ducts and flue gas ducts (excluding the ducts area of milling plants), its internal and external supports have to be carried out</li> </ol>	4.00%

	<p>and repair / replacement of eroded duct walls and their supports which suffers from erosion have to be guarded with MS angle or SS shields. All damaged portions of the expansion joints has to be repaired internally/ externally as applicable.</p> <ol style="list-style-type: none"> <li>3. The guard shield of the expansion joint has to be inspected and the shield plate has to be repaired/ replaced as per requirement.</li> <li>4. All the duct hoppers are to be repaired as per requirement.</li> <li>5. All damper plates have to be repaired.</li> <li>6. All repairs by means of welding has to be carried out by 7018 Electrodes unless otherwise instructed by DVC.</li> </ol>	
3.0	<ol style="list-style-type: none"> <li>1. Expansion arrangements for all the ducts have to be cleaned and inspected. Any repair, if required, has to be done.</li> <li>2. The distribution boxes (2 Nos.) at the inlet of ESP will be replaced/repared as per instruction of BHEL Site Engineer in charge</li> <li>3. Deflector plates/Guide Vanes have to be replaced as per requirement. In case deflector plate is totally eroded the same have to be fabricated from 6/8 mm Chequered plates. <b>Successful bidder has to arrange the plate bending machine</b></li> </ol>	3.00%
Note	<ol style="list-style-type: none"> <li>a) The scope includes replacement of 25MT of duct plates and support steel. Replacement of Ducts plates &amp; support steel beyond 25 MT shall be paid extra at the following rate:- <ul style="list-style-type: none"> <li>• Replacement of Ducts plates &amp; support steel @ Rs 20000/- per MT</li> </ul> </li> <li>b) Recovery at the same rate as above will be made from lumpsum price if the quantity of job is less than 25 MT as specified above.</li> <li>c) Rate for replacement of distribution boxes except minor in nature shall be paid extra @ Rs 40000/- per box.</li> </ol>	
Item No-12	<b>SERVICING OF I.D. F.D. &amp; PA FANS (02 nos. of ID Fans, 02 nos. of Axial FD &amp; PA Fans )</b>	<b>(8.00%)</b>
1.0	<ol style="list-style-type: none"> <li>1. Inspection of journal bearing and all its accessories of all the ID fans. Replacement of the same if required.</li> <li>2. Replacement of shaft seals and impeller seals of ID Fans.</li> <li>3. Alignment of fan.</li> </ol>	3.00%
2.0	<ol style="list-style-type: none"> <li>1. Servicing of lube oil system and cleaning of lubricating oil coolers.</li> <li>2. Repair of casing and its support of all the fans if required.</li> <li>3. Rotor leveling and alignment of all drives and other associated jobs as per requirement</li> </ol>	3.00%
3.0	<ol style="list-style-type: none"> <li>1. Replacement / servicing of all lube oil cooling water line valves of all the fans.</li> <li>2. Cleaning &amp; Hydro test of lube cooler and other associated job related to servicing of I.D. / F.D. fans like replacement of Lube oil etc.</li> <li>3. All necessary assistance (like decoupling of the fan, removal of the fan coupling, removal of the motor canopy, rotation of the motor, etc.) are to be provided to Electrical section.</li> <li>4. Servicing of Axial PA &amp; FD Fans including servomotor, rotor assembly, blade assembly, etc.</li> </ol>	2.00%
Item No-13	Assistance during Cold Air velocity Test.	<b>(0.50%)</b>
Item No-14	Assistance during Commissioning/synchronization of the unit & Statutory Compliance	<b>(9.50%)</b>

**Taxes and Duties**

TDS under Income Tax shall be deducted at prevailing rates on Gross Invoice Value from the Running Bills .

**Service Tax**

Service Tax along with Educational Cess to Service Tax as legally leviable & payable by the Contractor, vide Sec-65B (44), shall be paid by BHEL on contractor's gross bill and production of GAR-7 CHALLAN .

Vide Section 68 (1) of Finance Act , 1994 read with Rule 6 ( 1) of Service Tax Rules , 1994 , payment of Service Tax at the rate specified in Section 66B in Section 68 w e f 01.07.2012 vide Order No. 1/2012 dated 15.06.2012 is reimbursable by BHEL . The contractor shall furnish proof of Service Tax registration with Central Excise Division covering the services under this contract. Registration should also bear endorsement for the premises from where the billing shall be done by the contractor on BHEL for this project.

The Bidder shall issue invoice complying with **Rule 4A of the Service Tax Rules 1994**. The invoice shall indicate the name, address and the registration number (PAN Based STC No.) of the Bidder; the name and address and the registration number **AAACB4146PST002** of BHEL.; the description and value of taxable service provided; and the service tax payable thereon by the Bidder

B.H.E.L-P.S.E.R will not be held to be responsible for non-compliance of various Service Tax Rules, being framed from time to time

Point of Taxation Rule,2012 has come into operation from 01-04-2012. As per the rule Invoice must be generated within 30 days from the date of completion of service. In such case, the date of invoice will be the relevant date. However, if the invoice is not generated within 30 days as stated above, the date of completion of service shall be the relevant date.

Vendors must take adequate care and cautions w.r.t "Point of Taxation Rule,2012" as otherwise both the Vendors ( for non-compliance ) and BHEL ( unable to take Credit on Input Services, resulting in extra fund flow in that particular month ) will suffer.

With introduction of Cenvat Credit Rules , 2004 which came into force w.e.f. 10-09-04, Excise Duty paid on input goods including capital goods used for providing the output service and Service Tax paid on Input Service can be taken credit of against the service tax payable on output service. As such, while offering the rates, the contractor may take in to account the benefit of above provisions as the cost of input to contractor will be net of Excise Duty and service Tax and adjust their offer price accordingly to make it more competitive.

**ANNEXURE – SAS-I**

**ESSENTIAL CONDITIONS TO BE FULFILLED BY SUCCESSFUL BIDDER**

01. Successful bidder has to arrange 6 copies of overhauling reports which will include various protocols with necessary data / MOMs / important correspondences / log sheets etc. and the books shall be spiral bound with thick acetate papers in front and back along with BHEL logo printed suitably on thick art paper at the front.
02. Bidder has to arrange to provide PC with internet connection, with colour printer and Xerox paper as required for taking print out compatible with WINDOW vista version or, latest version loaded with necessary software, during entire period of execution of job at site , for preparing /maintaining / up keeping of various correspondences/ protocols/log shts. etc. . PC shall be operated by PC operator conversant with AUTOCAD and other softwares to be arranged by the successful bidder within the scope. All data thus stored during the execution of job shall be transferred to hard disc, (8 GB capacity) and handed over to Resident Manager at site after the Overhauling for submission to Customer. In case vendor fails to provide the PC operator, Rs 8000/- per month shall be deducted from vendor's bill.
03. Successful bidder is to render services for proper up-keepment of BHEL site office as required. Full time office boy is required to be provided by the successful bidder at site for up keepment of site office.
04. After dismantling and during execution of the job, successful bidder has to suitably tag the components and sub-assemblies for trace ability and store properly before final assembly. This is as per Doc. Nos. PSER:PMX:002:94 & PSER:PMX:001:94.
05. Process control of Special Processes like Welding and Heat Treatment shall be carried by successful bidder as per Doc. Nos. PSER:QLY:001:99, PSER:QLY:001:94 (3 VOL) and PSER:QLY:003:99.
06. Proper segregation, identification, tagging and up-keep of all dismantled items at work site during job execution have to be done by successful bidder.
07. Successful bidder is to obtain necessary "No Dues" certificates before de- mobilisation from site.
08. Successful bidder is to comply with all the statutory and regulatory norms, rules and practices as applicable for the job/site.
09. Successful bidder shall provide valid calibration certificates for IMTEs, fitness certificates for T&Ps and Construction Equipment ( e.g. wire ropes, hand operated chain pulley blocks, pulling and lifting machines, electric welding generators, arc welding transformers etc.). Calibration of IMTEs is to be arranged from the accredited agencies. Calibration certificates should have the traceability as per national/international standards. At work site the IMTEs, T&Ps and Construction Equipment shall be checked/tested/inspected by BHEL engineers. The procedure for fitness testing and storage preservation and maintenance of Construction Equipment and T&Ps shall be as per Doc. Nos. PSER:FEX:001:94, PSER:SAS(CAL):016:95 and PSER:FEX:002:94 available with BHEL site engineers.

10. Successful bidder should follow all safety norms at work site. The Doc. No.PSER:PMX:004:94 in this regard is available with BHEL engineer at site.
11. Any NDT within the scope shall be as per Non-Destructive Examination manual (Doc. No. PSER: QLY:002:99 available with BHEL site engineer.
12. Provision of hygienic filtered drinking water facility at BHEL site office.
13. The successful bidder is to arrange a full set of First Aid kit for attending to manpower deployed by him at site as per requirement.
14. The successful bidder is to arrange extra illumination at work site to augment the existing site illumination if required to enable round-the-clock safe working.
15. Within the quoted price, the bidder has to arrange new set of utensils ( cooking & serving ), stoves ,gas cylinders / gas oven , electric heaters , chairs , tables etc. including cooks / helpers for preparation of food for 10 nos. BHEL persons. The successful bidder will also be responsible for taking over and vacate the BHEL mess quarter. Bidder has to provide foods for the cook and helper.
16. Still colour photography ( Max. 36 nos on Matt paper, postcard size) of different machine parts and sub-assemblies as decided by BHEL site engineer is to be arranged by successful bidder at their cost.

**Annexure –II****TENTATIVE LIST OF T & P**

The list of T & P is provided hereunder to be mobilized by the contractor within **one day** from date of intimation by BHEL. These will be physically verified by BHEL site Engineer. BHEL has the authority to penalize the contractor suitably including termination of contract if the required T&P's are not mobilized timely. However, it may be noted that the T&P list is only a guide for bidding and any other T&P as may be required for the job has to be mobilized by the successful bidder.

1.	All Ring & D.E. Spanners upto 36mm	20 sets.
2.	Slogging spanners from 36mm to 100 mm	1 each
3.	Adjustable Spanners	5 Nos.
4.	Allen key set upto (17 mm)	3 sets.
5.	Hammer upto (05 Kg.)	5 Nos.
6.	Screw Driver all sizes	10 Nos.
7.	Hack – saw Frame	10 Nos.
8.	Files (smooth, rough) round, half round	8 Nos. of each Type
9.	Inside & Outside Circlip pliers	4 Nos. of each
10.	Wire rope (sling) 8mm, 12mm & 16mm (duly tested ) Inappropriate length	20 Nos. of each
11.	D. Shackle 2T, 3T, 5T (duly tested)	8 Nos. of each
12.	Cutting torch along with regulator & hoses	12 sets
13.	Straight grinder	6 Nos.
14.	Chain Pulley block (2T, 3T) (duly tested)	12 Nos. each
15.	Chain Pulley block (5T) (duly tested)	4 Nos.
16.	Lifting & Pulling machines (3T, 5T) (duly tested)	4 Nos. each cap
17.	Angle Grinder	8 Nos.
18.	FF2 Grinder	6 Nos.
19.	Welding Generator and transformer (with welding cables)	6 Nos. each
20.	Chisel 5", 12"	6 Nos. each
21.	Try Square	4 Nos.
22.	TIG set with Argon regulator	6 sets
23.	Heating torch along with regulator & hoses	2 Nos.
24.	Portable Electrode Heating oven	6 Nos.
25.	Vernier caliper	2 Nos.
26.	Measuring Tape (5 M)	6 Nos.
27.	Chop saw for tube cutting	2 Nos.
28.	Torch	10 Nos.
29.	24 V lamps and transformers	10 Nos.
30.	SRM/C if required	1 No.
31.	Lighting/ Extension Boards with proper plugs 5 point	16 Nos.
32.	D-meter	4 Nos.
33.	Hand hole cutting M/C, tools& fixtures if required	1 No.
34.	Multipoint Welding Transformer	1 No.
35.	Electrical Wrench 5 MT	2 Nos.

**Note:**

- 1) The above list of T&P's is not exhaustive but indicative only. Any shortage may be made up by the vendor as may be required for overall job completion.

### Annexure –III

#### **GENERAL SCOPE OF WORK:**

1. Fabrication of site store near work site.
2. Fabrication/repair/machining of components / spares as applicable
3. Fabrication of fixtures and illumination of work zone.
4. Removal and relaying of insulation wherever applicable.
5. Minor modification job.

#### **INPUTS TO BE ARRANGED BY THE CONTRACTOR FOR BOILER OVERHAULING**

1. All tools and tackles, measuring instruments including **Welding Generators (06 nos. minimum) and Transformers (6 nos. minimum )**, **Bevel Protractor**, 24 Volt electrical handlamps, DPT kits as required are to be provided by the contractor. **Contractor has to use only 24 Volt handlamps with protective cage in the enclosed area of work to ensure safety of workmen.**
2. Necessary consumables including welding electrodes for pressure parts, ducts & structural job etc., Argon gas, Oxygen & DA, valve lapping pastes, DPT consumables, prussian blue etc. are to be arranged by the contractor.. Any other consumables, supplementary requirement has to be provided by the vendor for successful completion of the job
3. Minimum 10 curie radiography source along with qualified personnel are to be arranged.
4. **Co-ordination with Boiler Inspector is the responsibility of the contractor.**
5. **The contractor should have running IBR registration for pressure parts repair work.**
6. For Boiler Pressure parts job, contractor has to take necessary approval under Section 392 of IBR from the Boiler Directorate/**WEST BENGAL.**
7. Contractor has to provide necessary skilled, semiskilled and unskilled manpower and supervision for the total job under the technical guidance of BHEL. **Contractor has to provide minimum 04 nos. of HP WELDERS and 08 nos. of Attachment Welders to complete the job in time.** Contractor has to mobilise H.P.Welders well in advance for their site simulation test. **Contractor has to provide minimum 15 nos. of experienced supervision staff in respective areas in overhauling of boiler** excluding site in-charge for close supervision of work as well as provide inputs for uninterrupted progress of the job.  
**Note: Lack of supervision/resource mobilisation will be viewed seriously.**
8. Cleaning, housekeeping and security arrangement for the equipment, T&P and materials / spares is the responsibility of the contractor.
9. PERT network / BAR chart for the job is to be submitted prior to start of the job.
10. **All scaffolding materials including minimum 1” thick wooden planks are to be arranged by the party.**
11. The contractor has to sign “INDEMNITY BOND” for obtaining Form –V (required for labour licence) from the Principal Employer **M/s MEJIA TPS, DVC** on non-judicial stamp paper as per format provided by BHEL.

**SPECIAL NOTE TO BIDDERS**

1. LUMPSUM PRICE:  
The bidders should quote lump sum price for the total scope of work mentioned in ANNEXURE – I.  
Compliance to Annexure SAS – I is mandatory. If successful bidder fails for compliance of Annexure SAS I, then total expenditure towards the said items shall be deducted from the successful bidder's bill.
  
2. Successful bidder has to submit the following documents on and during execution of the job:
  - a) Labour license for the subject work.
  - b) Insurance coverage of the total workers engaged for the job.
  - c) Monthly wage certificate of the total work force.
  - d) EPF for the workers engaged.
  - e) Submit safety plan.
  - f) Submit bar chart / job completion schedule as & when asked for.
  - g) No due certificate from MEJIA TPS/DVC personal dept.  
Successful bidder has to obtain "No Objection Certificates" from concerned depts. and P&A dept. of customer.

The scope under the specification (as per Annexure –I of scope of work) is not exhaustive but indicative only. However, any activity covered under the normal course of overhauling of boiler and auxiliaries at MEJIA TPS/DVC shall be deemed to be within the scope.

Transportation of materials, T & Ps including Special T & Ps, lifting tackles etc from MEJIA TPS/DVC site stores to work spot as per requirement along with material reconciliation and also transportation of the T&P's / Instruments etc. from BHEL-KOL HQ / OTHER Eastern Region Sites to MEJIA TPS/DVC site & back, is included in the scope of the vendor at their own cost. In case any part of the job is not carried out, a deduction will be effected as per percentage shown against those items.

3. Any related work not detailed under the above schedule of work but found essential for completion of the job has to be executed by vendor free of cost.
  
4. The vendor has to strictly comply with the SAFETY RULES & procedures of the MEJIA TPS/DVC. It is suggested that the prospective bidders may visit & contact MEJIA TPS/DVC to know further details of their safety rules before quoting their price.
  
5. Disposal of scrap/ waste/ insulation generated while overhauling work to be disposed off at predetermined place as indicated by MEJIA TPS/DVC by the bidder including transportation of the waste.
  
6. Defect liability period against bad workmanship shall be 6 (six) months from the date of light up of boiler. During this period if any re work are required to be carried out, then the same are to be done by the successful bidder. The successful bidder shall be responsible for timely execution and quality of overhauling job and stand guarantee against any defect due to bad workmanship. Once defect is registered within defect liability period, the successful bidder has to rectify the same free of cost during next available opportunity.

## HSE & OHSAS

1.0	<p><b>OCCUPATIONAL HEALTH, SAFETY &amp; ENVIRONMENT MANAGEMENT/ QUALITY ASSURANCE PROGRAMME :</b>          BHEL, Power Sector Regions (PSNR/ER/WR/SR) are each certified for ISO 9001. Quality of work to customer's satisfaction and fulfillment of system requirements are the essence of ISO 9001 certification. BHEL, PS Region have HSE certification (ISO 14001 &amp; OHSAS 18001) and therefore Contractor also shall organize / plan/ perform all their activities to meet with the applicable requirements of these standards.</p>
1.1	<p><b>HSE (Health, safety &amp; Environment):</b>          Contractor will comply with HSE (Health, safety &amp; Environment) requirements of BHEL. HSE requirements in brief, are given below :-</p>
1.1.1	<p>Contractor will nominate one of their qualified and experienced employees as Safety Officer, who will be responsible for all HSE related issues of contractor's work area. Safety Officer will have authority to stop any activity, in case he observes that the activity is not being carried out in safe manner. He will conduct surprise inspection as well as periodic inspection/drill (at least once in a Week) and submit such reports to BHEL. He will conduct periodic meetings with working groups and explain HSE issues and use of PPEs to them. Reports of such meetings will be submitted to BHEL. Contractor will develop suitable work procedures based upon HSE guidelines and OCPs and implement it. Such work procedures will consist of Area of work, T&amp;P Details, Work Procedure, PPE requirements etc.</p> <p>Contractor should highlight the requirement of safety to staff and labour through daily tool box meeting before start of the day's job</p>
1.1.2	<p>The contractor shall ensure that proper job specific health check-up is done by medical professional for their employees during initial mobilization and thereafter if there is any change of job.</p>
1.1.3	<p>Following personnel protective equipments (PPEs), in adequate numbers, will be made available at site &amp; their regular use by all concerned will be ensured :-</p> <ul style="list-style-type: none"> <li>- HELMET</li> <li>- SAFETY GOGGLES &amp; WELDING FACE SHIELDS</li> <li>- SAFETY BELTS AND PROTECTIVE NET FOR WORKING AT HEIGHT</li> <li>- SAFETY SHOES</li> <li>- EAR PLUG</li> <li>- ANY OTHER SAFETY EQUIPMENT REQUIRED FOR SAFE COMPLETION OF THE WORK</li> </ul>

## HSE &amp; OHSAS

1.1.4	Providing appropriate First Aid facilities for prompt treatment of injuries and illness at work place. Arranging training to contractor workmen/ employees for giving first aid.
1.1.5	Arranging ambulance in case of any emergency situation .
1.1.6	Identification of nearest hospital and health check-up of workmen/employees
1.1.7	Providing filtered drinking water at work place in cool container.
1.1.8	Providing appropriate fire fighting equipment at designated work place and nominate a fire officer/warden adequately trained for his job.
1.1.9	Identification of nearest fire station and display contact telephone nos. / person's name around work places for cases of emergencies .
1.1.10	Providing adequate no. of 24 V sources and ensure that no hand lamps are operating at voltage level above 24 Volts.
1.1.11	Fulfilling safety requirements at all power tapping points.
1.1.12	Red & White caution tape of proper width(1.5 to 2 inch) to be used for cordoning unsafe area such as open trench, excavation area etc.
1.1.13	Providing contractors company logo on cloths /uniform/ proper identity cards with photographs, for correct identification of people working at project site .
1.1.14	High/ Low pressure welders to be identified with separate colour clothings. No welders will be deployed without passing appropriate tests and holding valid welding certificates. Approved welding procedure should be displayed at work place.
1.1.15	Displaying safe handling procedures for all chemicals such as lube oil, acid, alkali, sealing compounds etc , at work place .
1.1.16	All scaffolding/ platforms should be made from materials of appropriate quality/grade so that these are safe for use. It should be certified/declared safe for use by an experienced contractor person, before any scaffolding/platform is used.
1.1.17	All T&Ps/ MMEs should be of reputed brand/appropriate quality & must have valid test/calibration certificates bearing endorsement from competent authority of BHEL.
1.1.18	Ensure that the regulatory requirement of excessive weight limit (to carry/lift/ move weights beyond prescribed limits) for male and female workers are complied with.
1.1.19	Safety slogan, Safety/ Caution boards , wherever required to be displayed in consultation with BHEL.

## HSE & OHSAS

1.1.20	Take suitable measures for waste management and environment related laws/legislation as a part of normal construction activities. Compliance with the legal requirements on storage/ disposal of paint drums (including the empty ones), Lubricant containers, Chemical Containers, and transportation and storage of hazardous chemicals will be strictly maintained. Ensure proper cleanliness of work place, housekeeping and waste management (including proper waste disposal ) on daily basis.																				
1.1.21	The Contractor is required to provide proper safety net systems where ever the hazard of fall from height is present as per instruction of BHEL Engineer. The safety nets shall be fire resistant, duly tested and shall be of ISI Mark and the nets shall be located as per site requirements to arrest or to reduce the consequences of a possible fall of persons working at different heights.																				
1.1.22	<p>All applicable OCPs (Operational control procedures) will be followed by contractor as per BHEL instructions. This will be done as part of normal scope of work. List of such OCPs is given below . In case any other OCP is found to be applicable during the execution of work at site, then contractor will follow this as well, within quoted rate. These OCPs (applicable ones) will be made available to contractor during work execution at site. However for reference purpose, these are kept with Safety Officer of BHEL at the Power Sector Regional HQ, or available in downloadable format in the website, which may be refereed by contractor, if they so desire.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;"><input type="checkbox"/></td> <td>OCP for safe handling of chemicals</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td>OCP for Electrical safety</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td>OCP for energy conservation</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td>OCP for safe welding and gas cutting operation</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td>OCP for fire safety</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td>OCP for safety in use of hand tools</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td>OCP for first aid</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td>OCP for food safety at canteen</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td>OCP for safety in use of cranes</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td>OCP for storage and handing of gas cylinders</td> </tr> </table>	<input type="checkbox"/>	OCP for safe handling of chemicals	<input type="checkbox"/>	OCP for Electrical safety	<input type="checkbox"/>	OCP for energy conservation	<input type="checkbox"/>	OCP for safe welding and gas cutting operation	<input type="checkbox"/>	OCP for fire safety	<input type="checkbox"/>	OCP for safety in use of hand tools	<input type="checkbox"/>	OCP for first aid	<input type="checkbox"/>	OCP for food safety at canteen	<input type="checkbox"/>	OCP for safety in use of cranes	<input type="checkbox"/>	OCP for storage and handing of gas cylinders
<input type="checkbox"/>	OCP for safe handling of chemicals																				
<input type="checkbox"/>	OCP for Electrical safety																				
<input type="checkbox"/>	OCP for energy conservation																				
<input type="checkbox"/>	OCP for safe welding and gas cutting operation																				
<input type="checkbox"/>	OCP for fire safety																				
<input type="checkbox"/>	OCP for safety in use of hand tools																				
<input type="checkbox"/>	OCP for first aid																				
<input type="checkbox"/>	OCP for food safety at canteen																				
<input type="checkbox"/>	OCP for safety in use of cranes																				
<input type="checkbox"/>	OCP for storage and handing of gas cylinders																				

## HSE & OHSAS

<input type="checkbox"/>	OCP for manual arc welding
<input type="checkbox"/>	OCP for safe use of helmets
<input type="checkbox"/>	OCP for good house keeping
<input type="checkbox"/>	OCP for working at height
<input type="checkbox"/>	OCP for safe excavation
<input type="checkbox"/>	OCP for safe filling of Hydrogen in cylinder
<input type="checkbox"/>	OCP for illumination
<input type="checkbox"/>	OCP for handling and erection of heavy metals
<input type="checkbox"/>	OCP for safe acid cleaning
<input type="checkbox"/>	OCP for safe alkali boil out
<input type="checkbox"/>	OCP for safe oil flushing
<input type="checkbox"/>	OCP for steam blowing
<input type="checkbox"/>	OCP for safe working in confined area
<input type="checkbox"/>	OCP for safe operation of passenger lift, material hoists & cages
<input type="checkbox"/>	OCP for Vehicle maintenance
<input type="checkbox"/>	OCP for safe radiography
<input type="checkbox"/>	OCP for waste disposal
<input type="checkbox"/>	OCP for working at night
<input type="checkbox"/>	OCP for blasting
<input type="checkbox"/>	OCP for DG Set
<input type="checkbox"/>	OCP for handling & storage of mineral wool
<input type="checkbox"/>	OCP for drilling, reaming and grinding(machining) etc.
<input type="checkbox"/>	OCP for hydraulic test
<input type="checkbox"/>	OCP for spray insulation
<input type="checkbox"/>	OCP for trial run of rotary equipment
<input type="checkbox"/>	OCP for stress relieving
<input type="checkbox"/>	OCP for material preservation
<input type="checkbox"/>	OCP for cable laying/tray work
<input type="checkbox"/>	OCP for electrical maintenance
<input type="checkbox"/>	OCP for transformer charging
<input type="checkbox"/>	OCP for safe handling of battery system
<input type="checkbox"/>	OCP for computer operation
<input type="checkbox"/>	OCP for storage in open yard
<input type="checkbox"/>	OCP for sanitary maintenance
<input type="checkbox"/>	OCP for batching
<input type="checkbox"/>	OCP for piling rig operation
<input type="checkbox"/>	OCP for gas distribution test

## HSE &amp; OHSAS

	<input type="checkbox"/> OCP for cleaning of hotwell / deaerator
	<input type="checkbox"/> OCP for electro-resistance heating
	<input type="checkbox"/> OCP for compressor operation
	<input type="checkbox"/> OCP for O&M of control of AC plant & system
	<input type="checkbox"/> OCP for air compressor
	<input type="checkbox"/> OCP for passivation
	<input type="checkbox"/> OCP for Safe EDTA Cleaning
	<input type="checkbox"/> OCP for Safe Chemical cleaning of Pre boiler system
	<input type="checkbox"/> OCP for Safe Boiler Light up
	<input type="checkbox"/> OCP for Safe Rolling and Synchronisation
1.2	<input type="checkbox"/> OCP for Safe Loading of Unit <b>SAFETY AND CLEANLINESS :</b> The contractor shall take all necessary safety precautions and arrange for appropriate appliances as per discretion of BHEL or its authorised officials (Site Construction Manager) to prevent loss of human lives, injuries, to personnel engaged and damage to property. Before commencing the work, the contractor shall submit a "Safety Plan" to the above authorised BHEL official and obtain approval on the same. The safety plan shall indicate in detail the measures that would be taken by the contractor to ensure safety of men, equipment, materials and environment during execution of the work. This will also include an organization structure, role and responsibilities of the concerned key personnel, the safety practices that will be followed, PPEs deployed, plan for
1.3	handling critical activities and emergencies. If the contractor fails to take appropriate safety precautions or to provide necessary safety devices and equipment or to carry out instructions issued by the authorised BHEL official, BHEL shall have the right to take corrective steps at the risk and cost of the contractor.
1.4	During the course of construction, alternation or repairs, scrap with protruding nail, sharp edge etc and all other debris shall be kept clean from working areas, passage, ways and stairs in and around site.
1.5	Combustible scrap and debris shall be removed at regular intervals during the course of execution. Safe means shall be provided to facilitate such removal. The combustible scrap should be stored in safe place away from the plant materials to avoid fire accidents. The area shall be chosen in consultation with the Engineer and to be cordoned off.
1.6	Rigging equipment for materials handling shall be inspected prior to use in each shift and as necessary during its use to ensure that it is safe. Defective

## HSE & OHSAS

	rigging equipment will be removed from service.
1.7	Rigging equipment shall not be loaded in excess of its recommended safe working load. Rigging equipment, when not in use, shall be removed from the original work area so as not to present a hazard to employees.
1.8	Contractor shall notify the engineer, of his intention to bring on to site any equipment or any container, with liquid or gaseous fuel or other substance which may create a hazard. The Engineer shall have the right to prescribe the condition under which such equipment or container may be handled and used during the performance of the works and the contractor shall strictly adhere to such instructions. The Engineer shall have the right to inspect any construction tool and to forbid its use, if in his opinion it is unsafe. No claim due to such prohibition will be entertained.
1.9	Where it is necessary to provide and/or store petroleum products or petroleum mixture & explosives, the contractor shall be responsible for carrying out such provision / storage in accordance with the rules & regulations laid down in the relevant petroleum act, explosive act and petroleum and carbide of calcium manual, published by the chief inspector of explosives of India. All such storage shall have prior approval if necessary from the chief inspector of explosives or any other statutory authority. The contractor shall be responsible for obtaining the same.
1.10	Cylinders shall be moved by tilting and rolling them on their bottom edges. They shall not be intentionally dragged, struck or permitted to strike each other violently.
1.11	When cylinders are transported by powered vehicle they shall be secured in a vertical position.
1.12	All workmen of the contractor working on construction area shall wear safety shoes, hand gloves, safety helmets and safety belt as applicable. The contractor shall provide to its workforce and ensure the use of following personnel protective equipment as found necessary and as directed by BHEL.
1.12.1	Safety Helmets conforming to IS-2965 : 1984
1.12.2	Safety Belts conforming to IS-3521:1983
1.12.3	Safety Shoes conforming to IS-1989 : 1978
1.12.4	Eye and face protection devices conforming to IS – 8620 : 1977 & IS – 8950 : 1978.

## HSE & OHSAS

1.12.5	Hand and body protection devices conforming to IS – 2575 : 1975 and IS – 6994 : 1973, IS – 8907 : 1970 & 8619 : 1977
1.13	The contractor shall insure his workmen against all accidents and the policy shall be presented to BHEL Engineer on demand. Other wise, BHEL will arrange the same and the expenditure towards this will be debited to the contractor. In case of a fatal or disabling injury accident to any person at construction site due to lapses by the contractor, the victim and/or his/her dependants shall be compensated by the contractor as per statutory requirements. However, if considered necessary BHEL shall have the right to impose appropriate financial penalty on contractor and recover the same from payments due to the contractor for suitably compensating the victim and/or his/her dependence before imposing any such penalty. Appropriate enquiry shall be held by BHEL giving opportunity to the contractor for presenting his case. Above safety conditions are not exhaustive but gives an idea for the contractor and contractor shall adhere to all safety precaution given by the Engineer at site.
1.14	The contractor shall arrange at his cost adequate lighting facilities e.g. flood lighting, hand lamps, area lighting etc. at various levels for safe and proper working operations during night hours at the work spot as well as at the pre-assembly area.
1.15	The contractor shall be responsible for provision of all the safety notices and safety equipment as enjoined on him by the application of relevant statutory regulation / provisions and/or as called upon by BHEL from time to time. He shall be held responsible for any violation of statutory regulations (local, state or central) and BHEL instruction that may endanger safety of men, equipment and material.
1.16	The contractor shall provide temporary fencing wherever required as a safety measure against accident and damage to properties. Suitable caution notices shall be displayed where access to any part is found to be unsafe and hazardous.
1.17	Contractor shall ensure safety of all the workmen, material and equipment either belonging to him or to others working at site. He shall observe safety rules and codes applied by BHEL without exception.
1.18	It will be the responsibility of the contractor to ensure safe lifting of the equipment, taking due precaution to avoid any accident and damage to other equipment and personnel. All requisite tests and inspection of handling

## HSE & OHSAS

	equipment, tools & tackle shall be periodically done by the contractor. Defective equipment shall be removed from service. Any equipment shall not be loaded in excess of its recommended safe working load.
1.19	The contractor shall provide necessary first aid facilities for all his employees, representatives and workmen at site and BHEL shall have no obligation in this regard. The first aid boxes should be placed at various elevations so as to make them available within the reach and at the quickest possible time. The contractor should conduct periodical first –aid classes to keep his supervisor and Engineers properly trained for attending to any emergency.
1.20	All the contractor’s supervisory personnel and sufficient number of workers shall be trained for fire protection systems. Enough number of such trained personnel must be available during the tenure of contract. Contractor should nominate his supervisor to coordinate and implement the safety measures.
1.21	Contractor shall provide enough fire protecting equipment of the types and numbers at his office, stores, temporary structure in labour colony etc. Such fire protection equipment shall be easy and kept open at all times. The fire extinguishers shall be properly refilled and kept ready which should be certified at periodic intervals. The date of changing should be marked on the Cylinders. All other fire safety measures as laid down in the “codes for fire safety at construction site” issued by safety coordinator of BHEL shall be followed. Non-compliance of the above requirement under fire protection shall in no way relieve the contractor of any of his responsibility and liabilities to fire accident occurring either to his materials or equipment or those of others.
1.22	The contractor shall at his cost, remove from vicinity of work at least once each day all combustible waste, scrap, painting materials, rubbish, unused or other materials and deposit them in places specified by BHEL to keep the work site clear and tidy. Use of undercoated canvas paper, corrugated paper, fabricated carton, plastic or other flammable materials shall be restricted to the minimum and promptly removed.
1.23	The contractor shall not use any hand lamp energized by Electric power with supply voltage of more than 24 volts in confined spaces like inside water boxes turbine casings, condensers etc.
1.24	All portable electric tools used by the contractor shall have safe plugging system to source of power and be appropriately earthed. Only electricians licensed by appropriate statutory authority shall be employed by the contractor to carry out all types of electrical works.

## HSE & OHSAS

1.25	In case of any delay in completion of a job due to mishaps attributable to lapses by the contractor, BHEL shall have the right to recover cost of such delay from the payments due to the contractor, after notifying the contractor suitably.
1.26	Valve protection caps shall be kept in place and secured.
1.27	The contractor shall be responsible for the safe storage and handling of his radio-active sources as per BARC rules and regulations.
1.28	Tarpaulin being inflammable should not be used (instead, only non infusible covering materials shall be used) as protective cover while preheating, welding, stress relieving etc. at site.
1.29	If the contractor fails to improve the standards of safety in its operation to the satisfaction of BHEL after being given reasonable opportunity to do so and/or if the contractor fails to take appropriate safety precautions or to provide necessary safety devices and equipment or to carry out instruction regarding safety issued by BHEL, BHEL shall have the right to take corrective steps at the risk and cost of the contractor after giving a notice of not less than 7 days indicating the steps that would be taken by BHEL.
1.30	If the contractor succeeds in carrying out its job in time with out any fatal or disabling injury accident and without any damage to property BHEL may, at its sole discretion, favorably consider to reward the contractor suitably for the performance.
1.31	The contractor shall carefully follow the safety requirement of BHEL/ the purchaser with the regard to voltages used in critical areas.
1.32	The contractor shall use only properly insulated and armored cables which conform to the requirement of Indian Electricity Act and Rules for all wiring, electrical applications at site. BHEL reserves the right to replace any unsafe electrical installations, wiring, cabling etc. at the cost of the contractor. All electrical appliances used in the work shall be in good working condition and shall be properly earthed. No maintenance work shall be carried out on live equipment. The contractor shall maintain adequate number of qualified electricians to maintain his temporary electrical installations.
1.33	The contractor shall arrange adequate number of persons specifically for clearing any debris and for house keeping of the erection area including restacking of components in the erection areas.

## HSE & OHSAS

1.34	In case of any damage to property due to lapses by the contractor, BHEL shall have the right to recover the cost of such damages from the contractor after holding an appropriate enquiry.
1.35	The contractor shall submit report of all accidents, fires and property damage etc to the Engineer immediately after such occurrence, but in any case not later than 24 hours of the occurrence. Such reports shall be furnished in the manner prescribed by BHEL. In addition periodic reports on safety shall also be submitted by the contractor to BHEL from time to time as prescribed by the Engineer.
1.36	Before commencing the work, the contractor shall appoint/nominate a responsible person to supervise implementation of all safety measures and liaison with his counterpart of BHEL.
1.37	Suitable scaffolds shall be provided for workman for all works that cannot safely be done from the ground, or from solid construction except in the case of short duration of work which can be done safely from ladders. When a ladder is used, it shall be of rigid construction made of steel. The steps shall have a minimum width of 45 cm and a maximum rise of 30 cm. Suitable handholds of good quality wood or steel shall be provided and the ladder shall be given an inclination not steeper than ¼ horizontal and 1 vertical.
1.38	Scaffolding or staging more than 3.6 m above the ground floor, swung or suspended from an overhead support or erected with stationery support shall have a guard rail properly bolted, braced or otherwise secured, at least 90 cm above the floor or platform of such scaffolding or staging and extending along the entire length of the out side and ends thereof with only such openings as may be necessary for the delivery of materials. Such scaffolding or staging shall be so fastened as to prevent it from swaying, from the building or structure.
1.39	Working platforms, gangways and stairways shall be so constructed that they do not sag unduly or unequally and if the height of the platform gangways provided is more than 3.6 m above ground level or floor level, they shall be closely boarded and shall have adequate width which shall not be less than 750 mm and be suitably fenced as described above.
1.40	Every opening in the floor or a building or in a working platform shall be provided with suitable means to prevent the fall of persons or materials by providing suitable fencing or railing whose minimum height shall be 90 cm.

## HSE & OHSAS

1.41	Wherever there are open excavation in ground, they shall be fenced off by suitable railing and danger signals installed at night so as to prevent persons slipping into the excavations.
1.42	Safe means of access shall be provided to all working places. Every ladder shall be securely fixed. No portable single ladder shall be over 9 m in the length while the width between side rails in rung ladder shall in no case be less than app. 29.2 cm for ladder upto and including 3 m in length. For longer ladders this width shall be increased at least ¼" for each additional foot of length.
1.43	A sketch of the ladders and scaffolds proposed to be used shall be prepared and approval of the Engineer obtained prior to Construction.
1.44	All personnel of the Contactor working within the plant site shall be provided with safety helmets. All welders shall wear welding goggles while doing welding work and all metal worker shall be provided with safety gloves. Persons employed on metal cutting and grinding shall wear safety glasses.
1.45	Adequate precautions shall be taken to prevent danger for electrical equipment. No materials on any of the sites of work shall be so stacked or placed as to cause danger or inconvenience to any person or the public.
1.46	All trenches, four feet or more in depth, shall at all times be supplied with at least one ladder for each 30 m in length or fraction thereof. The ladder shall be extended from bottom of the trench to at least 90 cm above the surface of the ground. Sides of the trenches which are 1.50 m or more in depth shall be stepped back to give suitable slope or securely held by timer bracing, so as to avoid the danger of sides collapsing. The excavated materials shall not be placed within 1.5 m of the edges of the trench or half of the depth of the trench whichever is more. Cutting shall be done from top to bottom. Under no circumstances undermining or undercutting shall be done.
1.47	The Contactor shall take all measures at the sites of the work to protect all persons from accidents and shall be bound to bear the expenses of defense of every suit, action or other proceeding at law that may be brought by any persons for injury sustained or death owing to neglect of the above precautions and to pay any such persons such compensation or which may with the consent of the Contractor be paid to compromise any claim by any such person should such claim proceeding be filed against BHEL, the Contractor hereby agrees to indemnify BHEL against the same.
1.48	Before any demolition work is commenced and also during the process of the

## HSE & OHSAS

	work the following shall be ensured:
1.48.1	All roads and open areas adjacent to the work site shall either be closed or suitably protected.
1.48.2	No electric cable or apparatus which is liable to be a source of danger nor a cable or an apparatus used by the operator shall remain electrically charged.
1.48.3	All practical steps shall be taken to prevent danger to persons employed from the risks of fire or explosion or flooding. No floor, roof or other part of the building shall be so overloaded with debris or materials as to render them unsafe.
1.49	All necessary personnel safety equipment as considered adequate by the Engineer should be kept available for the use of the persons employed in the Site and maintained in a condition suitable for immediate use and the Contactor should take adequate steps to ensure proper use of equipment by those concerned.
1.49.1	Workers employed on mixing asphalted materials, cement and lime mortars shall be provided with protective foot wear and protective goggles.
1.49.2	Those engaged in white washing and mixing or stacking of cement bags or any materials which is injurious to the eyes shall be provided with protective goggles.
1.49.3	Those engaged in welding works shall be provided with welder's protective eyesight lids.
1.49.4	Stone breakers shall be provided with protective goggles and protective clothing and seated sufficient to safe intervals.
1.49.5	Where workers are employed in sewers and manholes, which are in use, the Contractor shall ensure that the manhole covers are opened and ventilated at least for an hour before the workers are allowed to get into manhole, and the manholes so opened shall be cordoned off with suitable railing and provided with warning signals or boards to prevent accident to the public.
1.49.6	The Contractor shall not employ men below the age of 18 years and women on the work of painting with products containing lead in any form. Wherever men above the age of 18 are employed on the work of lead painting, the following precautions should be taken.
1.49.6.1	No paint containing lead or lead products shall be used except in the form of paste or ready made paint.

## HSE & OHSAS

1.49.6.2	Suitably face masks should be supplied for use by the workers where paints are applied in the form of spray or a surface having lead paint dry rubbed and scrapped.
1.49.6.3	Overalls shall be supplied by the Contractor to the workmen and adequate facilities shall be provided to enable the working painters to wash during the cessation of work.
1.50	When the work is being done near any place where there is risk of drowning all necessary equipment should be provided and kept ready for use and all necessary steps taken for prompt rescue of any person in danger and adequate provision should be made for prompt first aid treatment of all injuries likely to be sustained during the course of the work.
1.51	Motors, gearing, transmission, electric wiring and other dangerous parts of hoisting appliances should be provided with efficient safe guards. Hoisting appliance should be provided with such means as will reduce to the minimum the risk of any part of a suspended load becoming accidentally displaced. When workers employed on electrical installations which are already energized, insulating mats, wearing apparel, such as gloves, sleeves and boots as may be necessary should be provided. The worker should not wear any rings, watches and carry keys or other materials which are good conductor of electricity.
1.52	All scaffolds, ladders and other safety devices mentioned or described herein shall be maintained in safe condition and no scaffold, ladder or equipment shall be altered or removed while it is in use. Adequate washing facilities should be provided at or near the places of work.
1.53	The contractor shall maintain and ensure necessary safety measures as required for inspection and tests HV test, Pneumatic test, Hydraulic test, Spring test, Bend test etc as applicable, to enable. inspection Agency for performing Inspection. If any test equipment is found not complying with proper safety requirements then the Inspection Agency may withhold inspection, till such time the desired safety requirements are met.
1.54	The Contractor shall notify BHEL of his intention to bring to site any equipment or material which may create hazard. BHEL shall have the right to prescribe the conditions under which such equipment or materials may be handled and the contractor shall adhere to such instructions. BHEL may prohibit the use of any construction machinery, which according to him is unsafe. No claim for compensation due to such prohibition will be entertained by BHEL.

## HSE & OHSAS

1.55	All safety precautions shall be taken for welding and cutting operations as per IS-818. All safety precautions shall be taken for foundation and other excavation marks as per IS-3764.																						
1.56	These safety provisions should be brought to the notice of all concerned by display on a notice board at a prominent, place at work spot. The persons responsible for compliance of the safety code shall be named therein by the Contractor.																						
1.57	To ensure effective enforcement of the rules and regulations relating to safety precautions the arrangement made by the contract shall be open to inspection by the Engineer of the Engineer's Representative.																						
1.58	Keeping the work area clean/ free from debris, removed scaffoldings, scraps insulation/sheeting wastage /cut pieces, temporary structures, packing woods etc. will be in the scope of the contractor. Such cleanings has to be done by contractor within quoted rate, on daily basis by an identified group. If such activity is not carried out by contractor / BHEL is not satisfied, then BHEL may get it done by other agency and actual cost alongwith BHEL overheads will be deducted from contractor's bill. Such decisions of BHEL shall be binding on the contractor.																						
1.59	Notwithstanding the above clauses there is nothing to exit the Contractor from the operations of any other Act or Rule in force in area of work in this respect.  Provided always that all safety measures apart from those specifically provided in this agreement which are brought to the notice of the Contractor from time to time by the Engineer shall be complied by the Contractor. Provided further that all consequences, damages, or losses arising by reason of any safety code shall be met with by the Contractor.																						
1.60	<p><b><u>NON COMPLIANCE:-</u></b>  NONCONFORMITY OF SAFETY RULES AND SAFETY APPLIANCES WILL BE VIEWED SERIOUSLY AND BHEL HAS RIGHT TO IMPOSE FINES ON THE CONTRACTOR AS UNDER <b><u>for every instance of violation noticed:</u></b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">SN</th> <th style="width: 60%;">Violation of Safety Norms</th> <th style="width: 15%;">Fine (in Rs)</th> <th style="width: 15%;"></th> </tr> </thead> <tbody> <tr> <td>01</td> <td>Not Wearing Safety Helmet</td> <td>50/-</td> <td></td> </tr> <tr> <td>02.</td> <td>Not wearing Safety Belt</td> <td>100/-</td> <td></td> </tr> <tr> <td>03.</td> <td>Grinding Without Goggles</td> <td>50/-</td> <td></td> </tr> <tr> <td>04.</td> <td>Not using 24 V Supply For Internal Work</td> <td>500/-</td> <td></td> </tr> </tbody> </table>			SN	Violation of Safety Norms	Fine (in Rs)		01	Not Wearing Safety Helmet	50/-		02.	Not wearing Safety Belt	100/-		03.	Grinding Without Goggles	50/-		04.	Not using 24 V Supply For Internal Work	500/-	
SN	Violation of Safety Norms	Fine (in Rs)																					
01	Not Wearing Safety Helmet	50/-																					
02.	Not wearing Safety Belt	100/-																					
03.	Grinding Without Goggles	50/-																					
04.	Not using 24 V Supply For Internal Work	500/-																					

## HSE & OHSAS

	05.	Electrical Plugs Not used for hand Machine	100/-
	06.	Not Slings property	200/-
	07.	Using Damaged Sling	200/-
	08.	Lifting Cylinders Without Cage	500/-
	09.	Not Using Proper Welding Cable With Lot of Joints And Not Insulated Property.	200/-
	10.	Not Removing Small Scrap From Platforms	200/-
	11.	Gas Cutting Without Taking Proper Precaution or Not Using Sheet Below Gas Cutting	200/-
	12.	Not Maintaining Electric Winches Which are Operated Dangerously	500/-
	13.	Improper Earthing Of Electrical T&P	500/-
	14.	Accident Resulting in Partial Loss in Earning Capacity	25,000/- per victim
	15.	Fatal Accident/Accidents Resulting in total loss in Earning Capacity	1,00,000/ - per victim
	<p>Any other non-conformity noticed not listed above will also be fined as deemed fit by BHEL. The decision of BHEL engineer is final on the above. The amount will be deducted from running bills of the contractor. The amount collected above will be utilized for giving award to the employees who could avoid accident by following safety rules. Also the amount will be spent for purchasing the safety appliances and supporting the safety activity at site.</p>		
1.61	<p><b><u>CITATION:</u></b>-If safety record of the contractor in execution of the awarded job is to the satisfaction of safety department of BHEL, issue of an appropriate certificate to recognize the safety performance of the contractor may be considered by BHEL after completion of the job</p>		
1.62	<p><b><u>MEMORANDUM OF UNDERSTANDING</u></b> After Award Of Work, Contractors Are Required To Enter Into A Memorandum Of Understanding As Given Below:</p> <p style="text-align: center;"><b><u>Memorandum of Understanding</u></b></p> <p>¾ BHEL, Power Sector _____Region is committed to Health, Safety and Environment Policy (EHS Policy).</p> <p>¾ M/s _____do hereby also commit to the same</p>		

## HSE & OHSAS

---

EHS Policy while executing the Contract Number \_\_\_\_\_

$\frac{3}{4}$  M/s \_\_\_\_\_ shall ensure that safe work practices not limited to the above are followed by all construction workers and supervisors. Spirit and content therein shall be reached to all workers and supervisors for compliance.

$\frac{3}{4}$  BHEL will be carrying out EHS audits twice a year and M/s \_\_\_\_\_ shall ensure to close any non-conformity observed/reported within fifteen days.

Signed by authorized representative of M/s -----

Name :

Place & Date:

**ANNEXURE-VII**

**BHARAT HEAVY ELECTRICALS LTD  
POWER SECTOR EASTERN REGION  
KOLKATA**

**PRICE SCHEDULE**

**WORK: "OVERHAULING OF BOILER & AUXILIARIES OF UNIT-7, 500 MW, MEJIA TPS, DVC, WEST BENGAL".**

**Tender No. PSER: PUR: MJA-S194:15 (ENQ:15:PP:0015:PUR:102) Date: 15/10/2015.**

**PRICE: (TO QUOTE LUMP SUM AND FIRM PRICE ONLY IN INTERNATIONAL NUMERALS AND ENGLISH WORDS BREAK UP NOT TO BE SHOWN UNLESS AND OTHERWISE SPECIFICALLY ASKED FOR)**

SL NO	DESCRIPTION OF WORK	QUANTITY	LUMP SUM AND FIRM PRICE (IN RS) INCLUDING ALL TAXES & DUTIES, BUT EXCLUDING SERVICE TAX
1	"OVERHAULING OF BOILER & AUXILIARIES OF UNIT-7, 500 MW, MEJIA TPS, DVC, WEST BENGAL".	01 LOT	RS. (IN FIGURE): _____  RUPEES. (IN WORDS): _____ _____ _____
2	<b>Service Tax shall be paid extra, as applicable</b>		

**NOTE: EVALUATION OF BID SHALL BE BASED ON "LUMP SUM AND FIRM PRICE (IN RS) INCLUDING ALL TAXES & DUTIES, BUT EXCLUDING SERVICE TAX"**

SIGNATURE OF THE TENDERER & DATE:

NAME, DESIGNATION & SEAL:

**ANNEXURE-A**

1	<b>Suspension of business dealing with Suppliers</b> Depending upon the gravity of the omission or commission by the Supplier, the Supplier may be either put on hold for future enquiries for specific material category/ item or delisted or banned as detailed hereinafter.
2.0	<b>Hold</b> A Supplier may be put on hold for future enquiries for specific material category/ items/ works for a specific unit on the basis of one or more of the following reasons:
2.1	Before placement of order, Supplier does not honour his own offer or any of its conditions within the validity period.
2.2	In the last three consecutive supplies of a specific material category, average quality rating as at the end of the previous calendar month falls below 80% of the quality weightage. This is irrespective of supplies against PO(s) having single/ multiple delivery schedules.
2.3	Two consecutive delays, for reasons of delay attributed to the Supplier, in execution of the contracts where delay occurred is such that a) prescribed maximum LD time limits of the contracts is reached/ exceeded or b) delay period has equaled/ exceeded the original delivery period specified in the contracts whichever among the above is earlier.
2.4	Supplier performance rating in line with SEARP falls below 60% of the specific material category.
2.5	Supplier fails to respond against three consecutive tenders. ('Regret letter' from the Supplier is to be considered as response)
2.6	Supplier fails to settle any outstanding on account of material (including short return)/ scrap or on any other account.
2.7	Supplier works are under strike/ lockout for a period of more than six months.
3.0	<b>De-listing</b> A Supplier may be de-listed i.e. removed from the list of registered Suppliers of a Unit for all categories of material on the basis of one or more of the following reasons:
3.1	Supplier in any way tampers with tendering procedure affecting ordering process.
3.2	Supplier has misused BHEL documents/ drawings or has breached the confidentiality agreement with BHEL.
3.3	After placement of order, Supplier fails to execute the contract.
4.0	<b>Banning</b> A Supplier can be banned from doing any business with all Units of BHEL on the basis of receipt of evidence of one or more of the following reasons:
4.1	Supplier is found to be responsible for submitting fake/ false/ forged documents, certificates, or information or has resorted to unethical, illegal means in getting the contract.
4.2	In spite of warnings, the Supplier persistently violates or circumvents the provisions of labour laws/ regulations/ rules and other statutory requirements.
4.3	Supplier is found to be involved in cartel formation or in any act so as to influence the bidding process or influence the price.
4.4	The Supplier has indulged in malpractices or misconduct such as bribery, corruption and fraud, pilferage etc.
4.5	The Supplier is found guilty by any court of law for criminal activity/ offences involving moral turpitude in relation to business dealings.
4.6	The Supplier is declared bankrupt, insolvent, has wound up or been dissolved; i.e. ceases to exist for all practical purposes.
4.7	Supplier is found to have obtained any internal information/ documentation of BHEL by unauthorized means.
4.8	A decision has been taken by the administrative ministry of the Government to ban business dealings with a Supplier and such decision has been communicated to BHEL.
4.9	The foreign Principals along with the representing Agent shall be banned together if information submitted by them about their precise relationship, commission/ remuneration etc. payable/ receivable and other particulars as asked by BHEL, as per the extant guidelines regarding dealing with Agents of Foreign Suppliers is found false/ incorrect.
4.10	Supplier has substituted, damaged, failed to return, or unauthorizedly disposed off free issue materials/ tools etc. of BHEL.
5.0	Contracts already entered with a contractor before the date of issue of order of 'HOLD' or 'DE-LISTING' shall not be affected.
6.0	All existing contracts with a 'BANNED' contractor shall normally be short closed
7.0	Once the order for banning is passed, existing offers/ new offers of the Supplier shall not be entertained.
8.0	The above guidelines are not exhaustive but enunciate broad principles governing action against contractors

**ANNEXURE-B**

**Certificate by Chartered Accountant on letter head**

This is to Certify that M/S  
.....,  
(hereinafter referred to as 'company') having its registered office at  
..... is registered under MSMED Act 2006, (Entrepreneur  
Memorandum No (Part-II) .....  
dtd:..... ,  
Category: ..... (Micro /Small)). (Copy enclosed).

Further verified from the Books of Accounts that the investment of the company as per the latest audited financial year ..... as per MSMED Act 2006 is as follows:

1. For Manufacturing Enterprises: Investment in plant and machinery (i.e. original cost excluding land and building and the items specified by the Ministry of Small Scale Industries vide its notification No.S.O.1722(E) dated October 5, 2006 :

Rs..... Lacs

2. For Service Enterprises: Investment in equipment (original cost excluding land and building and furniture, fittings and other items not directly related to the service rendered or as may be notified under the MSMED Act, 2006:

Rs..... Lacs

(Strike off whichever is not applicable)

The above investment of Rs ..... Lacs is within permissible limit of Rs..... ..Lacs for..... Micro / Small (Strike off which is not applicable) Category under MSMED Act 2006.

Or

The company has been graduated from its original category (Micro/ Small) (Strike off which is not applicable) and the date of graduation of such enterprise from its original category is ..... (dd/mm/yyyy) which is within the period of 3 years from the date of graduation of such enterprise from its original category as notified vide 5.0. No. 3322(E) dated 01.11.2013 published in the gazette notification dated 04.11.2013 by Ministry of MSME.

Date:

(Signature)

Name-

Membership number -

Seal of Chartered Accountant

---

**DECLARATION FOR RELATION IN BHEL**

(To be typed and submitted in the Letter Head of the Company/Firm of Bidder failing which the offer of Bidder is liable to be summarily rejected)

---

To,

(Write Name & Address of Officer of BHEL inviting the Tender)

Dear Sir,

Sub: **Declaration for relation in BHEL**

Ref: 1) NIT/Tender Specification No: .....

I/We hereby submit the following information pertaining to relation/relatives of Proprieter/Partner(s)/Director(s) employed in BHEL.

Tick (√) any one as applicable:

1. The Proprietor, Partner(s), Director(s) of our Company/Firm DO NOT have any relation or relatives employed in BHEL

OR

2. The Proprietor, Partner(s), or Director(s) of our Company/Firm HAVE relation/relatives employed in BHEL and their particulars are as below:

(i)

(ii)

Signature of the Authorized Signatory

Note:

1. Attach separate sheet, if necessary.
2. If BHEL Management comes to know at a later date that the information furnished by the Bidder is false, BHEL reserves the right to take suitable against the Bidder/Contractor.

**FORMAT FOR SEEKING CLARIFICATION**

(To be typed and submitted in the Letter Head of the Company/Firm of Bidder)

---

To,

(Write Name & Address of Officer of BHEL inviting the Tender)

Dear Sir,

Sub: **Request for Clarification**

Ref: 1) NIT/Tender Specification No: .....,  
2) All other pertinent issues till date

Sl no	Reference clause of Tender Document	Existing provision	Bidder's query	BHEL's clarification
1				
2				
3				

Yours faithfully,

(Signature, date & seal of Authorized Representative of the Bidder)

# BANK GUARANTEE FOR SECURITY DEPOSIT CUM PERFORMANCE BANK GUARANTEE BOND

B.G. NO.

Date

This deed of Guarantee made this ----- day of -----two thousand ---- by <Name and Address of Bank> hereinafter called the "The Guarantor" (which expression shall unless repugnant to the context or meaning thereof be deemed to include its successors and assigns) in favour of M/s Bharat Heavy Electrical Limited ( A Govt. of India Undertaking) a company incorporated under the Companies Act, 1956, having its registered office at BHEL House, Siri Fort, Asiad, New Delhi – 110049 through its unit at <Address of Power Sector Region<sup>1</sup>> hereinafter called "The Company" (which expression shall unless repugnant to the context or meaning thereof be deemed to include its successors and assigns)

WHEREAS < Contractor's Name and Address> (hereinafter referred to as the Contractor) have entered into a contract arising out of Letter of Intent no. < LOI REF & Date > (hereinafter referred to as "the contract") for < Name of Work > with the company.

AND WHEREAS the contract inter-alia provides that the contractor shall furnish to the company a sum of Rs.----- (Rupees-----) towards security deposit for due and faithful performance of the contract in the form and manner specified therein.

AND WHEREAS the contractor has approached the Guarantor and in consideration of the arrangement arrived at between the contractor and the Guarantor, the Guarantor has agreed to give the Guarantee as hereinafter mentioned in favour of the company.

The Guarantor do hereby guarantee to the company the due and faithful performance, observance or discharge of the Contract by the contractor and further unconditionally and irrevocably undertake to pay to the Company without demur and merely on a demand, to the extent of Rs.----- (Rupees-----) against any claim by the company on them for any loss, damage, costs, charges and expenses caused to or suffered by the company by reasons of the contractor making any default in the performance, observance or discharge of the terms, conditions, stipulations or undertakings or any of them as contained in the contract.

The decision of the company whether any default has occurred or has been committed by the contractor in the performance, observance or discharge of any of the terms, conditions, stipulations or undertakings or any one of them as contained in the contract and / or as to the extent of loss, damage, costs, charges and expenses caused to or suffered by the company by reason of the contractor making any default in the performance, observance or discharge of any of the terms, conditions, stipulations or undertakings or any one of them shall be conclusive and binding on the Guarantor irrespective of the fact whether the contractor admits or denies the default or questions the correctness of any demand made by the company in any Court, Tribunal or Arbitration proceedings or before any other Authority.

The company shall have the fullest liberty without affecting in any way the liability of the Guarantor under this Guarantee, from time to time to vary any of the terms and conditions of the contract or extend time of performance by the contractor or to postpone for any time and from time to time any of the powers exercisable by it against the contractor and either enforce or forebear from enforcing any of the terms and conditions governing the contract or securities available to the company and the Guarantor shall not be released from its liability under these presents by any exercise by the company of the liberty with reference to the matters aforesaid or by reasons of time being given to the contractor or any other forbearance, act or commission on the part of the company or any indulgence by the company to the contractor or any other matter or thing whatsoever which under the law relating to sureties would, but for this provision have the effect of so releasing the Guarantor from its liability under this guarantee.

The Guarantor further agrees that the Guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the contract and its claim satisfied or discharged and till the company certifies that the terms and conditions of the contract have been fully and properly carried out by the contractor and accordingly discharges this Guarantee, subject however, that the company shall have no claim under this Guarantee after ----- i.e. (3 months more than the present date of validity of Bank Guarantee unless the date of validity of this Bank Guarantee is further extended from time to time, as the case may be) unless a notice of the claim under this Guarantee has been served on the Guarantor before the expiry of the said period in which case the same shall be enforceable against the Guarantor notwithstanding the fact that the same is enforced after the expiry of the said period.

**BANK GUARANTEE FOR SECURITY DEPOSIT CUM PERFORMANCE BANK GUARANTEE BOND**

The Guarantor undertakes not to revoke this Guarantee during the period it is in force except with the previous consent of the Company in writing and agrees that any liquidation or winding up or insolvency or dissolution or any change in the constitution of the contractor or the Guarantor shall not discharge the Guarantor's liability hereunder.

It shall not be necessary for the company to proceed against the contractor before proceeding against the Guarantor and the Guarantee herein contained shall be enforceable against them notwithstanding any security which the Company may have obtained or obtain from the Contractor shall at the time when proceedings are taken against the Guarantor hereunder be outstanding or unrealized.

Notwithstanding anything contained herein before, our liability under the Guarantee is restricted to Rs.----- (Rupees-----). Our guarantee shall remain in force until -----, i.e. (the present date of validity of Bank Guarantee unless the date of validity of this Bank Guarantee is further extended from time to time) unless a claim or demand under this guarantee is made against us on or before ----- (3 Months more than the validity date) we shall be discharged from our liabilities under this Guarantee thereafter.

Any claim or dispute arising under the terms of this documents shall only be enforced or settled in the courts of at < **Name of place<sup>2</sup>** > only.

The Guarantor hereby declares that it has power to execute this guarantee and the executant has full powers to do so on behalf of the Guarantor.

IN WITNESS whereof the ----- (Bank) has hereunto set and subscribed its hand the day, month and year first, above written.

(Name of the Bank)

Signed for and on behalf of the Bank  
(Designation of the Authorized Person Signing the Guarantee)

(Signatory No.-----)

DATED:

SEAL

Notes :

1. **Address of Power Sector Regions (inviting the Tender)** is as below:
  - PSNR : Bharat Heavy Electricals Limited, Power Sector Northern Region, HRDI & PSNR Complex, Plot No 25, Sector 16-A, Noida – 201 301 (Uttar Pradesh)
  - PSER : Bharat Heavy Electricals Limited, Power Sector Eastern Region, BHEL Bhawan, Plot No 9/1, DJ Block, Sector-II, Salt lake City, Kolkata – 700 091
  - PSWR: Bharat Heavy Electricals Limited, Power Sector Western Region, Shree Mohini Complex, 345 Kingsway, Nagpur 440 001
  - PSSR: Bharat Heavy Electricals Limited, Power Sector Southern Region, 690, Anna Salai, Nandanam, Chennai 600 035
2. **Name of place (for jurisdiction of Courts)** is as below:
  - PSNR : Delhi
  - PSER : Kolkata
  - PSWR: Nagpur
  - PSSR : Chennai
3. The BG shall be executed on non-judicial stamp papers of adequate value procured in the name of the Bank in the State where the Bank is located.
4. The BG is required to be sent by the executing Bank directly to BHEL at the address where tender is submitted / accepted under sealed cover.

## **RTGS FORMAT**

### **Form for getting payment through RTGS (Real Time Gross Settlement)**

01. NAME OF VENDOR
02. ADDRESS
03. VENDOR'S BANK A/C NAME
04. VENDOR'S BANK A/C NO.
05. NAME OF BANK
06. NAME OF BRANCH
07. BRANCH PH. NO.
08. CITY
09. IFSC CODE OF THE BRANCH

THE CHARGES IF ANY FOR PAYMENT THROUGH RTGS MAY BE RECOVERED FROM THE BILL SUBMITTED BY US.

SIGNATURE OF AUTHORISED REPRESENTATIVE  
OF VENDOR WITH DATE & SEAL

CONFIRMATION BY BANKER WITH  
OFFICE SEAL

Note : Incorrect information will create accounting complications and payment will be delayed.



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

**SECTION – I**  
**Instructions to Tenderers**  
**GENERAL INSTRUCTION TO TENDERERS**

**1.1 Submission of Tender in “Three Parts”.**

- (1) Technical Tender : All particulars asked for from the Vendor except the Price Bid & E.M.D in an envelope.
- (2) EMD in a sealed envelope clearly superscribing on the envelope “E.M.D”, the Tender Number, Name of Work, addresses of Vendor and addressee. One time EMD holders needn't enclose this provided that proof of EMD remittance is enclosed in the technical tender.
- (3) Price Bid in the price schedule enclosed in the tender, in sealed envelope, clearly superscribing “Price Bid”, Tender Number, Name of Work, Name of the Vendor and addressee.

All the above “Parts” can be placed in an sufficiently large outer envelope for submission.

**1.1.1a This Tender specification as a whole, duly furnishing the following details shall be duly signed and sent in a sealed cover superscribing :**

TENDER		FOR
TENDER	SPECIFICATION	NO.
DUE ON	_____	

**1.1.1b DURATION OF JOB**

**1.1.1.1 Earnest Money Deposit.**

**1.1.1.2 Income Tax & Sales Tax Clearance Certificate.**

**1.1.1.3 Detailed organisation chart for manpower resources available with the tenderer and to be employed for the present jobs.**

**1.1.1.4 Time to be taken for commencement and completion of Work.**

**1.1.1.5 A list of experience as mentioned in the tender document.**

**1.1.1.6 The details of the present jobs being handled.**

**1.1.1.7 Certificate from the BHEL's scheduled Banks to establish financial capability of the tenderer as per format enclosed at annexure-I.**

**1.1.1.8 Attested copies of partnership deed, power of attorney and tender specifications duly signed as mentioned in the tender documents.**

**1.1.1.9 Price schedule and other relevant information.**

**NOTE: All Xerox copies enclosed by the Vendor should be attested and sealed for authenticity.**



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

- 1.1.2 The tender shall be addressed to:  
**HEAD, PURCHASE DEPARTMENT  
BHARAT HEAVY ELECTRICALS LIMITED,  
POWER SECTOR, EASTERN REGION, (2<sup>ND</sup> FLOOR),  
PLOT-9/1, BLOCK-DJ, SECTOR-II, SALT LAKE,  
KOLKATA – 700091.**
- 1.1.3 Tenders submitted by post shall be sent “REGISTERED POST ACKNOWLEDGEMENT DUE” and shall be posted with the due allowance for any postal delay. The tenders received after the due date and time of opening are liable to be rejected. Telegraphic offers and offers received by telex may not be considered unless confirmed in writing by a detailed offer.
- 1.1.4 Tenders shall be opened by the authorised officer of BHEL at his office at the time and date as specified in the tender notice in the presence of such of those tenderers or their authorised representatives who may be present.
- 1.1.5 The Tenderer shall closely peruse all the clauses, specifications and drawings indicated in the Tender Documents before quoting. Should the tenderer have any doubt about the meaning of any portion of the Tender Specifications or find discrepancies or omission in the drawings or the tender documents issued are incomplete or shall require clarification on any of the technical aspect, scope of work etc., he shall at once contact the authority inviting the tender for clarification before the submission of the offer.
- 1.1.6 Before tendering, the tenderer is advised to inspect the site of work and the environments and be well acquainted with the actual working and other prevalent conditions, facilities available, position of material and labour. No claim will be entertained later on the ground of lack of knowledge.
- 1.1.7 Tenderers must fill up all the schedules and furnish all the required information as per the instructions given in various sections of the tender specification. Each and every page of the Tender Specification & deceleration must be signed bearing seal and submitted along with the offers by the Tender in token of complete acceptance thereof. The information furnished shall be complete by itself. The booklet of G.S.C.C may be retained by the bidder if deceleration is enclosed along with the bid duly filled in and signed and sealed.
- 1.1.8 The tender shall quote the rates in English language and international numerals. The rates shall be in whole rupees. These rates shall be entered in figures as well as in words. For the purpose of the tender, the metric system of units shall be used.
- 1.1.9 All entries in the tender shall either be typed or be in ink. Erasures and overwriting are not permitted and may render such tenders liable to summary rejection. All cancellations and insertions shall be duly attested by the tenderer.
- 1.2 Qualifications of Tenderers :  
Only tenderers who have previous experience in work of this nature and description detailed in this tender specification and/or registered with BHEL, PS-ER-SAS for such works are expected to quote for this work duly detailing their



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

experience along with the offer. Offers from tenderers who do not have established experience in the field are not likely to be considered.

1.3 Data to be enclosed :

Full information shall be given by the tender in respect of following. Non-submission of this information may lead to rejection of the offer/tender.

1.3.1 Financial Status :

- a) A certificate from BHEL's scheduled Bank to prove his financial capacity/capability to undertake the work of solvency certificate from the concerned Government Authority.
- b) Contractors other than those who are registered in ER, should submit their audited annual accounts for three years preceding the financial year in which tenders are called for.

1.3.2 Income Tax / Sales Tax Certificate :

A certificate of Income Tax / Sales Tax verification from the appropriate authority in the forms prescribed therefor duly indicating annual turnover. The certificates shall be valid for one year from the date of issue or for the period prescribed therein for all tenders submitted during the period.

1.3.3 Previous Experience :

A statement giving particulars duly supported by documentary evidence of the various services rendered for each similar work by the tenderer indicating the particulars and value of each work, the site location and the duration and date of completion and also a list of site locations and particulars and value of various services that are under progress.

1.3.4 Organisation Chart :

The organisation pattern that is totally available with the tenderer and that will be employed by the tenderer for this work duly indicating the number of Engineers and Supervisors, their qualification and experience in the line, the number of skilled and unskilled workmen etc.

1.3.5 An attested copy of the Power of Attorney, in case the tender is signed by an individual other than the sole proprietor, shall also be attached.

1.3.6 In case of an individual :  
His full name, address and place and nature of business.

1.3.7 In case of Partnership firms:  
The name of all the partners and their addresses. A copy of the Partnership Deed (Instrument of partnership) duly certified by the Notary Public shall be enclosed.

1.3.8 In case of Companies:



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**P SER  
KOLKATA**

Date and place of registration including Date of Commencement Certificate in case of public companies (certified copies of Memorandum and Articles of Associations are also to be furnished).

- 1.3.9 Nature of business carried on by the Company and the provision of the Memorandum relating thereof.
- 1.3.10 Names and particulars including addresses of all the Directors and their previous experience.
- 1.3.11 A list of tools and tackles that the tenderer is having and those that will be earmarked for this job.
- 1.3.12 In addition to the above, the particulars required in various annexures.

**EARNEST MONEY DEPOSIT:**

- 1.4.1 Every tender Must be accompanied by the prescribed amount of Earnest Money Deposit in any one of the following forms:
- 1.4.1.1 CASH - The amount should be remitted by the party to the Cashier of Bharat Heavy Electricals Limited, PS-ER,Kolkata between 14.00 hours and 16.00 hours on working days and cash receipt issued by him shall be enclosed along with the tender.
- 1.4.1.2 Crossed Demand Draft OR Pay Order payable at Kolkata duly pledged in favour of Bharat Heavy Electricals Limited, Kolkata.
- 1.4.1.3 Parties who are registered as Contractors in this Region for services jobs may deposit a sum of Rs. 1,00,000/- (Rupees One lakh only), non-interest bearing, towards one time Earnest Money Deposit (OEMD) in which case they are exempted from paying E.M.D. on case to case basis. This facility can also be availed by non-registered contractors getting regular enquiries also .
- 1.4.2 Tenders received without Earnest Money in full in the manner prescribed above are liable to be rejected.
- 1.4.3 The Earnest Money Deposit of the successful tenderer will be retained towards part of Security Deposit of the due fulfilment of the Contract. However, the same may be released as soon as the Security Deposit mentioned clause 1.8 is furnished.
- 1.4.4 In the case of unsuccessful tenderers the Earnest Money will be refunded to them within a reasonable time on acceptance of award of work by the successful tenderer.
- 1.4.5 BHEL reserves the right of forfeiture of Earnest Money Deposit in case the successful tenderer.
- a) fails to start the work, as may be in the Letter of Intent.
- b) after opening of tender, revokes his tender within the validity period or increases his quoted rates.
- c) Fails to mobilise the site with required T&P and manpower within the time specified in Letter of Intent.



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

**1.5 Authorisation and Attestation :**

1.5.1 Tenders shall be signed by persons duly authorised/empowered to do so. Certified copies of such authority and relevant documents shall be submitted along with the tenders.

**1.6 Validity of Offer :**

The rates in the tender shall be kept open for acceptance for a minimum period of six months from the due date of opening of tenders. If a tenderer withdraws or revokes his tender or increases the tender rates and/or conditions for any item within the aforesaid period, his Earnest Money Deposit is liable to be forfeited. In case the Bharat Heavy Electricals Limited calls for negotiations, such negotiation shall not amount to cancellation or withdrawal of the original offer which shall be binding on the tenderers.

**1.7 Execution of Contract:**

The successful tender's responsibility under this contract commences from the date of issue of the Letter of Intent by Bharat Heavy Electricals Limited. The successful tenderer may be required to execute an agreement in the prescribed form with the BHEL within a reasonable time after the acceptance of his tender and in any case before submitting first RA bill for payment. The expenses for completing and stamping the agreement shall be borne by the tenderer.

**1.8 Security Deposit :**

1.8.1 Upon acceptance of tender, the successful tenderer within the time specified in the Letter of Intent must deposit the required amount towards Security Deposit before start of the work.

1.8.2 The total amount of Security Deposit shall be as follows:

a) In the case of work upto ten lakh	10%
b) In the case of work costing above Rs. 10 lakh upto Rs. 50 lakhs	Rs. 1[One] lakh plus 7.5% of the amount exceeding Rs 10 lakhs.
c) Above Rs 50 lakhs	Rs. 4 [Four] lakh plus 5% of the amount exceeding Rs 50 lakhs.

1.8.3 If the value of the work done at any time exceeds the accepted agreement value, the Security Deposit shall be correspondingly enhanced and the extra Security Deposit shall immediately be deposited by the contractor or recovered from payments due to him.

1.8.4 Regarding adjustment of Earnest Money Deposit towards part of Security Deposit, refer clause 1.4 above, the successful tenderer shall not commence any work under the contract before remitting the Security Deposit except as directed by BHEL.

1.8.5 Failure to deposit the Security within the stipulated time may lead to forfeiture of Earnest Money and cancellation of the award of work.

1.8.6 Security Deposit may be furnished in any one of the following forms

- i) Cash (as permissible under the Income Tax Act)
- ii) Pay Order, Demand Draft in favour of BHEL.



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

- iii) Local cheques of scheduled banks, subject to realization.
- iv) Securities available from Post Offices such as National Savings Certificates, Kisan Vikas Patras etc.  
(Certificates required in the name of Contractor furnishing the security and duly pledged in favour of BHEL and discharged on the back).
- v) Bank Guarantee from Scheduled Banks / Public Financial Institutions as defined in the Companies Act .The Bank Guarantee format should have the approval of BHEL. Bank Guarantee for S.D. must be posted by the Bank by registered post direct to us, and it should not be submitted by the bidder direct to us.
- vi) Fixed Deposit Receipt issued by Scheduled Banks / Public Financial Institutions as defined in the Companies Act . The FDR should be in the name of the contractor, A/C BHEL, duly discharged on the back.
- vii) Security deposit can also be recovered at the rate of 10% from the running bills.  
However in such cases at least 50% of the Security Deposit shall be collected before start of the work and the balance 50% will be recovered from the running bills.
- viii) EMD of the successful tenderer may be converted and adjusted against the security deposit.

NOTE: Acceptance of Security Deposit against Sl. No. (iv) and (vi) above will be subject to hypothecation or endorsement on the documents in favour of BHEL. However, BHEL will not be liable or responsible in any manner for the collection of interest or renewal of the documents or in any other matter connected therewith.

- 1.8.7 However, the deposits should cover up to the period of warrantee also. However, if S.D. ( 50%) is furnished in the form of Bank Guarantee, it should be valid for at least a period covering the scheduled duration of the job plus six months.
- 1.8.8 BHEL reserves the right of forfeiture of Security Deposit in addition to other claim and penalties in the event of the contractor's failure to fulfill any of the contractual obligations including statutory or in the event of termination of contract as per terms and conditions of contract.
- 1.8.9 Return of Security Deposit:
- If the contractor duly performs and completes the contract in all respects to the entire satisfaction of BHEL, and presents an absolute "No Demand Certificate" in the prescribed form and return properties belonging to BHEL handed over, lent or hired by him for carrying out the said works the security deposit will be released to the contractor after deducting all costs or expenses or other contracts entered into with the contractor, only after the satisfactory completion or guarantee period as per clause 2.13.
- 1.8.10 No interest shall be payable by BHEL on Earnest Money / Security Deposit or any money due to the contractor from BHEL.
- 1.8.11 in no case Security Deposit can be released before settling all claims under this contract.
- 1.9 Rejection of Tender and other conditions:



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

- 1.9.1 The acceptance of tender will rest with BHEL which does not bind itself to accept the lowest tender or any tender and reserves to itself full rights for the following without assigning any reasons whatsoever:
- a) to reject any or all of the tenders.
  - b) To split up the work amongst two or more tenderers.
  - c) To award the work in part.
  - d) Either of the contingencies stated in (b) and (c) to modify the time for completion suitably.
  - e) To modify the scope of work after mutual agreement.
- 1.9.2 Conditional and unwitnessed tenders:
- Tenders containing absurd or unworkable rates and amounts and tenders which are incomplete and otherwise considered defective and tenders not in accordance with the tender conditions, specifications etc. are liable to be rejected.
- 1.9.3 If a tenderer expires after his submission of the tender or after the acceptance of his tender, BHEL may at their discretion, cancel such tender. If a partner of a firm expires after the submission of the tender or after the acceptance of the tender, BHEL may cancel such tender at their discretion unless the firm retains its character.
- 1.9.4 BHEL will not be bound by any Power of Attorney granted by the tenderer or by changes in the compositions of the firm made subsequent to the execution of the contract. They may, however, recognise such power of Attorney and changes after obtaining proper legal advice, the cost of which will be chargeable to the contractor concerned.
- 1.9.5 If the tenderer deliberately gives wrong information in his tender, BHEL reserves the right to reject such tender at any stage or to cancel the contract, if awarded and forfeit the Earnest Money/Security Deposit.
- 1.9.6 Canvassing in any form in connection with the tenders is strictly prohibited and the tenders submitted by the contractor who resort to canvassing are liable to rejection.
- 1.9.7 Should a tenderer or contractor or in the case of a firm or Company of Contractors one or more of its Partners/shareholders/Directors have a relation or relations employed in the capacity of an officer of BHEL, the authority inviting tender shall be informed of the fact along with the offer, failing this, BHEL may at its sole discretion, reject the tender or cancel the contract and forfeit the Earnest Money/Security Deposit.
- 1.9.8 The successful tenderer should not sub-contract the part or complete work detailed in this tender specification undertaken by him without permission of BHEL. The tenderer is solely responsible to BHEL for the work awarded to him. Any deviation in this regard will entail termination of such contract by BHEL at the risk and responsibility of contractor.
- 1.9.9 The successful tenderer shall inform/keep BHEL informed if he has already undertaken any work/is likely to be awarded any job with the same customer with whom BHEL is entering into contract.



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

SECTION – II

GENERAL TERMS & CONDITIONS OF THE CONTRACT

2.1 Definition :

The following terms and expressions shall have the meaning hereby assigned to them except where they context otherwise requires :

- 2.1.1 'BHEL' (or B.H.E. Ltd.) shall mean Bharat Heavy Electricals Limited, a company registered under Indian Companies Act., 1956, with its Registered Office at BHEL House, SIRI FORT, NEW DELHI-110049, Power Sector, Eastern Region, Service After Sales – Services, DJ-9/1, Salt Lake, Kolkata – 700091 or its Administrative officers or its site Engineer or the employees authorised to deal with any matters with which these persons are concerned on its behalf.
- 2.1.2 "GENERAL MANAGER"/DEPUTY IN CHARGE" shall mean the Officer in Administrative charge of BHEL, PS-ER, SAS – Services, Kolkata or their other regional offices.
- 2.1.3 "ENGINEER" or "ENGINEER IN CHARGE" shall mean Engineer deputed by BHEL. The terms includes "SITE ENGINEER", "RESIDENT ENGINEER" and "ASSISTANT SITE ENGINEER" of BHEL at the site as well s the officers in-charge at Kolkata office.
- 2.1.4 "SITE" shall mean the place or places at which the plants/equipment are to be overhauled and services are to be performed as per the specification of this contract.
- 2.1.5 "CLIENTS OF BHEL" or "CUSTOMER" shall mean the Project authorities to whom BHEL is supplying the equipment/services.
- 2.1.6 "CONTRACTOR" shall mean the individual, firm or company who enters into this contract with BHEL and shall include their executors, administrators, successors and permitted assigns.
- 2.1.7 "CONTRACT" or "CONTRACT DOCUMENT" shall mean and include the agreement or work order, the accepted appendices of rates, schedule of quantities, if any and general condition of contract, the special conditioning of contract instructions of the tenderers, the drawings, the specifications, the special specification, if any, the tender specifications, the special specification, if any, the tender documents and the Letter of Intent/Accepting Letter issued by BHEL. Any conditions or terms stipulated by the contractor in the tender documents or supporting letters shall not form part of the contract unless specifically accepted in writing by BHEL and incorporated in the agreement.
- 2.1.8 "GENERAL CONDITIONS OF CONTRACT" shall mean the instructions to tenderers and general conditions of contract pertaining to the work detailed.
- 2.1.9 "TENDER SPECIFICATION" shall mean the "Specific Conditions, technical specifications, appendices, site information and drawings, "pertaining to the work for which the tenderers are required to submit their offer. Also this will include the specifications detailed in NIT of client of BHEL for overhauling, erection, testing and commissioning of plant. Individual specification no. will be assigned to each tender specification.



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

- 2.1.10 "TENDER DOCUMENTS" shall mean the General conditions of contract (2.1.8) and tender specification (2.1.9)
- 2.1.11 "LETTER OF INTENT" shall mean the intimation by a letter to the tenderer that the tender has been accepted in accordance with provisions contained in that letters. The responsibility of the contractor commences from the date of issue of this letter and all the terms and conditions of contract are applicable from this date.
- 2.1.12 "COMPLETION TIME" shall mean the period by date specified in the acceptance of tender for handing over the overhauled equipment/plant which are found acceptable by the engineer being of required standard and conforming to the specification of the contract or recommissioning of the machine successfully whichever is later. Completion time will be reckoned from the date of LOI with the period for mobilisation as prided with LOI, added to the same.
- 2.1.13 "PLANT" shall mean and cannot the entire assembly of the plant and equipments covered by the contract.
- 2.1.14 "EQUIPMENT" shall mean all equipments, machineries, materials, structurals, electricals and other components of the plant covered by the contract.
- 2.1.15 "TESTS" shall mean and include such test or tests to be carried out on the part of the contractor as are prescribed in the contract or considered necessary by BHEL, in order to ascertain the quality workmanship, performance and efficiency of the contract work or part thereof.
- 2.1.16 "APPROVED" "DIRECTED" or "INSTRUCTED" shall mean approved, directed or instructed by BHEL.
- 2.1.17 "WORK OR CONTRACT WORK" shall mean and include supply of all categories of labour, specified consumables, tools and tackles required for complete and satisfactory site transportation, handling, stacking, storing, overhauling erection, testing and commissioning of the equipment to the entire satisfaction of BHEL.
- 2.1.18 "SINGULAR AND PLURAL ETC" words carrying singular number shall also include plural and vice versa, where the context so requires, words importing the masculine gender shall be taken to include any company or Association or body of individuals, whether incorporated or not.
- 2.1.19 "HEADINGS" The Leadings in these general conditions are solely for the purpose of facilitating reference and shall not be deemed to be part thereof or be taken into consideration in interpretation or construction thereof or of the contract.
- 2.1.20 "MONTH" shall mean calender month.
- 2.1.21 "WRITING" shall include any manuscript, type written or printed statement under the signature or seal as the case may be.
- 2.2 Law governing the contract and Court Jurisdiction:

The contract shall be governing by the Law for the time being in force in the Republic of India. The Civil Court having ordinary original civil jurisdiction, Kolkata



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

shall alone have exclusive Jurisdiction in regard to all claims in respective of this contract.

**2.3 Issue of Notice :**

The contractor shall furnish to the BHEL Engineer the name, designation and address of his authorised agent and all complaints, notices, communications and reference shall be deemed to have been duly given to the contractor if delivered to the contractor or his authorised agent or left at or posted to the address either of the contractor or of his representative and shall be deemed to have been so given in the case of posting on the day on which they would have reached such address in the ordinary course of post or on which they were so delivered or/or left.

**2.4 Use of Land:**

No land belonging to BHEL or their customer, under temporary possession of BHEL shall be occupied by the contractor without the written permission of BHEL.

**2.5 Commencement of Work:**

2.5.1 The contractor shall commence the work within the time indicated in the Letter of Intent from BHEL and shall proceed with the same with due expedition without delay. For computing the scheduled completion date, commencement, of work will be reckoned from the date of complete mobilisation as per LOI, unless specifically amended by Head (Services), BHEL, Kolkata.

2.5.2 If the successful tenderer fails to start the work within the stipulated time, BHEL as its discretion will have the right to cancel the contract. His Earnest Money and / or Security Deposit with BHEL will stand forfeited without any further reference to him, without prejudice to any and all of BHEL's other rights and remedies in this regard.

2.5.3 All the works shall be carried out under the direction and to the satisfaction of BHEL.

2.5.4 The erected overhauled plant or work performed under the contract shall be taken over when it has been completed in all respects and or satisfactorily put into operation at site.

**2.6 Mode of payment and measurement of the work completed.**

2.6.1 "All payment due to the contractor shall be paid only by Account payee Cheques"

2.6.2 The contractor shall present his bill on the format prescribed by BHEL for every payment. After verification of such bills by BHEL, all items having financial value shall be entered and certified in BHEL Measurement Book by BHEL Engineer and the bills prepared based on the same and connected technical documents which form part of this tender specification.

2.6.3 Lumpsum omission will be entered for deduction. Measurement shall be restricted to that for which it is required to ascertain the financial liability of BHEL under this Contract.



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

- 2.6.4 Work which is to be measured in details shall be measured as per standard procedure without reference to any local procedures without reference to any local procedures excepting where it is otherwise stated in the tender documents. The measurement shall be taken jointly by person duly authorised on the part of BHEL and by the contractor.
- 2.6.5 If, at any time due to reason whatsoever, it becomes necessary to remeasure the work done in full or in part, the expenses towards such remeasurement shall be borne by the contractor.
- 2.6.6.1 The contractor shall bear the expenditure involved, if any, in making the measurement. The Contractor shall, without extra charges, provide all the assistance with appliances with appliance and other things necessary for measurement.
- 2.6.7 The measurement entered in the Measurement Books and the bills prepared shall be signed and dated by both the contracting parties.
- 2.6.8 The Contractor will be intimated in writing by the site Engineer, the proposed date of measurement. If the contractor, representative fails to participate in the joint measurement, the BHEL engineer shall have the power to proceed by himself to take measurement in which case the measurement shall be accepted by the contractor as final.
- 2.6.9 Passing of measurement as per bills does not amount to acceptance of the completion of work mentioned. Any left out work has to be completed if pointed out at a later dated by BHEL.
- 2.7 Right of BHEL :
- BHEL reserves the following rights in respect of contract without entitling the contractor for any compensation.
- 2.7.1 To get the work done through other agency at the risk and cost of the contractors poor progress, or inability to progress the work for completion as stipulated in contract, poor quality of the work etc., and to recover compensation for such losses from the contractor including BHEL's supervision charges and overheads from security deposit other use.
- 2.7.2 To withdraw any portion of work and/or to restrict / alter the quantum of work as indicated in the contract during the progress of work and get it done through other agency and/or by departmental labour to suit BHEL's commitment to its customer or in case BHEL decides to advance the date of completion due to other emergency reasons / BHEL's obligation to its customer.
- 2.7.3 To terminate the contract after due notice and forfeit Security Deposit and recover the loss sustained in getting the balance work done through other agencies in addition to liquidated damages in the events of :
- 2.7.3.1 Contractor's continued poor progress brought to his notice from time to time .
- 2.7.3.2 With draws from or abandonment of the work before completion of work.
- 2.7.3.3 Corrupt act of Contractor.



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

2.7.3.4 Insolvency of the Contractor.

2.7.3.5 Persistent disregard to the instruction in writing of BHEL.

2.7.3.6 Assignment, transfer, sub-letting of the contract without BHEL's written permission.

2.7.3.7 Non fulfilment of any contractual obligations :

Any delay in works for reasons attributable to the contractor will have to be compensated by either increasing manpower and resources or by working extra hours and more than one shift without any extra cost.

2.7.4 To recover any money due from the contractor, from any money due to the contractor under this contract or any other contract or from the Security Deposit.

2.7.4.1 The term 'any other contract' will also include any contract entered with the contractor by any other unit division of BHEL, in addition to the ones awarded by BHEL, PSER, Kolkata.

2.7.5 To claim compensation for losses sustained including BHEL's supervision charges and overheads in completion, on termination of contract, to impose penalty for delay in completion of the work, at the rate of 0.5% (half percent) of the Contract value per day of delay or part thereof subject to a ceiling of 10% of the contract value.

2.7.6 To terminate the contract or to restrict the quantum of work and pay for the portion of work executed in case BHEL's contract with their customers are terminated for any reason.

2.7.7 To effect recovery from any amounts due to the Contractor under this or any other contract etc. in any other form, the money BHEL, is forced to pay to any body, due to contractor's failure to fulfil any of his obligations.

2.7.8 While every endeavour will be made by BHEL they cannot guarantee uninterrupted work due to conditions beyond their control. Contractor will not be entitled to any compensation / extra payment on this account.

2.7.9 In the event of any dispute of any nature, the decision of BHEL shall be final and binding on the contractor.

2.8 Responsibilities of the Contractor :

The following are the responsibilities of the contractor in respect of observation of local laws, employment of personnel, payment of taxes and execution of job etc.

2.8.1 As far as possible, unskilled workers shall be engaged from the local areas in which the work is being executed.

2.8.2 The Contractor at all times during the continuance of this contract, shall in all his dealing with local labour for the time being employed on or in connection with the work, have due regard to all local festivals and religious and other customs.

2.8.3 The contractor shall comply with all state and central Laws, Statutory Rules, Regulations etc., such as :

The payment of wages Act, Minimum Wage Act, Workmen compensation Act, Employers Liability Act, Industrial Disputes Act, Employees Provident Fund Scheme,



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

Employees Insurance Scheme, Contract Labour (Regulation & Abolition) Act 1970 and other Acts, Rules & Regulations for labour as may be enacted by the Government during the tenure of the Contract and having force or jurisdiction at site. The Contractor shall give to the local Governing Body, Police and other relevant authorities all such notices as may be required by law.

- 2.8.4 The Contractor shall pay all taxes, fees, licence charges, deposits duties, tools, royalty, commission or other charges which may be leviable on account of any of his operations in executing the contract. In case, BHEL is forced to pay any of such taxes, BHEL shall have the right to recover the same from the contractor either from his bills or otherwise as deemed fit.
- 2.8.5 The Contractor shall be responsible for provision of health and sanitary arrangements, more particularly described in contract Labour (Regulation & Abolition Act) safety precautions etc., as may be required of same and satisfactory execution of the contract.
- 2.8.6 The contractor shall fulfil all his obligation in respect of accommodation including proper medical facilities for the personnel employed by him.
- 2.8.7 The contractor shall be responsible for the proper behaviour at site and observance of all regulations by the staff employed by him.
- 2.8.8 The Contractor shall ensure that no damage is caused to any person / property of other parties working at site. If any such damages is caused, it is the responsibility of the contractor to make the losses or compensate for the same.
- 2.8.9 All the properties / equipments / components of BHEL / their client loaned with or without deposit to the contractor in connection with the contract shall remain the properties of BHEL / their client. The Contractor shall use such properties for the purpose of execution of this contract. All such properties / equipment / components shall be deemed to be in good condition when received by the contractor unless he notified within 48 hours to the contrary. The Contractor shall return them in good conditions as and when required by BHEL / their client. In case of non-return, loss damage, repairs, etc. the cost thereof, as may be fixed by the site Engineer, will be recovered from the contractor.
- 2.8.10 It is not obligatory on the part of BHEL to supply any tools and tackles or other materials other than those specifically agreed to do so by BHEL. However, depending upon the availability / possibility BHEL's customers' handling equipment and other plants may be made available to the contractor on payment of the hire charges / free of charges as fixed, subject to the condition laid down by BHEL. Customer from time to time, Unless paid in advance, such hire charges if applicable shall be recovered from contractor's bill / security Deposit in one instalment.
- 2.8.11 The contractor shall not claim any compensation of the scope of the work, due to changes in design which curtails quantum.
- 2.8.12 The Contractor shall fully indemnify BHEL against all claims of whatsoever nature arising during the course of erection / overhauling / performing work under the contract.



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

- 2.8.13 In case the contractor is required to undertake any major work outside the scope of this contract the rates payable shall be decided by BHEL Resident Engineer.
- 2.8.14 The contractor shall keep the area of work clean and shall remove debris etc., while executing day to day work. Upon completion of work, the contractor shall remove from the vicinity of work, all scrap, packing materials, rubbish, unused and other materials and deposit them in places to be specified by the BHEL Engineer. The contractor will also demolish all hutments, sheds, partitions, offices, constructed and used by him and shall clean the debris. In the event of his failure to do so, the same will be arranged to be removed by the BHEL. The expenses thereof will be recovered from contractor.
- 2.8.15 The contractor shall arrange and co-ordinate his work in such a manner as to cause no inconvenience to other agencies working in the area.
- 2.8.16 All safety rules and codes applied by the client / BHEL at site shall be observed by the contractor without exception. The contractor shall be responsible for the safety of the equipment / material and work to be performed by him and shall maintain all light, fencing guards, signs etc. or other protection necessary for the purpose. Contractor shall also take such additional precautions as may be indicated from time to time by the Engineer with a view to prevent pilferage, accidents, fire hazards and atmospheric conditions. Suitable number of electrical staff, watch and ward, store keepers to take care of the equipment, materials and construction tools and tackles, shall be posted at site by the contractor till completion of the work under this contract. The contractor shall arrange for such safety devices as are necessary for such type of work and carry out the requisite tests of handling equipment, lifting tools, tackles etc, as per prescribed standards and practices.
- 2.8.17 The contractor will be directly responsible for payment of wages to his workmen. A pay roll sheet giving all the payments given to workers and duly signed by the contractor's representative should be furnished to BHEL site office for record purpose. BHEL site In-charge may be intimated the date of disbursement of wages to the workmen engaged for the work, so that his representative can witness the same.
- 2.8.18 The intent of specification, is to provide services according to most modern and proven techniques and codes. The omission of specific reference to any method, requirement or material necessary for the proper and efficient performance of work shall not relieve the contractor of the responsibility of providing such facilities to complete the work.
- 2.8.19 In case of any clause of the work for which there is no such specification as laid down in the contract, such work shall be carried out in accordance with the instructions and requirements of the BHEL Engineer.
- 2.8.20 No levy or payment or charge made or imposed shall be impeached by reason of any clerical error or by reason of any mistake in the amount levied or demanded or charged.
- 2.8.21 The details drawings, specifications, instructions manual, if any available with the BHEL Engineer will form part of tender specification . These documents will be made available for reference only to the contractor during execution of work.
- 2.8.22 Should any error or ambiguity be discovered in the specification or information, the contractor shall forthwith bring the same to the notice of BHEL before



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

commencement of work. BHEL's interpretation in such cases shall be final and binding on the contractor.

- 2.8.23 No idle labour charges will be admissible in the event of any stoppage caused in the work resulting in contractor's labour being rendered idle due to any cause of any type.
- 2.8.24 No over run charges shall be paid in the event of the completion period being extended for any reason whatsoever.
- 2.8.25 It is possible that some repair/rectification, modification may be needed on the equipments to be overhauled / work to be performed under this specification, for reasons not attributions to the contractor . All such repair / rectification / modification work which can be done, with the available facilities at site shall be carried out by the contractor free of cost and no extra charger shall be paid to contractor.
- 2.8.26 The quality and progress of work will be regularly reviewed. The schedule and progress of work will be given to the contractor in advance and it will be the obligation / responsibility of the contractor to achieve the desired quality and progress of work by suitably reinforcing their labour force and/or by working extra hours or in more than one shift without any extra cost. Workmen found unsuitable for the work will be replaced immediately by the contractor on being informed by BHEL.
- 2.8.27 During the overhauling work under the contract it is very essential that proper and adequate inspection should made constantly to maintain the quality or workmanship so that any deviation from design dimension does not exceed permissible limits. The proper functioning of the unit, while in operation, depends to a great extent on the above factors. The fact that effective supervision and inspection at the execution stage is less costly than any down time of running unit even for a short period need not be over emphasized. For the details regarding alignment and permissible dimensional deviations in the sub-assemblies BHEL Engineer may be consulted.
- 2.8.28 The contractor shall be furnish fortnightly labour report showing by classification of number of employees engaged in various categories or work date wise and submit a progress report of wok as required by BHEL Engineer.
- 2.8.29 The contractor shall execute the work in the most substantial and workmen-like manner in stipulated time. Accuracy of work and timely execution are the essence of this contract. The contractor shall be responsible to ensure that the assembly and workmanship conform to the dimensions and clearances given in the drawings and/or as per instructions of BHEL Engineers.
- 2.8.30 The contractor shall take all responsible care to protect the materials and work till such time the plant/equipment has been taken over by BHEL / their client. Where necessary, suitable temporary fencing and lighting shall have to be provided by the contractor as a safety measure against accident and damage of property of BHEL. Suitable caution notice shall be displayed where access to any part may be deemed to be unsafe and hazardous.
- 2.8.31 It will be the responsibility of the contractor to ensure safe lifting of the equipments taking due precautions to avoid any accidents and damage to other equipments and personnel.
- 2.9 Consequence of cancellation :



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

Whenever BHEL exercises its authority to terminate the contract/withdrew a portion of work under the clause 2.7 they may complete the work by any means at the contractor's risk and expenses provided that in the event of the cost of completion (as certified by the site Engineer which is final and conclusive) being less than the contract cost, the advantage shall accrue to BHEL and that if the cost of completion exceeds the money due to the contractor under the contract, the contractor shall either pay the excess amount ordered by BHEL or the same shall be recovered from the contractor by any other means. This will be in addition to the forfeiture of Security Deposit and recovery of liquidated damages as per relevant clauses.

2.9.1 In case BHEL completes the work under the provision of this condition, the cost of such completion to be taken into account in determining the excess cost to be charged to the contractor under this condition, shall consist of materials purchased and / or labour, provided by BHEL with an addition of such percentage to cover supervision and establishment charges as may be decided by BHEL.

2.10 Insurance :

2.10.1 BHEL / their customer shall arrange for insuring the materials / properties of BHEL/customer covering risks during transit, storage, overhauling, erection and commissioning.

2.10.2 It is the sole responsibility of the contractor to Insure his workman against accident and injury while at work as required by relevant rules and to pay compensation, if any, to workmen as per workmen's compensation Act. Contractor shall insure his staff against accidents. The work will be carried out in a protected area and all the rules and regulations of the client / BHEL in the area of project which are in force from time to time, will have to be followed by the contractor.

2.10.3 If due to negligence and /or non-observations of safety and other precautions, any accident / injury occurs to any other person/public, the Contractor shall have to pay necessary compensation and other expenses, if so decided by the appropriate authorities. Third party insurance coverage is to be made by the contractor.

2.10.4 If due to contractor's carelessness, negligence or non-observance of safety precautions damage to BHEL's /Customer's property and personnel should occur, and if BHEL is unable to recover, in full, cost from the Insurance Company, the balance will be recovered from the Contractor.

2.11 Strikes & Lockouts :

The contractor will be fully responsible for all the disputes and other issues connected with his labour. In the event of the contractor's labour resorting to strike or the lockout declared is not settled within a period of one week BHEL shall have the right to get the work executed employing the own labour or through any other agencies or both and the cost so incurred by BHEL, shall be deducted from the contractor's bills as per clause 2.7. For all purposes whatsoever, the employees of the contractor shall not be deemed to be in the employment of BHEL.

2.12. Force Majeure :

2.12.1 The following shall amount to Force Majeure :



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

Acts of God, Acts of any Government, war, sabotage, riots, civil commotion, police action, revolution, flood, fire, cyclones, earthquake and epidemic and other similar causes over which the contractor has no control.

2.12.2 If the contractor suffers delay in the due execution of the contractual obligation due to delays caused by Force Majeure as defined above, the agreed time of completion of the job covered by this contract or the obligations of the Contractor shall be extended by a period of time equal to the period of delay provided that on the occurrence of any such contingency the Contractor immediately reports to BHEL in writing the causes of delay and the contractor shall not be eligible for any compensation.

2.13 Performance Guarantee :

Even though the work will be carried out under supervision of BHEL Engineers. The contractor shall guarantee against defects attributable to faulty workmanship or procedure adopted in the overhaul for items covered in the contract for a period of six months from the date of re-commissioning of the set after the capital overhaul. The guarantee should cover all defects notified during this period and shall have to be attended to free of cost immediately or at the time our clients are able to give shut down of the set for the required period. when necessary. In case of failure of contractor to attend to such defects as and when required in time, BHEL shall arrange to attend the defects and the charges shall be levied to contractor's account and shall be recoverable from the security deposit / progressive payments.

2.13. Arbitration :

All disputes between the parties to the contract arising out of or in relation to the contract, other than those for which the decisions of the Engineer or of any other person is by the contract expressed to be final and conclusive, shall, after written notice by either party to the contract to other party be referred to sole arbitration of General Manager or his nominee. The arbitration shall be conducted in accordance with the provision of the Indian Arbitration Act, 1996.

The parties to the contract understand and agree that if will be no objection that the General Manager or the person nominated as arbitrator, had earlier in his official capacity to deal directly or indirectly with the matters of which the contract relates or that in the course of his official duties had expressed views on all or any of the matters in dispute of difference. The award of the arbitrator shall be final and binding on the parties to this contract.

In the event of the arbitrator dying, neglecting or refusing to act or resigning or being unable to act for any reason or his award being set aside by the court for any reason, it shall be lawful for the GM or his successor, as the case may be, either to act himself as the Arbitrator or to appoint another arbitrator in place of the outgoing arbitrator in the matter aforesaid.

The arbitrator may from time to time with the consent of both the parties to the contract enlarge the time for making the award.

Work under the contract shall be continued during the arbitration proceedings. The venue of the arbitration shall be the place from which the contract is issued or such other place as the arbitrator at his discretion may determine.



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**P SER  
KOLKATA**

**SECTION – III  
SPECIAL CONDITIONS OR CONTRACT**

**3.1 Quantum of Work :**

3.1.1 The scope of work given in the tender specification is only approximate and is liable to variation and alternation at the discretion of BHEL Resident Engineer. No compensation on this account shall be payable to the contractor unless specifically recommended by BHEL Resident Engineer as the variation forming major additions to the original scope of work. All repair / rectification work arising out of normal wear and tear, seizure of parts etc. have to be done by the contractor and the same will be covered by the scope of work of the contract.

3.1.2 The scope of work details out the major activities only. However, as per the general maintenance requirement and site condition, certain related activities may have to be carried out without any extra cost.

**3.2 Commencement and completion of work :**

3.2.1 The starting time and completion time is the essence of the of the tender. As the time bound programme is firmly committed to customer, the starting time and completion time should be strictly adhered to. It will be not be possible to grant extension in completion time except in extraordinary circumstance, which will be decided entirely at the discretion of BHEL Resident Engineer. Work should normally be carried out in two shifts and sometimes also in three shifts in consultation with BHEL Resident Engineer.

A detailed programme of the various activities covered under this contract with specific time period to fall in the overall frame work of the above dates should be prepared and got approved by BHEL Resident Engineer. The progress against this programme shall be reviewed with BHEL Resident Engineer at the end of each day and critical areas identified and suitable steps taken in time.

If during the review, at any stage of overhauling, BHEL Resident Engineer feels that the delays are not likely to be made up, BHEL reserves the right to take corrective steps as considered necessary by BHEL Resident Engineer to complete work in scheduled time and debit the cost incurred thereon to the contractor. This does not however absolve the contractor of his own efforts in consultation with BHEL Resident Engineer. Every endeavour will be made to see that work proceeds uninterruptedly.

3.2.2 The tenderers should indicate the time required for starting the work once the letter of intent is issued and the time required for completion. The work may have to commence immediately after opening of the tenders. Hence, preference may be given to those tenderers who can commence the work earlier, and also ensure early completion.

3.2.3 The Contractor shall ensure completion of the job in all respects within the day from the date of commencement of work as given in contract.

**3.3 Penalty for delay :**



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

- 3.3.1 In the event of failure to complete the work in given time, an amount equal to ½% [half percent] of the contract value per day subject to a maximum of 10% [ten percent] of the contract value will be levied as penalty, in case the balance work is allowed to be completed by the contractor beyond the scheduled time of completion, which is at the discretion of BHEL. In case of delays on contractor's part, at any stage during the scheduled period or after, BHEL shall have the option of ensuring completion of the job by any other means at its disposal and the charges on this account shall be levied on the contractor. These shall be adjusted against contractor's bills or Security Deposit.
- 3.4 Terms of Payment:
- A minimum time of 15 days will be required for processing the bills and release of payment after the bills are presented to BHEL.
- 3.4.1 Payment will be made up to a total 90% against three progressive bills, or 30% each submitted by the contractor in quadruplicate mentioning the activities completed, based on measurement of work done as per the % break up indicated in the scope of work. The bills will be verified by BHEL site Engineer and certified by BHEL Resident Engineer to ensure payment. Balance 10% shall be payable after successful commissioning.
- All payments are subjects to income tax deductions @1% of the bill amount at source or as per Central Government Laws. No request for advance payment will be entertained by BHEL.
- 3.5 Inspection and Completion:
- The work being carried out by the contractor will be supervised and inspected by our Site Engineers under the overall supervision of BHEL Resident Engineer.
- 3.6 The work will be deemed as complete when it is finally accepted by BHEL Resident Engineer and job completion certificate is issued. No extra payment will be made for any rework carried out by the contractor to rectify any defective work.
- 3.6 The contractor shall not be entitled for labour idling charges under any circumstances.
- 3.6 Tools, Tackles, Test Equipments & Consumables:
- 3.6.1 All tools and tackles and consumables required for day-to-day work like gas and gas cutting sets with accessories, AC/DC welding sets, TIG welding kits, welding cables, electrodes, all necessary power connection at his own cost. However, in case of emergency, BHEL may supply certain items if available, to contractor at actual cost plus handling charges, These will be deducted from contractors' running bills, testing equipment for conducting various tests, during the progress of overhauling / re-commissioning shall have to be provided by the contractor. Spare parts going into permanent installation shall only be provided by BHEL.
- 3.7 Accommodation for site staff and store space :
- 3.7.1 Contractor has to arrange for the stores and office at site ; space for the same shall be made available as per the availability at site. The contractor shall be responsible to provide all necessary facilities like residential accommodation with sanitary facilities, transport, electricity, water, medical bonus etc. as required under various labour laws



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

and statutory rules and regulations framed thereunder to the personnel employed by him.

3.8 Responsibilities of the contractor :

3.9 Supervisory staff and labour :

The contractor shall employ, specially skilled labour, supervisor and engineers thoroughly conversant with particular type of work to ensure quality work. BHEL reserves the right to decide on the suitability of the workers and other staff employed by the contractor. BHEL reserves the right to insist on removal of any employees of the contractor at any time if they find him unsuitable and the contractor should forthwith remove him.

3.9 Planning and Execution :

Contractor shall submit a job planning in form of Bar Chart or PERT Chart. A List of manpower category wise, indicating individuals responsibility job activity wise , shall have to be submitted. Daily programme of job shall be displayed on board near work site on day in advance. A daily progress report along with Manpower utilities has to be submitted and backlog of the work, if any, shall be covered up in consultation with BHEL Resident Engineer.

3.9 Safety and Accident Coverage

Contractor shall ensure safety of all his employees at site of work. All employees shall be covered by insurance (workmen compensation) against accident, failing which proper action will be taken against the contractor.

Contractor shall ensure proper safety of the equipments under overhauling by deputing personnel to guard the equipments round the clock. Open oil spaces, steam spaces shall be covered properly against ingress of foreign materials while working.

**RESPONSIBILITIES OF THE CONTRACTOR IN RESPECT OF SAFETY OF MAN,  
EQUIPMENT, MATERIAL AND ENVIRONMENT**

3.8.3.1 Before commencing the work, contractor shall submit a 'SAFETY PLAN" to the authorised BHEL official. The 'Safety Plan' shall indicate in detail the measures that would be taken by the contractor to ensure safety of men, equipment, material and environment during execution of the work. The plan shall take care to satisfy all requirements specified here under. The contractor shall submit safety plan along with his offer. During negotiations before placing or work order and during execution of the contract, BHEL shall have right to review and suggest modifications in the safety Plan. Contractor shall abide by BHEL decision in this respect.

3.8.3.2 The contractor shall take all necessary safety precautions and arrange for appropriate appliances as per direction of BHEL or it's authorised officials to prevent loss of human lives, injuries to personnel engaged, and damage to property and environment.

3.8.3.3 The contractor shall provide to it's work force and ensure the use of the following personal protective equipment as found necessary and as directed by the authorised BHEL officials :



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

- a. Safety Helmets conforming to IS-2925 : 1984
- b. Safety Belts confirming to IS – 3521 : 1983
- c. Safety shoes conforming to IS-1989 : 1978
- d. Eye & Face Protection devices conforming to IS-8520 : 1987 and IS-8940 : 1978
- e. Hand & body protection devices conforming to :
  - IS – 2573 : 1975
  - IS – 6994 : 1973
  - IS – 8807 : 1973
  - IS – 8513 : 1977

3.8.3.4 All tools tackles, lifting appliances, material handling equipment scaffolds, cradles, safety nets, ladders, equipment etc. used by the contractor shall be of safe design and construction. These shall be tested and certificate of fitness obtained before putting them to use and from time to time as instructed by authorised BHEL official who shall have the right to ban the use of any item.

3.8.3.5 All electrical equipment, connections and wiring for construction power, its distribution and use shall conform to the requirements of Indian Electricity Act & Rules. Only electricians licensed by the appropriate statutory authority shall be employed by the contractor to carry out all types of electrical works. All electrical appliance including portable electrical tools used by the contractor shall have safe plugging system to source of power and be appropriately earthed..

3.8.3.6 The contractor shall not use any hand – lamp energised by electric power with supply voltage of more than 24 volts. For work in confined spaces, lighting shall be arranged with power source not more than 24 volts.

3.8.3.7 The contractor shall adopt all fire safety measures as laid down in the “Code for Fire Safety at Construction Sites’ issued by the safety Department of the Construction Management (HQ) of BHEL and as per directions of the authorised BHEL official. A copy of the above referred “Code for Fire Safety at Construction Sites” shall be made available by BHEL to the contractor for reference, on demand by the contractor, during tendering stage itself.

3.8.3.8 Where it become necessary to provide and / or store petroleum products, explosives, chemicals, and liquid or gaseous fuel or any other substance that may cause fire or explosion, the contractor shall be responsible for carrying out such provisions and / or storage in accordance with the rules and regulations laid down in the relevant government acts, such as Petroleum Act, Explosives Act, Petroleum & Carbides of Calcium Manual of the Chief Controller of Explosives, Govt. of India, etc. Prior approval of the authorised BHEL official at the site shall also be taken by the contractor in all such matters.

3.8.3.9 The contractor shall arrange at his cost (wherever not specified) appropriate illumination at all work spots for safe working, when natural daylight may not be adequate for clear visibility.

3.8.3.10 The contractor shall be held responsible for any violation of statutory regulations (local, state or central) and BHEL instructions, that may endanger safety of men, equipment, material and environment in his scope of work or another contractor’s or agency’s Cost of damage if any, to life and property arising out of such violation of statutory regulations and BHEL instructions shall be borne by the contractor.



**GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]**

**PSER  
KOLKATA**

- 3.8.3.11 In case of a fatal or disabling injury, accident to any person at construction site due to lapses by the contractor, the victim and / or his / her dependents shall be compensated by the contractor as per statutory requirements. However, if considered necessary, BHEL shall have the right to impose appropriate financial penalty on the contractor and recover the same from payments due to the contractor for suitably compensating the victim and / or his/her dependents. Before imposing any such penalty, appropriate enquiry shall be held by BHEL giving opportunity to the contractor to present his case.
- 3.8.3.12 In case of any damage to property due to lapses by the contractor, BHEL shall have the right to recover cost of such damages from payments due to the contractor after holding an appropriate enquiry.
- 3.8.3.13 In case of any delay in the completion of a job due to mishaps attributable to lapses by the contractor, BHEL shall have right to recover cost of such delay from payments due to the contractor, after notifying the contractor suitably and giving him opportunity to present his case.
- 3.8.3.14 If the contractor fails to improve the standards of safety in its operation to the satisfaction of BHEL after being given a reasonable opportunity to do so, and/or if the contractor fails to take appropriate safety precautions or to provide necessary safety devices and equipment or to carry out instructions regarding safety issued by the authorised BHEL official, BHEL shall have the right to take corrective steps at the risk and cost of the contractor after giving a notice of not less than seven days indicating the steps that would be taken by BHEL.
- 3.8.3.15 The contractor shall submit report of the accidents, fires and property damage, dangerous occurrences, to the authorised BHEL official immediately after such occurrence, but in any case not later than twelve hours of the occurrence. Such reports shall be furnished in the manner prescribed by BHEL. In addition, periodic reports on safety shall also be submitted by the contractor to the authorised BHEL official from time to time as prescribed.
- 3.8.3.16 Before commencing the work, the contractor shall appoint / nominate a responsible officer to supervise implementation of all safety measures and liaison with his counterpart of BHEL.
- 3.8.3.17 If safety record of the contractor in execution of the awarded job is to the satisfaction of safety Department of BHEL, issue of an appropriate certificate to recognise the safety performance of the contractor may be considered by BHEL after completion of the jobs.
- 3.9 House keeping and preservation :
- 3.9 Work floor/area shall be cleaned every day and be kept absolutely clean. A regular cleaning gang may be engaged for the purpose.
- All dismantled components of the equipments under overhauling should be tag marked and stored properly according to type of components, namely all loose/small parts shall be kept in boxes bearing and matching components shall be kept on wooden planks. A list of such components shall be maintained to identify / locate be preserved properly against probable damages.



GENERAL & SPECIAL CONDITIONS  
OF CONTRACT [FOR SERVICES JOB]

PSER  
KOLKATA

No floor shall be damaged while working and necessary steps shall be taken by the contractor for repair in case of any damage.

3.9 Tools stores and Consumables :

Tools & tackles, other than special tools and tackles supplied along with the equipments, shall be arranged and kept properly by the contractor. A register must be maintained and updated regularly.

All consumables, other than those going permanently into the equipment, shall be stored by the contractor for daily use. Regular check shall be made at end of each day's work and exhausted consumables shall be replenished immediately.

The store may be visited by BHEL Engineers without notice for verification.

3.9 The contractor shall make all necessary arrangement to receive spares from BHEL/Customer's stores , as and when required. The unused and scrap materials shall be returned to BHEL / Customer's stores on completion of the work.

A detailed account shall be submitted by the contractor to this effect at the end of the work certifying no dues remained against them duly signed by Resident Engineer BHEL/Customer.

3.9 General :

3.9.1 Standard printed conditions if enclosed with the offer by the tenderers will not be accepted and only those in main body of the offer will be considered for acceptance.

3.9.2 The tenders are likely to be rejected if the tendered is not acceptable to the ultimate customer.

3.9.3 It will be the responsibility of the contractor to carry out trial run of all the equipments overhauled and confirm the satisfactory operation of equipment. The contractor's personnel shall also be present at time of final commissioning and attend to any defects that shall occur during this time.



SPECIFIC TERMS AND CONDITIONS  
FOR SERVICES JOBS

PSER  
KOLKATA

Annexure – V

A) TENDERING

1. Tenders may be submitted through Registered post with acknowledgement due, in the name of the addressee only indicated, or by hand delivery or by courier service obtaining acknowledgements of receipt. Telegraphic / Telex offers received in time can be considered, if only followed by acceptable written tender documents in accordance with the telex / telegram and does not result in any advantage over other tenderers because of any possible manipulation in price or date of completion etc.
2. Each and every page of tender documents from declaration of bidders to Annexure VI enclosed should be signed by the tenderer providing his / their seal and date as taken of their full acceptance of the scope of work, terms and conditions etc., and should be returned alongwith the tender offers.
3. The tenders should be quoted in English language and international numbers.
4. All entries in the tender shall be typed in ink legibly written without ambiguity.
5. Qualifications of Tenderers : for open tenders only, the tenderers who have previous experience in the similar nature of work as detailed in this tender specifications are expected to quote duly detailing their relevant experience / credentials along with the offer. Offers of other than the above are not likely to be considered. (List of similar jobs done)  
- Enclosure – 1
6. Financial Status : A current / valid certificate from a scheduled bank to provide the financial soundness / capability of the bidder to undertake the work, is required to be submitted alongwith offer.  
- Enclosure – 2
7. Income Tax / Sales Tax certificates : A certificate of income tax / sales tax clearance from the appropriate authority, is to be submitted in the form prescribed therefor, valid for the period of contract.  
- Enclosure - 3
8. Organization Chart : The organization pattern and that will be deployed by the tenderer for this work duly indicating the number of supervisors, their qualifications and experience in the line, the number of skilled and unskilled persons / etc. is required to be indicated in the offer.  
- Enclosure – 4
9. THE FOLLOWING DOCUMENTS SHOULD ALSO BE ENCLOSED.
  - a) An attested copy of the power of attorney in case the tender is signed by an individual other than the sole proprietor.
  - b) In case of an individual his full name, address, nature of business and valid trade licence.



**SPECIFIC TERMS AND CONDITIONS  
FOR SERVICES JOBS**

**PSER  
KOLKATA**

- c) In case of partnership firm, the names of all partners and their addresses. (A copy of the partnership deed / instrument of partnership, duly attested by the Notary public shall be enclosed.)
- d) In case of companies, date and place of incorporation / registration including date of commencement certificate (for public companies). (Certified copies of Memorandum and articles of association are also to be furnished).

**B) EARNEST MONEY DEPOSIT :**

For this, please refer article 1.4 (page 4 of 23) of the General and special conditions of contract – 1991 (GSCC) enclosed / supplied with the form issued for empanelment.

**C) VALIDITY OF OFFER :**

The rates in the tender shall be kept open for acceptance for a minimum period of six months from the due date of opening of tenders. For details, please refer article 1.6 (page 7) of GSCC enclosed.

**D) SECURITY DEPOSIT:**

As per clause no. 1.8 of GENERAL & SPECIAL CONDITIONS OF CONTRACT [FOR SERVICES JOB].

**Return of Security Deposit:**

If the contractor duly performs and completes the contract in all respects to the entire satisfaction of BHEL, and presents an absolute “No Demand Certificate” in the prescribed form and return properties belonging to BHEL handed over, lent or hired by him for carrying out the said works the security deposit will be released to the contractor after deducting all costs or expenses or other contracts entered into with the contractor, only after the satisfactory completion of guarantee period irrespective of release of last 10% payment. In no case Security Deposit can be released before settling all claims of BHEL on contractor under this contract.

No interest shall be payable by BHEL on Earnest Money / Security Deposit or any money due to the contractor from BHEL.

**E) ACCEPTANCE / REJECTION OF TENDERS :**

For this, please refer article 1.9 (pages 6 to 10 ) of GSCC enclosed. Also acceptance of customer is pre-requisite for consideration of bid, wherever applicable.

**F) ADDITIONAL SPECIFIC TERMS AND CONDITIONS :**

**01. EXECUTION.**

- i) If the site in question is subjected to industrial relations unrest / disturbances / problems, then the successful bidder should take adequate precautionary measures against dislocation of the job on account short problems. Any liability on this account, lies entirely with the contractor.



SPECIFIC TERMS AND CONDITIONS  
FOR SERVICES JOBS

PSER  
KOLKATA

- ii) The contractor shall commence the work at site with full manpower, T&P etc. and complete as specified in the particulars of the tender. In case of any delay on the completion of work attributable to the contractor BHEL reserves full rights to cancel the contract fully or partly and to award the job in full or part to an alternate agency and recover the costs towards the same including BHEL's overheads from the contractor.
- iii) In the event of termination of contract or restriction of quantum of job by our client, before or during the execution of contract, BHEL reserves the right to terminate the contract or restrict the quantum of work of sub-contractors accordingly without paying any compensation.
- iv) Manpower : For various category of manpower and their numbers recommended, please refer to the Annexure IV of the tender enquiry. The contractor shall engage proper skilled / qualified personnel and ensure the expected quality of work. If any of their personnel has been found to be unsuitable, by BHEL / or their client, the contractor shall withdraw them and provide suitable replacement immediately, failing which BHEL reserves full rights to get the job done by alternate suitable persons at risk and cost of the contractor. The delay on this account is attributable to the contractor.
- v) TOOLS (TACKLES & PLANTS) : All tools, tackles and plants including precision measuring instruments, lifting devices shall have to be arranged by the contractor. (List of recommended T&P, for guidance, is provided in Annexure II of the tender enquiry). All lifting tackles and pulling devices to be used must bear valid / latest test certificates for their suitability, and the sales tax furnished along with the offer itself.
- Also certificates of test / calibration with date of validity for various measuring / test instruments have to be submitted by the tenderer preferably along with the offer itself, or else the same is required to be produced at site before start of job failing which the LOI / W.O. is liable to be cancelled without any compensation.
- Successful bidder shall provide valid calibration certificates for IMTEs, fitness certificates for T&Ps and Construction Equipment ( e.g. wire ropes, hand operated chain pulley blocks, pulling and lifting machines, electric welding generators, arc welding transformers etc.). Calibration of IMTEs is to be arranged from the accredited agencies. Calibration certificates should have the traceability as per national/international standards. At work site the IMTEs, T&Ps and Construction Equipment shall be checked/tested/inspected by BHEL engineers. The procedure for fitness testing and storage preservation and maintenance of Construction Equipment and T&Ps shall be as per Doc. Nos. PSER:FEX:001:94, PSER:SAS(CAL):016:95 and PSER:FEX:002:94 available with BHEL site engineers.
- vi) CONSUMABLES: All consumables required ( list for guidance is given in Annexure III of the tender enquiry) for the job shall be arranged by the contractor



SPECIFIC TERMS AND CONDITIONS  
FOR SERVICES JOBS

PSER  
KOLKATA

at his cost. However, any spares / components / consumables / materials going permanently into the clients equipment shall be provided to the contractor.

- vii) Successful bidder has to arrange proper storing facilities at site with traceabilities for IMTEs, T&Ps, construction equipments and consumables used during job execution.
- viii) All the T&Ps, consumables etc. must be mobilized at site at least three days prior to actual start of the job. They must be in accordance with those recommended in the Annexure – II and III respectively of the Tender Enquiry and must be got verified to that effect. Formal clearance in writing must be obtained from BHEL's resident engineer before the contractor starts the job.

T&P found defective / improper / insufficient or not having valid test / calibration certificate should be made good immediately.

If the contractor fails to mobilize at least 90% of the recommended T&P and manpower within the stipulated period, the order on the contractor is liable to be cancelled without paying any compensation on to him.

- viii) Storage : The contractor shall be responsible for proper storing of all dismantled components, spares, T&P etc., identify them properly and preserve them throughout the execution of the job. Any loss or damage of the components caused due to the lapses attributable to the contractor or his personnel, shall be chargeable to the contractor.

- ix) Transportation of Spares / materials / consumables :

Any material / components / spares required for the work must be collected by the vendor and carried safely to the work site from the point of issue in our clients premises, through his own resources and cost.

Similarly, excess materials / spares etc. must be returned to the client's stores / any other place, within the client's premises, indicated by site-in-charge of BHEL.

Any debris, rubbish at the work spot must be cleared very day by the contractor using his own resources and cost, and disposed off at a placement for, as to be informed to him.

- x) Space / Accommodation :

The contractor will be allowed to have his site office, stores etc. by erecting temporary partitions / chambers / sheds etc. at the work spot according to the availability of space, which will have to be vacated and dismantled at the end of the jobs to restore the space to the client. The contractor should make his own arrangements for the security / watch and ward.



SPECIFIC TERMS AND CONDITIONS  
FOR SERVICES JOBS

PSER  
KOLKATA

No residential accommodation / spare can be provided by BHEL to the contractor for any residential accommodation of his personnel. Contractor has to make arrangements/accommodation at site at his cost.

- xi) The contractor shall ensure responsible execution of the job and proper behavior of their personnel and observance of all the rules and regulations of our clients.
- xii) Safety :
  - a) Standard safety norms/ regulations shall be conserved by the contractor during the execution of the job. The contractor should provide the necessary / stipulated safety devices to his personnel deputed to the site, such as grinding / welding goggles, masks, safety belts, helmets etc. No worker will be permitted to work without necessary safety appliances. Delay of work due to work without necessary safety appliances. Delay of work due to these lapses are attributable to the contractor.
  - b) All norms related to Health, Safety & Environmental (HSE) norms conforming to ISO-14001 & OHSAS-18001 shall be followed by successful bidder. Bidders may contact SAS-PSER office for getting detailed norms to be followed by bidder at Site
  - c) The contractor shall comprehensively insure all his site personnel against any hazard / accident and submit a copy of the insurance certificate covering all his site personnel to our resident engineer before commencement of work.
  - d) In case of any accident / hazard, the contractor shall arrange for medical attendance immediately shall compensate the personnel concerned in accordance with the workmen's compensations act in force and shall keep BHEL indemnified against any provisions of the act.
  - e) The successful bidder is to arrange a full set of First Aid kit for attending to manpower deployed by him at site as per requirement.
  - f) Successful bidder should follow all safety norms at work site. The Doc. No. PSER:PMX:004:94 in this regard is available with BHEL engineer at site.

02. STATUTORY COMPLIANCE :

- i) The contractor shall comply with all state and central laws, statutory rules regulations etc. such as :



SPECIFIC TERMS AND CONDITIONS  
FOR SERVICES JOBS

PSER  
KOLKATA

The payment of wages act, maximum wages act, workmen's compensation act., industrial disputes act, employees provident funds act / scheme, Employees' state insurance scheme, contract labour (Regulation & abolition) act, 1970 etc. and all other acts, rules & regulations for employment of labour as may have been and as may be enacted by the Government during the tenure of the contract and having force or jurisdiction at site. The contractor shall give to the local government body, police, labour authorities and other relevant authorities and all such intimation and notices as may be required by law and appraise BHEL site-in-charge of such compliance.

- ii) The contractor shall pay all taxes, fees, licence charges, deposits, duties, fines, royalty commissions or other charges which may be leviable on account of any of his operations in executing the contract. In case, BHEL is forced to pay any of such taxes, BHEL shall have the right to recover the same from the contractor either form his bills or other issue as deemed fit.
- iii) The contractor shall obtain requisite licence from appropriate authority of the ministry of labour under the provision of the contract labour (Regulation and abolition) Act as soon as the work is avoided to him and indemnify BHEL against the application of any provisions of the act.
- iv) The contractor shall be responsible for provision of welfare and health of his employees / workmen, more particularly described in the contract labour (Regulation & abolition ) act / rules, and safety precautions etc., as may be required for satisfactory execution of the contract.
- v) The contractor shall fulfil all his obligations in respect of canteens, rest rooms, accommodation including proper medical facilities etc. for the personnel employed by him, more particularly described in the contract labour (regulation & abolition) act / rules.
- vi) The contractor will be directly responsible for payment of wages to his workmen more specifically described in the contract labour (regulation and abolition ) act / rules. A pay roll sheet showing all the wage payments representative should be furnished to BHEL site office for record purpose. BHEL site in-charge may be intimated the date of disbursement of wages to the workmen engaged for the work; so that his representative can witness the same. The contractor shall indemnify BHEL against any statutory liability on account of dues to his workmen.
- vii) The bidders should be having appropriate licence from the local Boiler Inspectorate if the job involves welding of pressure parts. Also they should be having alloy steel / carbon steel high pressure welders (for PIG and submerged arc welding approved by the local Boiler Inspectorate for welding the pressure parts. The bidders should clearly indicate the same in the offer.



SPECIFIC TERMS AND CONDITIONS  
FOR SERVICES JOBS

PSER  
KOLKATA

03. TERMS OF PAYMENT:

- i) No advance shall be payable to the contractor unless specifically spelt out in the tender enquiry.
- ii) A minimum time of fifteen days will be required for the processing of bills presented and for their payment.
- iii) 90% of the contract value shall be payable against submission of three progressive running bills. Each of the billed amount shall correspond to the quantum of job actually completed and to that effect the claim can be preferred based on percentage allotments (to be given in the work order) made. This, however, has to be certified by the resident manager / engineer of the site. Balance 10% of contract value shall be paid after successful synchronisation / commissioning and on receipt of final payment by BHEL from Customer.  
BHEL at its discretion may further split up the percentage break up given in billing schedule and effect payment to suit site condition, cash flow requirement etc. according to progress of work.
- iv) The bidder should be financially sound to maintain the site establishment with regard to timely payment of wages to his workmen, arrangements of other inputs viz. T&P consumables etc.

Non-receipt of progressive payment from BHEL due to any reasons should not be a constraint for the smooth execution of the job at site.

- v) The bidder should make all out efforts to provide all inputs in consultation with BHEL engineers at site for completing the job in the specified time frame.
- vi) No over run/escalation / idle charges are payable against any services job under any circumstances. (in exceptional cases such claims may be considered provided BHEL's customer admits of such payment).
- vii) Extra work rate being admitted off by BHEL for other similar contracts have been stated on the page no.10 of this annexure.

For any additional work not envisaged in the scope of work or quantities exceeding the stated quantities, these rates shall be applicable.

- viii) All claims for extra works should be settled before claiming the final (10%) bill. The contractor should prefer the final claim with the certificate that 'no other claim is due from BHEL against this contract', without which final bill cannot be processed for payment.
- ix) For reduction / deletion / withdrawal in the scope of work proportionate deduction in contract value will be made.



SPECIFIC TERMS AND CONDITIONS  
FOR SERVICES JOBS

PSER  
KOLKATA

4. PERFORMANCE:

- i) As soon as job is awarded, the contractor has to submit a barchart to the resident engineer nominated showing the detailed schedule for all activities.

This schedule will be reviewed by the resident engineer from time to time to enable the contractor to recast the barchart matching the planned completion of the job.

- ii) It shall be the responsibility of the contractor's supervisor to distribute the work among his workmen deployed at site and get day to day activities executed as per BHEL's requirement.

BHEL's engineers / supervisors will check the correctness of the job done and will also give the daily programme of work to the contractors supervisor. The contractor has to ensure completion of daily programme and if there is any spill over, the same has to be completed by putting in same additional resources. (Technical guidance wherever required will be provided by BHEL).

- iii) The scope of work mentioned in this tender enquiry gives the broad outline of the actual work involved and it not is possible to mention all minute details of the work. For proper evaluation, the bidders may seek clarifications from this office. Or else, they may visit site and study the job content before submitting offers and be well informed and acquainted with the actual working and other prevalent conditions of the site, facilities available etc.

No claim will be entertained later on the ground of lack of knowledge.

- iv) The bidders have to furnish the bio-data and experience details of the site-in-charge, other key workmen, supervisors, senior technicians etc. to be deployed. In case of award of contract, the key members of the contractor's team may be interviewed at site by BHEL's resident engineer to ascertain their suitability. Replacement of non-acceptable personnel will have to be arranged by the contractor immediately at his own cost.
- v) Penalty for the delay in job completion will be 0.5% per day of delay, limiting to maximum 10% of the contract value, to be imposed on the contractor in case the delay in work completion is attributable to the lapses on the part of the contractor.
- vi) Performance Guarantee: Even though the work will be carried out under supervision of BHEL Engineers, the contractor shall guarantee against defects attributable to faulty workmanship or procedure



SPECIFIC TERMS AND CONDITIONS  
FOR SERVICES JOBS

PSER  
KOLKATA

adopted in the overhaul for items covered in the contract for a period of Six months from the date of re-commissioning of the set after the overhaul. The guarantee should cover all defects notified during this period and shall have to be attended free of cost immediately or at the time our clients are able to give shutdown of the set for the required period, when necessary. In case of failure of contractor to attend to the defect as and when required in time, BHEL shall arrange to attend the defects and the charges shall be levied to the contractor's account and shall be recoverable from the security deposit / progressive payments.

5. MISCELLANEOUS:

- i) The bidders shall submit a list of jobs being carried out by them or expected to be taken up by them during the period as called for in the participation of the tender.

Enclosure – 6.

- ii) The contractor has to engage a cleaning gang at site to ensure continuous cleaning of the floor at work site to protect the parts and to give safe access at the work site.
- iii) Obtaining licenses / permits / road permits in connection with the fulfillment of the contractual obligations is entirely the contractors responsibility. However, wherever applicable BHEL can only offer support to the extent possible.
- iv) For all matters bearing on the execution of the job at site, the decisions of the resident engineer are final and binding upon the contractor.
- v) The contractor has to retain suitable minimum work force at site for a period of one month from the date of completion or work / commissioning, to attend any small / miscellaneous problems, as leakage etc.
- vi) The contractor has to mobilize on a short notice (within 4 days) to attend any troubles encountered in the equipment worked on, during warranty period of six months.
- vii) After dismantling and during execution of the job, successful bidder has to suitably tag the components and sub-assemblies for traceability and store properly before final assembly. This is as per Doc. Nos. PSER:PMX:002:94 & PSER:PMX:001:94.
- viii) Process control of Special Processes like Welding and Heat Treatment shall be carried by successful bidder as per Doc. Nos. PSER:QLY:001:99, PSER:QLY:001:94 (3 VOL) and PSER:QLY: 003:99.



**SPECIFIC TERMS AND CONDITIONS  
FOR SERVICES JOBS**

**PSER  
KOLKATA**

- ix) Proper segregation, identification, tagging and up-keep of all dismantled items at work site during job execution have to be done by successful bidder.
- x) Successful bidder is to obtain necessary "No Dues" certificates before demobilisation from site.
- xi) Any NDT within the scope shall be as per Non-Destructive Examination manual (Doc. No. PSER:QLY:002:99 available with BHEL site engineer).
- xii) Unless otherwise mentioned specifically in this tender elsewhere, the storage & preservation of components, sub-assemblies, IMTEs, T&Ps, Construction Equipments etc, maintenance of stores, watch and ward of stores and BHEL site office is in the scope of the successful bidder.
- xiii) The successful bidder is to arrange extra illumination at work site to augment the existing site illumination if required to enable round-the-clock safe working.

Note: Any of the documents mentioned above can be referred before submission of tender at the office of PSER:SAS(CAL).

**EXTRA WORK RATES CURRENTLY BEING ADMITTED BY BHEL, PS-ER**

A. The following all inclusive manhour rates will be applicable for modification, rectification work and services work.

(For all categories)

a) Average single manhour rate including overtime if any, supervision, T&P, other site expenses and incidentals including consumables as certified by site-in-charge of BHEL.

Rs.18/- per manhour (Rs. Eighteen per manhour only)

b) Same as above (a) but excluding supply of consumables by vendor.

Rs.12/- per manhour (Rs. Twelve per manhour only)

B. The following all inclusive rates will be applicable for modification work involving welding of high pressure butt joints only. Extra work involving other types of joints will be done on the above manpower basis.

Unit rate per equivalent joint of size OD 63.5 mm x 6.3 mm thick

Average unit rate per equivalent joint,  
including NDT and stress relieving.



SPECIFIC TERMS AND CONDITIONS  
FOR SERVICES JOBS

PSER  
KOLKATA

Carbon Steel

Rs.200/- (Rs. Two hundred only)

Alloy Steel

Rs.250/- (Rs. Two hundred fifty only)

---



SPECIFIC TERMS AND CONDITIONS  
FOR SERVICES JOBS

PSER  
KOLKATA

List of enclosure to be furnished by the bidder along with tender documents.

- |    |                                                                 |                |
|----|-----------------------------------------------------------------|----------------|
| a) | Experience certificate                                          | Enclosure 1 *  |
| b) | Banker's certificate of financial soundness as per BHEL' format | Enclosure 2 *  |
| c) | IT / ST clearance certificate                                   | Enclosure 3.   |
| d) | Organisation Chart                                              | Enclosure 4. * |
| e) | List of concurrent jobs held by the contractor / bidder.        | Enclosure 5.   |
- ( \* Vendors registered with BHEL should submit documents in support of sl. no. c only.)

List of documents to be furnished by the contractor to the resident engineer before commencement of the jobs / during the execution.

- i) Barchart (if not furnished in the offer)
- ii) List of T&P being mobilized. Test / Calibration certificate with date of validity for lifting / pulling devices and measuring / test instrument (if not furnished in the offer).
- iii) Category wise list of manpower being mobilized. iv)  
List of consumables being mobilized.
- v) Licence from the department of Labour under contract Labour (Regulation & Abolition) Act / Proof of Application for Licence.
- vi) ESI coverage, if applicable.
- vii) Insurance certificate covering the site personnel.
- viii) Proof of remittance of provident fund to the concerned authorities, for all workmen employed for this job.
- ix) Third party insurance coverage.



SPECIFIC TERMS AND CONDITIONS  
FOR SERVICES JOBS

PSER  
KOLKATA

ANNEXURE - VI

QUESTIONNAIRE TO BE FILLED IN BY THE BIDDER, SIGNED WITH DATE AND SEAL, AND TO BE RETURNED ALONG WITH TECHNICAL TENDER.

BIDDER'S NON-ACCEPTANCE OF TENDER REQUIREMENTS CAN DISQUALIFY HIS BID FOR OPENING OF "PRICE BID"

TENDER NO: PSER:SCT: DATE: ...../...../20.....

- 01 NAME OF THE ORGANISATION.  
ADDRESS, TELEPHONE / FAX NO. :  
.....  
.....  
.....  
.....
- 02 MODE AND PARTICULARS OF EMD  
ENCLOSED
- 03 BANKER'S CERTIFICATE FOR FINANCIAL SOUNDNESS / CAPABILITY TO UNDERTAKE WORK. : Enclosed / Not enclosed.
04. IS THE FIRM HAVING VALID TESTED / CALIBRATED TOOLS AND MEASURING INSTRUMENT REQUIRED FOR THIS TYPE OF JOB AND EQUIPMENT. : YES / NO.
05. ORGANISATION CHART / MANPOWER : Enclosed / Not enclosed.
06. STATUTORY REQUIREMENTS AS PER RELEVANT ACTS WITH LATEST AMENDMENT (Pl. tick out) :
- i) LICENCE FOR EMPLOYING CONTRACT LABOUR : Will be complied with
  - ii) MINIMUM WAGES ACT : - do -
  - iii) INSURANCE OF SITE PERSONNEL EMPLOYED. : - do -
  - iv) WORKMEN'S COMPENSATION ACT : - do -
  - v) THIRD PARTY INSURANCE : Will be complied with
  - vi) EMPLOYEE'S LIABILITY ACT
  - vii) INDUSTRIAL DISPUTES ACT : - do -
  - viii) EMPLOYEE'S PROVIDENT FUNDS ACT : - do -



SPECIFIC TERMS AND CONDITIONS  
FOR SERVICES JOBS

PSER  
KOLKATA

- ix) CONTRACT LABOUR : - do -  
(REGULATION AND ABOLITION)  
ACT / RULES
- x) SAFETY APPLIANCES / DEVICES : - do -  
FOR WORKMEN
- xi) BOILER INSPECTORATE : - do -
- xii) ARBITRATION ACT : - do -
07. AGREEABILITY TO "NO OVERRUN : Agreeable  
CHARGES" CLAUSE
08. AGREEABILITY TO "NO IDLE TIME : Agreeable  
CHARGES" CLAUSE
09. AGREEABILITY TO EXECUTE FULL : Agreeable  
SCOPE OF WORK OF TENDER ENQUIRY  
(INCLUDING RELATED MINOR  
ACTIVITIES).

---

Signature of the bidder :

Date :

Name of the person signing :

Designation :

SEAL

---