

**BHARAT HEAVY ELECTRICALS LIMITED
HEAVY PLATE & VESSELS PLANT (HPVP)**

A Government of India Enterprises
Visakhapatnam – 530 012 INDIA



Phone : +91(0891)6681463/1396

E-Mail : bpr@bhvpvl.com

NOTICE INVITING TENDER

CATEGORY OF TENDER : OPEN TENDER (Two Part–Bid System) : **Reserved for MSE vendors only**

Sub : Indstl. Shoes & Socks

Our Ref: MM/06/ CPS/H /09-3783-85/ W- 118 / 5118

Date : 06 .10.2014

Sub: INDUSTRIAL SHOES & SOCKS

Sealed Quotations are invited in Two Part bid system i.e. a) Technical Bid (Un priced) and b) Price Bid (in duplicate) from **Micro & Small Entrepreneurs only (MSE)** for the above subject material. Sealed Quotations shall be submitted strictly in compliance with Standard Requirements as per Annexure I & II (/Technical Delivery Conditions (TDC)) and Commercial Terms & Conditions (CTC) attached herewith.

TENDER DOCUMENTS CAN BE DOWN LOADED FROM WEBSITE (www.bhelviz.co.in/tenders).

MSE REGISTERED MANUFACTURERS SHALL ONLY QUOTE

NOTE: Email/Fax offers are not accepted, ONLY SEALED QUOTATIONS ARE INVITED.

The sealed Quotation shall be submitted super scribing Tender Ref. , Due Date & Category i.e. Technical or Price Bid. and category of tender to reach us on or before **Due Dt.. 28.10.2014** TIME: On or/ BEFORE 2.00 PM. The quotations/Tenders received after due date & time shall not be Considered. In case any supplier is not in a position to submit the Quotation as per Technical Delivery Conditions (TDC) and Commercial Terms & Conditions (CTC) may submit REGRET letter.

SUPPLIERS ARE REQUESTED TO VISIT OUR WEB SITE REGULARLY FOR ANY UP DATES.

ITEM No.	DESCRIPTION/ SPECN./ SIZE	Qty., (MT)
A)	<p>Description of Materials:</p> <ol style="list-style-type: none"> 1. Industrial Safety Shoe with Steel Toe-Low –Cut (PU Sole) As per Annexure –I 2. High Ankle Welder Shoes Slip in Type(All Types of Welding) As per Annexure –II 3. Nylon Socks (In Two Colours) Grey & Navy Blue as per TDC <p>Note: The quantity above may vary $\pm 10\%$ VENDORS SHALL QUOTE ON F.O.R HPVP BASIS</p> <p>Quotations without samples will not be considered</p>	<p>855 Pairs 170 Pairs 2050 Pairs</p>
B)	<p>Technical Delivery Conditions (TDC) :</p> <p>Material shall meet Material Specification requirements as per code . Material specification, grade etc should comply as given in respective drawings & Annexures. TC with Lab reports if any & inspection certification, Guarantee certificate etc to be submitted with the dispatch of material.</p> <p>Inspection: By BHEL-HPVP/ BHEL Approved Inspection Agency.</p>	
C)	<p>Offer Validity: Shall be for a period of two months from the Due Date.</p>	
D)	<p>Delivery: 6 Weeks from the date of LOI/PO.</p>	
E)	<p>Payment Terms: Payment will be made within 45 days from the date of receipt and acceptance of materials. Offers with payment against Proforma Invoice are liable to be rejected.</p>	
F)	<p>Loading Criteria: Interest @ 24% P.A shall be computed for the differential Period between BHEL terms of payment and that offered. This loading criterion is also</p>	
G)	<p>applicable for imported materials.</p>	

For BHEL, Heavy Plates & Vessels Plant

For Manager (MP-Misc & CPS)

<p>H)</p> <p>I)</p> <p>J)</p> <p>K)</p>	<p>BHEL-HPVP reserves the right to go for RA(reverse Auction) instead of opening the sealed envelope price bid. This will be decided after techno commercial evaluation of offers. All participating Bidders to give their acceptance for participating in RA as per Annexure - I. Non acceptance to participate in RA may result in Non consideration of their bids, in case BHEL decides to go for RA.</p> <p>In case BHEL decides to go for Reverse Auction, only those bidders who have given their acceptance to participate in RA will be allowed to submit 'On line sealed Bid'. Non submission of 'Online Sealed Bid' by bidder will be considered as tampering of the tender process and will invite action by BHEL as per extent guidelines in Vogue.</p> <p>MSE Suppliers can avail the intended benefits only if they submit along with the offer, attested copies of either EM II certificate having deemed validity (five Years from the date of issue of acknowledgement in EM-II) OR valid NSIC certificate OR EM II certificate along with attested Copy of a CA certificate (Format enclosed as per Annexure –I where deemed validity of EM II certificate of five years has expired) applicable for the relevant financial year(latest audited) ,Date to be reckoned for determining the deemed validity will be the date of bid opening(Part 1 in case of two part bid) . Non submission of such documents will lead to consideration of their bid at par with other bidders. No benefit shall be applicable for this enquiry if any deficiency in the above required documents are not submitted before price bid opening. If the tender is to be submitted through e-procurement portal, then the above required documents are to be uploaded on the portal. Documents should be notarized or attested by a Gazetted Officer.</p> <p>New Vendor (Manufacturer Only) willing to participate to this enquiry should download the SRF (Supplier registration format) from WWW.bhel.com and furnish all the relevant documents and after SEARP (Supplier evaluation & registration Procedure) , if supplier/vendor is qualified then their offer will be considered for the tender/For future enquiry.</p> <p>Price Evaluation: Price shall be considered on Landed Cost basis (Cost to BHEL HPVP). Landed cost shall be worked out on price quoted including Freight, Excise Duty and sales tax after taking out CENVAT and VAT benefit, as applicable. The comparative statement shall be worked out on <u>landed cost for overall basis</u>.</p> <ol style="list-style-type: none"> 1. The comparative statement of the price prepared on the reference date shall remain firm throughout the execution period. Any change in duty & tax structure during execution of the contract will not be considered for re-ranking of vendors. 2. BHEL HPVP reserves the right/option to REFLOAT the tender if L1 price is not the lowest acceptable price to BHEL HPVP. <p><u>Offers shall be submitted in Two Part Bids:</u></p> <p><u>Part I: Technical & Un-Price Bid with commercial Terms & conditions</u></p> <p><u>Part II : Priced Bid</u></p> <p>Above two bids shall be submitted in two separate sealed covers enclosed in a single cover and the same shall be sent by post/ Courier addressed to <u>Manager (MP-Misc& CPS)</u>, BHEL HPVP Ltd.,/ Visakhapatnam- 530012 (A.P), India, by super scribing our Enquiry No. MM/06/ CPS/H /09-3783-85/ W-118/5118 Date : 06 .10.2014., To be received on or before Due Dt 28.10.14 ON/BEFORE TIME : 2.00 PM</p>	
---	---	--

For BHEL, Heavy Plates & Vessels Plant

For Manager (MP-Misc & CPS)

Any revised offer(s) sent by vendor on their own, after the tender opening, will be treated as “unsolicited Offer” such offers will not be considered.

OR

Above two bids enclosed in a single cover shall be dropped in the Tender Box placed at Reception, Administration building, BHEL HPVP Ltd., Visakhapatnam 530 012.

Commercial terms and Conditions: (Annexure – II) Enclosed.

Vendor shall submit Categorical Confirmation on Special Terms and Conditions enclosed to the Enquiry. **The offers of those Vendors who do not comply with all the Clauses of Commercial Terms and Conditions in total are liable to be Rejected.**

**M) Bid opening in Public: Technical & un priced Bid will be opened in public on tender Due date provided sufficient Bidders offers are received .
Price bid will be opened for QUALIFIED BIDDERS WITH PRIOR INTIMATION OF DATE & TIME OF OPENING BID.**

Contd.. 4

For BHEL, Heavy Plates & Vessels Plant

For Manager (MP-Misc & CPS)

ANNEXURE -II	
COMMERCIAL TERMS AND CONDITIONS	
Ref: MM/06/ CPS/H /09-3783-85/W- 118 / 5118 Dt : 06.10.14 SUPPLIER OFFER REF :	
VENDOR SHOULD INVARIABLY ENCLOSE THIS FORMAT DULY FILLED TO THE QUOTATION. OTHER WISE, THE OFFER IS LIABLE TO BE REJECTED.	
BHEL HPVP REQUIREMENT	VENDOR COMMENTS
1. Vendor should enclose Point-wise confirmations on Drawings, TECHNICAL ELIVERY CONDITION enclosed to the enquiry. Duly signed & stamped IN DUPLICATE . No deviations are permitted.	
2. Vendor should confirm that no deviations in the tech. specifications, delivery conditions, Drawings etc., will be asked if order is placed.	
3. Vendor should confirm that the quoted prices should be firm without any variations till the end of complete execution of order.	
4. Vendor should confirm that any statutory variations in the rate of taxes / duties will be applicable only within the contractual delivery period.	
5. PRICES: YOUR OFFER SHOULD INDICATE THE FOLLOWING: 1. Net weight of the item 2. Price F.O.R HPVP –BHEL Vizag /Ex-Works 3. Packing & Forwarding Charges 4. Delivery 5. ED 6. CST/VAT	
6. In case vendors desire to have a CONFIRMED LC, then L.C confirmation charges shall be borne by vendor only.	
7. L.D. CLAUSE: Delivery is the essence of this contract. In the event of your failure to ship the materials with in the stipulated delivery period LD @ 1/2% per week of delay to a max of 5% on total order value will be applicable. In case of delay, you should deduct applicable L.D and negotiate the documents through bank for balance amount only.	
8. Rejected materials if any after receipt of material at our end shall be replaced by you at free of cost immediately and also on freight paid basis.	
9. VALIDITY OF QUOTATION: 60 Days from the Technical Bid Opening.	

For BHEL, Heavy Plates & Vessels Plant

For Manager (MP-Misc & CPS)

Our Ref: MM/06/ CPS/H /09-3783-85/ W-118 /5118

Date : 06 .10.2014

<p>10. BHEL HPVP reserves the right to Reduce / Increase the quantities mentioned in the enquiry. <u>Vendor shall agree for Part Order.</u></p>	
<p>11. BHEL HPVP reserves the right to cancel the Enquiry / Tender at any stage without assigning any reasons thereof. And BHEL HPVP reserves the right to reject or accept one or any offer without assigning any reason.</p>	
<p>12. RISK PURCHASE: The Delivery Period stated in the order should be realistic and should be strictly adhered to. If the deliveries are not maintained as per order this company is forced to buy the materials else where, at the risk and cost of the seller.</p>	
<p>13. ARBITRATION: Not with standing any thing contained in any document what so ever, all questions, matters, disputes and claims relating to and arising out of this contract, shall be referred to sole arbitrator, who shall be appointed by the Managing Director, BHEL HPVP, Visakhapatnam at his sole discretion. Such appointment of arbitrator shall not take place unless and until a written request for appointment of arbitrator from any of the parties to the contract has been received by the Managing director as aforesaid. The arbitrator shall give his reasoned award. It is a term of this contract that no person other than a person appointed by Managing Director as aforesaid should act as arbitrator and if for any reason that is not possible, the matter is not to be referred to arbitrator at all. The venue of arbitration shall be such place as may be fixed by the arbitrator at his sole discretion .The award of arbitrator shall be final, conclusive binding on all parties to the contract.</p>	
<p>14. JURISDICTION: Not out of this contract including that arise out of arbitration and bank guarantees, shall be initiated, filed and tried only in the courts, tribunals and forums, situated at and having territorial jurisdiction over Visakhapatnam even though such jurisdiction also vests in courts, tribunals & forums situated elsewhere in the country .</p>	
<p>15. As per the Instructions from Government of India Ministry of Industry vide Ref.No:6(3) / 89 – Fin – III Dated.11 April 1989, the Indian agent of Foreign suppliers should furnish a copy of his valid agreement with the supplier indicating the details of commission payable either in foreign currency or in Indian Rupees.</p>	
<p>16. INSURANCE: Insurance will be arranged by us against our open policy already taken with M/s. United India Insurance Co,. 28.10.21, Surya Bhag, Visakhapatnam – 530020, A.P, India.</p>	

For BHEL, Heavy Plates & Vessels Plant

For Manager (MP-Misc & CPS)

Our Ref: MM/06/ CPS/H /09-3783-85/ W-118 /5118

Date : 06 .10.2014

Technical delivery conditions for NYLON SOCKS :


1. The Socks shall be made of 100% Nylon material.
2. They shall be Grey or Navy Blue in Colour
3. The Socks shall conform to IS: 5084-1990
4. The Socks shall be free from any noticeable manufacturing defects
5. The Head Sole and Toe portions of Socks should be knitted in plain stitches with splicing. The splicing should be uniform throughout and spliced portion free from creses and folds
6. The socks shall be free size reversible double wear upper folded and souble cylinder.
7. The socks dimension shall be length 23 cms and upper elasticity to grip.
8. Samples are required for evaluation by HPVP-BHEL
9. Inspection shall be carried out at Supplier's works by BHEL-HPVP Representative.
10. Supplier shall submit the following information at the time of supply.
 - a) HPVP No.
 - b) Batch No.
 - c) Identification mark/ No.
 - d) Supplier's reference and Name

For BHEL, Heavy Plates & Vessels Plant

For Manager (MP-Misc & CPS)

STANDARD REQUIREMENTS FOR LOW ANKLE SAFETY SHOES

- 1.0 SCOPE: This standard covers the requirement of Safety Shoes (PU sole) to Protect the feet and ankle in heavy engineering industry.
- 2.0 Compliance with standards
1. Upper of the shoe shall be conforming to IS-5677-1896. Reaffirmed 1997.
 2. Bottom shall be good quality of PU to IS-15298-2004.
 3. Inner toe tongue side lining 1.5 mm –IS-3840-1996. Reaffirmed 2002.
 4. Insole –IS-3840-1996. Reaffirmed 2002.
 5. Carbon steel toe cap IS-5852-2004.
- 3.0 Technical Requirement:
1. The boot upper and bottom sole shall be joined together by direct injection process.
 2. Upper leather shall be good quality chrome tanned plain grain Cow/Buffalo leather 1.5 mm thickness Brown/Black in colour.
 3. The shoe shall be provided with lasting inner sole to the thickness of 3 mm (Leather/leather board).
 4. Vegetable tanned soft Grain Leather, shall be used for insole(sock lining) toe lining and side, tongue inner lining to the thickness of 1 mm Natural yellow in colour.
 5. The Eye lets shall be of Bras/Aluminum 3 numbers inner dia 6 mm, outer dia 12 mm
 6. The shore harness of the bottom sole shall be 55 to 65 A.
 7. The shoes are to be machine-stitched and no Nails shall be used shall be free from nails.
 8. Total weight shall not be exceeding 950 gms for pair.
 9. It shall be provided with 6 mm widths and 630 length, cotton lace.
 10. Construction, measurement shall be as per our drawing.



IS-1114
20/1/14

4.0 **SAMPLE:** Sample shall be supplied along with offer.

4.0 **TEST CERTIFICATE:**

4.1 Suppliers shall submit the test certificates along with the bulk supply.

1. Leather quality
2. Heat resistance
3. Impact resistance
4. Penetration resistance
5. Electrical resistance
6. Oil and chemical resistance.

5.2 Test Certificate shall also indicate the following.

- a). BHEL PO.NO.
- b). Batch No. & date

6.0 **PACKING:**

The shoes shall be supplied packed in good quality card board box with One Pair of Cotton Lace As spare.

7.0 **MARKING:** The shoe shall be marked with the following information.

- a). Size of the shoe.
- b). BHEL logo
- c). Suppliers identity
- d). Batch, Month and the year of the manufacturing.

8.0 **INSPECTION:**

Inspection will be carried out at our works with reference to the acceptable Sample and test reports. BHEL (HPVP) will inspect the works wherever required.

9.0 **GUARANTEE CERTIFICATE:**

Guarantee Certificate to be given for any manufacturing defects along with its Consignment from the date of receipts at stores for free replacement within six Months.

I.S. 11 Rosh
23/7/14

ANNEXURE-II

STANDARD REQUIREMENTS FOR HIGH ANKLE SAFETY SHOES


1.0 SCOPE: This standard covers the requirement of slip in Type Safety Boot for welders.

2.0 Compliance with standards

1. Upper of the shoe shall be conform to IS-5677-A..
2. Bottom shall be confirm IS: 638-1965.
3. Inner toe tongue side lining 1.5 mm –IS-3840-1970.
4. Insole –IS-3840-1970.
5. Carbon steel toe cap IS-5852-1977.
6. Tread conforming to IS: 1989-1973

3.0 TECHNICAL REQUIREMENTS:

1. The Boot's upper should be made of printed Grain Leather in black colour and it should cover the ankle.
2. Vegetable Tanned Leather shall be used for inside Leather lining.
3. The toe should be reinforced with carbon steel toe cap of 1.5 mm thick and should withstand an impact of 14 kgs.
4. The bottom shall be provided with a good quality Rubber/Anson sole of 55A shore harness as per IS.
5. The bottom rubber sole and upper shall be fixed with concealed stitching by using linen thread confirming to IS.
6. The boots are to be machine-stitched and no Nails shall be used.
7. The boots should be provided with inside Zip arrangement for closing and opening the zip shall be covered with leather in full length.
8. A rust-proof steel shank ribbed 1.2 to 1.5 mm thick and not less than 12 mm in width shall be fitted to the waist of the sole.



Contd...2

I.S.K. Reddy
23/7/14

4.0 **SAMPLE:** Sample is required for evaluation along with offer.

5.0 **TEST CERTIFICATE:**

5.1 Suppliers shall submit the test certificates along with the bulk supply.

1. Leather quality
2. Heat resistance
3. Impact resistance
4. Penetration resistance
5. Electrical resistance
6. Oil and chemical resistance.

5.2 Test Certificate shall also indicate the following

- a). BHEL PO.NO.
- b). Batch No. & date

6.0 **PACKING:**

The shoes shall be supplied packed in good quality card board box.

7.0 **MARKING:** The shoe shall be marked with the following information.

- a). Size of the shoe.
- b). BHEL logo
- c). Suppliers identity
- d). Batch, Month and the year of the manufacturing.

INSPECTION:

Inspection will be carried out at our works with reference to the acceptable sample and test reports. BHEL (HPVP) will inspect the works wherever required.

9.0 **GUARANTEE CERTIFICATE:**

Guarantee Certificate to be given for any manufacturing defects along with its Consignment from the date of receipts at stores for free replacement within six months.

I. S. K. Reddy
23/7/14