

## LIST OF ITEMS

FIT CS AS

SI.No.	MATERIAL CODE	DESCRIPTION	QTY. (Nos.)	CONSTRUCTION	FITTINGS D1 VALUE	DRAWINGS, IF ANY	CURRENCY	UNIT RATE ON CFR CHENNAI PORT BASIS
1	925033240000	BW CAP 219.1 X 8.18SA234WP22CL1	1	Seamless	D 202.7			
2	925040330000	BW LR45DEG EL OD168.3X14.27 SA234WP11CL1	4	Seamless	STY-P-142.3			
3	925049210000	BW LR 90 DEG ELL 965 X 57 SA234 WP22 CL1	5	Seamless	P/D1-860.0			
4	925049220000	BW LR 30 DEG ELL 965 X 57 SA234 WP22 CL1	2	Seamless	P/D1-860.0			
5	925049750000	ASMEB16.9BW90DEGELL508X30 SA234WP22CL1	10	Seamless	P / 453.2			
6	925246900000	BW LR90DEG ELL711.2 X 25SA234WP22CL1	16	Seamless	P665.1			
7	925249560000	BW LR 90 DEG ELL 965 X 37 SA234 WP22 CL1	3	Seamless	P/892.27			
8	921176680000	REDUCER OD 660X36/ 508X28 SA234WP22CL1	4	Seamless	P/588/457.4			
9	921178240000	BW CON RED OD660X40/406.4X25SA234WP22CL1	4	Seamless	P-590.0/361.9			
10	921179310000	BW C.RED OD965X57/OD914X47 SA234WP22CL1	2	Seamless	AS PER DRG	4-80-320-77640		
11	925173220000	BWCONRED73X14.02/60.3X12.5 SA234WP22cl1	8	Seamless	D 44.5/34.8			
12	925179960000	C.RED.629X35/559X30SA234WP22CL1	16	Seamless	P569/P506.8			
13	925270660000	RED 60.3X12.5/48.3X10.15SA234WP22CL1	2	Seamless	D34.8 / D30.3			
14	925274570000	BWCONRED609.6X20/508X20SA234WP22CL1	3	Seamless	STYLE P 572.6/471			
15	925276710000	C.RED 355.6X55.6/219.1X36SA234WP22CL1	4	Seamless	P 248/152.2			
16	925277480000	C.RED 457.2X28.5/273X28.5SA234WP22CL1	8	Seamless	P405.7/P222			
17	925050520000	BW UNEQT OD965X42/OD508X25 SA234WP11	6	Seamless	P-886/463	3-80-320-32221		
18	925052640000	UEQT 273X6.35/114.3X6.02SA234WP22CL1	4	Seamless	D260.3/D103.5			
19	925056060000	BW UEQT OD965X57/OD323.9X28 SA234WP22CL1	2	Seamless	P-860/273.8			
20	925056070000	BW UEQT OD965X57/OD508.0X30 SA234WP22CL1	2	Seamless	P-860/453.2			
21	925257950000	UEQT711.2X25/457.2X22.2SA234WP22CL1	12	Seamless	P665.1/P417.2			
22	925195690000	BW CAP 508 X 64 SA234WPC	2	Seamless	P392			
23	925195850000	ASME B16.9 BW CAP OD 559X75 SA234WPC	2	Seamless	P/424.2			
24	921044830000	BW LR 90DEG ELL 457.2 X 12.7 SA234WPB	20	Seamless	D432.1			
25	925040190000	BW LR 90DEG ELBOW OD457.2X20 SA234WPB	20	Seamless	P421			
26	925040200000	BW LR 45DEG EL OD273X50 SA234WPC	14	Seamless	STY 'P' 181			
27	925040210000	BW LR 90 DEG ELBOW OD273X50 SA234WPC	64	Seamless	STY 'P' 181			
28	925040320000	BW LR 90DEG ELBOW OD273X15.09 SA234WPC	14	Seamless	STY-P-246			
29	925040510000	BW LR 90DEG ELBOW ID220X54-SA234WPC	45	Seamless	AS PER DRG	4-80-425-78983		
30	925040520000	BW LR 45DEG ELBOW ID220X54-SA234WPC	6	Seamless	AS PER DRG	4-80-425-78984		

## LIST OF ITEMS

FIT CS AS

SI.No.	MATERIAL CODE	DESCRIPTION	QTY. (Nos.)	CONSTRUCTION	FITTINGS D1 VALUE	DRAWINGS, IF ANY	CURRENCY	UNIT RATE ON CFR CHENNAI PORT BASIS
31	925040530000	BW LR 90DEG ELBOW ID400X95-SA234WPC	6	Seamless	AS PER DRG	4-80-425-78987		
32	925040540000	BW LR 90DEG ELBOW ID185X32-SA234WPC	33	Seamless	185	4-80-425-78989		
33	925040550000	BW LR 90DEG ELBOW ID250X42-SA234WPC	12	Seamless	AS PER DRG	4-80-425-78988		
34	925040570000	BW LR 30DEG ELBOW ID185X32-SA234WPC	15	Seamless	185	4-80-425-78991		
35	925040580000	BW LR 45DEG ELBOW ID185X32-SA234WPC	6	Seamless	185	4-80-425-78990		
36	925040590000	B16.9 BWLR 90DEG ELL OD219.1X42 SA234WPC	24	Seamless	138.1			
37	925040600000	BW LR 90DEG ELBOW ID280X68-SA234WPC	33	Seamless	AS PER DRG	4-80-425-78992		
38	925040610000	BW LR 30DEG ELBOW ID280X68-SA234WPC	3	Seamless	AS PER DRG	4-80-425-78993		
39	925040620000	B16.9 BWLR 90DEG ELL OD323.9X61 SA234WPC	66	Seamless	203.6			
40	925040630000	B16.9 BWLR 45DEG ELL OD323.9X61 SA234WPC	6	Seamless	203.6			
41	925040640000	BW LR 45DEG ELBOW ID420X68-SA234WPC	3	Seamless	AS PER DRG	4-80-425-78986		
42	925040650000	BW LR 90DEG ELBOW ID420X68-SA234WPC	39	Seamless	AS PER DRG	4-80-425-78985		
43	925040660000	BW 60 DEG ELBOW OD965X34 - SA234WPC	2	Seamless	P-898.6			
44	925040680000	BW 45 DEG ELBOW OD965X34 - SA234WPC	4	Seamless	P-898.6			
45	925041320000	BW LR 90DEG ELL 406.4 X 9.53 SA234WPC	30	Seamless	D387.3			
46	925041340000	BW LR 90DEG ELL 323.9 X 9.53 SA234WPC	54	Seamless	D304.8			
47	925042010000	BW LR 45DEG ELL 457.2 X 12.7 SA234WPB	2	Seamless	D432.1			
48	925048220000	BW 90 DEG LR ELBOW OD406.4x70 SA234WPC	10	Seamless	P/273.4			
49	925048240000	BW 30 DEG LR ELBOW OD457x62 SA234WPC	12	Seamless	P/334.6			
50	925048260000	BW 60 DEG LR ELBOW OD457x62 SA234WPC	4	Seamless	P/334.6			
51	925048270000	BW 90 DEG LR ELBOW OD457x62 SA234WPC	150	Seamless	P/334.6			
52	925048280000	BW 45 DEG LR ELBOW OD457x82 SA234WPC	8	Seamless	P/309.3			
53	925048310000	BW 90 DEG LR ELBOW OD610x82 SA234WPC	24	Seamless	P/453.8			
54	925048500000	BW 90 DEG ELBOW OD 355.6X 64 SA234WPC	11	Seamless	P/239.4			
55	925048510000	BW 90 LR DEG ELBOW OD 660 X 116 SA234WPC	6	Seamless	P' D1=452.8			
56	925048870000	BW 30 DEG LR ELBOW 457x82 SA234WPC	4	Seamless	P/D1/309.3			
57	925048980000	BW LR45DEG EL OD219.1X12.7 SA234WPC	4	Seamless	D/ D1/ 193.7			
58	925048990000	BW LR45DEG EL OD168.3X14.27 SA234WPC	2	Seamless	P/ D1/ 143.2			
59	925049320000	BW LR 60DEG ELBOW OD559X72 SA234WPC	4	Seamless	P/422			
60	925049900000	BW LR 45DEG ELL 219.1X8.18SA234WPC	5	Seamless	D202.7			

## LIST OF ITEMS

FIT CS AS

SI.No.	MATERIAL CODE	DESCRIPTION	QTY. (Nos.)	CONSTRUCTION	FITTINGS D1 VALUE	DRAWINGS, IF ANY	CURRENCY	UNIT RATE ON CFR CHENNAI PORT BASIS
61	925241190000	BW LR 90DEG ELL 88.9 X 5.49 SA234WPC	14	Seamless	D79			
62	925241410000	BW LR 90DEG ELL 660 X 20 SA234WPC	32	Seamless	P624			
63	925241550000	LR 45DEG ELL 168.3X27.5SA234WPC	3	Seamless	P119.3			
64	925242050000	BW LR 90DEG ELL 114.3 X 8.56 SA234WPB	2	Seamless	D 97.2			
65	925242580000	BW LR 90DEG ELL 323.9 X 10.31 SA234WPB	1	Seamless	D303.3			
66	925242690000	BW LR 90DEG EL 508X10 SA234WPB	28	Seamless	D 488			
67	925242910300	BW SR 90DEG ELL 457 X 10 SA234WPB	6	Seamless	D 438.1			
68	925242940000	BW LR 90DEG ELL 508 X 16 SA234WPB	5	Seamless	P478.3			
69	925243180000	BW LR 90DEG ELL 368 X 48 SA234WPC	150	Seamless	P281			
70	925247450000	BW LR 30DEG ELL 368 X 48 SA234WPC	6	Seamless	P281			
71	925247840000	SR 90DEG ELBOW OD 559X75SA234WPC	22	Seamless	P/424.2			
72	925247910000	BW 90 DEG LR ELBOW OD965x34SA234WPC	10	Seamless	P/898.6			
73	925247920000	LR 90DEG ELBOW OD323.9x56SA 234 WPC	36	Seamless	P/214.2			
74	925248440000	BW LR 90DEG ELL 406.4 X 12.7 SA234WPB	4	Seamless	D381.3			
75	925248600000	BW LR 90DEG ELL 457 X 9.53 SA234WPB	11	Seamless	D 437.2			
76	925248640000	BW LR 45DEG ELL 368 X 48 SA234WPC	10	Seamless	P281			
77	925249170000	BW LR 90DEG ELL711.2X20SA234WPC	8	Seamless	P673.4			
78	925249440000	BW LR 90 DEG ELL 559 X 72 SA234WPC	96	Seamless	P /422			
79	925249450000	BW LR 45 DEG ELL 559 X 72 SA234WPC	7	Seamless	P /422			
80	925249780000	BW 90 DEG ELBOW OD 457 X 82 SA234WPC	69	Seamless	P' D1=309.3			
81	925249820000	BW 90 LR DEG ELBOW OD 660 X 116 SA234WPC	8	Seamless	P' D1=457.2			
82	921170200000	ASME BW RED OD559X72/OD355.6X46 SA234WPC	8	Seamless	P-422/P-271.6			
83	921170210000	ASME BW RED OD965X34/OD660X30 SA234WPC	4	Seamless	P-898.6/P-604			
84	921170220000	BW RED OD219.1X12.7/114.3X8.56 SA234WPC	6	Seamless	D-193.7/D-97.2			
85	921170230000	BW RED OD273X12.7/114.3X8.56SA234WPC	2	Seamless	D-276/D-97.2			
86	921170240000	BW RED OD355.6X12.7/168.3X10.97 SA234WPC	2	Seamless	D-330.2/D-147.4			
87	921170270000	B16.9BW C.RED OD762X30/OD508X32 SA234WPC	6	Seamless	P-706.4/452			
88	921170310000	BW CON.RED ID400X95/ID220X54-SA234WPC	6	Seamless	STY P;400/220	4-80-423-79040		
89	921170320000	BW CON.RED ID300X50/ID250X42-SA234WPC	12	Seamless	STY P;300/250	4-80-423-79041		
90	921170330000	BW CON.RED ID420X68/ID300X50-SA234WPC	12	Seamless	STY P;420/300	4-80-423-79042		

## LIST OF ITEMS

FIT CS AS

SI.No.	MATERIAL CODE	DESCRIPTION	QTY. (Nos.)	CONSTRUCTION	FITTINGS D1 VALUE	DRAWINGS, IF ANY	CURRENCY	UNIT RATE ON CFR CHENNAI PORT BASIS
91	921170340000	BW CON.RED ID300X50/ID185X32-SA234WPC	3	Seamless	STY P;300/185	4-80-423-79043		
92	921170350000	BW CON.RED ID420X68/ID220X54-SA234WPC	3	Seamless	STY P;420/220	4-80-423-79044		
93	921171110000	BWCONRED168.3X10.97/88.9X7.62 SA234WPB	12	Seamless	D147.4/D73.7			
94	921171180000	BWCONRED323.9X12.7/168.3X10.97 SA234WPB	6	Seamless	D298.9/D147.4			
95	921174270000	BWRED OD 508X 16 / 355.6 X 12.7 SA234WPB	4	Seamless	P478.3 / D330.6			
96	921174310000	BWRED OD 368 X 48/ 273 X 32 SA234WPC	4	Seamless	281/214.5			
97	921174540000	CONCRED 273 X9.27 /168.3 X 7.11 SA234WPC	16	Seamless	D/254.5/155.6			
98	921176450000	REDUCER 559X10/ 508X12.7SA234WPB	2	Seamless	D/534/483			
99	921176490000	REDUCER273X12.7/ OD 168.3X7.11SA234WPC	14	Seamless	D/385.4/147.4			
100	921176550000	REDUCER OD813x31/OD559x36SA234WPC	4	Seamless	AS PER DRG	3-80-320-28585		
101	921177280000	RED 355.6X12.7/323.9X12.7 SA234WPC	6	Seamless	D/330.2/298.9			
102	921177620000	CON RED OD559x75/355.6x64 SA234WPC	2	Seamless	P/D1/430/239.4			
103	921177780000	BW REDUCER 965X12.7 / 762X9.53/SA234WPB	2	Seamless	D - D1= 938 / 741.5			
104	921177830000	BW RED OD323.9X12.7/168.3X7.11 SA234WPC	4	Seamless	D-298.5/D-154.1			
105	921177850000	BW CON RED OD660X12.7/559X10 SA234WPB	2	Seamless	D-634.5/538.4			
106	921177870000	BW RED OD610X12.7/508X12.7 SA234WPB	2	Seamless	D-D1-584.6/D1-482.8			
107	921177880000	BW RED OD219.1X15.09/168.3X14.2 SA234WPC	6	Seamless	P-D1-192.3/142.7			
108	921177890000	BW RED OD660X10/508X12.7 SA234WPB	4	Seamless	D-D1-640/D1-482.8			
109	921177900000	BW RED OD762X10/508X12.7 SA234WPB	2	Seamless	D-D1-742/482.8			
110	921177950000	BW RED OD965X34/660X22 SA234WPC	2	Seamless	P/D1--898.6/620			
111	921178150000	BW C.REDOD219.1X12.7/114.3X6.02 SA234WPB	10	Seamless	STY-D-D1-194.1/103.5			
112	921178160000	BW C.REDOD219.1X12.7/114.3X6.02 SA234WPC	2	Seamless	STY-D-D1-194.1/103.5			
113	921178330000	BW CON RED OD457X9.53/406.4X9.53SA234WPC	12	Seamless	D-D1-438.0/D-D1-387.3			
114	921179930000	BW RED OD273X15.09/219.1X12.7 SA234WPC	8	Seamless	P-246/D-193.7			
115	921179940000	BW RED OD273X15.09/168.3X10.97 SA234WPC	2	Seamless	P-246/D-147.4			
116	925173510000	BWCONRED406.4X12.7/323.9X12.7 SA234WPB	6	Seamless	D-D1=381.3/298.9			
117	925174900000	BWCONRED406.4X6.35/219.1X6.35 SA234WPB	2	Seamless	D 393.7/D206.4			
118	925176590000	BW CON RED 508X9.53/323.9X9.53 SA234WPB	2	Seamless	D 488.9 / D 304.8			
119	925177270000	BWCONRED406.4X12.7/323.9X10.31 SA234WPC	3	Seamless	D381.3/D303.3			
120	925177350000	BWCONRED406.4X12.7/355.6X11.91 SA234WPC	6	Seamless	D381.3/D 332			

## LIST OF ITEMS

FIT CS AS

SI.No.	MATERIAL CODE	DESCRIPTION	QTY. (Nos.)	CONSTRUCTION	FITTINGS D1 VALUE	DRAWINGS, IF ANY	CURRENCY	UNIT RATE ON CFR CHENNAI PORT BASIS
121	925178790000	BW CON RED 508X12.7/323.9X9.53 SA234WPB	1	Seamless	D 482.8/D 304.8			
122	925178960000	BWCON.RED 368 X 48/323.9 X 42SA234WPC	16	Seamless	P281/246.3			
123	925179990000	BW CON.RED.406.4X61/368X48SA234WPC	16	Seamless	P300/P281			
124	925271490000	BWCONRED323.9X10.31/114.3X6.02 SA234WPC	8	Seamless	D 303.3 / D103.5			
125	925272030000	BW CON RED 457.2X10/323.9X9.53 SA234WPB	6	Seamless	D 437.2/304.8			
126	925272070000	BWCONRED457.2X9.53/406.4X9.53 SA234WPB	6	Seamless	D 438.1/D 387.3			
127	925272790000	BWCONRED355.6X9.53/323.9X9.53 SA234WPB	2	Seamless	D336.5/D304.8			
128	925273010000	BWCONRED114.3X17.12/73X14.02 SA234WPC	1	Seamless	P83.2/D47.7			
129	925273090000	BWCONRED168.3X10.97/88.9X7.62 SA234WPC	4	Seamless	D147.4/D73.7			
130	925273220000	BWCONRED219.1X28/168.3X21.95 SA234WPC	1	Seamless	P169.2/P128.2			
131	925273910000	BW CON RED 711X20 457.2X12.7 SA234WPC	12	Seamless	P673.4/D432.1			
132	925277520000	BW CON RED 508X12.7/406.4X12.7 SA234WPB	4	Seamless	D482.8/D381.3			
133	925279490000	BW CON RED 323.9X12.7/273X9.27 SA234WPB	4	Seamless	D298.9/D254.5			
134	921056420000	BW UEQT OD457.2X12.7/323.9X9.53 SA234WPC	2	Seamless	D D1=432.1 / D1=304.8			
135	921056540000	BWUNEQTOD219.1X15.09/114.3X13.49SA234WPC	4	Seamless	P-D1 192.3/D-D1- 89.6			
136	921056550000	BWUNEQTOD219.1X15.09/168.3X14.37SA234WPC	2	Seamless	P 192.3/P142.7			
137	921056560000	BW UNEQT OD660X10/508X12.7 SA234WPB	2	Seamless	D-D1-640/482.8			
138	921059270000	BW UEQT OD273x15.09/114.3X8.56 SA234WPC	4	Seamless	P-246/D-97.2			
139	921059280000	BW UNEQ OD273X15.09/168.3X10.97 SA234WPC	2	Seamless	P-246/D-147.4			
140	925050350000	BW UNEQUAL TEE OD965X34/OD457.2X25 - WPC	4	Seamless	P-898.6/412.4			
141	925050430000	BW UEQT ID220X54/OD219.1X42-SA234WPC	3	Seamless	STY P;220/138.1	3-80-423-32147		
142	925050440000	BW UEQT ID300X50/ID250X42-SA234WPC	3	Seamless	STY P;300/250	3-80-423-32148		
143	925050450000	BW UEQT ID300X50/ID185X32-SA234WPC	9	Seamless	STY P;300/185	3-80-423-32149		
144	925050460000	BW UEQT ID420X68/ID300X50-SA234WPC	24	Seamless	STY P;420/300	3-80-423-32150		
145	925050500000	BW EQUAL TEE ID420X68-SA234WPC	9	Seamless	STY P;420/420			
146	925052040000	BW EQT 323.9X12.7 SA234WPC	2	Seamless	D/298.9			
147	925053250000	BW EQT 355.6 X 9.53 SA234WPB	4	Seamless	D336.5			
148	925056000000	BW EQT OD 559X76.5 SA234WPC	20	Seamless	P/421.2			
149	925057790000	EQ TEE OD 508 X 64 SA234 WPC	2	Seamless	P392	4 80 423 62608		
150	925059570000	UNEQUALTEE457X12.7/355.6X9.53SA234WPC	1	Seamless	D/432.1/336.5			

## LIST OF ITEMS

FIT CS AS

SI.No.	MATERIAL CODE	DESCRIPTION	QTY. (Nos.)	CONSTRUCTION	FITTINGS D1 VALUE	DRAWINGS, IF ANY	CURRENCY	UNIT RATE ON CFR CHENNAI PORT BASIS
151	925059890000	UNEQTEE OD965x34/OD406.4x16SA234WPC	6	Seamless	P/898.6/P/377.2			
152	925251980000	BW UNEQTEE OD 368 X 48/ 273X 32 SA234WPC	5	Seamless	281/214.5			
153	925252140000	UEQT 711.2X9.53/406.4X9.53 SA234WPB	6	Seamless	D/691.9/387.3			
154	925252460000	BW UEQT 508X12.7 219.1X8.18 SA234WPB	10	Seamless	D 482.6/202.7			
155	925253990000	BW EQT 711.2 X 20 SA234WPC	3	Seamless	P673.4			
156	925257060000	BW UEQT 457.2X9.53 406.4X9.53 SA234WPB	2	Seamless	D 438.1/D 387.3			
157	925040300000	BW 60 DEG ELBOW OD914X10 SA234WPB(W)	2	Welded	STY D - 895			
158	925040310000	BW 30 DEG ELBOW OD914X10 SA234WPB(W)	2	Welded	STY D - 895			
159	925040430000	BW LR 90DEG ELBOW OD1016X10 SA234WPB(W)	8	Welded	D-D1=996.0			
160	925040440000	BW LR 60DEG ELBOW OD1016X10 SA234WPB(W)	2	Welded	D-D1=996.0			
161	925040450000	BW LR 30DEG ELBOW OD1016X10 SA234WPB(W)	2	Welded	D-D1=996.0			
162	925045370000	BWLR90DEGEL609.6X9.53SA234WPB(WELDED)	22	Welded	D 590.5			
163	925049030000	BW LR90DEG EL OD965X10 SA234WPB(Welded)	12	Welded	D/ D1/945			
164	925242120000	SR 90DEG ELL 660.4 X 9.53 SA234WPB (W)	2	Welded	D/640			
165	925242270000	BW LR 90DEG ELL 914 X 9.53 SA234WPB (W)	14	Welded	D 894.9			
166	925242390000	LR 90DEG ELL 660.4 X 9.53 SA234WPB(W)	10	Welded	D/640			
167	925242760000	LR 45DEG ELL 610 X 10 SA234WPB(Welded)	19	Welded	D 590			
168	925242770000	BW LR 90DEG ELL 610 X 10 SA234WPB (W)	14	Welded	D 590			
169	921170260000	BWCONCRED OD1016X10/OD914X10 SA234WPB(W)	10	Welded	D-D1=996.0/D-D1=894.0			
170	921177670000	BW RED OD660X9.53/559X9.53 SA234WPB (W)	2	Welded	D - D1=640.94 / 539.94			
171	921177720000	BW RED 762X9.53/508X9.53 SA234WPB (W)	2	Welded	D - D1=741.5 / 488.9			
172	921177730000	BW RED OD965X9.53/OD762X9.53 SA234WPB(W)	3	Welded	D - D1=935.5 / 741.5			
173	921177940000	BW RED 965X9.53/457X9.53 SA234WPC (W)	2	Welded	D-D1-945.9/437.9			
174	925176140000	BW CON RED 813 X10/508X10 SA234WPB(W)	4	Welded	D793/D 488			
175	925271620000	BW CON RED 813X10 508X9.53 SA234WPB (W)	1	Welded	D 793 / D 488.9			
176	925271640000	BW CON RED 559X10 508X9.53 SA234WPB (W)	4	Welded	D 539/D 488.9			
177	925272210000	BWCONRED609.6X9.53/406.4X9.53SA234WPB(W)	4	Welded	D590.5/D387.3			
178	925277030000	CONRED711.2X9.53/610X9.53SA234WPB(Welded)	2	Welded	D 691.9/D 590.9			
179	925278930300	BW CON RED 813X10 / 610 X 10 SA234WPB(W)	11	Welded	D 793/D 590			
180	925279010000	BW CON RED 610X10 508X9.53 SA234WPB(W)	12	Welded	D 590 / D 488.9			

## LIST OF ITEMS

FIT CS AS

SI.No.	MATERIAL CODE	DESCRIPTION	QTY. (Nos.)	CONSTRUCTION	FITTINGS D1 VALUE	DRAWINGS, IF ANY	CURRENCY	UNIT RATE ON CFR CHENNAI PORT BASIS
181	921056570000	BW EQT OD965X10 SA234WPB (W)	2	Welded	D-D1-945			
182	921056620000	BW EQT OD965X9.53 SA234WPC (Welded)	6	Welded	D-D1-945.9			
183	925053580000	UEQT813X9.53/609.6X9.53/SA234WPB(W)	4	Welded	D794.0/D590.5			
184	925056040000	BW UEQT OD965X9.53/508X9.53 SA234WPC (W)	2	Welded	D/D1-945.9/488.9			
185	925056050000	BW UEQT OD965X9.53/457X9.53 SA234WPC (W)	2	Welded	D/D1-945.9/437.9			
186	925251490000	BW UEQT 813 X10 / 508 X 9.53 SA234WPB(W)	4	Welded	D793/D488.9			

" No raw material / component /other services for " ENQ. SL. NO. 117 " shall be sourced from China either directly or indirectly for manufacturing or supply".

VENDOR'S SIGNATURE WITH SEAL