



# Bharat Heavy Electricals Limited

(A Govt. of India Undertaking)

Human Resource Development Institute

PURCHASE DEPARTMENT

By COURIER SERVICE

Please Quote TENDER ENQUIRY No. in all correspondence

TENDER ENQUIRY

Tender Enquiry Ref. No. MG/DS/PUR/009

Dated: 08.01.2016

M/s

**Tender Submission Date: 29.01.2016 (13.00 Hrs.)**

**Tender Opening Date: 29.01.2016 (16.00 Hrs.)**

Sub: Gents Toilet Repair Work at First Floor HRDI/BHEL:

Dear Sirs,

Most competitive rates are invited from reputed agencies for Gents Toilet Repair Work at First floor HRDI/BHEL. Quotations received late are likely to be ignored.

Offer must be submitted in a single part bid in a sealed cover. The cover should indicate the Tender no., due date & Time as mentioned above and vendor/supplier's contact details with full address.

Your offer must contain following documents:

1. Covering Letter
2. Annexure-I: BOQ, Specification cum Price Format
3. Annexure-II: Special Terms and Conditions
4. Annexure-III: Pre-Qualification Requirements with supporting documents

All the documents should be duly signed and stamped which will imply your acceptance to the terms and conditions.

The Tender will be opened in this office on 29.01.2016 (1600 Hrs.) in the presence of the representatives of the bidders who may choose to be present.

The validity of offer should be 3 months from the date of tender opening.

The Quotation should reach this office at the following address, latest by 1300 hrs on 29.01.2016

Sr. Engineer/ Purchase  
Bharat Heavy Electricals Limited  
Human Resource Development Institute  
HRD & ESI Building, Plot No.25, Sector – 16A,  
NOIDA-201301 (U.P.)

*Shekhar*  
08.01.16  
Shekhar  
Sr. Engineer/ Purchase

Encls:

1. Covering Letter
2. Annexure-I: BOQ, Specification cum Price Format
3. Annexure-II: Special Terms and Conditions
4. Annexure-III: Pre-Qualification Requirements with supporting documents

Telephone: 0120-2416357 Fax: 0120-2515431, E-mail [dshekh@bhel.in](mailto:dshekh@bhel.in), Home Pg. [www.bhel.com](http://www.bhel.com)

HRD & ESI Complex, Plot No. 25, Sector-16A, NOIDA-201301, Gautam Budh Nagar (U.P)

Regd. Office: BHEL House, Sirifort, New Delhi-110049

BOQ, Specification cum Price Format For First floor Gents toilet							Annexure-I	
Sl. No.	DESCRIPTION	Unit	Qty.	Rate (₹)		Amount in (₹)		
				in Figures	in words	in Figures	in words	
1	Providing and laying flamed finish Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in- Charge :	SQM	2					
1.1	Flamed finish granite stone slab Jet Black, Cherry Red, Elite Brown, Cat Eye or equivalent.							
2	Providing and fixing tiled false ceiling of approved materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections ( galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x 1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanized butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge.	SQM	3					
2.1	12.5 mm thick square edge PVC Laminated Gypsum Tile of size 595x595 mm, made of Gypsum plasterboard, manufactured from natural gypsum as per IS 2095 part I and laminated with white 0.16mm thick fire retardant PVC film on the face side and 12micron metalized polyester on the back side with all edges sealed with the face side PVC film which goes around and wraps the edges and is bonded to the edges and the back side metalized polyester film so as to make the tile a completely sealed unit.							
3	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS:15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. (Kajaria / HR Johnson Make)	SQM	3					
4	15 mm cement plaster on the rough side of single or half brick wall of mix :	SQM	4					
4.1	1:4 (1 cement: 4 fine sand)							

*J. D. Khan*  
08.01.16

BOQ, Specification cum Price Format For First floor Gents toilet							Annexure-I
5	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.	SQM	2				
5.1	For thickness of tiles 10 mm to 25 mm						
6	Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead.	SQM	1.5				
7	Providing and fixing PTMT Waste Coupling for wash basin and sink, of approved quality and colour.	EACH	2				
7.1	Waste coupling 38 mm dia of 83 mm length and 77mm breadth, weighing not less than 60 gms						
8	Providing and fixing PTMT Bottle Trap for Wash basin and sink.	EACH	2				
8.1	Bottle trap 38 mm single piece moulded with height of 270 mm, effective length of tail pipe 260 mm from the centre of the waste coupling, 77 mm breadth with 25 mm minimum water seal, weighing not less than 263 gms						
9	Providing and fixing white vitreous china battery based infrared sensor operated urinal of approx. size 610 x 390 x 370 mm having pre & post flushing with water (250 ml & 500 ml consumption), having water inlet from back side, including fixing to wall with suitable brackets all as per manufacturers specification and direction of Engineer-in-charge.	EACH	2				
10	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.	Meter	3				
10.1	20 mm nominal outer dia Pipes						
11	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 a) 15 mm nominal bore	EACH	2				
11.1	15mm nominal bore						
12	Providing and fixing PTMT grating of approved quality and colour.	EACH	2				
12.1	Circular type						
12.1.1	125 mm nominal dia with 25 mm waste hole						

*[Handwritten Signature]*  
08/01/16

BOQ, Specification cum Price Format For First floor Gents toilet							Annexure-I
13	Providing and fixing on wall by using 6 separator 6'x3' size mirror with bevelled end. (Saint Gobain/Mody Guard make)	EACH	1				
TOTAL							
Note :- 1). Rates are including of VAT and excluding service tax							

*J. D. [Signature]*  
08.01.16



# Bharat Heavy Electricals Limited

(A Govt. of India Undertaking)

Human Resource Development Institute

PURCHASE DEPARTMENT

## Annexure – II

### Special Terms and conditions

1. Service Tax will be payable extra as applicable. Valid Copy of Service Tax registration to be submitted.
2. Completion Period: 30 Days.
3. Payment will be released within 30 days on submission of bill after necessary processes.
4. Offers from banned firms/parties will be rejected. List of banned firms is available on BHEL's Website [www.bhel.com](http://www.bhel.com).
5. BHEL Reserves right for Termination of Contract without assigning any reason.

*[Handwritten signature]*  
08-01-16



# Bharat Heavy Electricals Limited

(A Govt. of India Undertaking)

Human Resource Development Institute

PURCHASE DEPARTMENT

Annexure – III

## Pre-Qualifying Requirements:

Sl. No.	Description	Documents to be submitted
1.	Average Annual financial turnover during the last 3 years, ending 31 <sup>st</sup> March 2015, should be at least ₹ 0.18 Lakhs	a.) Balance Sheet of Last three years ending 31 <sup>st</sup> 2015 or ITR Returns.
2.	Experience of having successfully completed similar works during last 7 years ending 31 <sup>st</sup> march 2015 either of the following: -  a. Three similar completed works costing not less than the amount ₹ 0.24 Lakhs. or b. Two similar completed works costing not less than the amount equal ₹ 0.30 Lakhs or c. One similar completed work costing not less than the amount ₹ 0.48 Lakh.	a.) Completion Certificate.
3.	Service Tax Registration (if applicable as per service Tax Acts/Rules)	Copy of service Tax registration indicating Service Tax number, if applicable as per service Tax Acts/Rules
4.	PAN CARD	Copy of PAN CARD

*DS*  
08.01.16