

BHARAT HEAVY ELECTRICALS LIMITED

(A Govt. of India Undertaking)

High Pressure Boiler Plant, Tiruchirappalli 620 014, India

MAINTENANCE & SERVICES DEPARTMENT

☎: (0431) 2575263 Fax: (0431) 2576805 e-mail: gtraj@bheltry.co.in



ENQ No: 9241500116

05.12.2015

NOTICE INVITING TENDER

Sub: LAYING OF PIPELINE FOR ATP SHOP/ BLDG109– Reg.

Ref: Enquiry no: 9241500116 Dated 05/12/2015. Due date: 26/12/2015, 14.00 Hrs.

Tender of the following work should be submitted in a sealed cover consisting of three inner sealed covers such as 1) EMD cover, 2) Technical bid cover & 3) Price bid cover, all super-scribing the name of work, enquiry number etc.

- 1) EMD cover shall contain requisite EMD in the form of DD. Tenderers who had already remitted one time EMD should furnish a copy of the cash receipt of the remittance in the EMD cover. Tender without EMD / one time EMD reference will be summarily rejected and the Technical bid & price bid shall not be considered.
- 2) Technical bid cover shall contain duly filled in Technical bid document signed by the tenderer in all the pages with documentary evidences for pre-qualification such as experience, value of work executed in the similar nature of work etc. Any bid without proper documentary evidence for pre-qualification shall not be considered for further evaluation.
- 3) One set of unpriced bid of Contract Work Schedule duly signed by the tenderer for accepting the work content (BOM) should be submitted along with the Technical bid for technical evaluation.
- 4) The price bid cover shall contain price bid document duly filled in and signed by the tenderer in all the pages. The tenderer has to quote most competitive rates for all the items given in the Bill of Quantities in price bid.

The complete Technical bid and price bid along with requisite **EMD of Rs.10,000 /-** for this work in the form of **Demand Draft only in favour of M/s.BHEL, Trichy** shall reach the office of the undersigned on or before **26/12/2015 at 14.00 Hrs.** Tenderers who had already remitted one time EMD should furnish a copy of the cash receipt of the remittance in the EMD cover. EMD in any other form will not be accepted.

Contractor


Issuing Officer
S. VASUGI
Engineer
Maintenance - Services
BHEL, TRICHY - 620 014

BHARAT HEAVY ELECTRICALS LIMITED

(A Govt. of India Undertaking)

High Pressure Boiler Plant, Tiruchirappalli 620 014, India

MAINTENANCE & SERVICES DEPARTMENT

☎: (0431) 2575263 Fax: (0431) 2576805 e-mail: gtraj@bheltry.co.in



The Technical bid will be opened on the same day at 14.30 hrs. In case of opening day falls on holiday or happened to be declared as a holiday the receipt and opening of the tender shall automatically fall on the same timing of the next working day. Date and time of opening of the Price Bid shall be intimated only to the bidders those who have qualified after evaluation of the Technical bid. You / Your authorized representative may participate in the tender opening.

Clarification if any can be obtained from the undersigned.

Kindly acknowledge the receipt of the entire set of tender document.

Thanking you,

Yours faithfully,

For Bharat Heavy Electricals Limited,
Sr. Manager
Contracts
Maintenance & Services Dept

Encl:

- 1) NIT – Notice Inviting tender (Consists of Preamble, Technical Bid & price bid)

Tender should be addressed to: **THE SENIOR MANAGER,**

MAINTENANCE & SERVICES / CONTRACTS ,

2&4 BUILDING, BHARAT HEAVY ELECTRICALS LIMITED,

HIGH PRESSURE BOILER PLANT,

TIRUCHIRAPPALLI - 620014,

TAMILNADU

Contractor

Issuing Officer
S. VASUGI
Engineer

Maintenance & Services
BHEL, TRICHY - 620 014.

BHARAT HEAVY ELECTRICALS LIMITED

(A Govt. of India Undertaking)

High Pressure Boiler Plant, Tiruchirappalli 620 014, India

MAINTENANCE & SERVICES DEPARTMENT

☎: (0431) 2575263 Fax: (0431) 2576805 e-mail: gtraj@bheltry.co.in



NOTICE INVITING TENDER

| | | |
|-----|---------------------------------|---|
| 01. | Name of work | LAYING OF PIPELINE FOR ATP SHOP/ BLDG109– Reg. |
| 02. | Estimated Cost | Rs. 4.51 Lakhs |
| 03. | Earnest Money Deposit | Rs. 10,000/- |
| 04. | Duration of the contract | 1 Year (From the date of commencement of the work) |
| 05. | Last Date for Receipt of Tender | 14.00 Hrs on 26/12/2015 |
| 06. | Date of Technical Bid Opening | 14.30 Hrs on 26/12/2015 |
| 07. | Date of Price Bid Opening | Will be intimated to those who are qualified, separately. |
| 08. | Guarantee Period | Not applicable |

The Tender documents can be down loaded from BHEL website (www.bhel.com) / govt. website (www.tenders.gov.in) at free of cost.

Tender document contains 9 Pages. (Technical Bid – 8 Pages, Schedule for price bid – 1 page).

Contractor


Issuing Officer
S. VASUGI
25/12/2015
Engineer
Maintenance & Services
BHEL, TRICHY - 620 014.

BHARAT HEAVY ELECTRICALS LIMITED

(A Govt.of India Undertaking)

High Pressure Boiler Plant, Tiruchirappalli 620 014, India

MAINTENANCE & SERVICES DEPARTMENT

☎: (0431) 2575263 Fax: (0431) 2576805 e-mail:gtraj@bheltry.co.in



TECHNICAL BID

NAME OF THE WORK: LAYING OF PIPELINE FOR ATP SHOP/ BLDG109– Reg.

Ref: Enquiry no: 9241500116 Dated 05/12/2015. Due date: 26/12/2015, 14.00 Hrs.


PRE-QUALIFICATION CRITERIA

The following eligibility criteria shall be complied to fulfill the Technical bid:-

| Sl. No | Description | Vendor to confirm |
|--------|---|-------------------|
| 1 | The bidder should have valid Service Tax registration number (if applicable) otherwise has to submit a self-declaration of "Non Applicability of Service Tax" on their Company's Letter Head. | |
| 2 | The Bidder should have valid Income Tax PAN Card. Documentary proofs/Xerox copies are to be enclosed. | |
| 3 | The agency could be a Proprietorship/Partnership Firm/LLP/One person Company/Private Limited Company/Public Limited Company/Trust/Society in this line of service/business - documentary proof/Xerox copy to be enclosed. | |
| 4 | The bidder should have previous experience of minimum one year in the field work mentioned below: Work Experience in Erection work of pipelines in any Engineering industry - Documentary proofs/Xerox copies proving the same are to be enclosed. | |
| 5 | On award of contract, the successful bidder shall comply with all the statutory requirements of PF rules & regulations for their workmen deputed for this work. | |
| 6 | On award of contract, the successful bidder shall comply with all the statutory requirements of ESI/GI rules & regulations for their workmen deputed for this work. | |
| 7 | Only those bidders, who are meeting all the above qualifying criteria, will be considered for further evaluation and others will be summarily rejected. | |
| 8 | BHEL reserves the right to verify the information provided by vendor. In case the information provided by vendor is found to be false / incorrect, the offer shall be rejected. | |
| 9 | Acceptance for Scope of Work as per the Enquiry | |
| 10 | Acceptance for All Terms & Conditions as per the Enquiry | |

Contractor

S. VASUGI
Engineer
Maintenance & Services
BHEL, TRICHY - 620 014.


Issuing Officer
10/12/15
Page 4 of 12

BHARAT HEAVY ELECTRICALS LIMITED

(A Govt. of India Undertaking)

High Pressure Boiler Plant, Tiruchirappalli 620 014, India

MAINTENANCE & SERVICES DEPARTMENT

☎: (0431) 2575263 Fax: (0431) 2576805 e-mail: gtraj@bheltry.co.in



SCOPE OF SUPPLY & WORK:

TECHNICAL SPECIFICATION:

| Item no | Description | Quantity |
|---------|---|----------|
| 10 | LAYING OF 12" PIPELINE IN OVER HEAD. | 90 Mtr |
| 20 | LAYING OF 8" PIPELINE IN OVER HEAD. | 360 Mtr |
| 30 | LAYING OF 4" DROP LINE FROM THE OVERHEAD 8" LINE. Common Note for item nos. 10 to 30: SCOPE OF WORK: 1. The dia 12 inch size Producer Gas Conveying Pipe lines are to be fabricated and to be laid at height of 6.0 to 8.5 meter approx. in the open yard and along the bay column structure. 2. The dia 8 inch size Producer Gas Conveying Pipe lines are to be fabricated and to be laid at height of 6.0 to 8.0 meter approx. along the bay column structures. 3. The dia 4 inch size internal distribution drop pipeline is to be laid from the overhead line of 8 inch size and the same is to be fabricated and erected. The 4 inch dropline tapping is to be taken from the top of the 8 inch overhead line. The 4 inch pipeline shall be provided with flanged joints at the top and bottom portion of the dropline. 4. Flanges and Dummy flanges required for the pipeline laying are to be prepared and provided at the necessary points. 5. Support structure required to lay the 12 inch and 8 inch pipeline in Overhead inside the bays has to be fabricated and provided in every column. Approx. 33 supports will be required for 8 inch pipeline laying and approx. 6 supports will be required for 12 inch pipeline laying. Suitable Support required 4 inch dropline has to be fabricated and provided. 6. The 12 inch pipeline to be erected in the outeryard is to be supported/laid in the newly erected trestles (columns) said in Item No. 50 and 60. 7. Pipe Clamping where ever required are to be provided. | 13 set |

Contractor


Issuing Officer
S. VASUGI
Engineer
Page 5 of 12
Maintenance & Services
BHEL, TRICHY - 620 014.

BHARAT HEAVY ELECTRICALS LIMITED

(A Govt. of India Undertaking)

High Pressure Boiler Plant, Tiruchirappalli 620 014, India


MAINTENANCE & SERVICES DEPARTMENT

☎: (0431) 2575263 Fax: (0431) 2576805 e-mail: gtraj@bheltry.co.in



| | | |
|----|---|---------|
| | <p>8. All flange joints to be checked and corrected for parallality and alignment without the requirement of pulling and fastening the flanges, gasket to be provided.</p> <p>9. Required isolation valves in the drop lines and in the overhead lines are to be installed.</p> <p>10. The isolation valves will have flanged ends. For flanged end valves, required matching flanges on either side of the valves are to be prepared by the contractor.</p> <p>The flange holes are to be made by drilling by the contractor for which drilling machine will be provided by BHEL.</p> <p>11. Reducer wherever required in the pipeline are to be fabricated and provided by the contractor.</p> <p>12. Drainline of 4 inch size with flanged end connection at top and bottom portion of drainline are to be installed from the overhead line 12 inch line at one location.</p> <p>13. Interconnecting the Existing Producer Gas Header with the newly installed 4 inch dropline with isolation valve is to be carried out for which the stub peice connecting the Header with the 4 inch valve in to be welded by the contractor.</p> <p>14. The newly laid pipelines has to be tested PNEUMATICALLY to a pressure of 5 Kg/cm², if leak is observed while testing, leaky area to be repaired and retested for which the compressed air will be provided by BHEL.</p> <p>15. All the newly laid pipelines are to be painted with two Coats of red oxide primer and two coats of enamel paint of yellow colour. Name of the Gas, Colour code and arrow mark for individual erected gas lines are to be painted/stencilled at required positions.</p> | |
| 40 | <p>DISMANTLING OF EXISTING 4" PIPELINE IN OVER HEAD.</p> <p>SCOPE OF WORK:</p> <p>1. The dia 4 inch size existing Overhead Producer Gas Pipe lines along with fittings installed at height of 7 meter approx. along with its Internal distribution pipelines/droplines upto dropline isolation valves are to be dismantled.</p> | 422 Mtr |

Contractor


Issuing Officer
S. VASUGI
Engineer Page 6 of 12
Maintenance & Services
BHEL, TRICHY - 620 014.

BHARAT HEAVY ELECTRICALS LIMITED

(A Govt.of India Undertaking)

High Pressure Boiler Plant, Tiruchirappalli 620 014, India


MAINTENANCE & SERVICES DEPARTMENT

☎: (0431) 2575263 Fax: (0431) 2576805 e-mail:gtraj@bheltry.co.in



| | | |
|----|--|------|
| | <p>2. The Producer Gas pipeline is to be purged properly with compressed air/nitrogen before dismantling as per instruction of supervisor.</p> <p>3. The Producer gas lines are to be cut by using gas cutting or manual arc welding machine depends upon tar/ gas condensate content available in the PG pipe lines.</p> <p>4. The area around the working spot and ground floor are to be cleaned before commencement of work and after completion of work.</p> | |
| 50 | <p>Fabrication and Erection of 4 pole Trestle. SCOPE OF WORK: Fabrication, Erection and Painting of 4 pole Trestle as per BHEL drawing no. 1-TP-CEG-01907.</p> | 1 No |
| 60 | <p>Fabrication and Erection of 2 pole Trestle. SCOPE OF WORK; Fabrication, Erection and Painting of 2 pole Trestles as per BHEL Drawing no. 2-TP-CEG-01911. Detailed scope of work for Item 50 and 60: a) Fabrication and erection of Trestles as per BHEL Drawing No. at BHEL Trichy over the foundations already laid by BHEL. b) All fit up and sub assembly are to be offered to BHEL Engineer for clearing the stage inspection. Also final inspection will be carried out by BHEL Engineer. Protocol to be made for stage inspection and final inspection and shall be jointly signed by contractor representative and BHEL representative. c) Two coats of red oxide primer paint and one coat of enamel paint are to be applied after fabrication of trestles.(Total 3 coats of painting in fabrication). d) During Erection, one coat of enamel paint is to be applied in the finished jobs.(One coat of painting in erection). Protocol to be made for each coat of painting and shall be jointly signed by contractor representative and BHEL representative. Note For Item 50 and 60: 1) Instead of pipe of size 60.3 x 3.6 mm specified in the BHEL Drawing, pipes of size 63.5 x 5.6 mm will be given for trestle fabrication. 2) Instead of pipe of size 114.3 x 6.02 mm specified in the BHEL Drawing, pipes of size 108 x 8 mm will be given for trestle fabrication.</p> | 2 No |

Contractor


Issuing Officer
S. VASUGI
Main Services
BHEL, TRICHY - 620 014.
Page 7 of 12

BHARAT HEAVY ELECTRICALS LIMITED

(A Govt. of India Undertaking)

High Pressure Boiler Plant, Tiruchirappalli 620 014, India

MAINTENANCE & SERVICES DEPARTMENT

☎: (0431) 2575263 Fax: (0431) 2576805 e-mail: gtraj@bheltry.co.in



COMMON NOTE FOR ITEMS 10 TO 60:

1. The work shall be required to be carried out during Sunday's, other holiday's, lunch time, shift change time as per the requirement. The above works are to be carried out in ATP/Bldg.No.109/HPBP/Trichy -14.
2. Sufficient man power should be deployed to execute the work at the minimum possible time.
The work is to be completed within one month from the date of start of work. The contractor should engage a qualified supervisor to plan and co-ordinate the entire activities.
3. The welder has to do test welding at the BHEL site before start of work and only those welders whose welding is found satisfactory to the BHEL welding inspectors can be permitted to carry out the work.
4. Work permit is to be obtained by the contractor before commencement of work as per BHEL safety rules.
5. since all the works are inter-related (item 10 to 60), cumulative L1 offer will be considered.

Scope of BHEL:

- 1) All the required pipe material, plate material, structural material, isolation valves for the gas lines will be supplied by BHEL at free of cost.
- 2) All the consumables such as welding electrodes, oxy-acetylene gas, paint, brush, gasket, kerosene, fasteners, water, compressed air, electricity will be supplied by BHEL at free of cost.
- 3) Elbows/bends for 4 inch line will be given by BHEL at free of cost.
- 4) Drilling machine for flange preparation work will be provided by BHEL at free of cost.
- 5) EOT Crane facility if required for pipeline erection within the bays/shop floors will be provided by BHEL.

Scope of Contractor:

- 1) All the required tools and tackles to carry out the work will be in contractor's scope.
- 2) Three phase welding machine with cables, cutogen with flexible hoses and regulator will be in contractor's scope.
- 3) The contractor should prepare the required flanges to execute the work.
- 4) Required Scaffolding wherever required is to be made by the contractor, for which the scaffolding materials are to be bought by the contractor. Pipe Clamps and miscellaneous materials for Scaffolding purpose are also under scope of contractor.
- 5) Lifting tackles will be in the contractor's scope.
- 6) Elbows/Bends has to be fabricated by the contractor for 8 inch and 12 inch lines wherever required.

Contractor

S. Vasu
Issuing Officer
S. VASU
Engineer
Page 8 of 12
Maintenance & Services
BHEL, TRICHY - 620 014.

BHARAT HEAVY ELECTRICALS LIMITED

(A Govt. of India Undertaking)

High Pressure Boiler Plant, Tiruchirappalli 620 014, India

MAINTENANCE & SERVICES DEPARTMENT

☎: (0431) 2575263 Fax: (0431) 2576805 e-mail: gtraj@bheltry.co.in



7) Crane facility for erection of trestles and for erection of 12 inch pipeline in outer yard (approx.40 metres) is in the scope of the contractor.

8) Movement of raw materials from the Gas Plant area to the erection site (ATP/Building 109) and movement of the dismantled pipelines and fittings to disposal store/Gas Plant area is in the scope of contractor for which the vehicle will be provided by BHEL.

General Terms and Conditions:

1) The workmen of contractor should be covered under PF, ESI.

2) Safety precautions have to be ensured by the Contractor Depending on the work nature. Necessary work permit system and personal protective equipment's (PPE) such as electrical resistance rubber gloves, helmet, spectacle goggles, safety shoes, safety belt etc. as applicable to Mechanical works should be adhered while carrying out the work.

3) PPES shall be used as per attachment with appropriate trade job has to be ensured by the contractor at the job site at all times. Encl: Annexure "A"-List of PPES.

4) 100% payment will be made after completion of work on pro-rata basis on acceptance of BHEL Engineer as detailed below,

Payment terms:

a) Item 10:

Payment will be made for 12 inch pipeline laying work as per scope of work described in per metre basis of 12 inch line laid.

b) Item 20:

Payment will be made for 8 inch pipeline laying work as per scope of work described in per metre basis of 8 inch line laid.

c) Item 30:

Payment will be made for 4 inch drop pipeline work as per scope of work described in per Set basis.

One set consists of tapping the 4 inch dropline from 8 inch overhead line, laying of 4 inch line and interconnecting the 4 inch dropline with the existing PG Header.

d) Item 40:


Payment will be made for 4 inch pipeline dismantling work (along with fittings and droplines) as per scope of work described in per metre basis of 4 inch line dismantled.

e) Item 50 and 60:

Payment will be made for trestle fabrication and erection work as per scope of work described in per quantity basis.

5) Attendance register should be maintained by the contractor.

Contractor


Issuing Officer
S. VASUGI
Engineer
Maintenance & Services
BHEL, TRICHY - 620 014
Page 9 of 12

BHARAT HEAVY ELECTRICALS LIMITED

(A Govt. of India Undertaking)

High Pressure Boiler Plant, Tiruchirappalli 620 014, India

MAINTENANCE & SERVICES DEPARTMENT

☎: (0431) 2575263 Fax: (0431) 2576805 e-mail: gtraj@bheltry.co.in



ISO 9001

6) EMD Rs 10000/- (Ten Thousand Rupees only) is to be submitted along with offer and is to be remitted in cash (as permissible under Income Tax Act) or Pay order or Demand Draft only in favor of M/S BHEL Trichy. EMD shall not carry any interest. OFFER WITHOUT THE EMD WILL NOT BE CONSIDERED FOR EVALUATION. EMD of the successful vendor can be converted and adjusted against the security deposit.

7) Security Deposit shall be furnished by the successful vendor to the total contract value before starting the work. The rate of Security Deposit will be 10% of the contract value up to 10 Lakhs.

8) An additional payment as per circular Ref. BHE: HR:W:EW dt:08.04.2014 is to be paid to the contract workmen as below, over and above the minimum wages prescribed by the government of Tamilnadu:

| | | |
|-------------|---|------------|
| Unskilled | - | Rs. 3200/- |
| Semiskilled | - | Rs. 3700/- |
| Skilled | - | Rs. 4100/- |

9) Bonus @ 8.33 % of total wage to be paid to workmen.

10) Applicable Taxes, if any should be mentioned separately.

11) The contract will be given to a single contractor for all the above works on **cumulative L1 basis** for which total value will be taken in to consideration as all works are interrelated.

12) Contractor should quote separate Rate for all the items. The offer shall not be considered for further process, if the contractor missed to quote for any of the item.

13) The contractor should quote the validity of the offer.

14) The Contractor may visit to the BHEL Premises before quoting to access the quantum of work.

15) Period of contract is one year.

16) LD: If the contractor fails to complete the service / work as per terms & conditions of the order within the delivery schedule, 0.5% of the order value will be deducted for each week of delay or part thereof subject to a maximum of 15% of the total contract value.

17) The contractor should mention the point to point confirmation.

18) Contractor should commit for Terms and Conditions of the enquiry otherwise the offer shall be liable for rejection.

TENDERING CONDITIONS:

A. The Bidders shall submit the offer in TWO PART BID SYSTEM (Part -I & II) as indicated below which shall be sealed in ONE OUTER ENVELOPE.

B. Envelope I- This sealed envelope should contain all the copies of technical bid together with un-priced commercial bid. This envelope should be clearly marked "Part I - Technical and commercial bid".

Contractor

Issuing Officer
S. VASUGI
Eng
Page 10 of 12
Maintenance & Services
BHEL, TRICHY - 620 014

BHARAT HEAVY ELECTRICALS LIMITED

(A Govt. of India Undertaking)

High Pressure Boiler Plant, Tiruchirappalli 620 014, India

MAINTENANCE & SERVICES DEPARTMENT

☎: (0431) 2575263 Fax: (0431) 2576805 e-mail: gtraj@bheltry.co.in



SCHEDULE FOR PRICE BID

NAME OF THE WORK: LAYING OF PIPELINE FOR ATP SHOP/ BLDG109– Reg.


Ref: Enquiry no: 9241500116 Dated 05/12/2015. Due date: 26/12/2015, 14.00 Hrs.

| Item no | Description | Quantity | Rate (Rs) | Value (Rs) |
|---------|---|----------|------------|-------------|
| 10 | LAYING OF 12" PIPELINE IN OVER HEAD. | 90 Mtr | | |
| 20 | LAYING OF 8" PIPELINE IN OVER HEAD. | 360 Mtr | | |
| 30 | LAYING OF 4" DROP LINE FROM THE OVERHEAD 8" LINE. | 13 set | | |
| 40 | DISMANTLING OF EXISTING 4" PIPELINE IN OVER HEAD. | 422 Mtr | | |
| 50 | FABRICATION AND ERECTION OF 4 POLE TRESTLE.. | 1 No | | |
| 60 | FABRICATION AND ERECTION OF 2 POLE TRESTLE. | 2 No | | |

❖ Taxes if any should be quoted Extra

- 1) Payment terms: Payment will be made after completion of work on pro rata basis on submission of invoice in triplicate duly certified by Engineer In Charge.
- 2) Tax deduction will be made from the every bill at the prevailing rate as per the Government rule and regulation from time to time.
- 3) Detailed scope of work and other terms and conditions are specified in the Technical Bid of the Tender.
- 4) The contract will be given to a single contractor for all the above works on cumulative L1 basis for which total value will be taken in to consideration as all works are interrelated.

Contractor


S. VASUGI
Issuing Officer
Engineer
Maintenance
BHEL, TRICHY - 620 014.
Page 12 of 12

BHARAT HEAVY ELECTRICALS LIMITED

(A Govt. of India Undertaking)

High Pressure Boiler Plant, Tiruchirappalli 620 014, India

MAINTENANCE & SERVICES DEPARTMENT

☎: (0431) 2575263 Fax: (0431) 2576805 e-mail: gtraj@bheltry.co.in



indicating Enquiry No., Due Date and Address & Reference of the Bidder. Envelope I should contain sealed EMD cover indicating the enquiry detail.

- C. Envelope II - This sealed envelope should contain price details. This envelope should be clearly marked as - "Part -II Price bid", indicating Enquiry No., Due Date and Address & Reference of the Bidder.
- D. Both the envelopes (Part I & II) shall be put in one cover, duly sealed, super scribing as offer for Enquiry No., and due date of opening, Name of the work and the address and reference of the Bidder.
- E. The offer should reach this office on or before the due date by 14.00 Hrs. (IST). Late offers will not be considered.
- F. Tender should not be addressed to any Individual's name but only by designation to:


THE SENIOR MANAGER
MAINTENANCE & SERVICES / CONTRACTS ,
2&4 BUILDING,
BHARAT HEAVY ELECTRICALS LIMITED,
HIGH PRESSURE BOILER PLANT,
TIRUCHIRAPALLI - 620 014.
TAMIL NADU, INDIA.

- G. Tenders should be free from CORRECTION AND ERASURES, Corrections if any, must be attested. All amounts shall be indicated both in words as well as in figures. Where there is difference between amount quoted in words and figures, amount quoted in words shall prevail.
- H. Offers should be in ENGLISH and accompanied by detailed Point to point confirmation of the scope of work.

OPENING OF TENDERS

1. The Part I - Technical & un-priced commercial bid alone would be opened on the Tender opening date(as mentioned in the enquiry) by 14.30Hrs(IST)
2. The Part II - Price bid of technically suitable Bidders alone would be opened. The Technically suitable Bidders would be informed about the Price bid opening date.
3. Clarifications if any required by BHEL for Technical evaluation would be sought from Bidders before opening of Part II - price bid.
 - 1) The contractor should quote the exact time required to complete the work in their offer.
 - 2) BHEL reserves the right to reject any or all the tenders either in full or a part thereof at their discretion without assigning any reasons thereof.

Contractor


Issuing Officer
S. VASUGI
Engineer
Page 11 of 12
Maintenance & Services
BHEL, TRICHY - 620 014.