

PRICE FORMAT FOR SUPPLY OF ELECTRICAL ITEMS

PART "B" PRICE BID

TITLE: PROCUREMENT OF ELECTRICAL ITEMS IN BHEL TOWNSHIP, SECTOR-17, NOIDA

NIT NO:- 08:AA:NOI:ADMN:Electrical Items :112:2013-14 Dated 02/08/2013

Delivery Schedule:- Full quantity within 20 days from placement of Purchase Order.

Sl.No	Description of items	Unit	Tentative quantity	Rate (Rs.) in figure	Rate (Rs.) in words.	VAT (%)	Amount (Rs.) inclusive of VAT & all other taxes.
1	ADD ON Block 2NO-2NC, MCX-03, 18A, 415V, L&T make	No.	70				
2	Analog timer switch, Din rail mounted, FM-1 type, L&T/C&S / Havells make or equivalent	No.	50				
3	Bulkhead Light, Philips/Havells make or equivalent	No.	250				
4	Battery Terminal suitable for 1500VA Battery fitting	No.	20				
5	Bearing no. 6202 ISI marked , SKF / TATA make or equivalent	No.	20				
6	Bearing no. 6203 ISI marked , SKF / TATA make or equivalent	No.	20				
7	Bell Push Switch,5A, 240V, one way, piano type, Anchor/Havells make or equivalent	No.	20				
8	Batten Holder-PVC, 5A, 240V, ISI mark, Anchor/Havells make or equivalent	No.	50				
9	Bulb - 100 W, Philips or equivalent	No.	20				
10	Call Bell, (Type- Ding Dong/ Multi Tune) 240 V, Anchor/Havells make or equivalent	No.	50				
11	CFL PLC 2 Pin 8 Watt, Havells/Philips/Anchor or equivalent	No.	10				
12	CFL 18/20 watt, two tube type, Philips/Havells make or equivalent.	No.	50				
13	CFL 8 watt, two tube type, Philips/Havells make or equivalent.	No.	250				
14	Cable 2.5 sq.mm x 4 core (as per IS-694)(100 meter Roll)make Havells /Anchor/Polycab or equivalent	Roll	3				
15	Capacitor 2.5 mfd,as per IS-13340, Havells/ Siemens or equivalent	No.	50				
16	Capacitor-20mfd, as per IS-13340, Havells/ Siemens or equivalent	No.	10				
17	Capacitor-42mfd, as per IS-13340, Havells/ Siemens or equivalent	No.	10				
18	Ballast (Choke), copper, 40 watt, suitable for flourecent tube, as per IS:1534, 240V/50Hz, Philips/Crompton/Havells or equivalent	No.	10				

19	Ballast (Choke) for electronic tube light, T5, 28W, Philips/Havells make or equivalent	No.	20				
20	Contactora-MNX18, L&T make	No.	5				
21	Contactora-MCX-03, 4 pole 32 Amp, L&T make	No.	60				
22	Contactora-MCX-22, 4pole, 100 Amp, L&T make	No.	5				
23	Desert-Cooler Pump, MSP-350, conforms to IS:11951	No.	10				
24	Desert-Cooler Pump, MSP-650, conforms to IS:11951	No.	5				
25	Copper thimble, 35mm Ring type, Heavy type, SBS make or equivalent	No.	20				
26	Copper thimble, 50mm Ring type, Heavy type, SBS make or equivalent	No.	20				
27	Copper thimble, 25mm Ring type, Heavy type, SBS make or equivalent	No.	20				
28	Copper thimble, 70mm Ring type, Heavy type, SBS make or equivalent	No.	20				
29	Copper thimble, 120mm Ring type, Heavy type, SBS make or equivalent	No.	20				
30	Copper thimble, 500mm Ring type, Heavy type, SBS make or equivalent	No.	5				
31	Copper wire 1.5 sq.mm, 90 mtrs. roll, single core, FR PVC, as per IS:694 , Finolex / Havells / Polycab make or equivalent.	No.	50				
32	Copper wire 2.5 sq.mm, 90 mtrs. roll, single core, FR PVC, as per IS:694, Finolex / Havells / Polycabr make or equivalent.	Roll	5				
33	Copper wire 4 sq.mm, 90 mtrs. roll, single core, FR PVC, as per IS:694, Finolex / Havells / Polycab make or equivalent.	Roll	5				
34	Copper wire 6 sq.mm-90 mtrs. roll, single core, FR PVC, as per IS:694, Finolex / Havells / Anchor make or equivalent.	Roll	2				
35	Copper Cable 10 sq.mm, single core, 100 meter roll, FR PVC, as per IS:694, Finolex / Havells / Anchor make or equivalent.	Roll	1				
36	Copper Cable, 25 sq.mm, single core, 100meter roll, FR PVC, as per IS:694, Finolex / Havells / Anchor make or equivalent.	Roll	1				
37	DP Switch - 32Amp, as per IS:3854, Havells/Anchor or equivalent.	No.	20				
38	Doom Light, spherical shaped, used for gate posts, material- polycarbonate, non transparant, white colour, diameter of sphere="30 cm".	No.	10				
39	Electronic - fan regulator, 240V-50 Hz, 100W, white colour, Single Model Step type, Anchor/Havells make or equivalent.	No.	70				
40	Exhaust fan blade 12"- metallic	No.	10				
41	New Exhaust fan- 12", as per IS:2312-1967, Metal, Double Ball Bearing, Crompton / Orient /Havells make or equivalent	No.	5				

42	Copper wire (Flexible) 23/76 -90 mtrs. roll- II Core, FR PVC, as per IS:694, Finolex / Havells /Polycab make or equivalent	No.	5				
43	Gang Box 5 Amp PVC (1+1), Anchor make or equivalent	No.	20				
44	Gang Box 15 Amp PVC (1+1), Anchor make or equivalent	No.	10				
45	Geyser assembly make thermoking, 9 hole	No.	10				
46	Geyser assembly make thermoking, 6 hole	No.	5				
47	Igniter, suitable for MH flood light (400W), 2 lead, Havells/ Philips make or equivalent	No.	10				
48	New Geyser- 25 Ltr, 2000 watt, as per IS:8978, Bajaj/Havells make or equivalent .	No.	8				
49	Geyser element 2000 watt, spiral type, Thermoking make or equivalent	No.	30				
50	Geyser element 2000 watt, Triangular type, Tehrmoking make or equivalent	No.	30				
51	MCB 10 Amp. Single Pole, conforms to IS 8828, Hager/Havelles/ABB make or equivalent	No.	20				
52	MCB 16 Amp. Single Pole, conforms to IS 8828, Hager/Havelles/ABB make or equivalent	No.	10				
53	MCB 20 Amp. Single Pole, conforms to IS 8828, Hager/Havelles/ABB make or equivalent	No.	20				
54	MCB 32 Amp. Single Pole, conforms to IS 8828, Hager/Havells/ABB make or equivalent.	No.	30				
55	MCB 32 Amp. Double Pole, conforms to IS 8828, Hager/Havells/ABB make or equivalent.	No.	30				
56	MCB 4pole, 32 Amp, conforms to IS 8828, Hager/Havells /ABB make or equivalent.	No.	5				
57	MCCB 4pole, 100Amp, suitable for fixing vertical type TPN-DB, conforms to IEC-60947-2, L&T make or equivalent.	No.	10				
58	MH Ballast (Choke)-70W, conforms to IS:6616-1982, IEC 922 & IEC 923, Havells/ Phillips or equivalent	No.	20				
59	MH Ballast (Choke)-150W, conforms to IS:6616-1982, IEC 922 & IEC 923, Havells/ Phillips or equivalent	No.	10				
60	MH Ballast (Choke)-250W, conforms to IS:6616-1982, IEC 922 & IEC 923, Havells/ Phillips or equivalent	No.	10				

61	MH Ballast (Choke)-400W, conforms to IS:6616-1982, IEC 922 & IEC 923, Havells/ Phillips or equivalent	No.	10				
62	MH Lamp Holder- screw type	No.	20				
63	MH Double ended holder	No.	10				
64	Metal Helide double ended Lamp- 70 watt, Havells / Philips make or equivalent	No.	10				
65	MH Garden Light Set - 70W, Jupiter(Havells) / Bajaj make or equivalent	No.	5				
66	Metal Helide double ended Lamp - 150 watt , Suitable for flood lighting- white colour, Havells / Philips / Bajaj make or equivalent.	No.	10				
67	Metal Helide single ended Tubular Clear Lamp - 150 watt, Suitable for flood lighting- white colour, Havells / Philips / Bajaj make or equivalent	No.	5				
68	Metal Helide single ended Tubular Clear Lamp - 250 watt, Suitable for flood lighting- white colour, Havells / Philips/ Bajaj make or equivalent	No.	10				
69	Metal Helide Flood Light Set - 250W , Havells (Jeta 6) make with IP-65 protection	No.	5				
70	Metal Helide single ended Lamp - 400 watt,Suitable for flood lighting - white colour, Havells / Philips/ Bajaj make or equivalent	No.	10				
71	Mica Sheet - 5"x5", ISI mark	No.	50				
72	Mica Sheet - 9"x5", ISI mark	No.	50				
73	Mica Sheet - 10"x12", ISI mark	No.	50				
74	Mica Tee Cover 4" Round, 3 mm thick, ISI mark	No.	100				
75	Panel Encloser Box-(600x400x200), with IP protection -55, BCH make or equivalent	No.	10				
76	Panel Box - Medium(150x150x120), with IP protection -55, BCH make or equivalent	No.	20				
77	Plug top 3 pin 15/16 Amp, as per IS-1293, Anchor/Havells/Great white make or equivalent.	No.	20				
78	Plug top 3 pin 5/6 Amp, as per IS-1293, Anchor/Havells/Great white make or equivalent.	No.	10				
79	PVC electric Board (Heavy type) -4"x4" Board, ISI mark	No.	50				
80	PVC electric Board (Heavy type) - 8"x6"Board, ISI mark	No.	15				
81	PVC Gitti, length- 35mm, Diameter- 6mm	Pkt.	40				

82	PVC Batten (Casing & Capping) 1", white, as per IS-14927 Part-2, AKG make or equivalent	No.	50				
83	PVC Batten (Casing & Capping) 3/4", white, as per IS-14927 Part-2,AKG make or equivalent	No.	50				
84	PVC Batten (Casing & Capping) 1 1/2 ", white,as per IS-14927 Part-2, AKG make or equivalent	No.	20				
85	PVC Flexible pipe 1/2" (30 mtr. roll) as per IS-9537	No.	5				
86	PVC Conduit pipe- 3/4"(3meter per length) as per IS-9537, Part-3	No.	100				
87	PVC Conduit pipe- 1" (3 meter per length) as per IS-9537, Part-3	No.	10				
88	PVC Bend-3/4", as per IS:3419	No.	50				
89	Electronic Fan Regulator (stepper) Modular 1-module, Anchor (Roma) make	No.	20				
90	20Amp modular socket-Anchor(Roma) make	No.	20				
91	10Amp modular socket- Anchor(Roma) make	No.	40				
92	10Amp modular switch, one way, Anchor(Roma) make	No.	40				
93	20Amp modular switch, one way, Anchor(Roma) make	No.	20				
94	Bell Push switch, one way, 5 Amp, Anchor(Roma) make	No.	10				
95	Screw Brass with washer (100 nos./pkt.) Size 1 1/2"	No.	50				
96	Screw Brass with washer (100 nos./pkt.) Size 2 1/2"	No.	50				
97	Screw Brass with washer (100 nos./pkt.) Size 3"	No.	20				
98	Socket 15/16 Amp, Multiple socket flush type, 6 pin, Anchor/ Havells make or equivalent	No.	100				
99	Socket 5/6 Amp, 3 pin, Anchor/ Havells make or equivalent.	No.	150				
100	spare coil for MCX-22, L&T make	No.	10				
101	spare coil for MCX-03, L&T make	No.	10				
102	Switch- piano type 15 Amp, as per IS:3854, Anchor/ Havells make or equivalent	No.	50				
103	Switch- piano type 5 Amp, as per IS:3854, Anchor/ Havells make or equivalent	No.	200				
104	Telephone cable(2 pair) ISI mark (90 meter Roll), FR PVC, material- solid annealed high conductivity of bare copper, Anchor/Polycap make or equivalent	No.	20				

105	Telephone cable(10 pair) ISI mark (90 meter Roll), FR PVC, material- solid annealed high conductivity of bare copper, Anchor/Polycapex/Delton make or equivalent		2					
106	Thermostate, suitable for Geyser of 25 Ltr capacity	No.	50					
107	Thermostate for Room Heater	No.	50					
108	Tape roll, FR PVC, size 1.8 cmX9 m X0.125 mm, as per IS:7809, make - Steel grip	No.	100					
109	T5 Tube rod- 28W, linear flourescent tube, Philips/ Havells/ Bajaj make or equivalent	No.	50					
110	T5 Tube light set- 28W with tube, Philips/ Havells/ Bajaj make or equivalent	No.	50					
111	TPN DB, 4 way, vertical type, double door, 415 volts, made of sheet steel, dust protected, duly powder painted, inclusive of 200 amps tinned inter connecting copper bus bar, common neutral link earth bar, din bar for mounting MCB's with provision of 100 amps MCCB as incomer	No.	10					
112	Tube rod 40 watt, Philips make or equivalent	No.	50					
113	Starter for Tube light - 40 W, Philips make or equivalent	No.	50					
							Total (Rs.)	
							Freight/ Cartage (Rs)	
							Gross Total Amount (Rs)	
Total in Words: Rupees								

Note:-

1. Bidders are required to quote all the applicable charges OR clearly mention N.A. against the items which are not applicable.
2. For the charges quoted in percentage, bidder must specify the price component on which it is chargeable.
3. In case, gross total price indicated in above price bid does not match with the total of item wise breakup, the highest price so calculated shall be considered for evaluation but in case of order, the same shall be placed at the lowest price.

(Engineer-in-charge)

(Signature & seal of the bidder)