



MOLYBDENUM OXIDE

1. SCOPE

This specification governs the quality of Molybdenum oxide.

2. APPLICATION

The material shall be used as alloying agent for manufacturing of alloy steel.

3. CONDITION OF DELIVERY

The material shall be supplied in powder form.

4. COMPLIANCE WITH NATIONAL STANDARDS

The specification is in general based on IS 5634-1987.

5. FREEDOM FROM CONTAMINATION

The material shall be free from extraneous contamination.

6. CHEMICAL COMPOSITION

The material shall conform to the following chemical composition when it is analyzed in accordance with IS: 5634-1987.

ELEMENT	% MIN	%MAX
Molybdenum	60	63
Sulphur	-	0.03
Phosphorus	-	0.03
Lead	-	0.05

COPYRIGHT AND CONFIDENTIAL
The information on this document is the property of Bharat Heavy Electrical Limited. It must not be used directly or indirectly in any way detrimental to the interest of the company.

RMI	S.N.GHOSH	<i>[Signature]</i>	WORKED BY	M.K.SAHU	<i>[Signature]</i>
MPIC	SHYAM BABU	<i>[Signature]</i>	CHECKED BY	RANJAN	<i>[Signature]</i>
CHAIRMAN CPSC	K.B.SUBRAMANYAM	<i>[Signature]</i>	SUPERVISED BY	S.V.S.NARAYANA	
			APPROVED : PLANT STANDARDS COMMITTEE		
			PREPARED : SMS TECH	ISSUED : Steel Melting Shop	DATE : 07-09-09



PLANT PURCHASE SPECIFICATION

FF 05062 Rev3

(CFFP - HARDWAR)

Page 2 of 3

7. INSPECTION

- CFFP reserves the right to witness the testing of the material at supplier works and therefore the supplier shall notify the readiness of the material in advance.
- CFFP may, at its discretion, test the material after receipt and acceptance of the material will be based on the CFFP's test results.
- For any deviation from this specification prior approval shall be taken by the supplier.
- For result of analysis and properties of material the decision of CFFP shall be final and binding on the supplier.
- If the material is not conforming to this specification, it is liable to be rejected and the supplier shall replace the same.

8. TEST CERTIFICATES

One Original and three copies of Test Certificate from the **original manufacturer** containing the following information should be provided.

Manufacturer's Name
 Name of the material
 Batch/Lot No.
 Quantity.

Note:

- A manufacturer supplying directly to BHEL should include BHEL's P.O. No. and Challan No. also in the TC.
- Any other supplier should provide a covering letter along with **original Manufacturer's TC** as above mentioning BHEL's P.O. No. and Challan No.

9. PACKING AND MARKING

Packing should be such as to prevent loss / deterioration in quality during handling, transport and storage. It should be in the **original manufacturer's packing**. Each package should be marked with the following details.

Name of the material
 Manufacturer's Name / Trade mark
 Batch/Lot No.
 Net weight.

COPYRIGHT AND CONFIDENTIAL
The information on this document is the property of Bharat Heavy Electrical Limited. It must not be used directly or indirectly in any way detrimental to the interest of the company.

WORKED BY

M.K.SAHU

07/09/09

CHECKED BY

RANJAN

07/09/09

BHEL	PLANT PURCHASE SPECIFICATION	FF 05062 Rev3
	C.F.F.P. HARDWAR	PAGE: 3 OF 3

REVISION RECORD SHEET

SN	Revision No.	Revision date	Nature of Changes
01.	01	08.09.2007	- Redrawn.
02	02	03.03.2008	- Clause 12 modified.
03.	03	07.09.2009	-Clauses 8 and 9 revised incorporating requirement of manufacturer's packing and Test certificate.

ISSUED BY:	SMS	WORKED	M.K.SAHU
REVISION	03	DATE: 07.09.2009	CHECKED RANJAN <i>Ranjan</i>
AGREED	PLANT PUR. SPEC.COMMTTEE	APPROVED	P.P.S.C.