

	PRE - QUALIFYING REQUIREMENTS	DOCUMENT NO: PE-TS-402-000-Q004
		REVISION NO: 01 DATE: 27.07.2015
		SHEET: 1 of 1
ENQUIRY NO (To be filled by PG):		
PROJECT: 2X500MW NEYVELI NEW TPP (TG)		
PACKAGE: BALL VALVES		
CRITERIA FOR EVALUATION (TECHNICAL / FINANCIAL):		
<p>The present enquiry is for procurement of ball valves in following two categories (Refer detailed technical specification).</p> <p>a) CATEGORY-A: Cast Carbon steel ball valves of sizes 65NB to 150NB, #150 of BS EN ISO 17292.</p> <p>b) CATEGORY-B: Gun Metal ball valves of sizes 15NB to 50NB, #PN 16 of BS EN ISO 17292/ Manufacturer's std.</p> <p>All bidders (including BHEL-PEM registered vendors for the subject package) to meet the qualifying requirements for ball valves of highest size & class of valve of each Category (i.e., Category A & B) individually to qualify for all the items of datasheet A of that Category. The bidder will be considered only for the category (Category-A, Category-B or both) for which the bidder is meeting the qualifying requirements.</p> <p><u>Qualifying Requirements:</u></p> <p>The bidder should have designed, manufactured, tested, inspected, and supplied Ball Valves. For assessment of technical pre-qualification, bidder has to furnish supporting documents, along with the respective approved drawings and technical datasheets, for either of the following clauses:</p> <p>i) Copy of minimum two performance certificates along with copy of related purchase order from different End-users or Customers specifying that the product is running successfully for 2 years from date of commissioning.</p> <p>ii) Minimum two purchase orders from two different Customer or Purchaser (i.e. 2 Nos of PO from each customer) placed with a minimum gap of 2 years from date of supply of first order and placement of second order. The supplier to submit relevant documents such as MDCC/MRC/LR copy or other supporting documents which confirms the successful execution and delivery of order.</p> <p>iii) One performance certificate as per sl. No. (i) above from one customer and minimum two purchase orders from another Customer or Purchaser as per sl. No. (ii) above (i.e. 2 purchase orders should be placed with a minimum gap of 2 years from date of supply of first order and placement of second order).</p>		
PREPARED BY: NAME: <i>27/7/15</i> DESIGNATION: <i>AE Gr II</i> DEPT.: <i>MPL</i>	REVIEWED BY: <i>27/07/15</i> NAME: <i>RIVASAT MALIK</i> DESIGNATION: <i>A.E-II</i> DEPT.: <i>MPL</i>	APPROVED BY: <i>27/07/2015</i> NAME: <i>UPINDERJEET SINGH</i> DESIGNATION: <i>SR. ENGR.</i> DEPT.: <i>MPL</i>