

UN-PRICE BID

Title:- Procurement of Electrical Items in BHEL Township, Sector-17, Noida, UP.

NIT NO. 08:AA:NOI:ADMN:Electrical Items:112:2013-14 Dated: 02/08/2013

Delivery Schedule: Full quantity within 20 days from placement of Purchase Order.

Sl.No	Description of items	Unit	Tentative quantity	Rate (Rs.) in figure	Rate (Rs.) in words.	VAT (%)	Amount (Rs.) inclusive of VAT & all other taxes.
1	ADD ON Block 2NO-2NC, MCX-03, 18A, 415V, L&T make	No.	70	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxx
2	Analog timer switch, Din rail mounted, FM-1 type, L&T/C&S / Havells make or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxx
3	Bulkhead Light, Philips/Havells make or equivalent	No.	250	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxx
4	Battery Terminal suitable for 1500VA Battery fitting	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxx
5	Bearing no. 6202 ISI marked , SKF / TATA make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxx
6	Bearing no. 6203 ISI marked , SKF / TATA make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxx
7	Bell Push Switch,5A, 240V, one way, piano type, Anchor/Havells make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxx
8	Batten Holder-PVC, 5A, 240V, ISI mark, Anchor/Havells make or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxx
9	Bulb - 100 W, Philips or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxx
10	Call Bell, (Type- Ding Dong/ Multi Tune) 240 V, Anchor/Havells make or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxx
11	CFL PLC 2 Pin 8 Watt, Havells/Philips/Anchor or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxx
12	CFL 18/20 watt, two tube type, Philips/Havells make or equivalent.	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxx
13	CFL 8 watt, two tube type, Philips/Havells make or equivalent.	No.	250	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxx
14	Cable 2.5 sq.mm x 4 core (as per IS-694)(100 meter Roll)make Havells /Anchor/Polycab or equivalent	Roll	3	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxx
15	Capacitor 2.5 mfd,as per IS-13340, Havells/ Siemens or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxx
16	Capacitor-20mfd, as per IS-13340, Havells/ Siemens or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxx

17	Capacitor-42mfd, as per IS-13340, Havells/ Siemens or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
18	Ballast (Choke), copper, 40 watt, suitable for flourecent tube, as per IS:1534, 240V/50Hz, Philips/Crompton/Havells or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
19	Ballast (Choke) for electronic tube light, T5, 28W, Philips/Havells make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
20	Contactora-MNX18, L&T make	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
21	Contactora-MCX-03, 4 pole 32 Amp, L&T make	No.	60	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
22	Contactora-MCX-22, 4pole, 100 Amp, L&T make	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
23	Desert-Cooler Pump, MSP-350, conforms to IS:11951	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
24	Desert-Cooler Pump, MSP-650, conforms to IS:11951	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
25	Copper thimble, 35mm Ring type, Heavy type, SBS make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
26	Copper thimble, 50mm Ring type, Heavy type, SBS make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
27	Copper thimble, 25mm Ring type, Heavy type, SBS make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
28	Copper thimble, 70mm Ring type, Heavy type, SBS make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
29	Copper thimble, 120mm Ring type, Heavy type, SBS make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
30	Copper thimble, 500mm Ring type, Heavy type, SBS make or equivalent	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
31	Copper wire 1.5 sq.mm, 90 mtrs. roll, single core, FR PVC, as per IS:694 , Finolex / Havells /Polycab make or equivalent.	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
32	Copper wire 2.5 sq.mm, 90 mtrs. roll, single core, FR PVC, as per IS:694, Finolex / Havells /Polycabr make or equivalent.	Roll	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
33	Copper wire 4 sq.mm, 90 mtrs. roll, single core, FR PVC, as per IS:694, Finolex / Havells /Polycab make or equivalent.	Roll	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
34	Copper wire 6 sq.mm-90 mtrs. roll, single core, FR PVC, as per IS:694, Finolex / Havells /Anchor make or equivalent.	Roll	2	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx
35	Copper Cable 10 sq.mm, single core, 100 meter roll, FR PVC, as per IS:694, Finolex / Havells /Anchor make or equivalent.	Roll	1	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxx

36	Copper Cable, 25 sq.mm, single core, 100meter roll, FR PVC, as per IS:694, Finolex / Havells /Anchor make or equivalent.	Roll	1	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
37	DP Switch - 32Amp, as per IS:3854, Havells/Anchor or equivalent.	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
38	Doom Light, spherical shaped, used for gate posts, material-polycarbonate, non transparant, white colour, diameter of sphere="30 cm".	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
39	Electronic - fan regulator, 240V-50 Hz, 100W, white colour, Single Model Step type, Anchor/Havells make or equivalent.	No.	70	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
40	Exhaust fan blade 12"- metallic	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
41	New Exhaust fan- 12", as per IS:2312-1967, Metal, Double Ball Bearing, Crompton / Orient /Havells make or equivalent	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
42	Copper wire (Flexible) 23/76 -90 mtrs. roll- II Core, FR PVC, as per IS:694, Finolex / Havells /Polycab make or equivalent	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
43	Gang Box 5 Amp PVC (1+1), Anchor make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
44	Gang Box 15 Amp PVC (1+1), Anchor make or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
45	Geyser assembly make thermoking, 9 hole	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
46	Geyser assembly make thermoking, 6 hole	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
47	Igniter, suitable for MH flood light (400W), 2 lead, Havells/ Philips make or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
48	New Geyser- 25 Ltr, 2000 watt, as per IS:8978, Bajaj/Havells make or equivalent .	No.	8	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
49	Geyser element 2000 watt, spiral type, Thermoking make or equivalent	No.	30	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
50	Geyser element 2000 watt, Triangular type, Tehrmoking make or equivalent	No.	30	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
51	MCB 10 Amp. Single Pole, conforms to IS 8828, Hager/Havelles/ABB make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
52	MCB 16 Amp. Single Pole, conforms to IS 8828, Hager/Havelles/ABB make or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
53	MCB 20 Amp. Single Pole, conforms to IS 8828, Hager/Havelles/ABB make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
54	MCB 32 Amp. Single Pole, conforms to IS 8828, Hager/Havells/ABB make or equivalent.	No.	30	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx

55	MCB 32 Amp. Double Pole, conforms to IS 8828, Hager/Havells/ABB make or equivalent.	No.	30	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
56	MCB 4pole, 32 Amp, conforms to IS 8828, Hager/Havells /ABB make or equivalent.	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
57	MCCB 4pole, 100Amp, suitable for fixing vertical type TPN-DB, conforms to IEC-60947-2, L&T make or equivalent.	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
58	MH Ballast (Choke)-70W, conforms to IS:6616-1982, IEC 922 & IEC 923, Havells/ Phillips or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
59	MH Ballast (Choke)-150W, conforms to IS:6616-1982, IEC 922 & IEC 923, Havells/ Phillips or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
60	MH Ballast (Choke)-250W, conforms to IS:6616-1982, IEC 922 & IEC 923, Havells/ Phillips or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
61	MH Ballast (Choke)-400W, conforms to IS:6616-1982, IEC 922 & IEC 923, Havells/ Phillips or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
62	MH Lamp Holder- screw type	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
63	MH Double ended holder	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
64	Metal Helide double ended Lamp- 70 watt, Havells / Philips make or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
65	MH Garden Light Set - 70W, Jupiter(Havells) / Bajaj make or equivalent	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
66	Metal Helide double ended Lamp - 150 watt , Suitable for flood lighting- white colour, Havells / Philips / Bajaj make or equivalent.	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
67	Metal Helide single ended Tubular Clear Lamp - 150 watt, Suitable for flood lighting- white colour, Havells / Philips / Bajaj make or equivalent	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
68	Metal Helide single ended Tubular Clear Lamp - 250 watt, Suitable for flood lighting- white colour, Havells / Philips/ Bajaj make or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
69	Metal Helide Flood Light Set - 250W , Havells (Jeta 6) make with IP-65 protection	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
70	Metal Helide single ended Lamp - 400 watt,Suitable for flood lighting - white colour, Havells / Philips/ Bajaj make or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx

71	Mica Sheet - 5"x5", ISI mark	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
72	Mica Sheet - 9"x5", ISI mark	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
73	Mica Sheet - 10"x12", ISI mark	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
74	Mica Tee Cover 4" Round, 3 mm thick, ISI mark	No.	100	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
75	Panel Encloser Box-(600x400x200), with IP protection -55, BCH make or equivalent	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
76	Panel Box - Medium(150x150x120), with IP protection -55, BCH make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
77	Plug top 3 pin 15/16 Amp, as per IS-1293, Anchor/Havells/Great white make or equivalent.	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
78	Plug top 3 pin 5/6 Amp, as per IS-1293, Anchor/Havells/Great white make or equivalent.	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
79	PVC electric Board (Heavy type) -4"x4" Board, ISI mark	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
80	PVC electric Board (Heavy type) - 8"x6"Board, ISI mark	No.	15	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
81	PVC Gitti, length- 35mm, Diameter- 6mm	Pkt.	40	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
82	PVC Batten (Casing & Capping) 1", white, as per IS-14927 Part-2, AKG make or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
83	PVC Batten (Casing & Capping) 3/4", white, as per IS-14927 Part-2,AKG make or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
84	PVC Batten (Casing & Capping) 1 1/2 ", white,as per IS-14927 Part-2, AKG make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
85	PVC Flexible pipe 1/2" (30 mtr. roll) as per IS-9537	No.	5	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
86	PVC Conduit pipe- 3/4"(3meter per length) as per IS-9537, Part-3	No.	100	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
87	PVC Conduit pipe- 1" (3 meter per length) as per IS-9537, Part-3	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
88	PVC Bend-3/4", as per IS:3419	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
89	Electronic Fan Regulator (stepper) Modular 1-module, Anchor (Roma) make	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
90	20Amp modular socket-Anchor(Roma) make	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
91	10Amp modular socket- Anchor(Roma) make	No.	40	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
92	10Amp modular switch, one way, Anchor(Roma) make	No.	40	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
93	20Amp modular switch, one way, Anchor(Roma) make	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
94	Bell Push switch, one way, 5 Amp, Anchor(Roma) make	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx

95	Screw Brass with washer (100 nos./pkt.) Size 1 1/2"	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
96	Screw Brass with washer (100 nos./pkt.) Size 2 1/2"	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
97	Screw Brass with washer (100 nos./pkt.) Size 3"	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
98	Socket 15/16 Amp, Multiple socket flush type, 6 pin, Anchor/ Havells make or equivalent	No.	100	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
99	Socket 5/6 Amp, 3 pin, Anchor/ Havells make or equivalent.	No.	150	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
100	spare coil for MCX-22, L&T make	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
101	spare coil for MCX-03, L&T make	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
102	Switch- piano type 15 Amp, as per IS:3854, Anchor/ Havells make or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
103	Switch- piano type 5 Amp, as per IS:3854, Anchor/ Havells make or equivalent	No.	200	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
104	Telephone cable(2 pair) ISI mark (90 meter Roll), FR PVC, material- solid annealed high conductivity of bare copper, Anchor/Polycapex make or equivalent	No.	20	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
105	Telephone cable(10 pair) ISI mark (90 meter Roll), FR PVC, material- solid annealed high conductivity of bare copper, Anchor/Polycapex/Delton make or equivalent		2	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
106	Thermostate, suitable for Geyser of 25 Ltr capacity	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
107	Thermostate for Room Heater	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
108	Tape roll, FR PVC, size 1.8 cmX9 m X0.125 mm, as per IS:7809, make - Steel grip	No.	100	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
109	T5 Tube rod- 28W, linear flourescent tube, Philips/ Havells/ Bajaj make or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
110	T5 Tube light set- 28W with tube, Philips/ Havells/ Bajaj make or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
111	TPN DB, 4 way, vertical type, double door, 415 volts, made of sheet steel, dust protected, duly powder painted, inclusive of 200 amps tinned inter connecting copper bus bar, common neutral link earth bar, din bar for mounting MCB's with provision of 100 amps MCCB as incomer	No.	10	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx
112	Tube rod 40 watt, Philips make or equivalent	No.	50	xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxx		xxxxxxxxxxxxxxxxxxxxxxx

