

# **TENDER SPECIFICATION**

**NO: BHE/PW/PUR/RGMT-ENB SHED/1625**

**Job:** Foundation work up to finished floor level (FFL) with its Electrification works for 6 Nos of closed PEB sheds (60 Mtr x 15Mtr)

**AT**

**2x800 MW NTPC Ramagundam STPP, Karimnagar Telangana**

## **TECHNICAL BID SPECIFICATION - VOLUME- I**

**TENDER SPECIFICATIONS CONSISTS OF:**

- **Notice Inviting Tender**
- **Volume 1 A - Technical Conditions of Contract,**
- **Volume 1 B - Special conditions of Contract,**
- **Volume 1 C - General conditions of Contract**
- **Volume 1 D - Forms & Procedures**
- **Volume 1 E – Drawing**



**Bharat Heavy Electricals Limited**  
(A Government of India Undertaking)  
Power Sector - Western Region  
345-Kingsway, Nagpur-440001

# **TENDER SPECIFICATION**

**NO: BHE/PW/PUR/RGMT-ENB SHED/1625**

**Job:** Foundation work up to finished floor level (FFL) with its Electrification works for 6 Nos of closed PEB sheds (60 Mtr x 15Mtr)

**AT**

**2x800 MW NTPC Ramagundam STPP, Karimnagar Telangana**

EARNEST MONEY DEPOSIT: Refer Notice Inviting Tender

LAST DATE FOR TENDER SUBMISSION: Refer Notice Inviting Tender

THESE TENDER SPECIFICATION DOCUMENTS CONTAINING VOLUME-I AND VOLUME- II ARE ISSUED TO:

M/s. ....

.....

PLEASE NOTE: THESE TENDER SPECS DOCUMENTS ARE NOT TRANSFERABLE.

For Bharat Heavy Electricals Limited

AGM (Purchase)

Place: Nagpur

Date:

Volume No	Description	Hosted in website bhel.com as files titled
NIL	Tender Specification Issue Details	(Part of <b><u>Vol-IA-1625</u></b> )
NIL	Notice Inviting Tender	(Part of <b><u>Vol-IA-1625</u></b> )
I-A	Technical Conditions of Contract	<b>Vol-IA-1625</b>
I-B	Special Conditions of Contract	<b>Vol-IBCD-1625</b>
I-C	General Conditions of Contract	(Part of <b><u>Vol-IBCD-1625</u></b> )
I-D	Forms & Procedures	(Part of <b><u>Vol-IBCD-1625</u></b> )
I-E	Volume 1 E – Drawing	<b>Vol-IE-1625</b>
II	Price Bid Specification	<b>Vol-II-1625</b>

1625

# NOTICE INVITING TENDER

Bharat Heavy Electricals Limited



**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 5 of 68

Ref: BHE/PW/PUR/RGMT-ENB SHED/1625

Date: 19/05/2016

**NOTICE INVITING TENDER (NIT)**

**NOTE:** BIDDER MAY DOWNLOAD FROM WEB SITES OR PURCHASE TENDERS FROM THIS OFFICE ALSO.

=====  
To

Dear Sir/Madam

**Sub: NOTICE INVITING TENDER**

Sealed offers in two part bid system are invited from reputed & experienced bidders (meeting [PRE QUALIFICATION CRITERIA](#) as mentioned in Annexure-I) for the subject job by the undersigned on the behalf of BHARAT HEAVY ELECTRICALS LIMITED as per the tender document. Following points relevant to the tender may please be noted and complied with.

**1.0 Salient Features of NIT**

SL NO	ISSUE	DESCRIPTION	
i	<b>TENDER NUMBER</b>	BHE/PW/PUR/RGMT-ENB SHED/1625	
ii	<b>Broad Scope of job</b>	Foundation work up to finished floor level (FFL) with its Electrification works for 6 Nos of closed PEB sheds (60 Mtr x 15Mtr) at <b>2x800 MW NTPC Ramagundam STPP, Karimnagar Telangana</b>	
iii	<b>DETAILS OF TENDER DOCUMENT</b>		
a	Volume-IA	<i>Technical Conditions of Contract (TCC) consisting of Scope of work, Technical Specification, Drawings, Procedures, Bill of Quantities, Terms of payment, etc</i>	<i>Applicable</i>
b	Volume-IB	<i>Special Conditions of Contract (SCC)</i>	<i>Applicable</i>
c	Volume-IC	<i>General Conditions of Contract (GCC)</i>	<i>Applicable</i>
d	Volume-ID	<i>Forms and Procedures</i>	<i>Applicable</i>
e	Volume-IE	<i>Drawing</i>	<i>Applicable</i>

**BHEL PSWR  
Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 6 of 68

f	Volume-II	Price Schedule	Applicable
iv	<b>Issue of Tender Documents</b>	<p><b>1. <u>Sale from BHEL PS Regional office at :</u></b>  <b>Start : 19/05/2016 ,</b>  <b>Closes: 08/06/2016 , Time : 16.00 Hrs</b></p> <p><b>2. From BHEL website (<a href="http://www.bhel.com">www.bhel.com</a>)</b>  Tender documents will be available for downloading from website till due date of submission</p>	Applicable
v	<b>DUE DATE &amp; TIME OF OFFER SUBMISSION</b>	<p><b>Date : 09/06/2016, Time 15.00 Hrs</b>  <b>Place : <u>BHEL PS Regional office at :Nagpur</u></b></p> <p>Tenders being submitted through representative shall be submitted at dispatch section of PSWR HQ Office after making entry/registration at the reception. For any assistance on the matter kindly contact following officials:</p> <ul style="list-style-type: none"> <li>• Pratih Gee Varghese / Sr Engineer (Purchase)</li> <li>• Neeraj Tiwari / Sr Engineer (Purchase)</li> <li>• Shivkesh Meena / Engineer (Purchase)</li> </ul>	Applicable
vi	<b>OPENING OF TENDER</b>	<p><b>1 hours after the latest due date and time of Offer submission</b></p> <p>Notes:  (1) In case the due date of opening of tender becomes a non-working day, then the due date &amp; time of offer submission and opening of tenders get extended to the next working day.  (2) Bidder may depute representative to witness the opening of tender</p>	Applicable
vii	<b>EMD AMOUNT</b>	Rs 2,00,000/- (Rupees Two Lakhs Only)	Applicable

**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 7 of 68

<b>viii</b>	<b>COST OF TENDER</b>	<i>Rs 2000/-. (Rupees Two Thousand Only)</i>	<i>Applicable</i>
<b>ix</b>	<b>LAST DATE FOR SEEKING CLARIFICATION</b>	<i>Five days before the due date of offer submission. Along with soft version also, addressing to undersigned &amp; to others as per contact address given below</i>	<i>Applicable</i>
<b>x</b>	<b>SCHEDULE OF Pre Bid Discussion (PBD)</b>		<i>Not-Applicable.</i>
<b>xi</b>	<b>INTEGRITY PACT &amp; DETAILS OF INDEPENDENT EXTERNAL MONITOR (IEM)</b>		<i>Not-Applicable</i>
<b>xii</b>	<b>Latest updates</b>	<u>Latest updates on the important dates, _____ Amendments, Correspondences, Corrigenda, Clarifications, Changes, Errata, Modifications, Revisions, etc to Tender Specifications will be hosted in BHEL webpage (<a href="http://www.bhel.com">www.bhel.com</a> --&gt;Tender Notifications →View Corrigendums) and not in the newspapers. Bidders to keep themselves updated with all such information</u>	

2.0 The offer shall be submitted as per the instructions of tender document and as detailed in this NIT. Bidders to note specifically that all pages of tender document, including these NIT pages of this particular tender together with subsequent correspondences shall be submitted by them, duly signed & stamped on each page, as part of offer. Rates/Price including discounts/rebates, if any, mentioned anywhere/in any form in the techno-commercial offer other than the Price Bid and shall not be entertained.

3.0 Unless specifically stated otherwise, bidder shall remit cost of tender and courier charges if applicable, in the form of Demand Draft drawn in favour of Bharat Heavy Electricals Ltd, payable at Power Sector Regional HQ at Nagpur issuing the Tender, along with techno-commercial offer. Bidder may also choose to deposit the Tender document cost by cash at the Cash Office as stated above against SL no IV of 1, on any working day; and in such case copy of Cash receipt is to be enclosed with the

**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 8 of 68

Techno Commercial offer. Sale of tender Documents shall not take place on National Holidays, holidays declared by Central or State Governments and BHEL PS HQ at Nagpur, Sundays and second/ last Saturdays

- 4.0 Unless specifically stated otherwise, bidder shall deposit EMD through Demand Draft/Pay Order in favour of Bharat Heavy Electricals Ltd, payable at Nagpur. For other details and for 'One Time EMD' please refer General Conditions of Contract.
- 5.0 **Procedure for Submission of Tenders:** The Tenderers must submit their Tenders to Officer inviting Tender, as detailed below:
- PART-I consisting of 'PART-I A (Techno Commercial Bid)' & 'PART-I B (EMD/COST of TENDER)' in two separate sealed and super scribed envelopes (ENVELOPE-I & ENVELOPE-II)
  - PART-II (Price Bid) - in sealed and super scribed envelope (ENVELOPE-III)
  - One set of tender documents shall be retained by the bidder for their reference
- 6.0 The contents for ENVELOPES and the superscription for each sealed cover/Envelope are as given below. **(All pages to be signed and stamped)**

Sl no	Description	Remarks
	<b>Part-I A</b>	
	<p><b>ENVELOPE – I super scribed as :</b> PART-I (TECHNO COMMERCIAL BID) TENDER NO : NAME OF WORK : PROJECT: DUE DATE OF SUBMISSION:</p> <p><b>CONTAINING THE FOLLOWING:-</b></p>	
i.	Covering letter/Offer forwarding letter of Tenderer.	
ii.	<p>Duly filled-in 'No Deviation Certificate' as per prescribed format to be placed after document under sl no (i) above.</p> <p><b>Note:</b></p> <p>a. In case of any deviation, the same should be submitted separately for technical &amp; commercial parts, indicating respective clauses of tender against which deviation is taken by bidder. The list of such deviation shall be placed after document under sl no (i) above. It shall be specifically noted that deviation recorded elsewhere shall not be entertained.</p>	

**BHEL PSWR  
Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 9 of 68

	<p>b. BHEL reserves the right to accept/reject the deviations without assigning any reasons, and BHEL decision is final and binding.</p> <p>i). In case of acceptance of the deviations, appropriate loading shall be done by BHEL</p> <p>ii). In case of unacceptable deviations, BHEL reserves the right to reject the tender</p>	
iii.	<p>Supporting documents/ annexure/ schedules/ drawing etc as required in line with Pre-Qualification criteria.</p> <p>It shall be specifically noted that all documents as per above shall be indexed properly and credential certificates issued by clients shall distinctly bear the name of organization, contact ph no, FAX no, etc.</p>	
iv.	All Amendments/Correspondences/Corrigenda/ Clarifications /Changes/ Errata etc. pertinent to this NIT.	
v.	Integrity Pact Agreement (Duly signed by the authorized signatory)	If applicable
vi.	Duly filled-in annexures, formats etc as required under this Tender Specification/NIT	
vii.	Notice inviting Tender (NIT)	
viii.	Volume – I A : <u>Technical</u> Conditions of Contract (TCC) consisting of Scope of work, Technical Specification, Drawings, Procedures, Bill of Quantities, Terms of payment, etc	
ix.	Volume – I B : Special Conditions of Contract (SCC)	
x.	Volume – I C : General Conditions of Contract (GCC)	
xi.	Volume – I D : Forms & Procedures	
xii.	<i>Volume-IE: Drawing</i>	
xiii.	Volume – II (UNPRICED – without disclosing rates/price, but mentioning only ‘QUOTED’ or ‘UNQUOTED’ against each item	
xiv.	Any other details preferred by bidder with proper indexing.	

	<b>PART-I B</b>	
	<p><b><u>ENVELOPE – II super scribed as:</u></b> PART-I (EMD/COST of TENDER) TENDER NO :</p>	

**BHEL PSWR  
Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 10 of 68

	<p>NAME OF WORK : PROJECT: DUE DATE OF SUBMISSION:</p> <p><b>CONTAINING THE FOLLOWING:-</b></p>	
i.	<p>1. Earnest Money Deposit (EMD) in the form as indicated in this Tender</p> <p align="center"><b>OR</b></p> <p>Documentary evidence for 'One Time EMD' with the Power Sector Region of BHEL floating the Tender</p> <p>2. Cost of Tender ( Demand Draft or copy of Cash Receipt as the case may be)</p>	

	<b>PART-II</b>	
	<b>PRICE BID</b> consisting of the following shall be enclosed	
	<p><b>ENVELOPE-III</b> Super scribed as: PART-II (PRICE BID) TENDER NO : NAME OF WORK : PROJECT: DUE DATE OF SUBMISSION:</p> <p><b>CONTAINING THE FOLLOWING</b></p>	
i	Covering letter/Offer forwarding letter of Tenderer enclosed in Part-I	
ii	Volume II – PRICE BID ( Duly Filled in Schedule of Rates – rate/price to be entered in words as well as figures)	

	<b>OUTER COVER</b>	
	<p><b>ENVELOPE-IV (MAIN ENVELOPE / OUTER ENVELOPE)</b> Super scribed as: TECHNO-COMMERCIAL BID, PRICE BID &amp; EMD TENDER NO: NAME OF WORK: PROJECT: DUE DATE OF SUBMISSION:</p> <p><b>CONTAINING THE FOLLOWING:</b></p>	
i	o Envelopes I	

**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 11 of 68

	<ul style="list-style-type: none"><li>○ Envelopes II</li><li>○ Envelopes III</li></ul>	
--	--	--

SPECIAL NOTE: All documents/ annexures submitted with the offer shall be properly annexed and placed in respective places of the offer as per enclosure list mentioned in the covering letter. BHEL shall not be responsible for any missing documents.

7.0 Deviation with respect to tender clauses and additional clauses/suggestions in Techno-commercial bid / Price bid shall NOT be considered by BHEL. Bidders are requested to positively comply with the same.

8.0 BHEL reserves the right to accept or reject any or all Offers without assigning any reasons thereof. BHEL also reserves the right to cancel the Tender wholly or partly without assigning any reason thereof. Also BHEL shall not entertain any correspondence from bidders in this matter (except for the refund of EMD).

**9.0 Assessment of Capacity of Bidders:**  
**Bidders' capacity for executing the job under tender shall be assessed 'LOAD' wise and 'PERFORMANCE' wise as per the following:**

I. **LOAD:** Load takes into consideration **ALL** the contracts of the Bidder under execution with BHEL Regions, irrespective of whether they are similar to the tendered scope or not. The 'Load' is the sum of the unit wise identified packages (refer Table-1) for contracts with BHEL Regions. The cut off month for reckoning 'Load' shall be the month, two (2) months preceding the month corresponding to the 'latest date of bid submission', in the following manner:

(Note: For example if latest bid submission is in Aug 2011, then the 'load' shall be calculated upto and inclusive of June 2011)

i). Total number of Packages  
Total number of Packages in hand = P  
Where

- 'P' is the sum of all unit wise identified packages under execution with BHEL Regions as of the cut off month defined above, including packages yet to be commenced, excepting

**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 12 of 68

.....  
packages which are on HOLD due to reasons not attributable to Bidder..

- II. **PERFORMANCE**: Here 'Monthly Performance' of the bidder for all the packages (**under execution**/ executed during the 'Period of Assessment' in all the Power Sector Regions of BHEL) **SIMILAR** to the packages covered under the tendered scope, excepting packages not commenced shall be taken into consideration. The 'Period of Assessment' shall be 6 months preceding the cut off month. The cut off month for reckoning 'Period of Assessment' shall be the month two (2) months preceding the month corresponding to the 'latest date of bid submission', in the following manner:

**(Note:** For example if 'latest date of bid submission' is in Aug 2011, then the 'performance' shall be assessed for a 6 month period upto and inclusive of June 2011, for all the unit wise identified packages (refer Table I)

- i). Calculation of Overall 'Performance Rating' for 'similar Package/Packages' for the tendered scope under execution at Power Sector Regions for the 'Period of Assessment':

This shall be obtained by summing up the 'Monthly Performance Evaluation' scores obtained by the bidder in all Regions for all the similar Package/packages', divided by the total number of Package months for which evaluation should have been done, as per procedure below:

- a)  $P_1, P_2, P_3, P_4, P_5, \dots, P_N$  etc be the packages (**under execution**/ executed during the 'Period of Assessment' in all Regions) **SIMILAR** to the packages covered under the tendered scope, excepting packages not commenced. Total number of similar packages for all Regions =  **$P_T$**  ( ie  $P_T = P_1 + P_2 + P_3 + P_4 + \dots + P_N$  )
- b) Number of Months ' $T_1$ ' for which 'Monthly Performance Evaluation' as per relevant formats, should have been done in the 'Period of Assessment' for the corresponding similar package  $P_1$ . Similarly  $T_2$  for package  $P_2$ ,  $T_3$  for package  $P_3$ , etc for the tendered scope. Now calculate cumulative total months ' **$T_T$** ' for total similar Packages ' **$P_T$** ' for all Regions ( ie  **$T_T = T_1 + T_2 + T_3 + T_4 + \dots + T_N$**  )

**BHEL PSWR  
Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 13 of 68

- c) Sum 'S<sub>1</sub>' of 'Monthly Performance Evaluation' Scores (S<sub>1-1</sub>, S<sub>1-2</sub>, S<sub>1-3</sub>, S<sub>1-4</sub>, S<sub>1-5</sub>,.... S<sub>1-N</sub>) for similar package P<sub>1</sub>, for the 'period of assessment' T<sub>1</sub>' (i.e S<sub>1</sub> = S<sub>1-1</sub>+ S<sub>1-2</sub>+ S<sub>1-3</sub>+ S<sub>1-4</sub>+ S<sub>1-5</sub>+...S<sub>1-N</sub>). Similarly S<sub>2</sub> for package P<sub>2</sub> for period T<sub>2</sub>, S<sub>3</sub> for package P<sub>3</sub> for period T<sub>3</sub>, etc for the tendered scope for all Regions. Now calculate cumulative sum 'S<sub>T</sub>' of 'Monthly Performance Evaluation' Scores for total similar Packages 'P<sub>T</sub>' for all Regions (i.e 'S<sub>T</sub>' = S<sub>1</sub>+ S<sub>2</sub>+ S<sub>3</sub>+ S<sub>4</sub>+ S<sub>5</sub>+.... S<sub>N</sub>.)
- d) **Overall Performance Rating 'R<sub>BHEL</sub>' for the similar Package/Packages (under execution/ executed during the 'Period of Assessment') in all the Power Sector Regions of BHEL):**

**Aggregate of Performance scores for all similar packages in all the Regions**

$$= \frac{\text{Aggregate of months for each of the similar package for which performance should have been evaluated in all the Regions}}{\text{Aggregate of months for each of the similar package for which performance should have been evaluated in all the Regions}}$$

$$= \frac{S_T}{T_T}$$

- e) **Bidders to note that the risk of non-evaluation or non-availability of the 'Monthly Performance Evaluation' reports as per relevant formats is to be borne by the Bidder**

- f) **Table showing methodology for calculating 'a', 'b' and 'c' above**

Sl n o	Item Description	Details for all Regions							Total
		(iii)	(iv)	(v)	(vi)	(vii)	(viii)	(ix)	
(i)	(ii)								(x)
1	Similar Packages for all Regions → (under execution/ executed during period of assessment)	P <sub>1</sub>	P <sub>2</sub>	P <sub>3</sub>	P <sub>4</sub>	P <sub>5</sub>	...	P <sub>N</sub>	Total No of similar packages for all Regions = <b>P<sub>T</sub></b> ie Sum (Σ) of

**BHEL PSWR  
Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGTM-ENB SHED/1625

Page 14 of 68

									columns (iii) to (ix)
2	Number of Months for which 'Monthly Performance Evaluation' as per relevant formats should have been done in the 'period of assessment for corresponding similar Package ( as in row 1)	T <sub>1</sub>	T <sub>2</sub>	T <sub>3</sub>	T <sub>4</sub>	T <sub>5</sub>	...	T <sub>N</sub>	Sum (Σ) of columns (iii) to (ix)  = <b>T<sub>T</sub></b>
3	Monthly performance scores for the corresponding period (as in Row 2)	S <sub>1-1</sub> , S <sub>1-2</sub> , S <sub>1-3</sub> , S <sub>1-4</sub> , ...	S <sub>2-1</sub> , S <sub>2-2</sub> , S <sub>2-3</sub> , S <sub>2-4</sub> , ...	S <sub>3-1</sub> , S <sub>3-2</sub> , S <sub>3-3</sub> , S <sub>3-4</sub> , ...	S <sub>4-1</sub> , S <sub>4-2</sub> , S <sub>4-3</sub> , S <sub>4-4</sub> , ...	S <sub>5-1</sub> , S <sub>5-2</sub> , S <sub>5-3</sub> , S <sub>5-4</sub> , ...	.. ... ...	S <sub>N-1</sub> , S <sub>N-2</sub> , S <sub>N-3</sub> , S <sub>N-4</sub> , ...	-----
4	Sum of Monthly Performance scores of the corresponding Package for the corresponding period (as in row-3)	S <sub>1</sub>	S <sub>2</sub>	S <sub>3</sub>	S <sub>4</sub>	S <sub>5</sub>	...	S <sub>N</sub>	Sum (Σ) of columns (iii) to (ix)  = <b>S<sub>T</sub></b>

ii) Calculation of Overall 'Performance Rating' (**R<sub>BHEL</sub>**) in case 'similar Package/Packages' for the tendered scope ARE NOT AVAILABLE, during the 'Period of Assessment':

This shall be obtained by summing up the 'Monthly Performance Evaluation' scores obtained by the bidder in all Regions for ALL the packages, divided by the total number of Package months for which evaluation should have been done. 'R<sub>BHEL</sub>' shall be calculated subject to availability of 'performance scores' for at least.6 'package months' in the order of precedence below:

**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 15 of 68

- .....
- a) Period of Assessment.
  - b) 12 months preceding the cut-off month
  - c) 24 months preceding the cut-off month
  - d) 36 months preceding the cut-off month

In case,  $R_{BHEL}$  cannot be calculated as above, then Bidder shall be treated as 'NEW VENDOR'. Further eligibility and qualification of this bidder shall be as per definition of 'NEW VENDOR' described in 'Explanatory Notes'

- iii) Factor "L" assigned based on Overall Performance Rating ( $R_{BHEL}$ ) at Power Sector Regions.:

Sl no	Overall Performance Rating ( $R_{BHEL}$ )	Corresponding value of 'L'
1	=60	NA
2	> 60 and $\leq$ 65	0.4
3	> 65 and $\leq$ 70	0.35
4	> 70 and $\leq$ 75	0.25
5	> 75 and < 80	0.2
6	$\geq$ 80	NA

**III. 'Assessment of Capacity of Bidder':**

'Assessment of Capacity of Bidder' is based on the Maximum number of packages for which a vendor is eligible, considering the performance scores of similar packages, as below:

Max number of packages  $P_{Max} = (R_{BHEL} - 60)$  divided by corresponding value of 'L'

i.e.  $(R_{BHEL} - 60)/L$

Note:

- i. In case the value of  $P_{Max}$  results in a fraction, the value of  $P_{Max}$  is to be rounded off to next whole number
- ii. For  $R_{BHEL} = 60$ ,  $P_{Max} = '1'$
- iii. For  $R_{BHEL} \geq 80$ , there will be no upper limit on  $P_{Max}$

The Bidder shall be considered 'Qualified' as per 'Assessment of Capacity of Bidder' for the subject Tender if  $P \leq P_{Max}$   
(Where P is calculated as per clause 9.I)

**IV. Explanatory note:**

**BHEL PSWR  
Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 16 of 68

- a) Similar package means Boiler or ESP or Piping or Turbine or Civil or Structure or Electrical or CI, etc at the individual level irrespective of rating of Plant, and irrespective of whether the subject tender is a single package or as part of combined/composite packages. Normally Boiler, ESP, Piping, Turbine, Electrical, CI, Civil, Structure, etc is considered individual level of package. For example in case the tendered scope is a Boiler Vertical Package comprising of Boiler, ESP and Power Cycle Piping (i.e the 'identified packages as per Table-1 below), the 'PERFORMANCE' part against sl no II above, needs to be evaluated considering all the identified packages (ie Boiler, ESP and Power Cycle Piping) and finally the Bidder's capacity to execute the tendered scope is assessed in line with III above
- b) Identified Packages (Unit wise)

**Table-1**

	Civil	Electrical & CI	Mechanical
	i). Enabling works ii). Pile and Pile Caps iii). Civil Works including foundations iv). Structural Steel Fabrication & Erection v). Chimney vi). Cooling Tower vii). Others (Civil)	i). Electrical ii). CI iii). Others (Elect & CI)	i). Boiler & Aux (All types including CW Piping if applicable) ii). Power Cycle Piping/Critical Piping iii). LP Piping iv). ESP v). Steam Turbine Generator set & Aux vi). Gas Turbine Generator set & Aux vii). Hydro Turbine Generator set & Aux viii). Turbo Blower (including Steam Turbine) ix). Material Handling x). Material Management xi). Material Handling & Material Management xii). Others (Mechanical)

**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 17 of 68

---

--	--	--	--

- c) Bidders who have not been evaluated for at least six package months in the last 36 months in the online BHEL system for contractor performance evaluation in BHEL PS Regions, w.e.f July'2010 shall be considered "NEW VENDOR".

A 'NEW VENDOR' shall be considered qualified subject to satisfying all other tender conditions

A 'NEW VENDOR' if awarded a job (of package/packages identified under this clause) shall be tagged as "FIRST TIMER" on the date of first LOI from BHEL.

The "FIRST TIMER" tag shall remain till execution of work for a period of not less than 09 months, from the commencement of work of first package

A Bidder shall not be eligible for the next job as long as the Bidder is tagged as "FIRST TIMER" excepting for the Tenders which have been opened on or before the date of the bidder being tagged as 'FIRST TIMER'.

After removal of 'FIRST TIMER' tag, the Bidder shall be considered 'QUALIFIED' for the future tenders subject to satisfying all other tender conditions including 'Capacity Evaluation of Bidders'.

- d) In the unlikely event of all bidders shortlisted against Technical and Financial Qualification criteria not meeting the criteria on 'Assessment of Capacity of Bidders' detailed above, OR leads to a single tender response on applying the criteria of 'Assessment of Capacity of Bidders' or due to non-approval by Customer, then BHEL at its discretion reserves the right to consider the further processing of the Tender based on the **Overall Performance Rating 'R<sub>BHEL</sub>'** only, starting from the upper band.
- e) 'Under execution' shall mean works in progress as per the following:
- i. up to Boiler Steam Blowing in case of Steam Generator and Auxiliaries

**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 18 of 68

- .....
- ii. upto Synchronization in case of all other works excepting sl no (i) and (iii)
  - iii. Upto execution of at least 90% of anticipated contract value in case of Civil & Structures (unit wise), Enabling works and upto 90% of material unloading (in tonnage) as per the original contract in case of MM Package.

Note : BHEL at its discretion can extend (or reduce in exceptional cases in line with Contract conditions) the period defined against (i), (ii) and (iii) above, depending upon the balance scope of work to be completed.

- f) Performance evaluation in CL 9 above is applicable to Prime bidder and consortium partner (or Technical tie up partner) for their respective scope of work

- 10.0 Since the job shall be executed at site, bidders must visit site/ work area and study the job content, facilities available, availability of materials, prevailing site conditions including law & order situation, applicable wage structure, wage rules, etc before quoting for this tender. They may also consult this office before submitting their offers, for any clarifications regarding scope of work, facilities available at sites or on terms and conditions.
- 11.0 For any clarification on the tender document, the bidder may seek the same in writing or through e-mail, as per specified format, within the scheduled date for seeking clarification, from the office of the undersigned. BHEL shall not be responsible for receipt of queries after due date of seeking clarification due to postal delay or any other delays. Any clarification / query received after last date for seeking clarification may not be normally entertained by BHEL and no time extension will be given.
- 12.0 BHEL may decide holding of pre-bid discussion [PBD] with all intending bidders as per date indicated in the NIT. The bidder shall ensure participation for the same at the appointed time, date and place as may be decided by BHEL. Bidders shall plan their visit accordingly. The outcome of pre-bid discussion (PBD) shall also form part of tender.
- 13.0 In the event of any conflict between requirement of any clause of this specification/ documents/drawings/data sheets etc or requirements of different codes/standards specified, the same to be brought to the

**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 19 of 68

- .....
- knowledge of BHEL in writing for clarification before due date of seeking clarification (whichever is applicable), otherwise, interpretation by BHEL shall prevail. Any typing error/missing pages/ other clerical errors in the tender documents, noticed must be pointed out before pre-bid meeting/submission of offer; else BHEL's interpretation shall prevail.
- 14.0 Unless specifically mentioned otherwise, bidder's quoted price shall deemed to be in compliance with tender including PBD.
- 15.0 Bidders shall submit Integrity Pact Agreement (Duly signed by authorized signatory who signs in the offer), **if applicable**, along with techno-commercial bid. This pact shall be considered as a preliminary qualification for further participation. **The names and other details of Independent External Monitor (IEM) for the subject tender are as given at point (1) above.**
- 16.0 The Bidder has to satisfy the Pre-Qualifying Requirements stipulated for this Tender in order to be qualified. The Price Bids of only those bidders will be opened who will be qualified for the subject job on the basis of satisfying the Pre-Qualification Criteria specified in this NIT as per Annexure-I (as applicable), past performance etc. and date of opening of price bids shall be intimated to only such bidders. BHEL reserves the right not to consider offers of parties under HOLD.
- 17.0** In case BHEL decides on a 'Public Opening', the date & time of opening of the sealed PRICE BID shall be intimated to the qualified bidders and in such a case, bidder may depute one authorized representative to witness the price bid opening. BHEL reserves the right to open 'in-camera' the 'PRICE BID' of any or all Unsuccessful/Disqualified bidders under intimation to the respective bidders.
- 18.0 Validity of the offer shall be for **six months** from the latest due date of offer submission (including extension, if any) unless specified otherwise.
- 19.0 BHEL reserves the right to decide the successful bidder on the basis of Reverse Auction process. In such case all qualified bidders will be intimated regarding procedure/ modality for Reverse Auction process prior to Reverse Auction and price will be decided as per the rules for Reverse Auction. .

However, if reverse auction process is unsuccessful as defined in the RA rules/procedures, or for whatsoever reason, then the sealed 'PRICE BIDS' will be opened for deciding the successful bidder. BHEL's decision in this regard will be final and binding on bidder.

**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGTM-ENB SHED/1625

Page 20 of 68

- .....
- 20.0 On submission of offer, further consideration will be subject to compliance to tender & qualifying requirement and customer's acceptance, as applicable.
- 21.0 In case the bidder is an "Indian Agent of Foreign Principals", 'Agency agreement has to be submitted along with Bid, detailing the role of the agent along with the terms of payment for agency commission in INR, along with supporting documents.
- 22.0 The bidders shall not enter into any undisclosed M.O.U. or any understanding amongst themselves with respect to tender.
- 23.0 Consortium Bidding (or Technical Tie up) shall be allowed only if specified in Pre-Qualifying Requirement (PQR) criteria, and in such a case the following shall be complied with:
- 23.1 Prime Bidder and Consortium Partner or partners are required to enter into a consortium agreement with a validity period of six months initially. In case the consortium is awarded the contract, then the Consortium Agreement between the Prime Bidder and Consortium Partner or partners shall be extended till contractual completion period including extension periods if any applicable.
- 23.2 'Standalone' bidder cannot become a **Prime Bidder** or a **Consortium bidder** or **Technical Tie up bidder** in a **consortium (or Technical Tie up) bidding**. Prime bidder shall neither be a consortium partner to other prime bidder nor take any other consortium partners. However, consortium partner may enter into consortium agreement with other prime bidders. In case of non-compliance, consortium bids of such Prime bidders will be rejected.
- 23.3 Number of partners for a consortium Bidding (or Technical Tie up) shall be as specified in the PQR
- 23.4 Prime Bidder shall be as specified in the Pre-Qualification Requirement, else the bidder who has the major share of work
- 23.5 In order to be qualified for the tender, Prime Bidder and Consortium partner or partners shall satisfy (i) the Technical 'Pre Qualifying Requirements' specified for the respective package, (ii) "Assessment of Capacity of Bidder" as specified in clause 9.0
- 23.6 Prime Bidder shall comply with additional 'Technical' criteria of PQR as defined in 'Explanatory Notes for the PQR'

**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 21 of 68

- .....
- 23.7 Prime Bidder shall comply with all other Pre Qualifying criteria for the Tender unless otherwise specified
- 23.8 In case customer approval is required, then Prime Bidder and Consortium Partner or partners shall have to be individually approved by Customer for being considered for the tender.
- 23.9 Prime Bidder shall be responsible for the overall execution of the contract
- 23.10 In case of award of job, Performance shall be evaluated for Prime Bidder and Consortium Partner or partners for their respective scope of work(s) as per prescribed formats
- 23.11 In case the Consortium partner or partners back out, their SDs shall be encashed by BHEL. In such a case, other consortium partner or partners meeting the PQR have to be engaged by the Prime Bidder, and if not, the respective work will be withdrawn and executed on risk and cost basis of the Prime Bidder. The new consortium partner or partners shall submit fresh SDs as applicable.
- 23.12 In case the prime Bidder withdraws, the whole contract shall be considered cancelled and short closed.
- 23.13 After execution of work, the work experience shall be assigned to the Prime Bidder and the consortium partner or partners for their respective scope of work. After successful execution of two similar works with the same consortium partner or partners under direct orders of BHEL, the Prime Bidder shall be eligible for becoming a 'standalone' bidder for similar works, subject to certification from BHEL about the active involvement of the Prime Bidder for satisfactory execution of the works.
- 23.14 The consortium partner shall submit SD equivalent to 2% of the total contract value in addition to the SD to be submitted by the prime Bidder for the total contract value. In case there are two consortium partners, then each partner shall submit SD equivalent to 1% of the total contract value in addition to the SD to be submitted by the prime Bidder for the total contract value.

**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 22 of 68

- .....
- 23.15 In case of a Technical Tie up, all the clauses applicable for the Consortium partner shall be applicable for the Technical Tie up partner also
- 24.0 The bidder shall submit documents in support of possession of 'Qualifying Requirements' duly self-certified and stamped by the authorized signatory, indexed and properly linked in the format for PQR. In case BHEL requires any other documents/proofs, these shall be submitted immediately.
- 25.0 The bidder may have to produce original document for verification if so decided by BHEL.
- 26.0 Order of Precedence  
In the event of any ambiguity or conflict between the Tender Documents, the order of precedence shall be in the order below:
- a. Amendments/Clarifications/Corrigenda/Errata etc issued in respect of the tender documents by BHEL
  - b. Notice Inviting Tender (NIT)
  - c. Price Bid
  - d. Technical Conditions of Contract (TCC)—Volume-1A
  - e. Special Conditions of Contract (SCC) —Volume-1B
  - f. General Conditions of Contract (GCC) —Volume-1C
  - g. Forms and Procedures —Volume-1D

It may please be noted that guidelines/rules in respect of suspension of business dealings', 'Vendor evaluation format', 'Quality, Safety & HSE guidelines', etc may undergo change from time to time and the latest one shall be followed.

For BHARAT HEAVY ELECTRICALS LTD  
(AGM Pur)

**Enclosure**

- 01. Annexure-1: Pre Qualifying criteria.
- 02. Annexure-2: Check List.
- 03. ~~Annexure-3: Integrity Pact~~
- 04. Annexure-4: Important Information.

**BHEL PSWR  
Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 23 of 68

**ANNEXURE - 1**

**PRE QUALIFYING CRITERIA**

<b>JOB</b>	Foundation work up to finished floor level (FFL) with its Electrification works for 6 Nos of closed PEB sheds (60 Mtr x 15Mtr) <b>at 2x800 MW NTPC Ramagundam STPP, Karimnagar Telangana</b>
------------	--

Tender Specification Number: BHE/PW/PUR/RGMT-ENB SHED/1625

SL NO	PRE QUALIFICATION CRITERIA	Bidders claim in respect of fulfilling the PQR Criteria	
		Name and Description of qualifying criteria	Page no of supporting document. Bidder must fill up this column as per applicability.
A	Submission of Integrity Pact duly signed (if applicable) (Note: To be submitted by Prime Bidder & Consortium/Technical Tie up partner jointly in case Consortium bidding is permitted, otherwise by the sole bidder)	<b>NOT- APPLICABLE</b>	
B	<b><u>Technical</u></b> Bidder must have successfully completed the Civil works in <b>Infrastructural Projects</b> in the last seven (7) years as on latest date of offer submission as below:  <b>B.1:</b> Executed One similar work of value not less than <b>Rs. 100.00 Lakhs</b> against single work order.  <b>OR</b>	<b>APPLICABLE</b>	

**BHEL PSWR  
Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 24 of 68

	<p>B.2) Executed Two similar works each of value not less than <b>Rs. 62.50 Lakhs</b> against maximum two work orders</p> <p align="center"><b>OR</b></p> <p>B.3) Executed Three similar works each of value not less than <b>Rs. 50.00 Lakhs</b> against maximum three work orders.</p>		
C-1	<p><b><u>Financial TURNOVER</u></b> Bidders must have achieved an average annual financial turnover (Audited) of Rs. <b>37.70 Lakhs</b> or more over last three Financial Years (FY) i.e. 2013-2014, 2014-15, 2015-16 OR 2012-2013, 2013-2014, 2014-15 if Annual Accounts for FY 2015-16 are not audited.</p>	<b>APPLICABLE</b>	
C-2	<p><b><u>NETWORTH</u></b> (only in case of Companies) Net worth of the Bidder based on the latest Audited Accounts as furnished for 'C-1' above should be positive.</p>	<b>APPLICABLE</b>	
C-3	<p><b><u>PROFIT</u></b> Bidder must have earned cash profit in any one of the three Financial Years as applicable in the last three Financial Years defined in 'C-1' above based on latest Audited Accounts.</p>	<b>APPLICABLE</b>	
D	<p>Assessment of Capacity of Bidder to execute the work as per sl no 9 of NIT (if applicable)</p>	<b>APPLICABLE</b>	By BHEL
E	<p>Approval of Customer</p>	<b>NOT-APPLICABLE</b>	

**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 25 of 68

	(if applicable)		
	<p><b>Note:</b> Names of bidders (including consortium/Technical Tie up partners in case consortium bidding is permitted) who stand qualified after compliance of criteria A to D shall be forwarded to customer for their approval.</p>		
F	<p>Price Bid Opening</p> <p><b>Note:</b> Price Bids of only those bidders shall be opened who stand qualified after compliance of criteria A to E</p>		BY BHEL
F	<p>Technical Tie up criteria (if applicable)</p>	Not applicable	
<p><b><u>Explanatory Notes for the PQR (unless otherwise specified in the PQR):</u></b></p> <ol style="list-style-type: none"> <li>1. Bidder to submit Audited Balance Sheet and Profit and Loss Account for the respective years as indicated against C-1 above along with all annexures</li> <li>2. In case audited financial statements have not been submitted for all the three years as indicated against C-1 above, then the applicable audited statements submitted by the bidders against the requisite three years, will be averaged for three years i.e total divided by three.</li> <li>3. If financial statements are not required to be audited statutorily, then instead of audited financial statements, financial statements are required to be certified by Chartered Accountant.</li> <li>4. C-2:-NETWORTH: Shall be calculated based on the latest Audited Accounts as furnished for C-1 above. Net worth = Paid up share capital + Reserves. (Net worth is required to be evaluated in case of companies)</li> <li>5. C-3:- PROFIT : shall be NET profit (PAT + Non cash expenditure viz depreciation) earned during any one of the three financial years as in C-1 above</li> <li>6. 'Additional' Criteria in respect of 'Technical' criteria of PQR (as in 'B' above) for Civil, Electrical, CI, unless otherwise specified:             <ol style="list-style-type: none"> <li>1. Bidder should have executed similar work of any one of the following:                 <ol style="list-style-type: none"> <li>a. One (1) work of value not less than Rs XXX OR</li> <li>b. Two (2) works of not less than Rs YYY OR</li> <li>c. Three (3) works of not less than Rs ZZZ (Value XXX, YYY, ZZZ shall be as indicated by BHEL</li> </ol> </li> <li>2. 'Similar' work for criteria 5 above means                 <ol style="list-style-type: none"> <li>a. Civil or Structures or Civil &amp; Structures or Chimney respectively as applicable to the tendered scope in respect of 'CIVIL' Works</li> </ol> </li> </ol> </li> </ol>			

**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 26 of 68

- b. ~~Electrical works in respect of 'ELECTRICAL'~~  
c. ~~CI works in respect of 'CI' Works~~  
d. ~~Material Handling and/or Management works in respect of 'MM' works~~
7. Time period for achievement of the 'Technical' criteria of PQR (as in 'B' above) will be the last 7 years ending on the 'latest date' of Bid submission
8. 'EXECUTED' means the Vendor should have achieved the criteria specified in the Technical criteria of PQR (as in 'B' above) even if the Contract has not been completed or closed
9. Unless otherwise specified, for the purpose of 'Technical' criteria of PQR ( as in 'B' above), the word 'EXECUTED' means:
1. ~~"BOILER LIGHT UP" in respect of Boiler & Aux and ESP~~
  2. ~~"SYNCHRONISATION" in respect of STG/GTG and 'SPINNING' in case of HTG~~
  3. ~~"STEAM BLOWING COMPLETION" in respect of at least Main Steam Line of Power Cycle Piping~~
  4. ~~"HYDRAULIC TEST" of the system in respect of Structures, Pressure parts/IBR Piping~~
  5. ~~"CHARGING" in respect of power Transformers, Bus ducts, HT/LT switchgears~~
  6. ~~"Completion of RCC Shell and liner (steel or brick as per tendered scope) up to the HEIGHT specified using slip form" in case of RCC Chimney.~~
  7. Achievement of physical Quantities as per respective PQRs in respect of Civil & Structures and Piling Works
  8. ~~'Readiness for coal Filling" in respect of Bunker Structure Work.~~
10. ~~Boiler means HRSG or WHRB or any other types of Steam Generator~~
11. ~~Critical/Power Cycle piping means Main Steam, Hot Reheat, Cold Reheat, HP Bypass, LP Bypass lines~~
12. ~~For the purpose of evaluation of the PQR, one MW shall be considered equivalent to 3.5TPH where ever rating of HRSG/BOILER is mentioned in MW. Similarly, where ever rating of Gas Turbine is mentioned in terms of Frame size, ISO rating in terms of MW shall be considered for evaluation.~~
13. ~~In case the experience/PO/WO certificate enclosed by bidders do not have separate break up prices for the E&C portion of Electrical and CI Works, (i.e. the certificates enclosed are for composite order for supply and erection of Electrical & CI and other works if any), then value of Erection and Commissioning for the Electrical & CI portion shall be considered as 15% of the supply & erection of Electrical & CI, unless otherwise specifically indicated in the PQR.~~
14. ~~Scope for capital overhaul of STG shall cover Bearing Inspection work and overhauling of all cylinders of the Turbine unless otherwise specifically indicated in the PQR.~~
15. ~~In case the tendered scope is not a Pulverized Fuel Boiler, experience of Oil/Gas Fired Boilers also can be considered unless otherwise specifically indicated in the PQR.~~
16. The value of work (Experience submitted against PQR B) shall be updated as per the PVC indices for "**All India Avg. Consumer Price Index for Industrial Workers**" with base month as date of execution (completion of contract/work) and indexed upto two months prior to bid opening month.

**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 27 of 68

.....

BIDDER SHALL SUBMIT ABOVE PRE-QUALIFICATION CRITERIA FORMAT, DULY FILLED-IN, SPECIFYING RESPECTIVE ANNEXURE NUMBER AGAINST EACH CRITERIA AND FURNISH RELEVANT DOCUMENT IN THE RESPECTIVE ANNEXURES IN THEIR OFFER.

**BHEL PSWR  
Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625 Page 28 of 68

**Bidder's Response to BHEL TECHNICAL PQR (WHICHEVER IS APPLICABLE)**

PQR No	Pre-Qualifying Requirement	Credentials (Detailed Work Order, Completion Certificate and <b>TDS Certificates</b> ) based on which bidder is claiming PQR	Reference of the documents	Page No
Bidder must have successfully completed the Civil works in <b>Infrastructural Projects</b> in the last seven (7) years as on latest date of offer submission as below:				
B.1	Executed One similar work of value not less than <b>Rs. 100.00 Lakhs</b> against single work order.			
B.2	Executed One similar work of value not less than <b>Rs. 62.50 Lakhs</b> against single work order.			
B.3	Executed One similar work of value not less than <b>Rs. 50.00 Lakhs</b> against single work order.			

**NOTE:**

BIDDERS MUST CLEARLY INDICATE IN THE TABLE ABOVE, HOW THEY ARE SATISFYING TECHNICAL PQR ALONG WITH THE REFERENCE OF THE SUPPORTING DOCUMENTS AND THE PAGE NUMBER IN WHICH THE REFERRED DOCUMENTS ARE ANNEXED IN THE BID DOCUMENT.

BHEL WILL NOT CONSIDER ANY OTHER DOCUMENT OTHER THAN THOSE SPECIFIED BY THE BIDDERS IN THE TABLE ABOVE FOR EVALUATION OF TECHNICAL PQR.  
BIDDER MAY ATTACH SEPERATE SHEET IF NECESSARY



**BHEL PSWR  
Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 30 of 68

	documents referenced in the specified format		
7	Audited profit and Loss Account for the last three years	Applicable /Not Applicable	YES/NO
8	Copy of PAN Card	Applicable /Not Applicable	YES/NO
9	Whether all pages of the Tender documents including annexures, appendices etc are read understood and signed	Applicable /Not Applicable	YES/NO
10	Integrity Pact	Applicable /Not Applicable	YES/NO
11	Declaration by Authorized Signatory	Applicable /Not Applicable	YES/NO
12	No Deviation Certificate	Applicable /Not Applicable	YES/NO
13	Declaration confirming knowledge about Site Conditions	Applicable /Not Applicable	YES/NO
14	Declaration for relation in BHEL	Applicable /Not Applicable	YES/NO
15	Non-Disclosure Certificate	Applicable /Not Applicable	YES/NO
16	Bank Account Details for E-Payment	Applicable /Not Applicable	YES/NO
17	Capacity Evaluation of Bidder for current Tender	Applicable /Not Applicable	YES/NO
18	Tie Ups/Consortium Agreement are submitted as per format	Applicable /Not Applicable	-----
19	Power of Attorney for Submission of Tender/Signing Contract Agreement	Applicable /Not Applicable	YES/NO
20	Analysis of Unit rates	Applicable /Not Applicable	YES/NO

**BHEL PSWR  
Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 31 of 68

.....

NOTE: STRIKE OFF 'YES' OR 'NO', AS APPLICABLE. TENDER NOT  
ACCOMPANIED BY THE PRESCRIBED **ABOVE APPLICABLE DOCUMENTS**  
ARE LIABLE TO BE SUMMARILY REJECTED.

**DATE:**

**AUTHORISED SIGNATORY**  
**(With Name, Designation and Company seal)**

**BHEL PSWR  
Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 32 of 68

**Annexure-3**

**INTEGRITY PACT**

**Not- Applicable**

**BHEL PSWR  
Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 33 of 68

**Annexure-4**

**IMPORTANT INFORMATION**

**Sealed Tenders shall be submitted at following address to AGM /Purchase BHEL PSWR NAGPUR:**

BHEL PSWR, SRIMOHINI COMPLEX, 345 KINGSWAY, NAGPUR 440001, INDIA

All correspondences regarding this tender shall be addressed to AGM / PURCHASE BHEL PSWR at above address. Bidders may also opt to correspond with following BHEL officials regarding this tender through email at following email ids. However please be informed that sealed tenders shall necessarily be submitted in original at above address:

AGM Purchase, Email id: [rajeebc@bhhelpswr.co.in](mailto:rajeebc@bhhelpswr.co.in). Ph: +91 – 712 – 3048633

Sr Engineer Purchase, Email: [pgv@bhhelpswr.co.in](mailto:pgv@bhhelpswr.co.in), Ph: +91 – 712 – 3048713

Sr Engineer Purchase, Email: [nktiwari@bhhelpswr.co.in](mailto:nktiwari@bhhelpswr.co.in) Ph: +91-712-3048651

Engineer Purchase, Email id: [svm@bhhelpswr.co.in](mailto:svm@bhhelpswr.co.in) , Ph: +91 – 712 – 3048715

- 1. The offers of the bidders who are on the banned list as also the offer of the bidders, who engage the services of the banned firms, shall be rejected. The list of banned firms is available on BHEL web site ([www.bhel.com](http://www.bhel.com) ---> Tender Notification -> List of Banned Firms )**
- 2. Refer Chapter XII of Volume IB Special Conditions of Contract regarding Suspension of Business Dealings: The abridged version of extant 'Guidelines for suspension of business dealings with suppliers/contractors' has now been uploaded on [www.bhel.com](http://www.bhel.com) on "supplier registration page" at the following link: [http://www.bhel.com/vendor\\_registration/pdf/Suspension-of-Business-Dealings-with-Supplier-issued-Sept13\\_abridged.pdf](http://www.bhel.com/vendor_registration/pdf/Suspension-of-Business-Dealings-with-Supplier-issued-Sept13_abridged.pdf)**
- 3. All Statutory Requirements as applicable for this project shall be complied with.**
- 4. BHEL Fraud Prevention Policy, "The Bidder along with its associate/ collaborators/ sub-contractors/ sub-vendors/ consultants/ service providers shall strictly adhere to BHEL Fraud Prevention Policy displayed on BHEL website <http://www.bhel.com> and shall immediately bring to the notice of BHEL Management about any fraud or suspected fraud as soon as it comes to their notice."**
- 5. Following clause shall form part of the HSE documents issued under Chapter IX of Volume IB 'Special Conditions of Contract'**

.....

“In case of any financial deduction made by Customer for lapses of safety other than what is provided elsewhere in the contract, the same shall be charged on back-to-back basis on the defaulting contractor without prejudice to any other right spelt anywhere in the tender /contract”

**6. Please take note of following Revised Tender Clauses:**

- i. Notice Inviting Tender: Sl No 9
  - ii. General conditions of Contract: Clause 2.12, 2.14, 2.17, Clause No 1.15.13 (New), Clause No 2.8.3, 2.8.4 and 2.8.5
  - iii. Special Conditions of Contract: Clause No 4.2.1.7
7. Following Notes are added to Form F- 15 of Volume I D ‘Forms & procedures’
- i. It is only indicative and shall be as per the online format issued by BHEL time to time.
  - ii. No request will be entertained after specified date of the current month w.r.t the changes requested in the scores of immediate previous month.

**8. PRICE VARIATION CLAUSE**

**Revision in Price Variation Compensation Clause no. 2.17 of Vol I C GCC:**

Price Variation Compensation Clause no. 2.17 of Vol I C GCC shall not be Applicable.

**9. QUANTITY VARIATION**

**Revision in QUANTITY VARIATION Clause no. 2.14 of Vol I C GCC:**

**Clause No. 2.14 of Vol IC GCC is revised as below:-**

The quantities given in the contract are tentative and may change to any extent (both in plus side and minus side). The quoted rates for individual items shall remain firm irrespective of any variations in the individual quantities. In case the finally executed contract value increases or decreases with respect to the awarded Contract Value due to quantity variation, there will be no upward revision in the rates for the individual items and also contractor is not eligible for any compensation.

.....  
**10. OVER RUN COMPENSATION**

Over Run Compensation Clause no. 2.12 of Vol I C GCC shall not be Applicable.

**11. Acceptance of Bank Guarantee (BG)**

**Revision in Acceptance of Bank Guarantee (BG) Clause no. 1.10.3 (V) of Vol I C GCC:**

**Clause No. 1.10.3 (V) of Vol IC GCC is revised as below:-**

“Bank Guarantee issued by:

a. Any of the BHEL consortium bank listed below :

State Bank of India  
ABN Amro Bank N.V.  
Bank of Baroda  
Canara Bank  
Citi Bank N.A.  
Corporation Bank  
Deutsche Bank  
HDFC Bank Ltd.  
The Hongkong and Shanghai Banking Corporation Ltd  
ICICI Bank Ltd.  
IDBI Ltd.  
Punjab National Bank  
Standard Chartered Bank  
State Bank of Travancore  
State Bank of Hyderabad  
Syndicate Bank

b. Any public sector Bank (other than consortium banks) with a clause in the text of Bank Guarantee that it is enforceable at Nagpur, Maharashtra

c. Any private sector banks, with a clause in the text of Bank Guarantee that it is enforceable by being presented at any branch of the bank

**Note: “Bank Guarantees issued by Co-operative Banks are not acceptable”.**

**12. Broad Terms & Conditions of Reverse Auction**

In continuation to Clause 19.0 of NIT (Notice Inviting Tender) following are the broad terms and conditions of Reverse Auction are given in Annexure V of NIT:

**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 36 of 68

- .....
- 12.1. Against this enquiry for the subject item/ system with detailed scope of supply as per enquiry specifications, BHEL may resort to “REVERSE AUCTION PROCEDURE” i.e., ON LINE BIDDING (THROUGH A SERVICE PROVIDER). The philosophy followed for reverse auction shall be English Reverse (No ties).
- 12.2. BHEL reserves the right to go for Reverse Auction (RA) instead of opening the sealed envelope price bid, submitted by the bidder. This will be decided after techno-commercial evaluation. All bidders to give their acceptance for participation in RA. Non-acceptance to participate in RA may result in non-consideration of their bids. In case BHEL decides to go for Reverse Auction, only those bidders who have given their acceptance to participate in RA will be allowed to participate in the Reverse Auction. Those bidders who have given their acceptance to participate in Reverse Auction will have to necessarily submit „online sealed bid“ in the Reverse Auction. Non-submission of „online sealed bid“ by the bidder will be considered as tampering of the tender process and will invite action by BHEL as per extant guidelines in vogue.
- 12.3. For the proposed reverse auction, technically and commercially acceptable bidders only shall be eligible to participate.
- 12.4. Those bidders who have given their acceptance for Reverse Auction (quoted against this tender enquiry) will have to necessarily submit ‘online sealed bid’ in the Reverse Auction. Non-submission of ‘online sealed bid’ by the bidder for any of the eligible items for which techno-commercially qualified, will be considered as tampering of the tender process and will invite action by BHEL as per extant guidelines in vogue.
- 12.5. BHEL will engage the services of a service provider who will provide all necessary training and assistance before commencement of on line bidding on internet.
- 12.6. In case of reverse auction, BHEL will inform the bidders the details of Service Provider to enable them to contact & get trained.
- 12.7. Business rules like event date, time, bid decrement, extension etc. also will be communicated through service provider for compliance.
- 12.8. Bidders have to fax the Compliance form (annexure IV) before start of Reverse auction. Without this, the bidder will not be eligible to participate in the event.
- 12.9. In line with the NIT terms, BHEL will provide the calculation sheet (e.g., EXCEL sheet) which will help to arrive at “Total Cost to

**BHEL PSWR**  
**Notice Inviting Tender**

Tender Specification No: BHE/PW/PUR/RGMT-ENB SHED/1625

Page 37 of 68

- .....
- BHEL” like Packing & forwarding charges, Taxes and Duties, Freight charges, Insurance, Service Tax for Services and loading factors (for noncompliance to BHEL standard Commercial terms & conditions) for each of the bidder to enable them to fill-in the price and keep it ready for keying in during the Auction.
- 12.10. Reverse auction will be conducted on scheduled date & time.
  - 12.11. At the end of Reverse Auction event, the lowest bidder value will be known on auction portal.
  - 12.12. The lowest bidder has to fax/e-mail the duly signed and filled-in prescribed format for price breakup including that of line items, if required, (Annexure VII) as provided on case-to-case basis to Service provider within two working days of Auction without fail.
  - 12.13. In case BHEL decides not to go for Reverse Auction procedure for this tender enquiry, the Price bids and price impacts, if any, already submitted and available with BHEL shall be opened as per BHEL’s standard practice.
  - 12.14. Bidders shall be required to read the “Terms and Conditions” section of the auctions site of Service provider, using the Login IDs and passwords given to them by the service provider before reverse auction event. Bidders should acquaint themselves of the “Business Rules of Reverse Auction”, which will be communicated before the Reverse Auction.
  - 12.15. If the Bidder or any of his representatives are found to be involved in Price manipulation/ cartel formation of any kind, directly or indirectly by communicating with other bidders, action as per extant BHEL guidelines, shall be initiated by BHEL and the results of the RA scrapped/ aborted.
  - 12.16. The Bidder shall not divulge either his Bids or any other exclusive details of BHEL to any other party.
  - 12.17. In case BHEL decides to go for reverse auction, the H1 bidder (whose quote is highest in online sealed bid) may not be allowed to participate in further RA process.

1625

# TECHNICAL CONDITIONS OF CONTRACT (TCC)

BHARAT HEAVY ELECTRICALS LIMITED



**TECHNICAL CONDITIONS OF CONTRACT (TCC)  
CONTENTS**

---

<b>Sl No</b>	<b>DESCRIPTION</b>	<b>Chapter</b>
<b>Volume-IA</b>	<b>Part-I: Contract specific details</b>	
1	Project Information	Chapter-I
2	Scope of Works	Chapter-II
3	Facilities in the scope of Contractor/BHEL (Scope Matrix)	Chapter-III
4	T&Ps and MMEs to be deployed by Contractor	Chapter-IV
5	T&Ps and MMEs to be deployed by BHEL on sharing basis	Chapter-V
6	Time Schedule	Chapter-VI
7	Terms of Payment	Chapter-VII
8	Taxes and other Duties	Chapter-VIII
9	Tender Drawings	Chapter-IX
10	BILL OF QUANTITIES AND % WEIGHTAGE OF INDIVIDUAL ITEMS	Chapter X

**TECHNICAL CONDITIONS OF CONTRACT (TCC)**  
**Chapter - I : PROJECT INFORMATION**

<b>1.0</b>	<b>Project Information</b>
<b>1.1</b>	<p><b><u>INTRODUCTION :</u></b></p> <p><b>Location :</b> Ramagundam, District-Karimnagar Telangana</p> <p><b>Nearest Railway Station :</b> Ramagundam (5Km)</p> <p><b>Nearest Airport :</b> Hyderabad (210 KM from site)</p> <p><b>Access By Road :</b> Ramagundam Village 5km</p> <p><b>Major Towns/Cities:</b> Karimnagar 51 KM</p> <p><b>Above information furnished are for general guidance of Contractor. However Contractor has advised to visit the site and appraise himself about the conditions of site and infrastructure available in the area for fulfilling their commitments under the contract.</b></p>

# TECHNICAL CONDITIONS OF CONTRACT (TCC)

## Chapter – II: Scope of Works and Technical Specifications

---

### 2.0 SCOPE OF WORK

The scope of work comprises of but not limited to the following: -

1. Construction of Foundation works up to finished floor level (FFL) for 6 nos. closed PEB shed (60 m x 15m)
2. Electrification works of 6 nos. closed PEB shed (60 m x 15m).

**All the above works shall be measured and paid under relevant item of BOQ.**

All the above jobs shall be as per BHEL Engineer's instructions, drawings, detailed specification and respective bill of quantities furnished in the Rate Schedule.

**2.1 Variations in Quantity:** Please refer the "Important Information" of Annexure-4 of NIT.

### 2.2 Responsibility of the Contractor:

#### 2.2.1

The contractor shall engage all the unskilled, skilled and especially skilled labor including fabricators, welders and fitters etc. and supervisory staff. Only trained and competent personnel with previous experience in the job shall be employed. However, BHEL reserves the right to decide on the suitability of the workers and other personnel who will be employed by the contractor. BHEL reserves the right to insist on removal of any employee of the contractor at any time, if they found him unsuitable. The contractor shall be bound to follow the instruction of BHEL.

#### 2.2.2

All the materials like steel, structural members, painting materials, G.I. Sheets, MS square bar and necessary electric goods etc. shall be supplied by the contractor as per the specification mentioned in the tender/Indian standard specification. The contractor is required to quote their rates inclusive of cost of all materials, labor, etc. BHEL reserves the right to inspect and reject any material not found satisfactory.

### 2.3 General

#### 2.3.1

During execution of the job, it is very essential that proper and adequate inspection should be made constantly by the contractor to maintain quality of workmanship and to ensure that deviations from BHEL drawings not exceed the permissible limits, which shall be approved by BHEL. Necessary laboratory test shall be conducted on random sampling basis for the materials like Bricks, steel, cement etc if so desired by BHEL Engineer. Apart from that Contractor shall also ensure **Field Quality Test (FQA)** like Compressive Strength Test of concrete (cube test), Sieve Analysis of aggregates, and Compaction Test for backfilling as per Standard Practice and

# TECHNICAL CONDITIONS OF CONTRACT (TCC)

## Chapter – II: Scope of Works and Technical Specifications

---

Relevant IS codes either at site or nearby Field Quality Lab. approved by BHEL. **All the testing charges shall be borne by the contractor.** Decision of BHEL engineer shall be binding on the contractor.

Contractor shall procure reinforced / structural steel & cement from reputed manufacturer/ Authorized dealer & approval for the same shall be obtained from BHEL well in advance before ordering of the materials.

### 2.3.2

The contractor shall visit the site and ascertain the local conditions, entry and traffic restrictions, all obstructions in the area and also ascertain all site conditions and particularly the sub-soil conditions etc. The contractor shall also visit the site to locate the borrow pit availability with leads & lifts, to meet the local authorities for royalties and other relevant clearances like forest officials in case of tree removal during the site development. **The contractor shall carry out the survey to study the properties of soil/sub soil like strength to withstand the weight of structure during all weather conditions without sinking of foundation.** If any of such defects like cracks, sinking of foundation etc. occur after completion of work till the performance guarantee period, it shall be rectified by contractor free of cost including the supply of materials required. No claim shall be entertained on this account under any circumstances from the contractor.

### 2.3.3

The contractor shall provide and maintain at his own cost pumps and other equipment to keep the work free from water and continue to do so until the handing over of the work. The contractor shall clear all trees, rubbish, vegetation, brickbats etc. The excess/unutilized suitable earth and debris shall be disposed & leveled to the proposed mentioned area for development. All unusable earth debris, trees, vegetations etc. shall be disposed off at his own cost at a location enmarked by BHEL /Client.

### 2.3.4

The contractor shall take adequate precautions to ensure complete safety and prevention of accidents at site. The safety precautions shall conform to IS codes wherever applicable.

### 2.3.5

The contractor shall level the site in accordance with the sequence of earth leveling to maintain the proper gradient as per the instruction of BHEL; as soon as construction activity is over. Payment towards this shall be released as per the relevant items available in B.O.Q.

### 2.3.6

The work though not specifically mentioned either in the drawings or in the tender specification but are needed to complete the work as per site requirement & instruction of Engineer are also in the scope of this contract & to be erected to the entire satisfaction, for which the payment shall be released as per the respective item rate of Rate Schedule. If the item is not available in the rate schedule the rate shall be derived as per CPWD- DSR-2014 rate schedule latest version with applicable escalation/cost index published by CPWD.

### 2.3.7

The contractor shall provide and maintain at his own cost all T & P for carry out the work.

# TECHNICAL CONDITIONS OF CONTRACT (TCC)

## Chapter – II: Scope of Works and Technical Specifications

---

### 2.4

The detailed tentative drawings and specifications will form part of the tender documents. BHEL reserves the right to modify/alter the tender drawings or issue new Drawing, if necessary during the actual execution at site.

#### 2.4.1

#### **Specification for Construction of Foundation works up to finished floor level (FFL) for 6 nos. closed PEB shed (60 m x 15m)**

Standard specifications for various items of work as per the relevant IS-codes (latest edition) shall be applicable for this work. The work has to be executed as per standard specification and drawings to the satisfaction of BHEL. However, the following Drawings/Sketches are to be read along with specifications and shall be treated as in the scope of work. Please refer **Appendix – IX for drawings.**

#### 2.4.2

**These drawings are indicative and strictly for tendering purpose, only meant to give an idea to tenderers about nature of job.** If any changes in the layout, plan, sections, are required by BHEL Engineer to suit site requirement, the same shall be done by contractor as per revised sketches/drawings given by BHEL engineer. Contractor shall ensure/ascertain the stability, safety of the said work. Any modification/variation from the said drawings, if necessary as suggested by the contractor will have to be approved by BHEL in writing. BHEL reserves the right to revise drawing and issue new drawing to match site condition and bidder has to adhere to it without any price implication.

### **2.5 Preparation of actual layout and BOQ as per site condition.**

#### 2.5.1

BOQ & drawing given in tender is tentative only as the tender is prepared on the basis of preliminary information which may vary during execution as per actual site condition. As soon as the area for construction is taken over from BHEL/customer, Contractor has to ensure actual layout after doing detailed survey of site. Contractor shall submit detailed survey report after plotting in graph sheet along with actual BOQ for each & every work - section wise and submit the same to BHEL for further comparison with the respective BOQ. ~~All endeavors have to be made to restrict the quantities as per BOQ except some “exceptional cases” which are very necessary due to site condition. Individual item qty. variation may be allowed up to reasonable extent as per site requirement unless the overall executed value of the contract is within the LOA value.~~ For any variation beyond the total contract value, prior approvals are required from BHEL PSWR HQ before release of payment.

#### 2.5.2

Item of one Section can be utilized for another Section also (if it is required but not available) being “One Contract”. This can be used judiciously to avoid extra items. Measurement of work done shall be recorded in respective section of the item indicating the area of usage.

#### 2.5.3

Excavation of Foundation etc shall be made as per IS specification.

# TECHNICAL CONDITIONS OF CONTRACT (TCC)

## Chapter – II: Scope of Works and Technical Specifications

---

### 2.5.4

Any filling/loose soil mat below the foundation shall be made up with lean cement concrete 1:4:8 mix (min).

### 2.5.5

Basement and sides of the foundation wall shall be filled in with selected excavated earth including watering, consolidation etc. Complete as per IS specification.

### 2.5.6

**The excess/unutilized suitable earth and debris shall be disposed & leveled to the proposed mentioned area for development. All unusable earth debris, trees, vegetations etc. shall be disposed-off at a location embarked by BHEL / Client. Rate quoted for excavation shall be inclusive of such disposal.**

### 2.5.7

Filling under floors / foundations with 100mm/150mm thick layer of compacted selected earth/river sand including watering, consolidation etc. shall be executed as per IS specification and drawings if any. However this can be eliminated in case a hard strata/good stratum is met with in foundation level & PCC shall be done directly in such cases. However this can be decided as per site requirement with discussion with site engineer.

### 2.5.8

**PCC:** below foundation and PCC capping: This shall include supplying and placing PCC at all depths below plinth level including form work, curing, all materials, tools and plants and labour complete. **Concrete of 1:4:8/1:3:6/1:2:4 grade** as defined in IS- 456 with 40mm/20mm and downgraded stone aggregates as per drawing. Nominal mix (volumetric) shall be allowed to use as per the guidelines of IS-456 (latest edition) with min. W/C ratio & cement content as per IS stipulation for moderate condition. Concrete shall be produced by concrete mixer machine & hand mix is generally not acceptable.

**However in certain unavoidable circumstances, hand mix shall be permitted with 10% extra cement content as per the discretion of BHEL engineer.**

### 2.5.9

**Brick masonry:** Brick masonry shall be done by using best quality locally available burnt clay bricks / Fly Ash Lime (FAL) bricks of standard size. Minimum strength of the bricks should not be less than 35 KG/sq. cm. Other quality requirement shall be in line with the relevant IS Code. One-brick thick brickwork shall be constructed as specified, in Cement mortar 1:4 including linking, plumbing, leveling, pacing, joints curing etc. Including all materials, tools, plants and labor complete at all level/elevation.

**Rubble masonry:** Rubble masonry shall be done by using best quality locally available hard stone (black basalt) in foundation/wall. BHEL should be approved quality of stone before placing in use. Irregular hard stones should be rounded off before use. Maximum size of stone should be between 200 – 230mm.

### 2.5.10

# TECHNICAL CONDITIONS OF CONTRACT (TCC)

## Chapter – II: Scope of Works and Technical Specifications

---

**RCC:** RCC 1:2:4 (M15)/ 1:1½:3 (M20) shall be provided for foundation, column, grade beam, lintel, sun sheds and roof slab wherever required as per Drawing and IS specification.

### 2.5.11

**Formwork:** The formwork should be capable of carrying the dead load of concrete, the reinforcements and the forces of vibration. The form works shall be designed by the contractor and approved by engineer in charge. After sufficient curing period & after attaining adequate strength of concrete the formwork shall be removed with the approval of BHEL engineer. The item of PCC/RCC shall be deemed as completed after removal of forms and required finishing is completed.

### 2.5.12

Roof cover with FRP/RMP (2.0mm thick) sheet for natural lighting shall be provided with suitable 'J' bolts, GI Cup Washers, GI Plain Washers, and Bitumen Washers etc. Wind ties for protection against lifting of roof by wind etc if any. as per standard practice shall be provided by the contractor.

### 2.5.13

Two coats of Black tar paint shall be provided for the wooden work used in ceiling as per IS specification.

### 2.5.14

#### **Structural works:**

All structural works shall be carried out as per drawing given along with the tender.

## **2.7 Electrical Installations**

### 2.7.1

The electrical installation shall generally be carried out in conformity with the requirements of the Indian electricity act, 1910 as amended up to date and the Indian electricity rules, 1956 framed there under and also the relevant regulations of the electric supply authority concerned as well as IS: 732-1963 (revised). **Before commencement of work Contractor has to submit for approval of BHEL detail electrical layout drawings prepared by experienced & licensed electrical agency/engineer indicating the cable route, internal/external panels, DBs, cable sizing, fittings & fixtures, Earthing etc. in line with the relevant BOQ of electrical work is applicable.**

### 2.7.2

Good workmanship is an essential requirement for compliance with the rules in the code. The work shall be carried out under the direct supervision of a person holding a valid certificate of competency issued by the state government concerned for the type of work involved.

### 2.7.3

All out door/external lamps shall have weatherproof fittings of design approved by BHEL Engineer so as to effectively prevent the admission of moisture.

### 2.7.4

# TECHNICAL CONDITIONS OF CONTRACT (TCC)

## Chapter – II: Scope of Works and Technical Specifications

---

The distribution fuse boards shall be located as near as possible to the center of the load they are intended to control.

### 2.7.5

All main switches shall be of metal clad enclosed pattern, which shall be fixed at close proximity to the point of entry of supply.

### 2.7.6

Main and branch distribution boards shall be in accordance with Indian standard 732-1963 "code of practice for electrical wiring installation".

### 2.7.7

PVC conduit (concealed type) wiring system should be adopted through out and all conduit pipes/channel shall be conforming to latest IS.

### 2.7.8

Approved and good quality copper wire with adequate current carrying capacity/voltage rating with proper insulation as per IS should be used for the entire electrical wiring/installation.

### 2.7.9

The service connection from outside mains to the switchboard inside the building shall also be carried out by the contractor.

## 2.8 Earthing

### 2.8.1

All earthing system shall be in accordance with IS: 3043-1966 "code of practice for earthing".

### 2.8.2

The installation and earthing shall generally be carried out in accordance with the Indian electricity rules 1956 as amended from time to time and the relevant regulations of the electricity supply authority concerned.

### 2.8.3

All plugs and sockets shall be of three-pin type, one of the pins being connected to earth.

### 2.8.4

Bodies of all electrical appliances shall be earthed by the use of three pin plugs. The covers of the regulators if of metallic construction, shall be earthed by means of a separate earth wire. A separate earth wire shall be used for earthing these appliances.

### 2.8.5

All earth wires and earth continuity conductors shall be of copper/-galvanized iron. They shall be either stranded or solid bars of flat rectangular strips and may be bare, provided, due care is

# TECHNICAL CONDITIONS OF CONTRACT (TCC)

## Chapter – II: Scope of Works and Technical Specifications

---

taken to avoid corrosion and mechanical damage to it. Inter connections of earth continuity conductors and main and branch earth wires shall be made in such a way that reliable and good electrical connections are permanently ensured.

### 2.8.6

The neutral conductor shall not be used as earth wire.

### 2.8.7

Welded, bolted and clamped joints only are permissible. For stranded conductor, sleeve connectors are permissible. Bolted connectors and their screws shall be protected against any possible corrosion.

### 2.8.8

The path of the earth wire shall, as far as possible, be out of reach of any person and shall be visible for inspection.

### 2.8.9

The galvanized iron pipe electrodes shall not be smaller than 38mm internal diameter and shall not be less than 3.5M. In length and shall, as far as possible, be embedded below permanent moisture level and shall be one piece only without any joints.

## 2.9

**Dewatering:** It is the responsibility of the contractor to engage sufficient dewatering pump (Diesel, electrically operated) of adequate capacity for dewatering of sub-soil, rain water from excavated pit and other localized area and keep the area dry and workable till completion of entire work within their quoted rate.

## 2.10 PAINTING

### 2.10.1

Three coats of white/color washing shall be provided uniformly on all wall surfaces as per IS specification.

### 2.10.2

Three coats of white/color oil bound distemper shall be provided uniformly on all wall surfaces including surface preparation with putty as per IS specification.

### 2.11

#### **Prior Approval from BHEL Engineer**

Contractor shall take prior approval from BHEL Engineer for use of **Type of Cement (OPC/PPC)**, Brick, Steel, structural steel and for other items as specified in respective items

# TECHNICAL CONDITIONS OF CONTRACT (TCC)

## Chapter – II: Scope of Works and Technical Specifications

---

description and necessary **manufacturer's test certificate (MTC)** and laboratory test as required by BHEL shall be arranged by contractor within their quoted rate.

### **2.12 Responsibility of the Contractor**

The contractor shall engage all the unskilled, skilled and especially skilled labour including machine operators, drivers, khalasi etc. and supervisory staff. Only trained and competent personnel with previous experience in the job shall be employed. However, BHEL reserves the right to decide on the suitability of the workers and other personnel who will be employed by the contractor. BHEL reserves the right to insist on removal of any employee of the contractor at any time, if they found him unsuitable. The contractor shall be bound to follow the instruction of BHEL.

2.12.1 The contractor is required to quote their rates inclusive of cost of all materials, labour, etc. BHEL reserves the right to inspect and reject any material not found satisfactory.

### **2.13 Field Quality Assurance:**

The contractor shall be responsible for day-to-day quality checks of soil and other building materials during the progress of work. All quality records and log sheets shall be maintained as per the requirement of BHEL/BHEL'S customer and as per field quality plan approved by BHEL/NTPC. For this, contractor shall establish their own field quality lab and have tie-up with approved lab by BHEL in/outside of the plant if so required by BHEL.

### **2.14 PROCUREMENT OF MATERIALS BY SUCCESSFUL CONTRACTORS AND TESTING:**

Material required for the entire job (other than issued by BHEL as explained above) like cement, sand, aggregates, and all other material required for the completion of entire scope, to be arranged by the contractor, except those specifically indicated as BHEL scope of supply. BHEL reserves the right to reject any material not found satisfactory.

Contractor shall produce manufacturer's test certificate (**MTC**) for cement for every batch of manufacturing along with each consignment brought to the site. Cement shall be procured from fresh stock only. Apart from the above, it shall be the responsibility of contractor to get the testing of cement, or any other materials procured from outside laboratory approved by **BHEL/ BHEL's customer** to ascertain the quality if insisted by **BHEL/BHEL's customer**.

Rate quoted shall be inclusive of all such contingencies and no additional payment shall be made on this account. For this purpose, sample shall be collected at site in presence of **BHEL/BHEL customer's** representative.

### **2.15 Other Related Activities:-**

# TECHNICAL CONDITIONS OF CONTRACT (TCC)

## Chapter – II: Scope of Works and Technical Specifications

---

### 2.15.1

1. Construction Water: - Construction water shall be arranged by contractor at his own Cost.
2. Draw Construction Power from Customer's given Point at one location inside the plant at single source point of 415 V. – Power shall be made available to the Contractor at 415 V feeders of LT substation located at various points in the plant. Contractor shall be fully responsible to make all the arrangement beyond these LT feeder points for further distribution to meet all construction power requirements for the entire area in scope of this package.  
Supply, erection, testing and commissioning of 415V switchboards, power and control cables, DC Systems etc. under the Contractor's scope. All necessary statutory requirements for charging construction power Contractor's network shall be in the Contractor's scope.
3. Controlled Blasting if required after obtaining all statutory approval & clearance from BHEL/Customer.

### 2.15.2

Stringent safety norms are to be followed inside the plant premises. Contractor should follow all the safety regulations / norms as imposed by the Law/Authority/factory inspectorate /Owner/Owner's representative.

No separate payment shall be made by BHEL for any safety / security arrangements.

Contractor shall observe national and local laws, ordinances, rules and regulations pertaining to the Works and shall be responsible for extra costs arising from violations of same.

### 2.15.3

(1) Contractor has to submit medical report and police verification report for obtaining Gate pass, if any.

(2) Daily work permit is to obtain from customer for start of work. If work is in the area which is enmarked "**Operational area**" (if any), Safety procedures are stringent and to be adhered.

**TECHNICAL CONDITIONS OF CONTRACT (TCC)**  
**Chapter – III: Facilities in the scope of Contractor/BHEL**

---

SI.No.	Description	Scope / to be taken care by		Remarks
		BHEL	Bidder	
3.1	<b>ESTABLISHMENT</b>			
3.1.1	<b>CONSTRUCTION PURPOSE:</b>			
a	space for office (as per availability)	Yes		Location will be finalized after joint survey with owner
b	space for storage (as per availability)	Yes		Location will be finalized after joint survey with owner
c	Construction of bidder's office, canteen and storage building including supply of materials and other services		Yes	
d	Bidder's all office equipment, office / store / canteen consumables		Yes	
e	Canteen facilities for the bidder's staff, supervisors and engineers etc		Yes	
f	Firefighting equipment like buckets, extinguishers etc		Yes	
g	Fencing of storage area, office, canteen etc of the bidder		Yes	
3.1.2	<b>FOR LIVING PURPOSES OF THE BIDDER</b>			
a	Open space for labour colony (as per availability)		Yes	Contractor has to make his own arrangements for space, shelter and transportation of labors as per their requirement.
b	Labour Colony with internal roads, sanitation, complying with statutory requirements		Yes	

**TECHNICAL CONDITIONS OF CONTRACT (TCC)**  
**Chapter – III: Facilities in the scope of Contractor/BHEL**

Sl.N o.	Description <b>PART I</b>	Scope / to be taken care by		Remarks
		BHEL	Bidder	
3.2.0	<b>Electricity</b>			
a	Single point source	Yes		Free. Bidder to make its own arrangement of distribution of electricity at its own cost. Cabling shall be done by bidder at their own cost. In case of power failure due to maintenance or any reason, contractor shall have to arrange the same at his own expenses through DG set etc. to ensure progress of work.
b	Further distribution including all materials, Energy Meter, Protection devices and its service		Yes	
c	Duties and deposits including statutory clearances if applicable		Yes	
3.2.2	<b>Electricity for the office, stores, canteen etc of the bidder(to be specified whether chargeable or free)</b>			
a	Single point source		Yes	
b	Further distribution including all materials, Energy Meter, Protection devices and its service		Yes	
c	Duties and deposits including statutory clearances if applicable		Yes	
3.2.3	<b>Electricity for living accommodation of the bidder's staff, engineers, supervisors etc</b>		Yes	Contractor has to make his own arrangement.
a	Single point source		Yes	
b	Further distribution including all materials, Energy Meter, Protection devices and its service		Yes	

**TECHNICAL CONDITIONS OF CONTRACT (TCC)**  
**Chapter – III: Facilities in the scope of Contractor/BHEL**

Sl.N o.	Description <b>PART I</b>	Scope / to be taken care by		Remarks
		BHEL	Bidder	
c	Duties and deposits including statutory clearances if applicable		Yes	
3.3.0	<b>WATER SUPPLY</b>			
3.3.1	<b>For construction purposes:(to be specified whether chargeable or free)</b>			
a	Making the water available at single point		Yes	Contractor has to make his own arrangement at its own Cost.
b	Further distribution as per the requirement of work including supply of materials and execution		Yes	
3.3.2	<b>Water supply for bidder's office, stores, canteen etc</b>			
a	Making the water available at single point		Yes	Contractor has to make his own arrangement at its own Cost.
b	Further distribution as per the requirement of work including supply of materials and execution		Yes	
3.3.3	<b>Water supply for Living Purpose</b>			Contractor has to make his own arrangement.
a	Making the water available at single point		Yes	

**TECHNICAL CONDITIONS OF CONTRACT (TCC)**  
**Chapter – III: Facilities in the scope of Contractor/BHEL**

SI.N o.	Description	Scope / to be taken care by		Remarks
		BHEL	Bidder	
b	Further distribution as per the requirement of work including supply of materials and execution		Yes	
3.4.0	<b>LIGHTING</b>			Contractor has to make his own arrangement.
a	For construction work (supply of all the necessary materials) 1. At office/storage area 2. At the preassembly area 3. At the construction site /area		Yes	
b	For construction work (execution of the lighting work/ arrangements) 1. At office/storage area 2. At the preassembly area 3 At the construction site /area		Yes	
c	Providing the necessary consumables like bulbs, switches, etc during the course of project work		Yes	
d	Lighting for the living purposes of the bidder at the colony / quarters		Yes	
3.5.0	<b>COMMUNICATION FACILITIES FOR SITE OPERATIONS OF THE BIDDER</b>			Contractor has to make his own arrangement.
a	Telephone, fax, internet, intranet, e-mail etc.		Yes	
3.6.0	<b>COMPRESSED AIR wherever required for the work</b>		Yes	Contractor has to make his own arrangement.
3.7.0	<b>Demobilization of all the above facilities</b>		Yes	Contractor has to make his own arrangement.
3.8.0	<b>TRANSPORTATION</b>			Contractor has to make his own arrangement.
a	For site personnel of the bidder		Yes	
b	For bidder's equipments and consumables (T&P, Consumables etc)		Yes	

SI.N	Description	Scope / to be taken care by	Remarks
------	-------------	-----------------------------	---------

**TECHNICAL CONDITIONS OF CONTRACT (TCC)**  
**Chapter – III: Facilities in the scope of Contractor/BHEL**

<b>O.</b>	<b>PART I</b>	<b>BHEL</b>	<b>Bidder</b>	
3.1	<b>ESTABLISHMENT</b>			
3.1.1	<b>CONSTRUCTION PURPOSE:</b>			
a	space for office (as per availability)	Yes		Location will be finalized after joint survey with owner
b	space for storage (as per availability)	Yes		Location will be finalized after joint survey with owner
c	Construction of bidder's office, canteen and storage building including supply of materials and other services		Yes	
d	Bidder's all office equipment, office / store / canteen consumables		Yes	
e	Canteen facilities for the bidder's staff, supervisors and engineers etc		Yes	
f	Firefighting equipment like buckets, extinguishers etc		Yes	
g	Fencing of storage area, office, canteen etc of the bidder		Yes	
3.1.2	<b>FOR LIVING PURPOSES OF THE BIDDER</b>			
a	Open space for labour colony (as per availability)		Yes	Contractor has to make his own arrangements for space, shelter and transportation of labors as per their requirement.
b	Labour Colony with internal roads, sanitation, complying with statutory requirements		Yes	
3.2.0	<b>Electricity</b>			

**TECHNICAL CONDITIONS OF CONTRACT (TCC)**  
**Chapter – III: Facilities in the scope of Contractor/BHEL**

Sl.N o.	Description <b>PART I</b>	Scope / to be taken care by		Remarks
		BHEL	Bidder	
a	Single point source	Yes		<b>Free.</b> Bidder to make it own arrangement of distribution of electricity at its own cost. Cabling shall be done by bidder at their own cost. In case of power failure due to maintenance or any reason, contractor shall have to arrange the same at his own expenses through DG set etc. to ensure progress of work.
b	Further distribution including all materials, Energy Meter, Protection devices and its service		Yes	
c	Duties and deposits including statutory clearances if applicable		Yes	
3.2.2	<b>Electricity for the office, stores, canteen etc of the bidder(to be specified whether chargeable or free)</b>			
a	Single point source		Yes	
b	Further distribution including all materials, Energy Meter, Protection devices and its service		Yes	
c	Duties and deposits including statutory clearances if applicable		Yes	
3.2.3	<b>Electricity for living accommodation of the bidder's staff, engineers, supervisors etc</b>		Yes	Contractor has to make his own arrangement.
a	Single point source		Yes	
b	Further distribution including all materials, Energy Meter, Protection devices and its service		Yes	

**TECHNICAL CONDITIONS OF CONTRACT (TCC)**  
**Chapter – III: Facilities in the scope of Contractor/BHEL**

Sl.N o.	Description <b>PART I</b>	Scope / to be taken care by		Remarks
		BHEL	Bidder	
c	Duties and deposits including statutory clearances if applicable		Yes	
3.3.0	<b>WATER SUPPLY</b>			
3.3.1	<b>For construction purposes:(to be specified whether chargeable or free)</b>			
a	Making the water available at single point		Yes	Contractor has to make his own arrangement at its own Cost.
b	Further distribution as per the requirement of work including supply of materials and execution		Yes	
3.3.2	<b>Water supply for bidder's office, stores, canteen etc</b>			
a	Making the water available at single point		Yes	Contractor has to make his own arrangement at its own Cost.
b	Further distribution as per the requirement of work including supply of materials and execution		Yes	
3.3.3	<b>Water supply for Living Purpose</b>			Contractor has to make his own arrangement.
a	Making the water available at single point		Yes	

**TECHNICAL CONDITIONS OF CONTRACT (TCC)**  
**Chapter – III: Facilities in the scope of Contractor/BHEL**

Sl.No.	Description	Scope / to be taken care by		Remarks
		BHEL	Bidder	
b	Further distribution as per the requirement of work including supply of materials and execution		Yes	
3.4.0	<b>LIGHTING</b>			Contractor has to make his own arrangement.
a	For construction work (supply of all the necessary materials) 4. At office/storage area 5. At the preassembly area 6. At the construction site /area		Yes	
b	For construction work (execution of the lighting work/ arrangements) 1. At office/storage area 2. At the preassembly area 4 At the construction site /area		Yes	
c	Providing the necessary consumables like bulbs, switches, etc during the course of project work		Yes	
d	Lighting for the living purposes of the bidder at the colony / quarters		Yes	
3.5.0	<b>COMMUNICATION FACILITIES FOR SITE OPERATIONS OF THE BIDDER</b>			Contractor has to make his own arrangement.
a	Telephone, fax, internet, intranet, e-mail etc.		Yes	
3.6.0	<b>COMPRESSED AIR wherever required for the work</b>		Yes	Contractor has to make his own arrangement.
3.7.0	<b>Demobilization of all the above facilities</b>		Yes	Contractor has to make his own arrangement.
3.8.0	<b>TRANSPORTATION</b>			Contractor has to make his own arrangement.
a	For site personnel of the bidder		Yes	
b	For bidder's equipments and consumables (T&P, Consumables etc)		Yes	

**TECHNICAL CONDITIONS OF CONTRACT (TCC)**  
**Chapter – III: Facilities in the scope of Contractor/BHEL**

Sl.No.	Description	Scope / to be taken care by		Remarks
		BHEL	Bidder	
<b>3.9.0</b>	<b>PART II ERECTION FACILITIES</b>			
3.9.1	Engineering works for construction:			NOT APPLICABLE
a	Providing the erection/constructions drawings for all the equipment covered under this scope	Yes		
b	Drawings for construction methods	Yes	Yes	In consultation with BHEL
c	As-built drawings – where ever deviations observed and executed and also based on the decisions taken at site- example – routing of small bore pipes		Yes	Changes are to be marked in drawing & handover to BHEL on completion of work.
d	Shipping lists etc for reference and planning the activities			NOT APPLICABLE
e	Preparation of site erection schedules and other input requirements		Yes	In consultation with BHEL
f	Review of performance and revision of site erection schedules in order to achieve the end dates and other commitments		Yes	In consultation with BHEL
g	Weekly erection schedules based on Sl No. e		Yes	In consultation with BHEL
h	Daily erection / work plan based on Sl No. g		Yes	In consultation with BHEL
i	Periodic visit of the senior official of the bidder to site to review the progress so that works are completed as per schedule.		Yes	
j	Preparation of preassembly bay		Yes	
k	Laying of racks for gantry crane if provided by BHEL or brought by the contractor/bidder himself			NOT APPLICABLE
L	Arranging the materials required for preassembly		YES	

**TECHNICAL CONDITIONS OF CONTRACT (TCC)**  
**Chapter – IV: T&Ps AND MME TO BE DEPLOYED BY CONTRACTOR**

---

**4.1 Tools & Plants**

SN	DESCRIPTION
1	<p>1)Concrete Mixture/Mini Batching Plant -2nos 2) Vibrators- 6 nos. 3) Leveling instrument with calibration certificate as per required 4) Total Station with calibration certificate as per required 5) Shuttering materials as per requirement 6) Cube moulds required nos. and testing arrangement 7) Slump testing cone as required 8) Pump with Motor required for curing 9) Power generator (of Minimum 63 KVA )-1No (as per site requirement) 10) Diesel/Petrol/Electric Pump set (2.5 HP )-2no (as per site requirement) 11) Electric Water Pump (1.5HP )-1no (as per site requirement) 12) Welding Transformer-1nos(as per site requirement) 13) Gas cutting Set- 1Nos (as per site requirement) 14 )Drilling Machine- 2Nos (as per site requirement) 15) Water Tanker- 1No (as per site requirement) 16) Tractor- Trailer- 1No (as per site requirement) 17)Tripper-1 Nos (as per site requirement) 18) Dozer/ scraper with tractor for leveling &amp; grading – 01 no. 19) JCB-1 No.</p> <p><b><u>NOTE:</u></b> The above list is only indicative and not exhaustive. Arrangement for any other T and P required for completion of the job shall be the responsibility of the contractor and shall be arranged by him. Fabrication of Gate, fencing post, roof structures etc. shall be allowed to fabricate outside workshop with prior permission of BHEL.</p>

**TECHNICAL CONDITIONS OF CONTRACT (TCC)**  
**Chapter – IV: T&Ps AND MME TO BE DEPLOYED BY CONTRACTOR**

---

**4.2 MEASURING AND MONITORING DEVICES (MMD):**

AS PER REQUIREMENT TO BE FINALIZED AT SITE

**NOTE:**

**NOTE:**

THIS ABOVE LIST IS ONLY INDICATIVE AND NEITHER EXHAUSTIVE NOR LIMITING. QUANTITIES INDICATED ABOVE ARE ONLY THE MINIMUM REQUIRED. CONTRACTOR SHALL DEPLOY ALL NECESSARY T&P TO MEET THE SCHEDULES & AS PRESCRIBED BY BHEL ENGINEER AND REQUIRED FOR COMPLETION OF WORK.

**TECHNICAL CONDITIONS OF CONTRACT (TCC)**  
**Chapter – V: T&Ps AND MME TO BE DEPLOYED BY BHEL ON**  
**SHARING BASIS**

---

**5.1 BHEL WILL NOT PROVIDE ANY T&P's FOR THIS WORK**

# TECHNICAL CONDITIONS OF CONTRACT (TCC)

## Chapter – VI: TIME SCHEDULE

---

### **TIME SCHEDULE & MOBILIZATION**

#### **6.1.1 INITIAL MOBILIZATION AND TENTATIVE SCHEDULE**

Contractor shall reach at site, make his site establishment and be ready to commence the work within two weeks from the date of fax/e-mail Letter of Intent (LOI) or as per directions of Construction Manager/ Project Manager of BHEL. The contractor has to subsequently augment his resources in such a manner that the entire related works are completed within schedule.

**THE DATE OF START OF FIRST EXCAVATION SHALL BE RECKONED AS THE START OF CONTRACT PERIOD FOR THIS PURPOSE.**

THE CONTRACTOR SHALL REACH SITE AND ESTABLISH HIS SITE OFFICE AND MOBILIZE NECESSARY RESOURCES WELL IN ADVANCE OF ACTUAL COMMENCEMENT OF THE CONTRACT TIME SCHEDULE AS PER DIRECTIONS OF BHEL ENGINEER.

THE CONTRACTOR SHALL COMPLETE ALL THE WORK IN THE SCOPE OF THIS CONTRACT WITHIN THE CONTRACT PERIOD.

**THE OVERALL CONTRACT PERIOD SHALL BE 04 (FOUR) MONTHS FROM THE DATE OF START OF CONTRACT PERIOD.**

# TECHNICAL CONDITIONS OF CONTRACT (TCC)

## Chapter – VII: TERMS OF PAYMENT

---

### **7.00 TERMS OF PAYMENT**

#### **7.0.1**

The contractor shall submit his monthly on account bills with all the details required by BHEL on specified date every month covering progress of work in all respects and areas for the previous calendar month as per Cl no 10.0 of Chapter –X of Vol-IB SCC.

#### **7.0.2**

General conditions of contract shall be referred to as regards mode of payment, and measurement of the work completed.

#### **7.0.3**

Release of payment for each running bill will be done as per clause no **2.22 & 2.23** of Vol-IC of GCC.

#### **7.0.4**

The payment for running bills will normally be released within around 30 days of submission of running bill with measurement sheets. Contractor shall make his own arrangement for making payment of impending labour wages and other dues in the meanwhile.

#### **7.0.5**

**BHEL** will release payment through **Electronic Fund Transfer (EFT)/RTGS**. In order to implement this system, the following details are to be furnished by the contractor pertaining to his bank accounts where proceeds will be transferred through **BHEL's banker**:

Name of the Company, Name of Bank, Name of Bank Branch, City/Place, Account Number, Account type, IFSC code of the Bank Branch, MICR Code of the Bank Branch

**BHEL** May Also Choose To Release Payment By Other Alternative Modes As Suitable.

#### **7.0.6 Progressive Payment For Civil**

The percentage of payment for progressive completion of work in various categories of work shall be as under:

##### **7.0.7: Civil Work**

100% of Item Rate on Pro-Rata Basis against Monthly RA Bills

The RA bill payment shall be made as per Cl no 10.0 of Chapter –X of Vol-IB SCC and as per Cl no: 2.6 of Vol-IC GCC

##### **7.0.8: Extra/Additional Items of Work: As Per GCC**

# TECHNICAL CONDITIONS OF CONTRACT (TCC)

## Chapter-VIII: Taxes and Other Duties

---

### 8.0 TAXES, DUTIES, LEVIES (Consolidated Rev 06 dated 28/12/2015)

#### ~~8.1. For All types of works excepting works covered under sl no 8.2~~

##### ~~8.1.1~~

~~The contractor shall pay all (save the specific exclusions as enumerated in this contract) taxes, fees, license charges, deposits, duties, tools, royalty, commissions or other charges which may be levied on the input goods & services consumed and output goods & services delivered in course of his operations in executing the contract. In case BHEL is forced to pay any of such taxes, BHEL shall have the right to recover the same from his bills or otherwise as deemed fit.~~

~~However, provisions regarding Service Tax, Swachh Bharat Cess and Value Added Tax (VAT) on output services and goods shall be as per following clauses.~~

##### ~~8.1.2 Service Tax & Swachh Bharat Cess on Services:~~

~~Contractor's price/rates shall be exclusive of Service Tax and Swachh Bharat Cess on Services. In case, it becomes mandatory for the contractor under provisions of relevant act/law to collect the Service Tax & Swachh Bharat Cess from BHEL and pay the same to the concerned tax authorities, such applicable amount will be paid by BHEL at the prevailing Service Tax Rate presently Service Tax 14% and Swachh Bharat Cess 0.5% on the admitted Service value.~~

~~Contractor shall submit to BHEL documentary evidence of Service Tax registration certificate specifying name of services covered under this contract. Contractor shall submit serially numbered Service Tax and Cess Invoice, signed by him or a person authorized by him in respect of taxable service provided, and shall contain the following, namely,~~

- ~~1. The name, address and the registration number of the contractor,~~
- ~~2. The name and address of the party receiving taxable service,~~
- ~~3. Description and value of taxable service provided and,~~
- ~~4. The service tax and Swachh Bharat Cess payable thereon.~~

~~All the Four conditions shall be fulfilled in the invoice before release of service tax and Swachh Bharat Cess payment.~~

~~Wherever, more than one route/option are available for discharge of service tax and Swachh Bharat Cess liability under a particular service, (e.g. "works contract Service"), contractor shall obtain prior written consent from BHEL site before billing the amount towards Service Tax.~~

##### ~~8.1.3 VAT (Sales Tax /WCT)~~

~~As regards Value Added Tax (VAT)/CST on transfer of property in goods involved in Works Contract (previously known as Works Contract Tax) applicable as per local laws, the price quoted by the contractor shall be inclusive of the same and in no case input or output VAT/CST will be reimbursed extra.~~

# TECHNICAL CONDITIONS OF CONTRACT (TCC)

## Chapter-VIII: Taxes and Other Duties

---

~~In any case the Contractor shall register himself with the respective Sales Tax authorities of the state and submit proof of such registration to BHEL along with the first RA bill. Contractor will submit all the details of VAT/CST paid for the contract in the prescribed format of the respective state VAT laws. Also, the contractor will issue the tax Invoices to BHEL as per the Tax laws of respective state on monthly basis. Contractor shall also be required to furnish to BHEL necessary proof of VAT remittance on monthly basis.~~

~~Deduction of tax at source shall be made as per the provisions of law and is to be construed as an advance tax paid by the contractor and no reimbursement thereof will be made.~~

~~Further, if BHEL, at the instance of customer or otherwise adopts the specific route for discharging output VAT liability itself, benefit of the reduction in liability of the contractor will be passed on to BHEL.~~

~~In case, BHEL is forced to pay any VAT liability on behalf of contractor, the same will be recovered from contractor's bill or otherwise as deemed fit~~

### 8.2 'Enabling Works'

The contractor shall pay all (save the specific exclusions as enumerated in this contract) taxes, fees, license charges, deposits, duties, tools, royalty, commissions or other charges which may be levied on the input goods & services consumed and output goods & services delivered in course of his operations in executing the contract. In case BHEL is forced to pay any of such taxes, BHEL shall have the right to recover the same from his bills or otherwise as deemed fit. **(i.e. rates quoted by bidder shall be inclusive of Service Tax, VAT/WCT and all other taxes and duties including new levies/taxes/duty if any )**

However, Since the proposed work is in the nature of 'Works Contract service' as per Service tax law, Hence, For non-corporate contractors being Individual, HUF, Proprietary Firm, Partnership Firm or Association of Persons (AOP), BHEL shall recover the applicable Service Tax under reverse charge mechanism from the contractor and remit the same with the Government as per the provisions of Law. Necessary advice/confirmation of remittance shall be issued to the contractor. The contractor shall not be eligible for any refund/reimbursement of such service tax from BHEL. It shall be the responsibility of the contractor to submit proper invoice giving all the requisite details as per Service Tax Law for the determination of the service tax liability of BHEL under reverse charge mechanism. BHEL reserves the right to determine such liability based on the invoice submitted by the contractor or otherwise independently and remittance of the same with the Government.

# TECHNICAL CONDITIONS OF CONTRACT (TCC)

## Chapter-VIII: Taxes and Other Duties

---

### ~~8.3 New Taxes/Levies – For All types of works excepting works covered under sl no 8.2:~~

~~In case the Government imposes any new levy/tax on the output service/goods/work after award of the contract, the same shall be reimbursed by BHEL at actual.~~

~~In case any new tax/levy/duty etc. becomes applicable after the date of Bidder's offer, the Bidder/Contractor must convey its impact on his price duly substantiated by documentary evidence in support of the same before opening of Price Bid. Claim for any such impact after opening the Price Bid will not be considered by BHEL for reimbursement of tax or reassessment of offer.~~

~~No reimbursement/recovery on account of increase/reduction in the rate of taxes, levies, duties etc. on input goods/services/work shall be made. Such impact shall be taken care of by the Price Variation/Adjustment Clause (PVC) if any. In case PVC is not applicable for the contract, Bidder has to make his own assessment of the impact of future variation if any, in rates of taxes/duties/ levies etc. in his price bid.~~

### ~~8.4 BOCW Cess – For All types of works excepting works covered under sl no 8.2~~

~~The quoted rates shall be exclusive of the BOCW Cess which, if applicable, shall be paid extra by BHEL against Documentary evidence. However, the applicability of the BOCW Cess shall be got confirmed from BHEL in writing, before remitting such Cess/tax.~~

### ~~8.5 GST: For All types of works excepting works covered under sl no 8.2~~

~~As and when GST becomes applicable to this contract, the net differential (negative or positive) financial liability of the bidder to the Authorities (as compared to such liability prior to applicability of GST), if any, shall be to the account of BHEL. For this purpose, all available options under the GST shall be explored, and the decision of BHEL in this regard shall be final and binding on the bidder.~~

# TECHNICAL CONDITIONS OF CONTRACT (TCC)

## CHAPTER IX –DRAWINGS

---

### **9.1 Following Drawing shall be integral part of this tender:**

The tender drawing attached with the tender are for providing the Vendor an approximate idea of the project. However the final construction will be carried out at per site in charge's instruction and approval.

**TECHNICAL CONDITIONS OF CONTRACT (TCC)**  
**CHAPTER X – BILL OF QUANTITIES & %age WEIGHTAGE OF**  
**INDIVISUAL ITEMS**

---

**This Chapter consists of Part B of Volume II Price bid:**

1. PART B: % weightage for amount of individual items of Schedule of quantity w.r.t. the total price (as quoted by the bidder in Part C of Vol-II-Price Bid Specification)

**Note:** This Chapter-X is uploaded as file titled '**Chapter X BOQ and Percentage Weightage'-1625**